Full wwPDB EM Validation Report (i)

Nov 16, 2022 – 06:14 AM EST

PDB ID	:	7KRA
EMDB ID	:	EMD-23003
Title	:	Cryo-EM structure of Saccharomyces cerevisiae ER membrane protein complex bound to Fab-DH4 in lipid nanodiscs
Authors	:	Miller-Vedam, L.E.; Schirle Oakdale, N.S.; Braeuning, B.; Boydston, E.A.; Sevillano, N.; Popova, K.D.; Bonnar, J.L.; Shurtleff, M.J.; Prabu, J.R.; Stroud, R.M.; Craik, C.S.; Schulman, B.A.; Weissman, J.S.; Frost, A.
Deposited on	:	2020-11-19
Resolution	:	3.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev43
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	760	84% 8% 9%
2	B	292	14% 87% 13%
3	C	253	20% 66% 8% 26%
4	D	190	34% 64%
5	E	182	6% 62% 9% 29%
6	F	108	84% 12%
7	G	234	61% 35%
8	H	205	5% 57% 39%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	I	254	8% 62% 5% 33%
10	J	234	22% 79% 10% 11%
11	M	24	25% 88% 12%
11	N	24	58% 100%

2 Entry composition (i)

There are 13 unique types of molecules in this entry. The entry contains 17293 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ER membrane protein complex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	694	5637	3639	916	1067	15	0	0

- Molecule 2 is a protein called ER membrane protein complex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	290	2362	1518	380	452	12	0	0

- Molecule 3 is a protein called ER membrane protein complex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	188	1522	1003	243	265	11	0	0

- Molecule 4 is a protein called ER membrane protein complex subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	68	515	338	87	86	4	0	0

- Molecule 5 is a protein called ER membrane protein complex subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	129	1028	671	166	188	3	0	0

- Molecule 6 is a protein called ER membrane protein complex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	95	780	528	121	129	2	0	0

- Molecule 7 is a protein called Protein SOP4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	151	1235	794	206	231	4	0	0

- Molecule 8 is a protein called Endoplasmic reticulum membrane protein complex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	H	125	965	605	150	206	4	0	0

- Molecule 9 is a protein called Fab DH4 heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	I	170	1309	842	218	245	4	0	0

- Molecule 10 is a protein called Fab DH4 light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	J	209	1610	1003	276	323	8	0	0

- Molecule 11 is a protein called Unassigned helix.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
11	M	21	105	63	21	21	0	0
			Total	C	N	O		
11	N	24	120	72	24	24	0	0

- Molecule 12 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
12	A	1	Total	C	N	O	0
			42	24	3	15	
12	A	1	Total	C	N	O	0
			42	24	3	15	
12	A	1	Total	C	N	O	0
			42	24	3	15	
12	G	1	Total	C	N	O	0
			28	16	2	10	
12	G	1	Total	C	N	O	0
			28	16	2	10	

- Molecule 13 is [(2 {R})-1-octanoyloxy-3-[oxidanyl-[2-(trimethyl-$l^{4}-azanyl)ethoxy]phosphoryl]oxy-propan-2-yl] nonanoate (three-letter code: X3P) (formula: $C_{25}H_{51}NO_8P$).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
13	C	1	35	25	1	8	1	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ER membrane protein complex subunit 1

Chain A:



• Molecule 2: ER membrane protein complex subunit 2

Chain B:



• Molecule 3: ER membrane protein complex subunit 3

Chain C:



- Molecule 4: ER membrane protein complex subunit 4

Chain D:



- Molecule 5: ER membrane protein complex subunit 5

Chain E:



- Molecule 6: ER membrane protein complex subunit 6

Chain F:



- Molecule 7: Protein SOP4

Chain G:



• Molecule 8: Endoplasmic reticulum membrane protein complex subunit 10



• Molecule 9: Fab DH4 heavy chain



• Molecule 10: Fab DH4 light chain



• Molecule 11: Unassigned helix



• Molecule 11: Unassigned helix


X1
X2
X3
X4
X5
X6
X7
X10
X11
X12
X13
X14
X15
X16
X17
X22
X23
X24

4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	230528	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	67	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	66.122	Depositor
Minimum map value	-33.508	Depositor
Average map value	0.008	Depositor
Map value standard deviation	1.036	Depositor
Recommended contour level	10.4	Depositor
Map size (Å)	409.44, 409.44, 409.44	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.853, 0.853, 0.853	Depositor

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: X3P, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	A	0.31	0/5769	0.58	2/7838 (0.0%)
2	B	0.28	0/2397	0.50	0/3228
3	C	0.28	0/1556	0.53	0/2112
4	D	0.32	0/529	0.59	0/718
5	E	0.28	0/1051	0.49	0/1421
6	F	0.31	0/804	0.49	0/1094
7	G	0.32	0/1266	0.56	0/1713
8	H	0.31	0/979	0.58	0/1333
9	I	0.29	0/1342	0.56	0/1821
10	J	0.30	0/1644	0.58	0/2230
All	All	0.30	0/17337	0.55	2/23508 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	480	ASP	CB-CG-OD1	6.12	123.81	118.30
1	A	28	ASP	CB-CG-OD1	5.47	123.22	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5637	0	5595	40	0
2	B	2362	0	2415	28	0
3	C	1522	0	1551	14	0
4	D	515	0	454	4	0
5	E	1028	0	1032	16	0
6	F	780	0	777	4	0
7	G	1235	0	1205	6	0
8	H	965	0	949	6	0
9	I	1309	0	1269	7	0
10	J	1610	0	1556	14	0
11	M	105	0	23	0	0
11	N	120	0	26	0	0
12	A	42	0	39	0	0
12	G	28	0	26	1	0
13	C	35	0	0	0	0
All	All	17293	0	16917	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:86:TYR:HB3	2:B:125:THR:HG23	1.69	0.73
1:A:673:ILE:HG21	1:A:710:THR:HG21	1.70	0.71
8:H:70:ILE:HD12	8:H:74:LEU:HD22	1.73	0.71
10:J:206:TYR:OH	10:J:231:ARG:NH2	2.23	0.71
1:A:82:ARG:NH2	1:A:706:ASP:OD2	2.23	0.70
1:A:35:TRP:CE3	1:A:709:CYS:HB2	2.28	0.69
9:I:129:LYS:NZ	9:I:156:ASP:O	2.26	0.68
1:A:69:VAL:HG21	1:A:85:LEU:HD12	1.79	0.65
1:A:384:ARG:NH2	1:A:387:GLU:OE1	2.30	0.64
1:A:125:GLU:OE1	1:A:126:GLY:N	2.31	0.63
10:J:54:LEU:HD13	10:J:92:PHE:CD1	2.33	0.63
10:J:143:GLU:O	10:J:149:THR:N	2.31	0.63
2:B:256:ARG:O	2:B:260:ASN:N	2.31	0.63
7:G:148:VAL:HG23	7:G:152:ILE:HG13	1.82	0.62
2:B:155:LEU:HD11	2:B:166:TRP:HE1	1.66	0.61
1:A:647:GLU:N	1:A:647:GLU:OE1	2.33	0.61
3:C:166:CYS:SG	3:C:167:GLN:N	2.73	0.61
2:B:151:GLU:O	2:B:155:LEU:N	2.34	0.60
5:E:88:ASN:ND2	5:E:92:GLU:OE2	2.35	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:190:ASP:OD2	10:J:192:THR:OG1	2.19	0.59
10:J:125:GLU:OE2	10:J:193:TYR:OH	2.20	0.59
7:G:120:LEU:HD22	7:G:148:VAL:HG21	1.85	0.58
1:A:35:TRP:CZ3	1:A:709:CYS:SG	2.96	0.58
3:C:58:LEU:O	3:C:62:ASN:N	2.36	0.58
2:B:156:THR:O	3:C:52:TYR:OH	2.22	0.57
7:G:24:THR:HG22	7:G:76:ALA:HA	1.85	0.57
10:J:210:LYS:O	10:J:231:ARG:NH1	2.38	0.57
1:A:106:ASN:OD1	1:A:107:SER:N	2.37	0.57
1:A:148:ILE:HG22	1:A:153:LEU:HA	1.87	0.57
3:C:147:GLN:OE1	3:C:172:ARG:NH2	2.37	0.57
3:C:185:LEU:HB3	6:F:94:THR:HG21	1.87	0.57
8:H:70:ILE:HB	8:H:74:LEU:HB3	1.87	0.56
2:B:142:ASN:OD1	2:B:143:LEU:N	2.39	0.56
2:B:190:LEU:HD11	2:B:200:PHE:CZ	2.42	0.55
1:A:673:ILE:HD13	1:A:700:ILE:HD11	1.89	0.54
2:B:118:GLU:N	2:B:118:GLU:OE1	2.42	0.53
7:G:30:ASP:OD1	7:G:31:LEU:N	2.38	0.53
1:A:301:ILE:HD12	1:A:323:ILE:CD1	2.39	0.53
3:C:242:ASP:OD1	3:C:243:ASN:N	2.42	0.52
2:B:106:ILE:O	2:B:110:GLU:N	2.43	0.52
2:B:135:ALA:HB1	5:E:122:VAL:HG11	1.91	0.52
1:A:57:LEU:HD21	1:A:69:VAL:HG13	1.91	0.51
3:C:59:LEU:HD23	3:C:78:LEU:HD21	1.92	0.51
5:E:8:LEU:HB3	5:E:63:ALA:HB2	1.92	0.51
9:I:38:TRP:O	9:I:39:ILE:HD13	2.11	0.51
2:B:155:LEU:HD11	2:B:166:TRP:NE1	2.27	0.50
10:J:202:SER:O	10:J:206:TYR:N	2.43	0.49
1:A:447:LYS:NZ	8:H:28:ASP:OD2	2.31	0.49
5:E:131:GLU:OE1	5:E:133:ALA:N	2.42	0.49
2:B:260:ASN:HA	2:B:263:ILE:HD12	1.95	0.49
1:A:157:ASP:OD1	1:A:158:GLU:N	2.46	0.49
3:C:161:GLN:NE2	3:C:173:TRP:O	2.45	0.49
8:H:70:ILE:HD12	8:H:74:LEU:CD2	2.39	0.49
1:A:255:ARG:NH1	5:E:52:GLU:OE2	2.46	0.48
1:A:501:GLU:O	1:A:502:HIS:ND1	2.46	0.48
10:J:217:THR:HG22	10:J:224:PRO:HB3	1.95	0.48
1:A:35:TRP:CE3	1:A:709:CYS:SG	3.07	0.48
9:I:15:LYS:N	9:I:18:GLU:OE2	2.47	0.48
2:B:71:GLN:OE1	2:B:95:LEU:HD11	2.13	0.47
5:E:60:PHE:CE1	6:F:34:VAL:HG21	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:35:TRP:CE3	1:A:709:CYS:CB	2.96	0.47
2:B:113:LEU:HD22	2:B:133:LEU:HD21	1.95	0.47
1:A:474:LEU:HD21	1:A:571:ARG:NH2	2.30	0.47
1:A:528:ASP:OD2	7:G:49:TYR:OH	2.30	0.47
9:I:35:TYR:OH	9:I:105:GLY:O	2.32	0.47
1:A:577:ASP:OD1	1:A:578:ASN:N	2.45	0.46
2:B:86:TYR:CB	2:B:125:THR:HG23	2.43	0.46
5:E:24:TYR:O	5:E:28:HIS:ND1	2.47	0.46
5:E:9:TYR:CD1	5:E:63:ALA:HB1	2.50	0.46
1:A:537:PHE:CD1	1:A:542:VAL:HG22	2.50	0.46
2:B:239:LEU:HD13	5:E:100:ASN:CG	2.36	0.46
3:C:26:LYS:NZ	3:C:124:ALA:O	2.47	0.46
5:E:48:ASP:N	5:E:48:ASP:OD1	2.49	0.46
1:A:462:ALA:HB1	1:A:535:ILE:HG22	1.97	0.46
10:J:67:LEU:HD21	10:J:70:TYR:HB3	1.97	0.46
1:A:218:ASN:O	1:A:307:HIS:N	2.50	0.45
2:B:239:LEU:HD13	5:E:100:ASN:ND2	2.31	0.45
2:B:210:GLU:O	2:B:214:SER:OG	2.35	0.45
10:J:221:LEU:HD13	10:J:223:SER:O	2.17	0.45
1:A:331:ASP:OD2	9:I:5:GLN:NE2	2.49	0.44
2:B:63:TYR:O	5:E:128:ILE:HG21	2.16	0.44
7:G:53:ASN:OD1	12:G:302:NAG:N2	2.51	0.44
6:F:31:SER:O	6:F:31:SER:OG	2.32	0.44
1:A:615:ASP:OD1	1:A:619:LYS:NZ	2.51	0.44
4:D:165:ILE:HG22	4:D:166:PRO:O	2.18	0.44
8:H:94:VAL:CG1	8:H:102:VAL:HG13	2.48	0.44
9:I:208:CYS:SG	9:I:210:VAL:HG13	2.58	0.44
2:B:161:LEU:HD23	3:C:51:GLN:CG	2.48	0.43
1:A:62:PRO:HB3	1:A:89:ILE:HD12	2.01	0.43
2:B:8:GLU:O	2:B:12:THR:HG23	2.19	0.43
2:B:20:THR:HG21	5:E:120:VAL:HG13	2.00	0.43
1:A:427:PHE:HE2	4:D:185:LEU:HD22	1.83	0.43
1:A:673:ILE:CD1	1:A:700:ILE:HD11	2.49	0.42
2:B:20:THR:CG2	5:E:120:VAL:HG13	2.49	0.42
2:B:239:LEU:HD13	5:E:100:ASN:OD1	2.19	0.42
1:A:336:MET:HG3	1:A:348:VAL:HG22	2.00	0.42
1:A:377:LYS:NZ	1:A:400:ASP:OD2	2.44	0.42
2:B:251:SER:O	2:B:255:GLY:N	2.49	0.42
1:A:613:THR:HG23	1:A:692:THR:O	2.19	0.42
3:C:49:GLU:O	3:C:53:LEU:HD13	2.19	0.42
3:C:161:GLN:NE2	3:C:170:ASP:O	2.51	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:40:ILE:HG12	8:H:50:VAL:HG22	2.02	0.42
10:J:215:GLU:OE2	10:J:216:VAL:N	2.53	0.42
10:J:82:ARG:NH1	10:J:100:GLU:OE1	2.53	0.41
1:A:143:ASN:O	10:J:48:ARG:NH1	2.53	0.41
2:B:123:PHE:O	2:B:127:VAL:HG23	2.20	0.41
6:F:31:SER:OG	6:F:60:ILE:HD13	2.21	0.41
10:J:167:GLN:HE22	10:J:217:THR:HG23	1.85	0.41
1:A:471:LEU:HD21	4:D:178:ILE:HD12	2.03	0.41
9:I:36:TRP:O	9:I:53:ILE:HG22	2.20	0.41
1:A:105:VAL:HG12	1:A:106:ASN:O	2.21	0.41
1:A:427:PHE:CE2	4:D:185:LEU:HD22	2.56	0.41
2:B:148:VAL:CG2	2:B:172:ILE:HG21	2.50	0.41
1:A:646:GLU:OE1	1:A:646:GLU:N	2.54	0.40
2:B:161:LEU:HD23	3:C:51:GLN:HG2	2.03	0.40
1:A:59:LEU:CD2	1:A:69:VAL:HG22	2.52	0.40
1:A:673:ILE:HG22	1:A:674:THR:H	1.86	0.40
3:C:164:ILE:HG22	3:C:166:CYS:H	1.86	0.40
5:E:8:LEU:CB	5:E:63:ALA:HB2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	680/760 (90%)	652 (96%)	28 (4%)	0	100	100
2	B	288/292 (99%)	287 (100%)	1 (0%)	0	100	100
3	C	180/253 (71%)	178 (99%)	2 (1%)	0	100	100
4	D	64/190 (34%)	56 (88%)	8 (12%)	0	100	100
5	E	125/182 (69%)	123 (98%)	2 (2%)	0	100	100
6	F	93/108 (86%)	93 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	G	149/234 (64%)	145 (97%)	4 (3%)	0	100	100
8	H	123/205 (60%)	114 (93%)	9 (7%)	0	100	100
9	I	156/254 (61%)	154 (99%)	2 (1%)	0	100	100
10	J	203/234 (87%)	200 (98%)	3 (2%)	0	100	100
All	All	2061/2712 (76%)	2002 (97%)	59 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	646/707 (91%)	646 (100%)	0	100	100
2	B	262/264 (99%)	260 (99%)	2 (1%)	81	93
3	C	168/217 (77%)	168 (100%)	0	100	100
4	D	44/166 (26%)	44 (100%)	0	100	100
5	E	115/161 (71%)	114 (99%)	1 (1%)	78	91
6	F	83/95 (87%)	83 (100%)	0	100	100
7	G	135/204 (66%)	135 (100%)	0	100	100
8	H	111/178 (62%)	110 (99%)	1 (1%)	78	91
9	I	144/207 (70%)	144 (100%)	0	100	100
10	J	186/206 (90%)	186 (100%)	0	100	100
All	All	1894/2405 (79%)	1890 (100%)	4 (0%)	93	98

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	92	LYS
2	B	258	LYS
5	E	125	LYS
8	H	73	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
12	NAG	G	301	7	14,14,15	0.37	0	17,19,21	0.35	0
13	X3P	C	301	-	34,34,34	1.41	6 (17%)	40,42,42	1.07	2 (5%)
12	NAG	A	801	1	14,14,15	0.26	0	17,19,21	0.57	0
12	NAG	A	803	1	14,14,15	0.20	0	17,19,21	0.42	0
12	NAG	A	802	1	14,14,15	0.25	0	17,19,21	0.36	0
12	NAG	G	302	7	14,14,15	0.36	0	17,19,21	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	NAG	G	301	7	-	2/6/23/26	0/1/1/1
13	X3P	C	301	-	-	17/38/38/38	-
12	NAG	A	801	1	-	2/6/23/26	0/1/1/1
12	NAG	A	803	1	-	2/6/23/26	0/1/1/1
12	NAG	A	802	1	-	1/6/23/26	0/1/1/1
12	NAG	G	302	7	-	2/6/23/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	C	301	X3P	O31-C31	3.42	1.43	1.33
13	C	301	X3P	O21-C21	3.41	1.43	1.34
13	C	301	X3P	O21-C2	-2.17	1.41	1.46
13	C	301	X3P	C12-C11	2.09	1.57	1.51
13	C	301	X3P	P-O11	2.05	1.67	1.59
13	C	301	X3P	C22-C21	2.03	1.56	1.50

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
13	C	301	X3P	O21-C21-C22	4.01	120.14	111.50
13	C	301	X3P	O31-C31-C32	2.25	118.97	111.91

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
13	C	301	X3P	O32-C31-O31-C3
13	C	301	X3P	C32-C31-O31-C3
12	A	801	NAG	C1-C2-N2-C7
13	C	301	X3P	C31-C32-C33-C34
12	G	302	NAG	O5-C5-C6-O6
12	G	302	NAG	C4-C5-C6-O6
13	C	301	X3P	C11-O12-P-O11
13	C	301	X3P	O22-C21-O21-C2
13	C	301	X3P	C22-C21-O21-C2
13	C	301	X3P	C23-C24-C25-C26
12	A	802	NAG	O5-C5-C6-O6
12	A	803	NAG	C4-C5-C6-O6
12	G	301	NAG	C1-C2-N2-C7
13	C	301	X3P	C26-C27-C28-C29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	A	803	NAG	O5-C5-C6-O6
13	C	301	X3P	C2-C1-O11-P
13	C	301	X3P	C11-O12-P-O13
13	C	301	X3P	C12-C11-O12-P
13	C	301	X3P	C21-C22-C23-C24
13	C	301	X3P	C24-C25-C26-C27
13	C	301	X3P	O31-C31-C32-C33
12	A	801	NAG	C3-C2-N2-C7
12	G	301	NAG	C3-C2-N2-C7
13	C	301	X3P	O32-C31-C32-C33
13	C	301	X3P	C1-C2-O21-C21
13	C	301	X3P	C3-C2-O21-C21

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	G	302	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand X3P C 301	
 Bond lengths	 Bond angles
 Torsions	 Rings

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-23003. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections (i)

6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map



X Index: 240



Y Index: 240



Z Index: 240

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 235



Y Index: 247



Z Index: 201

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views (i)

6.4.1 Primary map

X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 10.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5 Mask visualisation (i)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency

A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure

6.5.1 emd_23003_msk_1.map (i)



X



Y



Z

7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate (i)



The volume at the recommended contour level is 118 nm^3; this corresponds to an approximate mass of 106 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.312 Å^{-1}

8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.312 Å^{-1}

8.2 Resolution estimates (i)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	3.13	3.74	3.17
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-23003 and PDB model 7KRA. Per-residue inclusion information can be found in section 3 on page 8.

9.1 Map-model overlay (i)



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 10.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (10.4).

9.4 Atom inclusion (i)



At the recommended contour level, 83% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (10.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7553	0.4740
A	0.8424	0.5150
B	0.6583	0.4010
C	0.6203	0.4280
D	0.7698	0.4710
E	0.7414	0.4440
F	0.8531	0.5110
G	0.8642	0.5350
H	0.7904	0.5050
I	0.7461	0.4890
J	0.6139	0.4250
M	0.6381	0.3250
N	0.3917	0.2980