Full wwPDB X-ray Structure Validation Report (i)

Jun 18, 2024 – 10:48 AM EDT

PDB ID	:	4N0G
Title	:	Crystal Structure of PYL13-PP2CA complex
Authors	:	Li, W.; Wang, L.; Sheng, X.; Yan, C.; Zhou, R.; Hang, J.; Yin, P.; Yan, N.
Deposited on	:	2013-10-01
Resolution	:	2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5509 (2.40-2.36)
Clashscore	141614	6082 (2.40-2.36)
Ramachandran outliers	138981	5973 (2.40-2.36)
Sidechain outliers	138945	5975 (2.40-2.36)
RSRZ outliers	127900	5397 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	328	% 60% 18% • 19%
1	B	328	% 60% 17% • 19%
2	C	164	62% 22% • 12%
2	D	164	% 71% 13% • 12%

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 6669 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein phosphatase 2C 37.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	267	2047	1266	369	394	18	0	0	0
1	B	265	2028	1252	366	392	18	0	0	0

- Molecule 2 is a protein called Abscisic acid receptor PYL13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	145	1144	724	195	219	6	0	0	0
2	D	144	1131	716	193	216	6	0	0	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
3	A	1	1	1	0	0
3	B	1	1	1	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
4	A	4	4	4	0	0
4	B	4	4	4	0	0
4	C	1	1	1	0	0
4	D	1	1	1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
5	A	94	94	94	0	0
			Total	O		
5	B	96	96	96	0	0
			Total	O		
5	C	56	56	56	0	0
			Total	O		
5	D	61	61	61	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Protein phosphatase 2C 37

Chain A:



• Molecule 1: Protein phosphatase 2C 37

Chain B:



• Molecule 2: Abscisic acid receptor PYL13

Chain C:



• Molecule 2: Abscisic acid receptor PYL13

Chain D:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 3	Depositor
Cell constants a, b, c, α, β, γ	111.38Å 111.38Å 70.41Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	39.79 – 2.38 39.79 – 2.38	Depositor EDS
% Data completeness (in resolution range)	99.8 (39.79-2.38) 99.8 (39.79-2.38)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	4.24 (at 2.39Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.211 , 0.245 0.205 , 0.241	Depositor DCC
R_{free} test set	1953 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å^2)	37.1	Xtriage
Anisotropy	0.268	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.31 , 19.8	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.469 for -h,-k,l 0.030 for h,-h-k,-l 0.029 for -k,-h,-l	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	6669	wwPDB-VP
Average B, all atoms (Å^2)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.66% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	A	0.44	0/2078	0.60	0/2814
1	B	0.44	0/2058	0.60	0/2787
2	C	0.43	0/1161	0.59	0/1566
2	D	0.45	0/1148	0.61	0/1550
All	All	0.44	0/6445	0.60	0/8717

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2047	0	2014	44	1
1	B	2028	0	2000	49	1
2	C	1144	0	1162	30	1
2	D	1131	0	1145	21	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	4	0	0	0	0
4	B	4	0	0	0	0
4	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	1	0	0	0	0
5	A	94	0	0	5	0
5	B	96	0	0	12	1
5	C	56	0	0	7	0
5	D	61	0	0	4	0
All	All	6669	0	6321	143	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:360:ASN:HB3	1:A:363:SER:OG	1.36	1.19
2:D:58:GLY:N	5:D:344:HOH:O	1.85	1.09
1:B:99:PHE:HD2	1:B:392:ARG:C	1.58	1.07
1:B:99:PHE:CD2	1:B:392:ARG:C	2.42	0.93
1:B:172:GLU:OE2	5:B:582:HOH:O	1.89	0.91
1:A:115:ARG:NH2	5:A:527:HOH:O	2.00	0.87
2:D:6:GLN:NE2	2:D:7:LYS:N	2.23	0.87
1:A:105:ILE:HD11	1:A:123:ILE:HD12	1.58	0.85
2:C:47:ARG:O	5:C:344:HOH:O	1.95	0.84
1:A:313:THR:HG22	5:A:593:HOH:O	1.77	0.84
2:D:6:GLN:NE2	2:D:7:LYS:O	2.11	0.82
2:D:11:SER:OG	5:D:336:HOH:O	1.96	0.82
1:A:105:ILE:CD1	1:A:123:ILE:HD12	2.10	0.82
1:B:115:ARG:NE	5:B:538:HOH:O	2.12	0.81
2:C:107:LYS:NZ	5:C:307:HOH:O	1.92	0.79
1:B:164:GLU:O	5:B:542:HOH:O	2.01	0.79
1:B:189:SER:OG	5:B:544:HOH:O	2.01	0.78
2:C:100:ARG:HH12	2:C:135:THR:HG21	1.46	0.78
2:D:163:MET:O	5:D:329:HOH:O	2.02	0.76
1:A:313:THR:CG2	5:A:593:HOH:O	2.31	0.76
2:C:10:ARG:NH1	5:C:321:HOH:O	2.20	0.74
1:B:128:LEU:C	1:B:128:LEU:HD12	2.09	0.73
1:B:118:GLU:OE1	5:B:596:HOH:O	2.06	0.72
2:D:100:ARG:HH12	2:D:135:THR:HG21	1.54	0.71
1:A:360:ASN:HB3	1:A:363:SER:HG	1.53	0.70
1:B:360:ASN:N	1:B:363:SER:HG	1.90	0.70
1:A:189:SER:OG	1:A:298:ASN:OD1	2.08	0.70
1:B:126:SER:CB	1:B:134:ASN:HD21	2.05	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:214:SER:OG	2:C:157:LYS:NZ	2.26	0.69
2:C:37:TYR:HE2	5:C:338:HOH:O	1.75	0.69
1:A:151:GLU:HG2	1:A:154:ARG:NH2	2.07	0.68
1:B:327:ASP:OD2	5:B:572:HOH:O	2.12	0.68
2:C:37:TYR:CE2	5:C:338:HOH:O	2.47	0.68
2:D:6:GLN:NE2	2:D:6:GLN:C	2.47	0.68
1:B:346:LEU:HG	1:B:390:ARG:HH21	1.59	0.67
2:D:78:GLU:HG2	2:D:94:ILE:HG12	1.75	0.67
2:C:18:GLU:OE1	5:C:330:HOH:O	2.11	0.67
1:A:118:GLU:OE1	5:A:589:HOH:O	2.11	0.67
2:C:113:SER:OG	5:C:342:HOH:O	2.03	0.66
1:A:146:CYS:SG	1:A:147:SER:N	2.71	0.63
1:B:366:ALA:O	1:B:370:THR:HG23	2.00	0.61
1:A:366:ALA:O	1:A:370:THR:HG23	2.03	0.59
1:B:115:ARG:NH2	5:B:524:HOH:O	2.22	0.58
2:C:94:ILE:HD12	2:C:104:TYR:CG	2.39	0.58
2:C:94:ILE:HG21	2:C:99:HIS:CE1	2.39	0.57
1:B:146:CYS:SG	1:B:147:SER:N	2.78	0.57
1:A:363:SER:HB3	5:A:568:HOH:O	2.05	0.56
1:A:107:THR:HG21	1:A:121:VAL:HG11	1.88	0.56
1:B:189:SER:OG	1:B:298:ASN:OD1	2.21	0.56
1:B:130:ARG:O	1:B:133:GLU:HB2	2.06	0.55
2:C:10:ARG:HB3	2:C:128:VAL:HG12	1.89	0.55
1:A:107:THR:HG23	1:A:385:VAL:HG22	1.88	0.55
1:B:346:LEU:CG	1:B:390:ARG:HH21	2.20	0.54
1:B:129:GLN:HA	1:B:133:GLU:O	2.07	0.54
2:D:114:PRO:C	5:D:350:HOH:O	2.46	0.54
1:A:169:ALA:O	1:A:172:GLU:HG2	2.08	0.54
1:A:227:SER:HA	1:A:235:ILE:O	2.08	0.53
1:B:115:ARG:CZ	5:B:538:HOH:O	2.53	0.53
2:C:8:ARG:NH1	2:C:130:ASP:OD1	2.42	0.53
1:A:135:HIS:CD2	1:A:230:THR:HG22	2.43	0.53
1:A:103:PRO:HB3	1:A:388:ASP:O	2.09	0.53
2:D:6:GLN:C	2:D:6:GLN:HE21	2.12	0.53
1:A:151:GLU:HG2	1:A:154:ARG:HH22	1.71	0.52
2:C:18:GLU:HG2	2:C:120:LYS:HE2	1.90	0.52
1:B:127:PHE:O	1:B:128:LEU:HB3	2.09	0.52
1:A:233:LYS:NZ	1:A:314:ASP:OD1	2.43	0.52
2:C:94:ILE:HD12	2:C:104:TYR:CD1	2.45	0.51
1:B:126:SER:HB3	1:B:134:ASN:HD21	1.74	0.51
2:D:71:PHE:CG	2:D:72:PRO:HD2	2.45	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:28:LEU:HD21	2:C:155:LEU:HD22	1.92	0.50
2:D:87:SER:O	2:D:109:LYS:NZ	2.42	0.50
1:B:128:LEU:HD12	1:B:129:GLN:N	2.27	0.50
1:B:227:SER:HA	1:B:235:ILE:O	2.12	0.50
1:A:129:GLN:HA	1:A:133:GLU:O	2.12	0.49
1:A:362:CYS:SG	1:A:388:ASP:HB2	2.52	0.49
1:B:169:ALA:O	1:B:172:GLU:HG2	2.11	0.49
2:C:8:ARG:CG	2:C:8:ARG:HH11	2.25	0.49
1:A:105:ILE:HD11	1:A:123:ILE:CD1	2.37	0.49
1:A:249:ASN:OD1	1:A:318:GLU:HB3	2.12	0.49
2:C:71:PHE:CG	2:C:72:PRO:HD2	2.47	0.49
1:A:345:CYS:SG	1:A:368:LEU:HD12	2.53	0.49
2:C:21:LEU:HD12	2:C:112:ALA:N	2.28	0.49
1:B:345:CYS:SG	1:B:368:LEU:HD12	2.52	0.48
1:A:346:LEU:HB3	1:A:390:ARG:HH21	1.78	0.48
2:C:137:GLU:O	2:C:141:ILE:HG12	2.13	0.48
1:B:378:SER:O	5:B:521:HOH:O	2.19	0.48
1:A:127:PHE:CE2	1:A:128:LEU:HD23	2.48	0.48
1:B:123:ILE:HG22	1:B:125:PRO:HD3	1.95	0.48
2:D:136:SER:HB2	2:D:138:GLU:OE2	2.14	0.48
1:B:170:SER:OG	1:B:171:ASP:N	2.44	0.47
1:B:344:MET:HA	1:B:347:ARG:HG3	1.97	0.47
2:D:6:GLN:NE2	2:D:7:LYS:C	2.67	0.47
2:D:11:SER:HB2	2:D:141:ILE:HD12	1.97	0.47
1:B:372:LEU:O	1:B:376:ARG:HG3	2.15	0.46
1:A:343:ARG:HH11	1:A:347:ARG:NH2	2.13	0.46
1:B:105:ILE:HD11	1:B:123:ILE:HD12	1.97	0.46
1:A:170:SER:HB3	1:A:171:ASP:H	1.53	0.46
1:A:130:ARG:O	1:A:133:GLU:HB2	2.16	0.46
1:A:343:ARG:NH1	1:A:347:ARG:NH2	2.63	0.45
2:D:94:ILE:HG21	2:D:99:HIS:CE1	2.50	0.45
2:C:92:VAL:HG12	2:C:93:SER:N	2.31	0.45
1:B:159:ASP:O	1:B:163:LYS:HG2	2.16	0.45
5:B:570:HOH:O	2:D:135:THR:HB	2.16	0.45
1:B:134:ASN:HD22	1:B:136:HIS:CE1	2.35	0.45
1:B:388:ASP:OD1	1:B:390:ARG:HG3	2.16	0.45
2:C:111:VAL:HG23	2:C:122:VAL:HG13	1.99	0.45
1:A:372:LEU:O	1:A:376:ARG:HG3	2.17	0.44
2:D:111:VAL:HG23	2:D:122:VAL:HG13	1.97	0.44
1:B:360:ASN:OD1	1:B:362:CYS:HB2	2.18	0.44
2:D:6:GLN:HE22	2:D:7:LYS:C	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:138:GLU:H	2:D:138:GLU:CD	2.21	0.44
1:B:291:MET:HG3	1:B:293:ARG:O	2.18	0.44
1:A:215:PRO:HD2	1:A:216:GLN:OE1	2.18	0.44
2:C:8:ARG:NH1	2:C:8:ARG:HG2	2.32	0.43
1:A:102:VAL:HA	1:A:103:PRO:HD3	1.69	0.43
1:A:136:HIS:O	1:A:228:VAL:HA	2.17	0.43
1:A:105:ILE:HD13	1:A:123:ILE:HG23	2.01	0.43
1:B:126:SER:HA	1:B:135:HIS:O	2.18	0.43
2:D:89:VAL:HA	2:D:108:THR:O	2.18	0.43
1:A:332:VAL:HG23	1:A:333:VAL:HG23	1.99	0.43
2:C:94:ILE:HB	2:C:104:TYR:HB3	2.01	0.43
1:B:333:VAL:HA	1:B:334:PRO:HD3	1.88	0.42
1:B:362:CYS:SG	1:B:388:ASP:HB2	2.58	0.42
1:A:212:LEU:HD12	1:A:212:LEU:HA	1.81	0.42
2:C:9:CYS:HB2	2:C:141:ILE:HD11	2.01	0.42
2:C:159:THR:O	2:C:163:MET:HG2	2.20	0.42
1:B:107:THR:HG22	1:B:385:VAL:HG13	2.01	0.42
1:B:135:HIS:CD2	1:B:230:THR:HG22	2.54	0.42
1:A:388:ASP:OD1	1:A:390:ARG:HG3	2.20	0.42
2:C:89:VAL:HA	2:C:108:THR:O	2.20	0.41
2:C:87:SER:O	2:C:109:LYS:NZ	2.49	0.41
1:A:230:THR:HB	1:A:231:PRO:HD2	2.02	0.41
1:A:291:MET:HG3	1:A:293:ARG:O	2.20	0.41
1:B:346:LEU:HG	1:B:390:ARG:NH2	2.30	0.41
2:C:33:LYS:HA	2:C:35:GLN:OE1	2.21	0.41
1:B:260:LYS:HA	1:B:261:PRO:HD3	1.97	0.41
1:A:123:ILE:HG22	1:A:125:PRO:HD3	2.01	0.41
1:B:99:PHE:HB3	1:B:100:SER:H	1.72	0.41
1:B:172:GLU:HB2	5:B:529:HOH:O	2.20	0.41
1:B:172:GLU:O	1:B:176:THR:HG23	2.22	0.40
2:C:21:LEU:HD12	2:C:112:ALA:HB2	2.04	0.40
1:B:267:LEU:HD22	1:B:271:GLN:NE2	2.36	0.40
1:B:296:GLY:HA2	5:B:533:HOH:O	2.21	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:120:LYS:NZ	5:B:582:HOH:O[3_654]	2.04	0.16
1:A:115:ARG:NH1	1:B:231:PRO:O[1_554]	2.11	0.09

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	261/328 (80%)	252 (97%)	9 (3%)	0	100	100
1	B	259/328 (79%)	251 (97%)	8 (3%)	0	100	100
2	C	139/164 (85%)	135 (97%)	4 (3%)	0	100	100
2	D	138/164 (84%)	134 (97%)	4 (3%)	0	100	100
All	All	797/984 (81%)	772 (97%)	25 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	229/281 (82%)	207 (90%)	22 (10%)	8	11
1	B	228/281 (81%)	208 (91%)	20 (9%)	10	13
2	C	133/145 (92%)	120 (90%)	13 (10%)	8	10
2	D	131/145 (90%)	118 (90%)	13 (10%)	8	10
All	All	721/852 (85%)	653 (91%)	68 (9%)	8	11

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	107	THR
1	A	113	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	115	ARG
1	A	127	PHE
1	A	130	ARG
1	A	155	GLU
1	A	159	ASP
1	A	170	SER
1	A	189	SER
1	A	190	GLN
1	A	209	ARG
1	A	212	LEU
1	A	239	CYS
1	A	267	LEU
1	A	276	ARG
1	A	313	THR
1	A	317	ASP
1	A	329	LEU
1	A	337	THR
1	A	343	ARG
1	A	346	LEU
1	A	347	ARG
1	B	115	ARG
1	B	126	SER
1	B	128	LEU
1	B	130	ARG
1	B	132	SER
1	B	159	ASP
1	B	176	THR
1	B	189	SER
1	B	260	LYS
1	B	267	LEU
1	B	276	ARG
1	B	307	ASP
1	B	313	THR
1	B	329	LEU
1	B	337	THR
1	B	343	ARG
1	B	347	ARG
1	B	367	LEU
1	B	370	THR
1	B	390	ARG
2	C	7	LYS
2	C	8	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	10	ARG
2	C	23	LEU
2	C	35	GLN
2	C	80	LEU
2	C	99	HIS
2	C	109	LYS
2	C	115	GLU
2	C	122	VAL
2	C	133	GLU
2	C	135	THR
2	C	138	GLU
2	D	6	GLN
2	D	7	LYS
2	D	10	ARG
2	D	23	LEU
2	D	35	GLN
2	D	66	THR
2	D	80	LEU
2	D	83	LEU
2	D	99	HIS
2	D	109	LYS
2	D	122	VAL
2	D	135	THR
2	D	138	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	298	ASN
1	B	129	GLN
1	B	134	ASN
1	B	298	ASN
2	D	6	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 12 ligands modelled in this entry, 12 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	267/328 (81%)	-0.14	2 (0%) 87 88	22, 36, 70, 96	0
1	B	265/328 (80%)	-0.21	3 (1%) 80 81	24, 36, 67, 97	0
2	C	145/164 (88%)	-0.27	0 100 100	24, 37, 60, 91	0
2	D	144/164 (87%)	-0.18	1 (0%) 87 88	24, 37, 58, 87	0
All	All	821/984 (83%)	-0.19	6 (0%) 87 88	22, 37, 64, 97	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	100	SER	3.2
1	B	344	MET	2.9
1	A	99	PHE	2.3
1	B	100	SER	2.2
2	D	6	GLN	2.1
1	B	347	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
4	MG	B	404	1/1	0.81	0.23	50,50,50,50	0
4	MG	A	402	1/1	0.85	0.18	45,45,45,45	0
4	MG	B	403	1/1	0.88	0.11	30,30,30,30	0
4	MG	A	404	1/1	0.88	0.12	30,30,30,30	0
4	MG	D	201	1/1	0.92	0.19	61,61,61,61	0
4	MG	A	403	1/1	0.93	0.15	24,24,24,24	0
4	MG	A	405	1/1	0.93	0.19	50,50,50,50	0
4	MG	B	402	1/1	0.93	0.11	26,26,26,26	0
4	MG	B	405	1/1	0.95	0.09	53,53,53,53	0
3	ZN	A	401	1/1	0.98	0.11	37,37,37,37	0
4	MG	C	201	1/1	0.99	0.08	60,60,60,60	0
3	ZN	B	401	1/1	0.99	0.07	35,35,35,35	0

6.5 Other polymers (i)

There are no such residues in this entry.