Full wwPDB X-ray Structure Validation Report (i)

Jun 16, 2024 – 07:51 PM EDT

PDB ID	:	5NGB
Title	:	X-Ray Diffraction Crystal Structure of the murine PI3K p110delta in complex with a pan inhibitor
Authors	:	Berndt, A.; Williams, R.L.
Deposited on	:	2017-03-17
Resolution	:	2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1079	4% 59% 14% • 24%

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 6625 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit delta isoform.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	816	6593	4228	1120	1192	53	0	0	0

There are 35 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-34	MET	-	initiating methionine	UNP Q3UDT3
A	-33	SER	-	expression tag	UNP Q3UDT3
A	-32	TYR	-	expression tag	UNP Q3UDT3
A	-31	TYR	-	expression tag	UNP Q3UDT3
A	-30	HIS	-	expression tag	UNP Q3UDT3
A	-29	HIS	-	expression tag	UNP Q3UDT3
A	-28	HIS	-	expression tag	UNP Q3UDT3
A	-27	HIS	-	expression tag	UNP Q3UDT3
A	-26	HIS	-	expression tag	UNP Q3UDT3
A	-25	HIS	-	expression tag	UNP Q3UDT3
A	-24	ASP	-	expression tag	UNP Q3UDT3
A	-23	TYR	-	expression tag	UNP Q3UDT3
A	-22	ASP	-	expression tag	UNP Q3UDT3
A	-21	ILE	-	expression tag	UNP Q3UDT3
A	-20	PRO	-	expression tag	UNP Q3UDT3
A	-19	THR	-	expression tag	UNP Q3UDT3
A	-18	THR	-	expression tag	UNP Q3UDT3
A	-17	GLU	-	expression tag	UNP Q3UDT3
A	-16	ASN	-	expression tag	UNP Q3UDT3
A	-15	LEU	-	expression tag	UNP Q3UDT3
A	-14	TYR	-	expression tag	UNP Q3UDT3
A	-13	PHE	-	expression tag	UNP Q3UDT3
A	-12	GLN	-	expression tag	UNP Q3UDT3
A	-11	GLY	-	expression tag	UNP Q3UDT3
A	-10	ALA	-	expression tag	UNP Q3UDT3
A	-9	MET	-	expression tag	UNP Q3UDT3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	ASP	-	expression tag	UNP Q3UDT3
A	-7	LEU	-	expression tag	UNP Q3UDT3
A	99	GLU	-	insertion	UNP Q3UDT3
A	100	ASN	-	insertion	UNP Q3UDT3
A	101	LEU	-	insertion	UNP Q3UDT3
A	102	TYR	-	insertion	UNP Q3UDT3
A	103	PHE	-	insertion	UNP Q3UDT3
A	104	GLN	-	insertion	UNP Q3UDT3
A	105	GLY	-	insertion	UNP Q3UDT3

- Molecule 2 is 3-[[4-(2-morpholin-4-yl-4-oxidanylidene-3 {H}-quinolin-8-yl)-1,2,3-triazol-1-yl] methyl]benzoic acid (three-letter code: 8WH) (formula: $C_{23}H_{21}N_5O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	32	23	5	4	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit delta isoform

Chain A: 4% 59% 14% • 24%



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α, β, γ	63.44Å 143.59Å 220.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.63 – 2.90 45.52 – 2.89	Depositor EDS
% Data completeness (in resolution range)	99.7 (45.63-2.90) 99.8 (45.52-2.89)	Depositor EDS
R_{merge}	0.25	Depositor
R_{sym}	0.25	Depositor
$< I/\sigma(I) >$ [1]	2.54 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.242 , 0.290 0.243 , 0.288	Depositor DCC
R_{free} test set	1170 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å^2)	48.7	Xtriage
Anisotropy	0.041	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 40.1	EDS
L-test for twinning[2]	$< \|L\| > = 0.45$, $< L^2 > = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.88	EDS
Total number of atoms	6625	wwPDB-VP
Average B, all atoms (Å^2)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.76% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: 8WH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	A	0.57	0/6734	0.78	5/9084 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	957	ARG	NE-CZ-NH2	6.30	123.45	120.30
1	A	927	ARG	NE-CZ-NH1	5.99	123.30	120.30
1	A	821	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	A	374	ARG	NE-CZ-NH1	5.05	122.83	120.30
1	A	720	ARG	NE-CZ-NH2	-5.01	117.79	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6593	0	6573	155	1
2	A	32	0	0	2	0
All	All	6625	0	6573	156	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:369:PRO:HB2	1:A:371:TRP:CH2	1.61	1.33
1:A:954:GLU:HG2	1:A:957:ARG:NH1	1.60	1.15
1:A:746:VAL:O	1:A:748:GLN:N	1.83	1.12
1:A:341:LEU:HD21	1:A:365:VAL:HG13	1.34	1.08
1:A:224:LYS:HG3	1:A:228:PHE:CE2	1.87	1.08
1:A:369:PRO:O	1:A:371:TRP:CE3	2.06	1.06
1:A:369:PRO:HB2	1:A:371:TRP:CZ3	1.94	1.03
1:A:116:GLN:HE21	1:A:679:MET:CE	1.72	1.01
1:A:708:LYS:NZ	2:A:1101:8WH:OBC	1.94	1.00
1:A:330:GLY:C	1:A:369:PRO:HD2	1.83	0.99
1:A:224:LYS:HG3	1:A:228:PHE:CD2	1.99	0.97
1:A:339:MET:O	1:A:365:VAL:HG23	1.69	0.92
1:A:369:PRO:CB	1:A:371:TRP:CH2	2.53	0.91
1:A:954:GLU:CG	1:A:957:ARG:NH1	2.33	0.91
1:A:116:GLN:HE21	1:A:679:MET:HE1	1.34	0.90
1:A:339:MET:C	1:A:365:VAL:HG23	1.93	0.89
1:A:218:ALA:O	1:A:222:ARG:HG3	1.73	0.87
1:A:224:LYS:CG	1:A:228:PHE:CD2	2.58	0.86
1:A:142:LYS:HE3	1:A:626:ASP:OD2	1.76	0.85
1:A:116:GLN:NE2	1:A:679:MET:CE	2.38	0.85
1:A:436:GLU:O	1:A:437:ARG:HD2	1.77	0.84
1:A:374:ARG:NH2	1:A:376:GLU:OE1	2.10	0.84
1:A:916:LEU:O	1:A:918:ASN:N	2.09	0.84
1:A:224:LYS:O	1:A:228:PHE:HB2	1.77	0.84
1:A:954:GLU:CG	1:A:957:ARG:HH12	1.90	0.81
1:A:435:GLY:O	1:A:475:LEU:N	2.13	0.79
1:A:954:GLU:CD	1:A:957:ARG:HH12	1.87	0.77
1:A:369:PRO:O	1:A:371:TRP:CZ3	2.39	0.75
1:A:917:GLY:HA2	1:A:930:VAL:HG12	1.68	0.75
1:A:954:GLU:HG2	1:A:957:ARG:HH11	1.51	0.74
1:A:137:ASN:O	1:A:141:THR:HG23	1.87	0.74
1:A:368:GLU:OE1	1:A:368:GLU:N	2.23	0.71
1:A:165:TYR:CZ	1:A:641:ARG:HG3	2.26	0.71
1:A:435:GLY:HA3	1:A:475:LEU:O	1.91	0.71
1:A:895:HIS:H	1:A:898:ASN:HD21	1.40	0.69
1:A:916:LEU:C	1:A:918:ASN:H	1.94	0.69
1:A:951:GLU:OE2	1:A:955:ARG:NH1	2.25	0.69
1:A:330:GLY:N	1:A:369:PRO:HG2	2.07	0.69
1:A:746:VAL:O	1:A:749:CYS:N	2.24	0.69
1:A:549:LEU:HG	1:A:564:MET:CE	2.24	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:706:THR:OG1	1:A:710:GLN:OE1	2.11	0.68
1:A:369:PRO:CB	1:A:371:TRP:CZ3	2.75	0.67
1:A:435:GLY:CA	1:A:475:LEU:O	2.44	0.65
1:A:224:LYS:O	1:A:228:PHE:HD2	1.78	0.65
1:A:224:LYS:O	1:A:228:PHE:CD2	2.51	0.64
1:A:328:ILE:HB	1:A:472:VAL:HG23	1.80	0.64
1:A:224:LYS:HG2	1:A:228:PHE:CD2	2.34	0.63
1:A:246:ARG:NH1	1:A:248:GLU:OE1	2.32	0.63
1:A:330:GLY:O	1:A:369:PRO:HD2	1.97	0.62
1:A:285:MET:O	1:A:289:GLN:HG3	1.99	0.62
1:A:435:GLY:C	1:A:475:LEU:H	2.03	0.62
1:A:951:GLU:O	1:A:955:ARG:HG3	1.98	0.62
1:A:223:LYS:O	1:A:224:LYS:C	2.38	0.62
1:A:224:LYS:O	1:A:228:PHE:CB	2.47	0.62
1:A:325:ILE:HD11	1:A:375:LEU:HD12	1.82	0.61
1:A:245:GLY:HA3	1:A:768:ALA:HB2	1.81	0.61
1:A:746:VAL:C	1:A:748:GLN:N	2.53	0.61
1:A:746:VAL:C	1:A:748:GLN:H	2.04	0.61
1:A:549:LEU:HG	1:A:564:MET:HE1	1.82	0.60
1:A:436:GLU:O	1:A:437:ARG:CD	2.49	0.60
1:A:341:LEU:CD2	1:A:365:VAL:HG13	2.21	0.59
1:A:154:ARG:HA	1:A:157:LEU:HG	1.84	0.59
1:A:116:GLN:NE2	1:A:679:MET:HE2	2.19	0.57
1:A:716:HIS:O	1:A:720:ARG:HG3	2.05	0.57
1:A:870:ARG:NH2	1:A:874:GLU:OE2	2.35	0.57
1:A:914:HIS:HB3	1:A:918:ASN:O	2.05	0.57
1:A:339:MET:C	1:A:365:VAL:CG2	2.71	0.56
1:A:256:LEU:O	1:A:262:ILE:HB	2.06	0.56
1:A:490:LYS:HD3	1:A:490:LYS:C	2.26	0.56
1:A:332:LYS:HE3	1:A:333:VAL:N	2.20	0.56
1:A:834:ILE:HD11	1:A:901:ILE:HG23	1.88	0.56
1:A:918:ASN:ND2	1:A:927:ARG:HG3	2.22	0.55
1:A:700:LYS:HE2	1:A:756:MET:HA	1.90	0.54
1:A:915:PHE:C	1:A:915:PHE:CD1	2.81	0.54
1:A:934:LEU:O	1:A:1026:SER:HB2	2.08	0.54
1:A:549:LEU:HG	1:A:564:MET:HE3	1.90	0.54
1:A:915:PHE:C	1:A:915:PHE:HD1	2.12	0.53
1:A:330:GLY:CA	1:A:369:PRO:HG2	2.39	0.53
1:A:837:ILE:O	1:A:839:LEU:N	2.42	0.52
1:A:194:VAL:HG21	1:A:216:LEU:HD21	1.91	0.52
1:A:113:ILE:O	1:A:117:ILE:HG13	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:330:GLY:CA	1:A:369:PRO:HD2	2.41	0.51
1:A:750:THR:OG1	1:A:751:PHE:N	2.44	0.51
1:A:339:MET:HB2	1:A:365:VAL:HG21	1.92	0.50
1:A:1009:GLU:OE2	1:A:1009:GLU:HA	2.09	0.50
1:A:393:ALA:HB2	1:A:453:LEU:HD12	1.93	0.50
1:A:583:LEU:HD11	1:A:600:LEU:HD11	1.94	0.50
1:A:535:ARG:HB2	1:A:567:LEU:HD11	1.94	0.50
1:A:142:LYS:CE	1:A:626:ASP:OD2	2.56	0.49
2:A:1101:8WH:NAQ	2:A:1101:8WH:NAK	2.61	0.49
1:A:223:LYS:O	1:A:226:THR:N	2.46	0.48
1:A:916:LEU:C	1:A:918:ASN:N	2.62	0.48
1:A:693:LYS:HE2	1:A:780:ASN:HD21	1.78	0.48
1:A:895:HIS:H	1:A:898:ASN:ND2	2.09	0.48
1:A:330:GLY:O	1:A:368:GLU:HG3	2.14	0.48
1:A:223:LYS:O	1:A:225:ALA:N	2.46	0.48
1:A:330:GLY:CA	1:A:369:PRO:CG	2.92	0.48
1:A:788:MET:O	1:A:792:GLN:HB2	2.14	0.47
1:A:435:GLY:HA2	1:A:475:LEU:O	2.14	0.47
1:A:701:VAL:O	1:A:705:LYS:HD2	2.14	0.47
1:A:894:ARG:NH2	1:A:911:ASP:O	2.46	0.47
1:A:329:GLU:HG2	1:A:472:VAL:CG2	2.45	0.47
1:A:530:LEU:CD1	1:A:534:MET:HG3	2.44	0.47
1:A:855:LEU:CD2	1:A:901:ILE:HD13	2.44	0.47
1:A:1020:ASN:O	1:A:1024:ARG:HG3	2.15	0.47
1:A:222:ARG:O	1:A:225:ALA:HB3	2.15	0.47
1:A:535:ARG:HB2	1:A:567:LEU:CD1	2.45	0.46
1:A:330:GLY:HA3	1:A:369:PRO:CG	2.44	0.46
1:A:435:GLY:HA2	1:A:475:LEU:HB2	1.97	0.46
1:A:165:TYR:OH	1:A:641:ARG:HG3	2.15	0.46
1:A:324:SER:HA	1:A:375:LEU:O	2.15	0.46
1:A:791:LEU:HD11	1:A:813:TYR:CE1	2.51	0.46
1:A:716:HIS:CE1	1:A:747:GLU:HA	2.51	0.45
1:A:225:ALA:O	1:A:230:GLN:N	2.49	0.45
1:A:515:LEU:C	1:A:517:ARG:H	2.20	0.45
1:A:553:THR:CG2	1:A:564:MET:HE2	2.47	0.45
1:A:838:GLN:NE2	1:A:937:ASP:OD2	2.49	0.45
1:A:256:LEU:O	1:A:262:ILE:CB	2.65	0.45
1:A:317:TRP:HA	1:A:382:CYS:HB2	1.98	0.45
1:A:340:LYS:N	1:A:365:VAL:HG23	2.32	0.45
1:A:1002:LEU:HB3	1:A:1004:LEU:HD23	1.98	0.44
1:A:530:LEU:O	1:A:534:MET:HG3	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:746:VAL:O	1:A:748:GLN:CA	2.64	0.44
1:A:326:GLU:HB3	1:A:474:TYR:HB3	2.00	0.44
1:A:343:VAL:H	1:A:360:SER:HB2	1.83	0.44
1:A:860:LYS:HG2	1:A:868:LEU:HD22	2.00	0.43
1:A:341:LEU:HG	1:A:365:VAL:HG22	2.01	0.43
1:A:523:LEU:HB2	1:A:527:GLU:OE1	2.18	0.43
1:A:679:MET:O	1:A:683:MET:HG3	2.19	0.43
1:A:221:LEU:HD23	1:A:221:LEU:HA	1.82	0.43
1:A:213:PRO:O	1:A:217:MET:HG3	2.19	0.43
1:A:330:GLY:HA3	1:A:369:PRO:HG2	2.01	0.43
1:A:434:THR:HA	1:A:435:GLY:HA2	1.76	0.43
1:A:1024:ARG:O	1:A:1027:TRP:CZ3	2.72	0.42
1:A:549:LEU:CG	1:A:564:MET:HE1	2.49	0.42
1:A:224:LYS:O	1:A:228:PHE:N	2.52	0.42
1:A:187:ASN:N	1:A:210:LYS:HZ2	2.18	0.42
1:A:716:HIS:CD2	1:A:746:VAL:CG1	3.03	0.41
1:A:147:CYS:SG	1:A:638:LEU:HD11	2.60	0.41
1:A:548:ARG:HA	1:A:548:ARG:HD2	1.79	0.41
1:A:855:LEU:HD21	1:A:901:ILE:HD13	2.02	0.41
1:A:530:LEU:HD13	1:A:534:MET:HG3	2.01	0.41
1:A:349:HIS:NE2	1:A:588:PRO:HG2	2.34	0.41
1:A:553:THR:HG21	1:A:564:MET:HE2	2.02	0.41
1:A:136:VAL:HG13	1:A:666:LEU:HD11	2.02	0.41
1:A:340:LYS:CA	1:A:365:VAL:HG23	2.51	0.41
1:A:833:THR:OG1	1:A:836:ASN:HB2	2.19	0.41
1:A:254:TYR:HA	1:A:255:PRO:HD2	1.94	0.41
1:A:437:ARG:O	1:A:472:VAL:HA	2.21	0.41
1:A:523:LEU:O	1:A:523:LEU:HD23	2.20	0.41
1:A:713:GLU:OE2	1:A:713:GLU:HA	2.21	0.41
1:A:341:LEU:HD21	1:A:365:VAL:CG1	2.25	0.41
1:A:786:GLN:NE2	1:A:913:GLY:O	2.53	0.41
1:A:859:LEU:HD21	1:A:905:GLY:HA2	2.03	0.40
1:A:387:MET:HE3	1:A:590:CYS:HB3	2.04	0.40
1:A:432:LEU:HB3	1:A:483:VAL:HG23	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:948:ASN:ND2	1:A:948:ASN:ND2[3_655]	2.02	0.18

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	792/1079 (73%)	757 (96%)	29 (4%)	6 (1%)	19 51

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	746	VAL
1	A	747	GLU
1	A	917	GLY
1	A	229	ARG
1	A	364	ASN
1	A	435	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	724/957 (76%)	669 (92%)	55 (8%)	13 36

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	110	LYS
1	A	111	LYS
1	A	132	ARG
1	A	141	THR
1	A	142	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	154	ARG
1	A	190	LEU
1	A	206	GLN
1	A	229	ARG
1	A	263	CYS
1	A	291	ASN
1	A	317	TRP
1	A	332	LYS
1	A	340	LYS
1	A	352	GLU
1	A	356	LYS
1	A	360	SER
1	A	366	CYS
1	A	368	GLU
1	A	373	GLN
1	A	394	LEU
1	A	415	ASP
1	A	423	LEU
1	A	453	LEU
1	A	490	LYS
1	A	522	GLU
1	A	523	LEU
1	A	530	LEU
1	A	534	MET
1	A	535	ARG
1	A	537	GLU
1	A	548	ARG
1	A	553	THR
1	A	560	ASP
1	A	631	LYS
1	A	634	LEU
1	A	641	ARG
1	A	705	LYS
1	A	713	GLU
1	A	726	GLU
1	A	743	GLU
1	A	748	GLN
1	A	752	MET
1	A	755	LYS
1	A	788	MET
1	A	836	ASN
1	A	839	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	855	LEU
1	A	898	ASN
1	A	911	ASP
1	A	915	PHE
1	A	927	ARG
1	A	930	VAL
1	A	1004	LEU
1	A	1008	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	116	GLN
1	A	273	HIS
1	A	278	HIS
1	A	291	ASN
1	A	344	GLN
1	A	617	GLN
1	A	716	HIS
1	A	780	ASN
1	A	895	HIS
1	A	898	ASN
1	A	906	GLN
1	A	914	HIS
1	A	918	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	8WH	A	1101	-	34,36,36	2.95	8 (23%)	42,51,51	1.87	11 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	8WH	A	1101	-	-	1/15/36/36	0/4/5/5

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1101	8WH	NAQ-NAR	-10.03	1.16	1.34
2	A	1101	8WH	CAL-CAJ	-6.50	1.39	1.48
2	A	1101	8WH	CAO-CAP	-5.97	1.33	1.48
2	A	1101	8WH	CAH-NAK	5.81	1.40	1.29
2	A	1101	8WH	CBA-CBB	-4.51	1.39	1.49
2	A	1101	8WH	CAW-NAV	4.26	1.54	1.47
2	A	1101	8WH	NAR-NAV	-4.11	1.26	1.34
2	A	1101	8WH	CAW-CAY	-3.84	1.42	1.51

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	1101	8WH	NAQ-NAR-NAV	4.84	110.96	107.31
2	A	1101	8WH	CAA-CAD-NAE	4.10	118.57	109.84
2	A	1101	8WH	CAY-CAW-NAV	3.93	117.95	112.17
2	A	1101	8WH	CAL-CAM-NAK	-3.93	118.59	122.39
2	A	1101	8WH	CAD-NAE-CAF	3.59	119.54	112.62
2	A	1101	8WH	CAG-CAJ-CAL	3.28	121.03	116.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	1101	8WH	OAB-CAC-CAF	-2.89	105.43	111.80
2	A	1101	8WH	OAI-CAJ-CAG	-2.87	116.95	121.12
2	A	1101	8WH	OAX-CBB-CBA	2.79	122.08	114.85
2	A	1101	8WH	CAO-CAP-NAQ	2.73	125.28	120.93
2	A	1101	8WH	OAX-CBB-OBC	-2.49	117.82	123.35

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1101	8WH	CAM-CAO-CAP-CAU

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1101	8WH	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 8WH A 1101



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	816/1079 (75%)	0.30	47 (5%)	23	19	19, 49, 85, 140	0

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	341	LEU	7.4
1	A	369	PRO	7.2
1	A	366	CYS	6.9
1	A	317	TRP	6.1
1	A	187	ASN	6.0
1	A	365	VAL	4.7
1	A	367	SER	4.6
1	A	334	ASN	4.2
1	A	470	ALA	3.7
1	A	364	ASN	3.6
1	A	228	PHE	3.4
1	A	1026	SER	3.1
1	A	332	LYS	3.1
1	A	767	GLU	2.9
1	A	363	VAL	2.9
1	A	1027	TRP	2.9
1	A	330	GLY	2.8
1	A	512	ARG	2.7
1	A	195	LYS	2.6
1	A	418	ILE	2.6
1	A	394	LEU	2.6
1	A	203	PHE	2.5
1	A	282	ILE	2.5
1	A	267	HIS	2.5
1	A	159	TRP	2.5
1	A	932	PHE	2.5
1	A	937	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	415	ASP	2.4
1	A	206	GLN	2.4
1	A	838	GLN	2.3
1	A	339	MET	2.3
1	A	936	TYR	2.3
1	A	342	VAL	2.2
1	A	853	ASP	2.2
1	A	472	VAL	2.2
1	A	489	GLU	2.2
1	A	514	ILE	2.2
1	A	396	ALA	2.1
1	A	934	LEU	2.1
1	A	933	ILE	2.1
1	A	1005	GLY	2.1
1	A	194	VAL	2.1
1	A	201	GLU	2.1
1	A	190	LEU	2.1
1	A	235	GLN	2.1
1	A	938	PHE	2.0
1	A	947	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	8WH	A	1101	32/32	0.95	0.17	26,37,50,59	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 8WH A 1101:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers (i)

There are no such residues in this entry.