Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 05:28 AM EDT

PDB ID	:	6NMB
Title	:	Tranexamic Acid is an Active Site Inhibitor of Urokinase Plasminogen Activator
Authors	:	Law, R.H.P.; Wu, G.
Deposited on	:	2019-01-10
Resolution	:	2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	281	2% 69% 19% • 11%
1	B	281	% 69% 20% • 10%
1	C	281	4% 64% 22% • 10%
1	D	281	3% 68% 20% • 11%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8028 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Urokinase-type plasminogen activator.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	251	Total	C	N	O	S	0	0	0
			1912	1212	319	364	17			
1	B	254	Total	C	N	O	S	0	0	0
			1936	1225	327	367	17			
1	C	253	Total	C	N	O	S	0	0	0
			1915	1212	322	364	17			
1	D	251	Total	C	N	O	S	0	0	0
			1903	1205	319	362	17			

- Molecule 2 is NITRATE ION (three-letter code: NO3) (formula: NO_3).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	N	O		0	0
			4	1	3			
2	B	1	Total	N	O		0	0
			4	1	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	C	1	Total N O 4 1 3	0	0
2	D	1	Total N O 4 1 3	0	0

- Molecule 3 is TRANS-4-AMINOMETHYLCYCLOHEXANE-1-CARBOXYLIC ACID (three-letter code: AMH) (formula: $C_8H_{15}NO_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 11 8 1 2	0	0
3	B	1	Total C N O 11 8 1 2	0	0
3	C	1	Total C N O 11 8 1 2	0	0
3	D	1	Total C N O 11 8 1 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	85	Total O 85 85	0	0
4	B	81	Total O 82 82	0	1
4	C	68	Total O 68 68	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	D	67	Total O 67 67	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Urokinase-type plasminogen activator

Chain A:



• Molecule 1: Urokinase-type plasminogen activator

Chain B:



• Molecule 1: Urokinase-type plasminogen activator

Chain C:



• Molecule 1: Urokinase-type plasminogen activator



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	73.04Å 65.45Å 111.14Å 90.00° 97.42° 90.00°	Depositor
Resolution (Å)	48.56 – 2.30 48.56 – 2.30	Depositor EDS
% Data completeness (in resolution range)	90.0 (48.56-2.30) 77.2 (48.56-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	0.76 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.14_3260, PHENIX 1.14_3260	Depositor
R, R_{free}	0.221 , 0.271 0.221 , 0.271	Depositor DCC
R_{free} test set	1987 reflections (4.70%)	wwPDB-VP
Wilson B-factor (Å^2)	18.7	Xtriage
Anisotropy	0.940	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.31 , 47.5	EDS
L-test for twinning[2]	$< \|L\| > = 0.52$, $< L^2 > = 0.36$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	8028	wwPDB-VP
Average B, all atoms (Å^2)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 56.76 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.6127e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NO3, AMH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.54	0/1961	0.75	0/2667
1	B	0.54	0/1985	0.72	0/2698
1	C	0.54	0/1964	0.74	0/2673
1	D	0.53	0/1952	0.72	0/2656
All	All	0.54	0/7862	0.73	0/10694

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1912	0	1791	30	0
1	B	1936	0	1811	49	0
1	C	1915	0	1776	64	0
1	D	1903	0	1771	43	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
2	C	4	0	0	0	0
2	D	4	0	0	0	0
3	A	11	0	14	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	11	0	14	0	0
3	C	11	0	14	0	0
3	D	11	0	14	0	0
4	A	85	0	0	3	0
4	B	82	0	0	3	0
4	C	68	0	0	2	0
4	D	67	0	0	1	0
All	All	8028	0	7205	186	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:230:ARG:HD3	1:B:233:HIS:CD2	1.77	1.19
1:C:10:LYS:HD3	1:C:10:LYS:C	1.77	1.01
1:D:56:THR:HG22	1:D:103:ILE:O	1.64	0.96
1:B:181:LEU:HG	1:B:230:ARG:NH1	1.88	0.89
1:C:7:CYS:HA	1:C:120:THR:HG22	1.58	0.86
1:A:97(A):THR:HG23	1:A:175:GLU:OE1	1.78	0.84
1:A:206:ARG:HD3	4:A:459:HOH:O	1.78	0.82
1:B:42:CYS:HB2	1:B:195:SER:O	1.78	0.82
1:B:230:ARG:CD	1:B:233:HIS:CD2	2.64	0.79
1:C:56:THR:HG21	1:C:91:HIS:H	1.48	0.78
1:C:35:ARG:NE	1:C:60(B):TYR:CD1	2.51	0.78
1:B:97(A):THR:HG23	1:B:175:GLU:OE1	1.83	0.77
1:D:67:TYR:OH	1:D:82:LYS:HD2	1.84	0.77
1:B:181:LEU:HG	1:B:230:ARG:HH11	1.49	0.77
1:C:68:LEU:HD13	1:C:83:PHE:CD1	2.19	0.77
1:B:200:VAL:HG12	1:B:207:MET:HE3	1.69	0.75
1:B:120:THR:HG21	4:B:471:HOH:O	1.85	0.75
1:C:51:TRP:CZ2	1:C:107:LYS:HD2	2.22	0.75
1:B:7:CYS:HA	1:B:120:THR:HG22	1.70	0.74
1:C:68:LEU:HD13	1:C:83:PHE:CE1	2.23	0.73
1:D:98:ALA:HB2	1:D:175:GLU:HG3	1.71	0.71
1:A:42:CYS:HB2	1:A:195:SER:O	1.91	0.71
1:D:206:ARG:HB2	1:D:206:ARG:HH11	1.56	0.70
1:C:7:CYS:CA	1:C:120:THR:HG22	2.23	0.69
1:B:68:LEU:HD13	1:B:83:PHE:CE1	2.29	0.68
1:D:56:THR:CG2	1:D:103:ILE:O	2.40	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:185(B):GLN:O	1:D:187:LYS:HE2	1.93	0.68
1:C:7:CYS:CB	1:C:120:THR:CG2	2.73	0.67
1:A:126:MET:HG2	1:A:127:TYR:CD2	2.29	0.67
1:C:22:THR:O	1:C:154:GLN:NE2	2.28	0.66
1:A:140:GLY:HA3	1:A:194:ASP:OD1	1.96	0.66
1:D:42:CYS:HB2	1:D:195:SER:O	1.96	0.65
1:C:18:GLY:HA3	1:C:188:THR:CG2	2.26	0.65
1:B:68:LEU:HD13	1:B:83:PHE:CD1	2.32	0.65
1:A:97(A):THR:CG2	1:A:175:GLU:OE1	2.45	0.65
1:C:67:TYR:OH	1:C:82:LYS:HD2	1.97	0.64
1:C:56:THR:HG23	1:C:103:ILE:O	1.99	0.63
1:D:101:ASN:HD22	1:D:234:PHE:HE2	1.45	0.63
1:C:5:PHE:HE1	1:C:119:GLN:HA	1.62	0.63
1:A:184:ALA:HB2	1:A:225:PRO:HB3	1.81	0.62
1:C:160:VAL:HG13	1:C:183:ALA:HB1	1.82	0.61
1:C:17:ILE:O	1:C:188:THR:HG22	2.00	0.61
1:B:181:LEU:CD2	1:B:230:ARG:HH12	2.14	0.60
1:C:56:THR:CG2	1:C:103:ILE:O	2.50	0.60
1:C:126:MET:HA	1:C:235:LEU:HD22	1.84	0.60
1:A:74:ASN:ND2	1:A:153:GLU:OE2	2.35	0.59
1:C:98:ALA:HB2	1:C:175:GLU:HG3	1.82	0.59
1:C:172:TYR:CE1	1:C:224:LYS:HD2	2.36	0.59
1:B:62:LYS:HB2	4:B:444:HOH:O	2.03	0.59
1:B:51:TRP:CZ2	1:B:107:LYS:HD2	2.36	0.59
1:B:221:LEU:HB2	4:B:423:HOH:O	2.03	0.59
1:D:200:VAL:HG12	1:D:207:MET:HE3	1.85	0.58
1:C:206:ARG:HG3	1:C:206:ARG:HH21	1.69	0.58
1:C:5:PHE:CE1	1:C:119:GLN:HA	2.39	0.58
1:C:7:CYS:HB3	1:C:120:THR:CG2	2.35	0.57
1:B:185(B):GLN:O	1:B:187:LYS:HD3	2.04	0.57
1:D:126:MET:HG2	1:D:127:TYR:CD2	2.40	0.57
1:C:7:CYS:CB	1:C:120:THR:HG22	2.35	0.56
1:A:169:GLN:HG3	1:A:176:VAL:HG22	1.87	0.56
1:D:200:VAL:HG12	1:D:207:MET:CE	2.34	0.56
1:A:81:MET:HG3	4:A:462:HOH:O	2.05	0.56
1:B:181:LEU:CG	1:B:230:ARG:NH1	2.64	0.56
1:C:35:ARG:HB2	1:C:41:VAL:HG21	1.86	0.56
1:D:64:TYR:O	1:D:65:ILE:HD13	2.06	0.56
1:B:200:VAL:HG12	1:B:207:MET:CE	2.36	0.55
1:C:132:PHE:CE2	1:C:164:SER:HA	2.41	0.55
1:C:56:THR:HG22	1:C:104:ALA:HB2	1.87	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:ILE:HD11	1:A:30:PHE:HB3	1.87	0.55
1:B:19:GLY:HA3	1:B:158:THR:HB	1.88	0.55
1:C:181:LEU:HD21	1:C:230:ARG:NE	2.21	0.55
1:A:125:SER:OG	1:A:128:ASN:ND2	2.37	0.55
1:B:46:LEU:O	1:B:121:ILE:HG22	2.07	0.54
1:C:18:GLY:HA3	1:C:188:THR:HG23	1.90	0.54
1:B:151:TYR:HE1	1:B:193:GLY:HA3	1.72	0.54
1:B:164:SER:OG	1:B:166:ARG:HG3	2.07	0.54
1:C:158:THR:OG1	1:C:188:THR:HG21	2.07	0.54
1:A:33:ILE:HD12	1:A:43:GLY:O	2.07	0.54
1:B:230:ARG:HD3	1:B:233:HIS:CG	2.38	0.54
1:D:28:PRO:HB2	1:D:119:GLN:HB3	1.90	0.54
1:C:18:GLY:HA3	1:C:188:THR:HG22	1.89	0.54
1:D:185:ASP:HB2	1:D:188:THR:HG22	1.89	0.53
1:B:126:MET:HG2	1:B:127:TYR:CD2	2.44	0.53
1:C:126:MET:HG2	1:C:127:TYR:CD2	2.43	0.53
1:D:51:TRP:CE2	1:D:242:THR:HG22	2.44	0.53
1:C:126:MET:HG2	1:C:127:TYR:CE2	2.43	0.53
1:D:56:THR:HG22	1:D:103:ILE:C	2.29	0.53
1:D:206:ARG:HH11	1:D:206:ARG:CB	2.21	0.52
1:A:137:GLU:HB2	1:A:200:VAL:HG23	1.92	0.52
1:D:139:THR:HG22	1:D:155:LEU:HD11	1.92	0.52
1:C:35:ARG:NE	1:C:60(B):TYR:CE1	2.77	0.52
1:C:48:SER:HB3	4:C:429:HOH:O	2.10	0.51
1:C:121:ILE:HD11	1:C:200:VAL:HG22	1.92	0.51
1:B:110(D):ARG:HD2	1:B:113:GLN:NE2	2.25	0.51
1:B:166:ARG:HG3	1:B:167:GLU:H	1.74	0.51
1:A:151:TYR:HE2	1:A:193:GLY:HA3	1.74	0.51
1:B:230:ARG:HH11	1:B:230:ARG:HG3	1.75	0.51
1:B:170(B):HIS:H	1:B:170(B):HIS:CD2	2.28	0.51
1:C:166:ARG:HG2	1:C:167:GLU:N	2.26	0.51
1:C:172:TYR:HE1	1:C:224:LYS:HD2	1.76	0.50
1:C:86:GLU:OE1	1:C:109:ARG:HD3	2.12	0.50
1:D:121:ILE:HD11	1:D:200:VAL:HG22	1.92	0.50
1:C:51:TRP:CE2	1:C:107:LYS:HD2	2.46	0.50
1:D:16:ILE:HD12	1:D:138:ILE:HD12	1.93	0.50
1:B:71:SER:H	1:B:77:THR:HG21	1.77	0.50
1:D:97(A):THR:OG1	1:D:175:GLU:OE2	2.29	0.50
1:A:71:SER:H	1:A:77:THR:HG21	1.76	0.49
1:D:126:MET:HG2	1:D:127:TYR:CE2	2.47	0.49
1:C:88:LEU:HG	1:C:90:LEU:HD21	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:67:TYR:OH	1:D:82:LYS:CD	2.58	0.49
1:D:10:LYS:HD2	1:D:207:MET:SD	2.52	0.49
1:D:121:ILE:CD1	1:D:200:VAL:HG22	2.43	0.49
1:D:126:MET:HA	1:D:235:LEU:HD22	1.93	0.49
1:B:4:LYS:N	1:B:114:PRO:HG3	2.28	0.49
1:A:51:TRP:CE2	1:A:242:THR:HG22	2.48	0.48
1:A:126:MET:HG2	1:A:127:TYR:CE2	2.48	0.48
1:B:24:ILE:CG2	1:B:117:THR:HB	2.44	0.48
1:C:62:LYS:HG3	1:C:85:VAL:O	2.14	0.48
1:D:109:ARG:HD3	1:D:110(C):GLY:HA2	1.96	0.47
1:D:67:TYR:CZ	1:D:82:LYS:HD2	2.49	0.47
1:D:125:SER:OG	1:D:128:ASN:ND2	2.46	0.47
1:B:230:ARG:NH1	1:B:230:ARG:HG3	2.29	0.47
1:B:7:CYS:HA	1:B:120:THR:CG2	2.43	0.46
1:D:46:LEU:HD13	1:D:68:LEU:HD11	1.97	0.46
1:A:19:GLY:HA3	1:A:158:THR:HB	1.98	0.46
1:C:213:VAL:HG22	1:C:228:TYR:HE2	1.80	0.46
1:B:110(D):ARG:HD2	1:B:113:GLN:HE22	1.81	0.45
1:C:156:LYS:HB3	1:C:156:LYS:HE2	1.81	0.45
1:A:6:GLN:O	1:A:6:GLN:HG3	2.17	0.45
1:B:45:SER:OG	1:B:198:PRO:HB3	2.16	0.45
1:C:213:VAL:HG22	1:C:228:TYR:CE2	2.51	0.45
1:A:53:ILE:HD11	1:A:103:ILE:HD11	1.99	0.45
1:A:213:VAL:HG22	1:A:228:TYR:HE2	1.82	0.45
1:B:230:ARG:NE	1:B:233:HIS:NE2	2.65	0.45
1:A:62:LYS:HE3	1:A:62:LYS:HB3	1.65	0.45
1:B:46:LEU:HD13	1:B:68:LEU:HD21	1.98	0.45
1:B:53:ILE:HD11	1:B:103:ILE:HD11	1.98	0.44
1:C:221:LEU:HB2	1:C:224:LYS:HB2	1.98	0.44
1:D:64:TYR:C	1:D:65:ILE:HD13	2.37	0.44
1:A:67:TYR:OH	1:A:82:LYS:HD2	2.16	0.44
1:B:17:ILE:HD11	1:B:191:CYS:SG	2.58	0.44
1:A:139:THR:HG22	1:A:155:LEU:HD11	1.99	0.43
1:C:16:ILE:N	1:C:142:GLY:O	2.51	0.43
1:B:49:PRO:O	1:B:111:CYS:HB3	2.18	0.43
1:B:140:GLY:HA3	1:B:194:ASP:OD1	2.18	0.43
1:D:221:LEU:HB2	1:D:224:LYS:HB2	2.01	0.43
1:D:98:ALA:HA	1:D:215:TRP:CE2	2.53	0.43
1:C:109:ARG:HG3	4:C:449:HOH:O	2.19	0.43
1:C:121:ILE:CD1	1:C:200:VAL:HG22	2.47	0.43
1:C:19:GLY:HA3	1:C:158:THR:HB	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:213:VAL:HG22	1:D:228:TYR:HE2	1.84	0.43
1:B:62:LYS:HG2	1:B:85:VAL:O	2.19	0.42
1:B:218:GLY:HA3	1:B:221:LEU:HD22	2.01	0.42
1:C:139:THR:HG22	1:C:155:LEU:HD11	2.02	0.42
1:C:51:TRP:CZ2	1:C:107:LYS:CD	2.99	0.42
1:A:186:TRP:CG	1:A:222:LYS:HA	2.55	0.42
1:B:121:ILE:HD12	1:B:207:MET:O	2.20	0.42
1:A:5:PHE:CD1	1:A:114:PRO:HB3	2.54	0.42
1:A:40:TYR:HE2	4:A:407:HOH:O	2.00	0.42
1:D:200:VAL:CG1	1:D:207:MET:HE2	2.49	0.42
1:A:137:GLU:HB2	1:A:200:VAL:CG2	2.49	0.42
1:C:51:TRP:CZ3	1:C:107:LYS:HB2	2.55	0.42
1:C:160:VAL:HG22	1:C:184:ALA:CA	2.49	0.42
1:D:206:ARG:HH11	1:D:206:ARG:CG	2.32	0.41
1:C:67:TYR:CZ	1:C:82:LYS:HD2	2.54	0.41
1:B:162:LEU:HD21	1:B:199:LEU:HD11	2.02	0.41
1:A:27:GLN:HE21	1:A:157:MET:CE	2.33	0.41
1:C:232:SER:HA	1:C:235:LEU:HD13	2.02	0.41
1:D:139:THR:O	4:D:401:HOH:O	2.22	0.41
1:C:160:VAL:HG22	1:C:184:ALA:HA	2.03	0.41
1:C:206:ARG:HG3	1:C:206:ARG:NH2	2.35	0.41
1:B:7:CYS:CA	1:B:120:THR:HG22	2.43	0.41
1:B:97(A):THR:CG2	1:B:175:GLU:OE1	2.63	0.41
1:C:7:CYS:HB2	1:C:120:THR:CG2	2.48	0.41
1:C:199:LEU:HB3	1:C:211:GLY:CA	2.51	0.41
1:C:22:THR:HG21	1:C:157:MET:SD	2.60	0.41
1:B:181:LEU:CD2	1:B:230:ARG:NH1	2.78	0.40
1:C:132:PHE:CD2	1:C:164:SER:HA	2.56	0.40
1:D:211:GLY:HA2	1:D:229:THR:O	2.21	0.40
1:B:7:CYS:CB	1:B:120:THR:HG23	2.51	0.40
1:D:33:ILE:HD12	1:D:43:GLY:O	2.22	0.40
1:D:179:LYS:HB3	1:D:234:PHE:CE1	2.56	0.40
1:C:35:ARG:HB2	1:C:41:VAL:CG2	2.48	0.40
1:D:29:TRP:HA	1:D:119:GLN:O	2.22	0.40
1:D:40:TYR:CE2	1:D:42:CYS:HA	2.56	0.40
1:C:77:THR:O	1:C:80:GLU:HB3	2.21	0.40
1:D:199:LEU:HD22	1:D:228:TYR:CG	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	247/281 (88%)	234 (95%)	13 (5%)	0	100 100
1	B	250/281 (89%)	238 (95%)	12 (5%)	0	100 100
1	C	249/281 (89%)	230 (92%)	18 (7%)	1 (0%)	34 42
1	D	247/281 (88%)	230 (93%)	17 (7%)	0	100 100
All	All	993/1124 (88%)	932 (94%)	60 (6%)	1 (0%)	51 64

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	110(C)	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	205/247 (83%)	192 (94%)	13 (6%)	18 24
1	B	206/247 (83%)	195 (95%)	11 (5%)	22 31
1	C	202/247 (82%)	183 (91%)	19 (9%)	8 10
1	D	202/247 (82%)	191 (95%)	11 (5%)	22 30
All	All	815/988 (82%)	761 (93%)	54 (7%)	16 22

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	VAL
1	A	62	LYS
1	A	71	SER
1	A	77	THR
1	A	84	GLU
1	A	99	HIS
1	A	110(A)	LYS
1	A	166	ARG
1	A	168	CYS
1	A	176	VAL
1	A	178	THR
1	A	185(B)	GLN
1	A	221	LEU
1	B	16	ILE
1	B	29	TRP
1	B	56	THR
1	B	77	THR
1	B	109	ARG
1	B	120	THR
1	B	160	VAL
1	B	168	CYS
1	B	199	LEU
1	B	202	SER
1	B	221	LEU
1	C	6	GLN
1	C	10	LYS
1	C	16	ILE
1	C	22	THR
1	C	23	THR
1	C	48	SER
1	C	60(B)	TYR
1	C	62	LYS
1	C	65	ILE
1	C	75	SER
1	C	113	GLN
1	C	120	THR
1	C	125	SER
1	C	160	VAL
1	C	166	ARG
1	C	168	CYS
1	C	188	THR
1	C	206	ARG
1	C	240	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	25	GLU
1	D	45	SER
1	D	48	SER
1	D	56	THR
1	D	63	ASP
1	D	65	ILE
1	D	73	LEU
1	D	99	HIS
1	D	166	ARG
1	D	168	CYS
1	D	206	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	GLN
1	A	128	ASN
1	B	154	GLN
1	B	165	HIS
1	B	170(B)	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	NO3	A	301	-	1,3,3	0.47	0	0,3,3	-	-
3	AMH	C	302	-	11,11,11	1.21	1 (9%)	13,14,14	1.81	5 (38%)
2	NO3	D	301	-	1,3,3	0.57	0	0,3,3	-	-
3	AMH	D	302	-	11,11,11	1.37	2 (18%)	13,14,14	1.44	1 (7%)
2	NO3	C	301	-	1,3,3	0.55	0	0,3,3	-	-
3	AMH	A	302	-	11,11,11	1.14	0	13,14,14	1.41	2 (15%)
2	NO3	B	301	-	1,3,3	0.45	0	0,3,3	-	-
3	AMH	B	302	-	11,11,11	1.11	1 (9%)	13,14,14	1.99	5 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AMH	B	302	-	-	0/6/16/16	0/1/1/1
3	AMH	C	302	-	-	1/6/16/16	0/1/1/1
3	AMH	A	302	-	-	3/6/16/16	0/1/1/1
3	AMH	D	302	-	-	0/6/16/16	1/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	302	AMH	C1-C8	2.39	1.55	1.51
3	B	302	AMH	C6-C1	2.20	1.58	1.53
3	D	302	AMH	C6-C1	2.10	1.58	1.53
3	C	302	AMH	C1-C8	2.03	1.55	1.51

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	B	302	AMH	C6-C1-C2	4.37	119.20	109.97
3	B	302	AMH	O1-C8-C1	-3.02	115.54	122.93
3	C	302	AMH	C5-C4-C3	2.95	116.54	109.33
3	A	302	AMH	O1-C8-C1	-2.87	115.91	122.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	D	302	AMH	O1-C8-C1	-2.66	116.42	122.93
3	A	302	AMH	C5-C4-C3	2.63	115.77	109.33
3	C	302	AMH	C3-C4-C7	-2.47	106.22	111.47
3	B	302	AMH	C2-C3-C4	-2.46	108.35	112.42
3	B	302	AMH	C5-C6-C1	2.30	115.04	111.18
3	B	302	AMH	C6-C1-C8	2.24	115.68	111.32
3	C	302	AMH	C5-C6-C1	2.22	114.90	111.18
3	C	302	AMH	C2-C3-C4	2.16	116.00	112.42
3	C	302	AMH	C6-C5-C4	2.12	115.92	112.42

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	302	AMH	C3-C4-C7-N
3	A	302	AMH	C5-C4-C7-N
3	C	302	AMH	C3-C4-C7-N
3	A	302	AMH	C6-C1-C8-O1

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	302	AMH	C1-C2-C3-C4-C5-C6

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	251/281 (89%)	0.13	5 (1%) 65 71	16, 26, 47, 72	0
1	B	254/281 (90%)	0.07	4 (1%) 72 77	12, 26, 51, 75	0
1	C	253/281 (90%)	0.22	12 (4%) 31 38	17, 28, 55, 84	0
1	D	251/281 (89%)	0.17	8 (3%) 47 54	14, 27, 51, 89	0
All	All	1009/1124 (89%)	0.15	29 (2%) 51 58	12, 27, 52, 89	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	37(A)	ARG	6.2
1	D	37(C)	GLY	5.4
1	A	37(A)	ARG	5.3
1	D	110(C)	GLY	5.1
1	C	37(C)	GLY	4.8
1	A	37(C)	GLY	4.6
1	B	37(B)	GLY	4.1
1	C	37(B)	GLY	4.0
1	C	37	HIS	3.7
1	C	37(D)	SER	3.7
1	C	113	GLN	3.4
1	A	60(B)	TYR	3.4
1	C	5	PHE	3.3
1	B	37(A)	ARG	3.0
1	D	60(B)	TYR	3.0
1	D	81	MET	2.9
1	C	60(B)	TYR	2.9
1	B	60(B)	TYR	2.9
1	A	37	HIS	2.7
1	D	77	THR	2.4
1	D	110(A)	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	37	HIS	2.4
1	B	11	THR	2.4
1	C	81	MET	2.2
1	C	110(B)	GLU	2.2
1	C	110(C)	GLY	2.2
1	C	109	ARG	2.0
1	D	37(A)	ARG	2.0
1	A	77	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	AMH	C	302	11/11	0.77	0.21	30,34,37,40	0
2	NO3	B	301	4/4	0.82	0.19	46,46,47,47	0
2	NO3	C	301	4/4	0.83	0.18	41,43,43,43	0
3	AMH	A	302	11/11	0.87	0.18	24,27,36,43	0
2	NO3	A	301	4/4	0.88	0.14	44,44,45,46	0
3	AMH	D	302	11/11	0.89	0.16	25,28,33,39	0
3	AMH	B	302	11/11	0.91	0.21	29,31,39,43	0
2	NO3	D	301	4/4	0.95	0.08	44,44,45,46	0

6.5 Other polymers (i)

There are no such residues in this entry.