



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:34 PM UTC

PDB ID : 9QBW / pdb_00009qbw
Title : Yeast 20S proteasome mutant: beta5_G128V (b5-propeptide in trans) in complex with Carfilzomib
Authors : Huber, E.M.; Heinemeyer, W.; Groll, M.
Deposited on : 2025-03-03
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div> <div style="width: 96%;">96%</div> <div style="width: 96%; background-color: #00FF00;">96%</div> <div style="width: 96%; background-color: #FF0000;">96%</div> </div>
1	O	250	<div> <div style="width: 96%;">96%</div> <div style="width: 96%; background-color: #00FF00;">96%</div> <div style="width: 96%; background-color: #FF0000;">96%</div> </div>
2	B	258	<div> <div style="width: 86%;">86%</div> <div style="width: 86%; background-color: #00FF00;">86%</div> <div style="width: 86%; background-color: #FF0000;">86%</div> <div style="width: 86%; background-color: #FFA500;">7%</div> <div style="width: 86%; background-color: #FFD700;">5%</div> </div>
2	P	258	<div> <div style="width: 86%;">86%</div> <div style="width: 86%; background-color: #00FF00;">86%</div> <div style="width: 86%; background-color: #FF0000;">86%</div> <div style="width: 86%; background-color: #FFA500;">7%</div> <div style="width: 86%; background-color: #FFD700;">5%</div> </div>
3	C	254	<div> <div style="width: 87%;">87%</div> <div style="width: 87%; background-color: #00FF00;">87%</div> <div style="width: 87%; background-color: #FF0000;">87%</div> <div style="width: 87%; background-color: #FFA500;">6%</div> <div style="width: 87%; background-color: #FFD700;">6%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	 87% 5% • 6%
4	D	260	 85% 5% • 10%
4	R	260	 85% 5% 10%
5	E	234	 93% • •
5	S	234	 93% 5% •
6	F	288	 % 80% • • 16%
6	T	288	 79% 5% • 16%
7	G	252	 88% 7% • •
7	U	252	 86% 9% • •
8	H	231	 84% 11% • •
8	V	231	 86% 10% • •
9	I	205	 87% 11% •
9	W	205	 87% 12% •
10	J	198	 81% 15% • •
10	X	198	 81% 15% • •
11	K	211	 74% 21% 5%
11	Y	211	 76% 19% 5%
12	L	222	 % 75% 22% •
12	Z	222	 78% 19% •
13	M	246	 85% 9% • 5%
13	a	246	 86% 8% • 5%
14	N	195	 88% 10% •
14	b	195	 89% 9% •
15	f	5	 60% 40%
15	g	5	 40% 40% 20%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	h	5	
15	i	5	
15	j	5	
15	k	5	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
20	SO4	U	302	-	-	X	-

2 Entry composition

There are 21 unique types of molecules in this entry. The entry contains 49952 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	225	Total	C	N	O	S	0	0	0
			1712	1078	297	330	7			
8	V	225	Total	C	N	O	S	0	0	0
			1712	1078	297	330	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	211	Total	C	N	O	S	0	0	0
			1640	1044	279	310	7			
11	Y	211	Total	C	N	O	S	0	0	0
			1640	1044	279	310	7			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	130	VAL	GLY	engineered mutation	UNP P30656
Y	130	VAL	GLY	engineered mutation	UNP P30656

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	195	Total	C	N	O	S	0	0	0
			1505	951	249	298	7			
14	b	195	Total	C	N	O	S	0	0	0
			1505	951	249	298	7			

- Molecule 15 is a protein called 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-C]PYRAZ

OLE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	f	5	Total	C	N	O	0	0	0
			59	44	6	9			
15	g	5	Total	C	N	O	0	0	0
			59	44	6	9			
15	h	5	Total	C	N	O	0	0	0
			59	44	6	9			
15	i	5	Total	C	N	O	0	0	0
			59	44	6	9			
15	j	5	Total	C	N	O	0	0	0
			59	44	6	9			
15	k	5	Total	C	N	O	0	0	0
			59	44	6	9			


- Molecule 16 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total	Mg	0	0
			1	1		
16	N	1	Total	Mg	0	0
			1	1		
16	W	1	Total	Mg	0	0
			1	1		

- Molecule 17 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	G	1	Total	Cl	0	0
			1	1		
17	N	1	Total	Cl	0	0
			1	1		
17	U	1	Total	Cl	0	0
			1	1		
17	b	1	Total	Cl	0	0
			1	1		

- Molecule 18 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
18	G	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	H	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	L	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	a	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	i	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 19 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	K	1	Total C O 8 6 2	0	0
19	a	1	Total C O 8 6 2	0	0

- Molecule 20 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
20	U	1	Total O S 5 4 1	0	0

- Molecule 21 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
21	A	4	Total O 4 4	0	0
21	B	6	Total O 6 6	0	0
21	C	2	Total O 2 2	0	0
21	D	5	Total O 5 5	0	0
21	E	5	Total O 5 5	0	0
21	F	6	Total O 6 6	0	0
21	G	7	Total O 7 7	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
21	H	8	Total O 8 8	0	0
21	I	5	Total O 5 5	0	0
21	J	5	Total O 5 5	0	0
21	K	5	Total O 5 5	0	0
21	L	9	Total O 9 9	0	0
21	M	5	Total O 5 5	0	0
21	N	7	Total O 7 7	0	0
21	O	2	Total O 2 2	0	0
21	P	8	Total O 8 8	0	0
21	Q	4	Total O 4 4	0	0
21	R	5	Total O 5 5	0	0
21	S	5	Total O 5 5	0	0
21	T	3	Total O 3 3	0	0
21	U	14	Total O 14 14	0	0
21	V	8	Total O 8 8	0	0
21	W	4	Total O 4 4	0	0
21	X	5	Total O 5 5	0	0
21	Y	7	Total O 7 7	0	0
21	Z	11	Total O 11 11	0	0
21	a	17	Total O 17 17	0	0
21	b	4	Total O 4 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
21	h	2	Total	O	0	0
			2	2		
21	k	2	Total	O	0	0
			2	2		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proteasome subunit alpha type-2

Chain A:  96%




- Molecule 1: Proteasome subunit alpha type-2

Chain O:  96%




- Molecule 2: Proteasome subunit alpha type-3

Chain B:  86% 7% 5%




- Molecule 2: Proteasome subunit alpha type-3

Chain P:  86% 7% 5%



- Molecule 3: Proteasome subunit alpha type-4


Chain C:  87% 6% 6%



- Molecule 3: Proteasome subunit alpha type-4


ASN
ALA
ASN
GLY
ALA
THR
THR
ASP
GLN
GLU
GLY
ASP
ILE
HIS
LEU
GLU

• Molecule 7: Proteasome subunit alpha type-1

Chain G:  88% 7% . .


MET SER GLY ALA ALA THR ASP GLN SER ALA ALA G2 E13 F23 T26 L34 L54 C65 I78 P79 N83 N114 L115 R122 M125 K165 Q166 Q167 T171 L205 E208 R235 L236 Q242 ASP

• Molecule 7: Proteasome subunit alpha type-1

Chain U:  86% 9% . .

MET SER GLY ALA ALA THR ASP GLN SER ALA ALA G2 P12 E13 F23 T26 L34 L54 T59 F64 C65 I78 P79 N83 R89 M114 L115 R122 M125 A159 K165 Q166 Q167 T171 L205 E208 R235 L236 Q242 ASP


• Molecule 8: Proteasome subunit beta type-2

Chain H:  84% 11% . .

T2 K7 V13 R19 Q22 L34 S38 P39 V55 L68 K84 L98 D104 P105 L110 F111 S112 I113 S118 L125 S126 L127 G128 V137 E139 A161 G162 I163 W164 N165 D166 L167 G170 R196 T210 L213 R214 E215 S216

E226
GLN
VAL
ASP
ILE
THR
ALA

• Molecule 8: Proteasome subunit beta type-2

Chain V:  86% 10% . .


T2 K7 V13 Q22 L34 R35 R36 I37 S38 P39 V55 L68 L80 K84 L98 L113 S118 S126 L127 V137 L138 E139 A161 G162 I163 W164 N165 G170 R196 T210 L213 E226 GLN VAL ASP ILE THR ALA

• Molecule 9: Proteasome subunit beta type-3

Chain I:  87% 11% .


MET S1 N7 G8 G9 I10 V20 G29 G34 N37 K41 D58 L62 N71 V104 P118 F123 C128 A141 S151 S167 L171 D177 G183 R197 Y198 L199 K200 R201 R202 Q203 D204


• Molecule 9: Proteasome subunit beta type-3

Chain W:  87% 12% .


MET S1 N7 G8 G9 I10 V20 G29 G34 N37 K41 D58 L62 N71 V104 P118 F123 C128 A141 G147 S151 S167 L171 D177 G183 Y198 L199 K200 W201 R202 Q203 D204


• Molecule 10: Proteasome subunit beta type-4

Chain J:  81% 15% . .




- Molecule 10: Proteasome subunit beta type-4

Chain X:  81% 15% . .




- Molecule 11: Proteasome subunit beta type-5

Chain K:  74% 21% 5%





- Molecule 11: Proteasome subunit beta type-5

Chain Y:  76% 19% 5%





- Molecule 12: Proteasome subunit beta type-6

Chain L:  75% 22% .




- Molecule 12: Proteasome subunit beta type-6

Chain Z:  78% 19%




- Molecule 13: Proteasome subunit beta type-7

Chain M:  85% 9% 5%




- Molecule 13: Proteasome subunit beta type-7

Chain a:  86% 8% 5%




- Molecule 14: Proteasome subunit beta type-1

Chain N:  88% 10%



- Molecule 14: Proteasome subunit beta type-1

Chain b:  89% 9%



- Molecule 15: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-C]PYRAZOLE

Chain f:  60% 40%



- Molecule 15: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-C]PYRAZOLE

Chain g:  40% 40% 20%



- Molecule 15: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-.C.]PYRAZOLE




- Molecule 15: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-.C.]PYRAZOLE



- Molecule 15: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-.C.]PYRAZOLE



- Molecule 15: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-.C.]PYRAZOLE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	137.00Å 300.83Å 145.58Å 90.00° 113.36° 90.00°	Depositor
Resolution (Å)	15.00 – 2.90 15.00 – 2.90	Depositor EDS
% Data completeness (in resolution range)	96.9 (15.00-2.90) 96.9 (15.00-2.90)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.16 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.171 , 0.207 0.175 , 0.208	Depositor DCC
R_{free} test set	11542 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	64.2	Xtriage
Anisotropy	0.358	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 56.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	49952	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, SO4, CL, MES, A1I44, MG, HPE, 00E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.01	0/1952	1.42	0/2642
1	O	1.02	0/1952	1.43	0/2642
2	B	1.02	0/1934	1.44	0/2618
2	P	1.02	0/1934	1.44	0/2618
3	C	1.02	0/1910	1.47	0/2586
3	Q	1.02	0/1910	1.47	0/2586
4	D	1.03	0/1837	1.49	0/2475
4	R	1.03	0/1837	1.49	0/2475
5	E	1.03	0/1800	1.45	0/2433
5	S	1.03	0/1800	1.46	2/2433 (0.1%)
6	F	1.01	0/1932	1.45	0/2609
6	T	1.01	0/1932	1.45	0/2609
7	G	1.00	0/1945	1.42	0/2634
7	U	1.01	0/1945	1.43	0/2634
8	H	1.01	0/1743	1.42	0/2363
8	V	1.01	0/1743	1.43	0/2363
9	I	1.01	0/1611	1.43	1/2174 (0.0%)
9	W	1.01	0/1611	1.43	1/2174 (0.0%)
10	J	0.98	0/1589	1.42	0/2142
10	X	0.99	0/1589	1.41	0/2142
11	K	0.98	0/1677	1.41	0/2269
11	Y	0.97	0/1677	1.42	0/2269
12	L	0.98	0/1795	1.41	0/2420
12	Z	0.98	0/1795	1.40	0/2420
13	M	1.01	0/1855	1.40	0/2514
13	a	1.00	0/1855	1.38	0/2514
14	N	1.00	0/1534	1.41	1/2077 (0.0%)
14	b	1.00	0/1534	1.43	0/2077
15	f	1.15	0/19	1.19	0/24
15	g	1.27	1/19 (5.3%)	1.62	1/24 (4.2%)
15	h	1.32	1/19 (5.3%)	1.00	0/24
15	i	1.12	0/19	1.20	0/24

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
15	j	1.22	0/19	1.55	1/24 (4.2%)
15	k	1.40	1/19 (5.3%)	1.10	0/24
All	All	1.01	3/50342 (0.0%)	1.43	7/68056 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	k	4	PHE	CB-CG	-5.50	1.38	1.50
15	h	4	PHE	CB-CG	-5.26	1.38	1.50
15	g	4	PHE	CB-CG	-5.06	1.39	1.50

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	g	4	PHE	CA-CB-CG	-6.93	106.87	113.80
15	j	4	PHE	CA-CB-CG	-6.58	107.22	113.80
9	W	183	GLY	CA-C-O	-5.68	118.53	122.22
9	I	183	GLY	CA-C-O	-5.63	118.56	122.22
14	N	128	GLY	CA-C-O	-5.09	118.50	122.52
5	S	35	VAL	CA-C-N	5.02	125.06	121.65
5	S	35	VAL	C-N-CA	5.02	125.06	121.65

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	4	0
1	O	1915	0	1929	5	0
2	B	1904	0	1904	13	0
2	P	1904	0	1904	9	0
3	C	1881	0	1895	13	0
3	Q	1881	0	1895	12	0
4	D	1813	0	1797	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	R	1813	0	1797	4	0
5	E	1773	0	1775	11	0
5	S	1773	0	1775	11	0
6	F	1892	0	1883	8	0
6	T	1892	0	1883	7	0
7	G	1907	0	1901	14	0
7	U	1907	0	1901	16	0
8	H	1712	0	1709	23	0
8	V	1712	0	1709	14	0
9	I	1581	0	1574	26	0
9	W	1581	0	1574	21	0
10	J	1561	0	1569	28	0
10	X	1561	0	1569	26	0
11	K	1640	0	1591	41	0
11	Y	1640	0	1591	42	0
12	L	1757	0	1711	43	0
12	Z	1757	0	1711	39	0
13	M	1824	0	1832	14	0
13	a	1824	0	1832	16	0
14	N	1505	0	1471	16	0
14	b	1505	0	1471	15	0
15	f	59	0	40	0	0
15	g	59	0	40	2	0
15	h	59	0	40	5	0
15	i	59	0	40	0	0
15	j	59	0	40	2	0
15	k	59	0	40	4	0
16	G	1	0	0	0	0
16	N	1	0	0	0	0
16	W	1	0	0	0	0
17	G	1	0	0	0	0
17	N	1	0	0	0	0
17	U	1	0	0	0	0
17	b	1	0	0	1	0
18	G	12	0	13	2	0
18	H	12	0	13	1	0
18	L	12	0	13	2	0
18	a	12	0	13	0	0
18	i	12	0	13	0	0
19	K	8	0	14	0	0
19	a	8	0	14	0	0
20	U	5	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
21	A	4	0	0	0	0
21	B	6	0	0	0	0
21	C	2	0	0	0	0
21	D	5	0	0	0	0
21	E	5	0	0	0	0
21	F	6	0	0	0	0
21	G	7	0	0	0	0
21	H	8	0	0	0	0
21	I	5	0	0	0	0
21	J	5	0	0	0	0
21	K	5	0	0	0	0
21	L	9	0	0	0	0
21	M	5	0	0	0	0
21	N	7	0	0	0	0
21	O	2	0	0	0	0
21	P	8	0	0	0	0
21	Q	4	0	0	0	0
21	R	5	0	0	0	0
21	S	5	0	0	0	0
21	T	3	0	0	0	0
21	U	14	0	0	0	0
21	V	8	0	0	0	0
21	W	4	0	0	0	0
21	X	5	0	0	0	0
21	Y	7	0	0	0	0
21	Z	11	0	0	0	0
21	a	17	0	0	1	0
21	b	4	0	0	0	0
21	h	2	0	0	0	0
21	k	2	0	0	0	0
All	All	49952	0	49415	408	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (408) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
15:h:2:HPE:HE2	15:h:4:PHE:CZ	1.92	1.04
15:k:2:HPE:HE2	15:k:4:PHE:CZ	1.93	1.03
12:L:158:ASN:HD22	9:W:171:LEU:HB3	1.26	1.00

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.34	0.92
3:Q:160:GLN:HA	3:Q:160:GLN:HE21	1.34	0.92
15:h:2:HPE:HE2	15:h:4:PHE:HZ	1.37	0.89
9:I:171:LEU:HB3	12:Z:158:ASN:HD22	1.37	0.88
15:k:2:HPE:HE2	15:k:4:PHE:HZ	1.35	0.86
11:K:210:VAL:HG12	11:K:211:ILE:H	1.42	0.85
11:Y:210:VAL:HG12	11:Y:211:ILE:H	1.41	0.85
11:Y:145:LYS:O	11:Y:148:LEU:HD13	1.76	0.85
10:X:140:THR:HG22	10:X:164:CYS:SG	2.19	0.83
12:L:158:ASN:ND2	9:W:171:LEU:HB3	1.97	0.80
12:L:158:ASN:HD22	9:W:171:LEU:CB	1.98	0.77
2:B:12:PHE:H	3:C:17:GLN:HE22	1.33	0.76
13:M:27:LEU:HD21	13:M:34:LEU:HD22	1.68	0.74
3:Q:9:PHE:H	4:R:15:GLN:HE22	1.39	0.71
10:X:26:SER:HB3	11:Y:133:GLN:HG3	1.73	0.71
7:G:23:PHE:O	7:G:26:THR:HB	1.91	0.70
1:O:12:PHE:H	2:P:20:GLN:HE22	1.41	0.69
6:F:123:ASN:C	6:F:123:ASN:HD22	2.01	0.69
6:T:123:ASN:C	6:T:123:ASN:HD22	2.01	0.69
1:A:12:PHE:H	2:B:20:GLN:HE22	1.42	0.68
5:E:12:PHE:H	6:F:19:GLN:HE22	1.40	0.67
7:U:65:CYS:N	20:U:302:SO4:O3	2.24	0.67
7:U:23:PHE:O	7:U:26:THR:HB	1.94	0.66
5:S:12:PHE:H	6:T:19:GLN:HE22	1.43	0.66
11:Y:143:ASN:OD1	11:Y:143:ASN:N	2.28	0.65
3:C:9:PHE:H	4:D:15:GLN:HE22	1.45	0.65
9:I:171:LEU:HB3	12:Z:158:ASN:ND2	2.11	0.64
6:F:123:ASN:HD22	6:F:124:SER:N	1.96	0.63
6:T:123:ASN:HD22	6:T:124:SER:N	1.97	0.63
8:V:210:THR:HG21	9:W:167:SER:HB3	1.80	0.62
8:H:128:GLY:HA2	18:H:301:MES:H81	1.82	0.62
14:N:152:VAL:HA	14:N:175:MET:HE1	1.81	0.62
14:b:152:VAL:HA	14:b:175:MET:HE1	1.80	0.62
10:J:139:TYR:CE2	10:J:167:GLU:HB3	2.35	0.62
13:a:27:LEU:HD21	13:a:34:LEU:HD22	1.81	0.62
7:U:89:LYS:NZ	20:U:302:SO4:O1	2.27	0.61
9:I:171:LEU:CB	12:Z:158:ASN:HD22	2.12	0.61
8:H:210:THR:HG21	9:I:167:SER:HB3	1.81	0.61
8:H:213:LEU:HD13	9:I:200:LYS:CA	2.31	0.61
13:M:228:TYR:HE2	14:b:35:THR:HG21	1.66	0.61
10:J:139:TYR:HE2	10:J:167:GLU:HB3	1.66	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:N:136:GLY:HA2	14:b:161:GLN:HE21	1.68	0.59
14:N:161:GLN:HE21	14:b:136:GLY:HA2	1.67	0.59
11:K:148:LEU:HD23	11:K:153:ALA:HB2	1.85	0.58
12:L:2:PHE:HB3	13:M:1:THR:OG1	2.04	0.58
10:J:26:SER:HB3	11:K:133:GLN:HG3	1.86	0.57
2:P:12:PHE:H	3:Q:17:GLN:HE22	1.52	0.57
12:L:13:LEU:CD1	12:L:150:LEU:HD21	2.35	0.56
11:K:176:ASN:ND2	11:K:190:ASN:HB2	2.21	0.56
12:L:23:LEU:HD13	12:L:43:VAL:HG13	1.86	0.56
14:N:35:THR:HG21	13:a:228:TYR:HE2	1.70	0.56
12:Z:13:LEU:CD1	12:Z:150:LEU:HD21	2.35	0.56
12:Z:23:LEU:HD13	12:Z:43:VAL:HG13	1.86	0.56
11:K:22:ALA:HB1	15:g:1:00E:HD2	1.88	0.56
12:L:30:ILE:HD12	12:L:30:ILE:C	2.31	0.56
11:Y:16:VAL:HG21	11:Y:34:VAL:HG23	1.87	0.55
10:X:50:ALA:O	11:Y:91:LYS:NZ	2.40	0.55
4:D:176:LEU:HD22	5:E:55:LEU:CD2	2.37	0.55
11:K:104:TYR:CD1	11:K:182:GLU:HA	2.41	0.55
11:Y:22:ALA:HB1	15:j:1:00E:HD2	1.88	0.55
2:P:93:HIS:ND1	2:P:113:ARG:HG2	2.22	0.54
11:Y:104:TYR:CD1	11:Y:182:GLU:HA	2.41	0.54
11:K:16:VAL:HG21	11:K:34:VAL:HG23	1.88	0.54
12:L:39:TYR:OH	12:L:203:GLU:OE1	2.20	0.54
11:K:196:LEU:HD22	11:K:200:VAL:HG23	1.89	0.54
10:J:138:PHE:CD1	10:J:138:PHE:C	2.85	0.54
10:J:173:PRO:HG3	10:X:25:ILE:C	2.33	0.54
12:Z:31:THR:HG22	12:Z:36:ASN:HD21	1.73	0.54
6:F:158:GLY:O	7:G:54:LEU:HB3	2.08	0.54
12:L:13:LEU:HD11	12:L:150:LEU:HD21	1.90	0.54
12:Z:13:LEU:HD11	12:Z:150:LEU:HD21	1.90	0.53
9:I:58:ASP:OD2	10:J:93:ARG:NH2	2.41	0.53
12:L:124:SER:HB2	12:L:137:ARG:HG2	1.90	0.53
10:X:26:SER:HB2	11:Y:134:THR:O	2.08	0.53
2:B:93:HIS:ND1	2:B:113:ARG:HG2	2.23	0.53
7:G:65:CYS:SG	18:G:303:MES:H31	2.49	0.53
8:V:98:LEU:HB2	8:V:113:ILE:HG23	1.89	0.53
3:C:35:LYS:HG2	3:C:158:SER:O	2.08	0.53
7:G:83:ASN:C	7:G:83:ASN:HD22	2.17	0.53
12:L:16:ALA:O	12:L:135:GLN:NE2	2.40	0.53
7:U:83:ASN:C	7:U:83:ASN:HD22	2.16	0.53
8:H:118:SER:OG	15:h:3:LEU:HD12	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:37:ILE:HG23	11:K:60:GLY:HA2	1.89	0.53
11:Y:176:ASN:ND2	11:Y:190:ASN:HB2	2.22	0.52
11:K:210:VAL:O	11:K:211:ILE:HB	2.10	0.52
8:H:98:LEU:HB2	8:H:113:ILE:HG23	1.90	0.52
12:L:111:ILE:HG12	12:L:123:TYR:HB2	1.91	0.52
11:Y:37:ILE:HG23	11:Y:60:GLY:HA2	1.90	0.52
11:Y:197:PHE:HZ	11:Y:210:VAL:HG21	1.74	0.52
12:Z:111:ILE:HG12	12:Z:123:TYR:HB2	1.92	0.52
11:Y:20:ALA:HB2	11:Y:31:VAL:HG21	1.91	0.52
11:K:197:PHE:HZ	11:K:210:VAL:HG21	1.74	0.52
14:b:22:THR:HG23	15:k:3:LEU:HD23	1.91	0.52
8:V:118:SER:OG	15:k:3:LEU:HD12	2.09	0.52
13:a:179:ASN:HD22	13:a:182:ARG:HH11	1.58	0.52
3:C:38:ASN:C	3:C:38:ASN:HD22	2.17	0.52
11:K:20:ALA:HB2	11:K:31:VAL:HG21	1.90	0.52
11:K:210:VAL:HG12	11:K:211:ILE:N	2.20	0.51
14:N:22:THR:HG23	15:h:3:LEU:HD23	1.90	0.51
3:Q:38:ASN:C	3:Q:38:ASN:HD22	2.17	0.51
9:W:202:ARG:HH21	9:W:204:ASP:CG	2.18	0.51
2:B:217:LYS:C	2:B:219:ALA:H	2.18	0.51
13:M:156:ARG:HH11	8:V:165:ASN:HD22	1.58	0.51
4:D:97:GLU:OE1	12:L:75:TYR:OH	2.24	0.51
12:L:160:TYR:CG	12:L:166:GLY:HA2	2.46	0.51
12:L:158:ASN:HD22	9:W:171:LEU:CG	2.24	0.51
11:Y:133:GLN:HB3	11:Y:135:PHE:CE1	2.45	0.51
13:M:159:VAL:HG23	13:M:159:VAL:O	2.11	0.51
12:Z:160:TYR:CG	12:Z:166:GLY:HA2	2.46	0.51
12:Z:124:SER:HB2	12:Z:137:ARG:HG2	1.91	0.51
11:Y:128:CYS:SG	11:Y:130:VAL:HG22	2.51	0.51
11:Y:210:VAL:O	11:Y:211:ILE:HB	2.10	0.51
13:a:159:VAL:HG23	13:a:159:VAL:O	2.10	0.51
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.93	0.51
12:Z:136:CYS:SG	12:Z:154:VAL:HG11	2.51	0.51
11:K:176:ASN:HD21	11:K:190:ASN:HB2	1.76	0.51
10:X:28:LEU:O	11:Y:136:ALA:HB2	2.11	0.51
12:Z:3:ASN:HD22	12:Z:4:PRO:HD2	1.76	0.51
14:b:163:ILE:HG23	14:b:170:GLY:HA2	1.94	0.51
11:K:133:GLN:HB3	11:K:135:PHE:CE1	2.46	0.50
5:S:92:ASN:HD21	12:Z:70:ASN:ND2	2.10	0.50
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.11	0.50
11:Y:22:ALA:HB1	15:j:1:00E:CD2	2.41	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:22:ALA:HB1	15:g:1:00E:CD2	2.41	0.50
2:P:47:ALA:HB1	2:P:64:LYS:HD2	1.93	0.50
12:Z:16:ALA:O	12:Z:135:GLN:NE2	2.42	0.50
10:J:136:SER:HA	10:J:172:MET:HE3	1.93	0.50
11:K:180:VAL:HG22	11:K:185:TRP:HB3	1.94	0.50
12:L:3:ASN:HD22	12:L:4:PRO:HD2	1.76	0.50
14:N:133:PHE:CE1	13:a:33:LEU:HD13	2.47	0.50
10:X:136:SER:HA	10:X:172:MET:HE3	1.94	0.50
2:P:217:LYS:C	2:P:219:ALA:H	2.19	0.50
9:W:62:LEU:CD1	9:W:104:VAL:HG21	2.42	0.50
14:b:45:ARG:NH2	17:b:201:CL:CL	2.74	0.50
9:I:202:ARG:HH21	9:I:204:ASP:CG	2.18	0.49
1:O:55:LEU:HB3	7:U:159:ALA:O	2.11	0.49
8:H:196:ARG:CZ	12:Z:189:THR:HG22	2.41	0.49
14:N:139:ASP:OD2	14:b:164:LYS:NZ	2.44	0.49
11:Y:176:ASN:HD21	11:Y:190:ASN:HB2	1.77	0.49
2:B:47:ALA:HB1	2:B:64:LYS:HD2	1.95	0.49
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.95	0.49
13:M:179:ASN:HD22	13:M:182:ARG:HH11	1.60	0.49
10:J:50:ALA:O	11:K:91:LYS:NZ	2.46	0.49
12:L:31:THR:HB	12:L:36:ASN:HD21	1.77	0.49
7:U:78:ILE:N	7:U:79:PRO:CD	2.75	0.49
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.13	0.49
12:L:136:CYS:SG	12:L:154:VAL:HG11	2.52	0.49
3:C:160:GLN:HE21	3:C:160:GLN:CA	2.12	0.49
8:V:163:ILE:HG23	8:V:170:GLY:HA2	1.94	0.49
5:S:87:LEU:HD21	5:S:107:ALA:HB1	1.95	0.49
11:Y:9:GLN:HG2	11:Y:147:ASP:HA	1.94	0.49
11:K:141:ASP:O	11:K:141:ASP:OD2	2.31	0.49
3:Q:160:GLN:HE21	3:Q:160:GLN:CA	2.12	0.49
5:S:92:ASN:HD21	12:Z:70:ASN:HD21	1.60	0.49
8:V:213:LEU:HD23	9:W:200:LYS:HB2	1.93	0.49
10:J:28:LEU:O	11:K:136:ALA:HB2	2.13	0.48
7:G:65:CYS:N	18:G:303:MES:O1S	2.42	0.48
8:H:213:LEU:HD13	9:I:200:LYS:HB2	1.95	0.48
9:I:62:LEU:CD1	9:I:104:VAL:HG21	2.43	0.48
11:K:86:LEU:C	11:K:86:LEU:HD13	2.38	0.48
14:N:163:ILE:HG23	14:N:170:GLY:HA2	1.95	0.48
11:Y:158:LYS:HB2	11:Y:177:LEU:HD11	1.96	0.48
12:L:189:THR:HG22	8:V:196:ARG:CZ	2.43	0.48
11:Y:180:VAL:HG22	11:Y:185:TRP:HB3	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:Y:86:LEU:C	11:Y:86:LEU:HD13	2.39	0.48
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.48	0.48
5:E:87:LEU:HD21	5:E:107:ALA:HB1	1.96	0.48
8:H:213:LEU:CD1	9:I:200:LYS:HB2	2.43	0.48
12:L:207:VAL:HG22	12:L:212:VAL:HG22	1.95	0.48
14:N:13:ILE:HG21	14:N:175:MET:HE2	1.96	0.48
3:Q:160:GLN:HA	3:Q:160:GLN:NE2	2.17	0.48
7:U:64:PHE:HA	20:U:302:SO4:O3	2.13	0.48
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.49	0.47
12:L:49:ASN:HD21	12:L:211:GLY:HA2	1.79	0.47
4:R:88:ALA:HA	4:R:99:ILE:HG21	1.96	0.47
5:E:71:LEU:C	5:E:71:LEU:HD22	2.39	0.47
7:G:78:ILE:N	7:G:79:PRO:CD	2.77	0.47
5:S:71:LEU:HD22	5:S:71:LEU:C	2.38	0.47
11:Y:209:ASN:C	11:Y:209:ASN:ND2	2.72	0.47
13:a:31:GLY:C	13:a:190:ARG:HH21	2.22	0.47
8:H:163:ILE:HG23	8:H:170:GLY:HA2	1.95	0.47
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.95	0.47
12:Z:2:PHE:HB3	13:a:1:THR:OG1	2.13	0.47
4:D:88:ALA:HA	4:D:99:ILE:HG21	1.97	0.47
13:M:31:GLY:C	13:M:190:ARG:HH21	2.22	0.47
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.95	0.47
14:b:13:ILE:HG21	14:b:175:MET:HE2	1.97	0.47
8:H:213:LEU:HD13	9:I:200:LYS:N	2.29	0.47
12:Z:49:ASN:HD21	12:Z:211:GLY:HA2	1.79	0.47
12:Z:207:VAL:HG22	12:Z:212:VAL:HG22	1.95	0.47
11:K:149:SER:HB2	11:K:152:ASP:HB2	1.96	0.47
4:R:91:HIS:CD2	4:R:99:ILE:HG22	2.50	0.47
9:W:58:ASP:OD2	10:X:93:ARG:NH2	2.48	0.47
14:b:83:LYS:HG3	14:b:119:VAL:CG2	2.45	0.47
4:D:91:HIS:CD2	4:D:99:ILE:HG22	2.50	0.46
10:J:92:ILE:HG21	10:J:122:LEU:HA	1.96	0.46
10:X:92:ILE:HG21	10:X:122:LEU:HA	1.95	0.46
12:Z:146:ILE:HG22	12:Z:150:LEU:HD22	1.97	0.46
11:Y:149:SER:HB2	11:Y:152:ASP:HB2	1.97	0.46
10:J:35:THR:HG21	10:J:182:LYS:HD2	1.98	0.46
11:K:158:LYS:HB2	11:K:177:LEU:HD11	1.96	0.46
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.45	0.46
11:K:209:ASN:ND2	9:W:37:ASN:OD1	2.49	0.46
7:U:78:ILE:HG22	7:U:79:PRO:HD3	1.98	0.46
10:J:25:ILE:C	10:X:173:PRO:HG3	2.40	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:209:ASN:ND2	11:K:209:ASN:C	2.73	0.46
10:X:23:ARG:NE	11:Y:118:ASP:OD2	2.49	0.46
3:C:160:GLN:HE22	3:C:170:ARG:HE	1.63	0.46
5:E:118:ASN:N	5:E:118:ASN:HD22	2.14	0.46
5:S:71:LEU:C	5:S:71:LEU:CD2	2.89	0.46
9:W:20:VAL:HG13	9:W:118:PRO:HB3	1.98	0.46
10:X:119:ILE:HA	10:X:124:THR:O	2.15	0.46
5:E:92:ASN:HD21	12:L:70:ASN:ND2	2.14	0.46
8:H:165:ASN:HD22	13:a:156:ARG:HH11	1.62	0.46
10:J:119:ILE:HA	10:J:124:THR:O	2.16	0.46
12:L:125:PHE:CD2	12:L:131:TYR:HB3	2.50	0.46
12:Z:125:PHE:CD2	12:Z:131:TYR:HB3	2.50	0.46
12:L:52:MET:HG3	12:L:111:ILE:HG22	1.98	0.46
12:L:146:ILE:HG22	12:L:150:LEU:HD22	1.98	0.46
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.64	0.46
12:Z:17:GLY:HA3	12:Z:20:PHE:CE1	2.51	0.46
2:B:95:GLN:HE22	9:I:71:ASN:HD22	1.62	0.45
5:E:71:LEU:C	5:E:71:LEU:CD2	2.90	0.45
8:H:213:LEU:HD13	9:I:200:LYS:CB	2.46	0.45
10:X:35:THR:HG21	10:X:182:LYS:HD2	1.98	0.45
10:X:139:TYR:OH	10:X:167:GLU:HB3	2.16	0.45
3:C:201:VAL:O	3:C:202:GLN:CB	2.64	0.45
10:J:23:ARG:NH1	11:K:118:ASP:OD2	2.49	0.45
12:L:17:GLY:HA3	12:L:20:PHE:CE1	2.52	0.45
7:U:167:GLN:HE21	7:U:171:THR:HG23	1.81	0.45
8:H:137:VAL:HG21	8:H:161:ALA:HB2	1.97	0.45
8:V:137:VAL:HG21	8:V:161:ALA:HB2	1.98	0.45
9:I:202:ARG:NH2	9:I:204:ASP:OD2	2.34	0.45
7:G:83:ASN:C	7:G:83:ASN:ND2	2.75	0.45
11:K:30:THR:OG1	12:L:132:GLU:OE2	2.34	0.45
10:X:18:SER:HB2	10:X:176:PHE:HB2	1.98	0.45
11:Y:104:TYR:CE1	11:Y:182:GLU:HA	2.51	0.45
11:Y:210:VAL:HG12	11:Y:211:ILE:N	2.19	0.45
12:L:164:THR:HB	12:L:167:LYS:HB2	1.99	0.45
1:O:83:ARG:HE	7:U:114:ASN:ND2	2.15	0.45
13:a:35:ARG:HG2	21:a:412:HOH:O	2.17	0.45
3:C:51:LYS:O	3:C:52:LEU:HB2	2.17	0.45
9:I:20:VAL:HG13	9:I:118:PRO:HB3	1.98	0.45
5:S:92:ASN:ND2	12:Z:70:ASN:HD21	2.15	0.45
18:L:301:MES:O3S	13:M:162:GLU:HB2	2.17	0.45
12:Z:52:MET:HG3	12:Z:111:ILE:HG22	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:Z:164:THR:HB	12:Z:167:LYS:HB2	1.99	0.45
12:L:43:VAL:HG12	12:L:205:LEU:HD22	1.99	0.44
12:L:164:THR:O	12:L:167:LYS:HG2	2.17	0.44
1:A:83:ARG:HE	7:G:114:ASN:ND2	2.16	0.44
8:H:215:GLU:OE2	9:I:197:ARG:NE	2.48	0.44
10:J:18:SER:HB2	10:J:176:PHE:HB2	1.99	0.44
11:K:33:LYS:HA	11:K:45:MET:HE2	2.00	0.44
7:U:83:ASN:C	7:U:83:ASN:ND2	2.74	0.44
9:W:123:PHE:HA	9:W:128:CYS:O	2.17	0.44
13:M:97:ALA:HA	13:M:130:VAL:HG21	2.00	0.44
10:X:23:ARG:NH1	11:Y:118:ASP:OD2	2.51	0.44
13:a:35:ARG:HD3	13:a:36:PHE:CZ	2.52	0.44
7:G:167:GLN:HE21	7:G:171:THR:HG23	1.83	0.44
10:J:139:TYR:HE2	10:J:167:GLU:CB	2.30	0.44
3:Q:160:GLN:HE22	3:Q:170:ARG:HE	1.66	0.44
10:X:144:LEU:HD21	10:X:164:CYS:SG	2.57	0.44
14:b:19:ARG:NH1	14:b:167:GLY:O	2.49	0.44
6:F:240:GLN:HE21	6:F:240:GLN:HA	1.82	0.44
12:L:100:LYS:HE3	12:L:103:PHE:O	2.17	0.44
5:S:118:ASN:N	5:S:118:ASN:HD22	2.15	0.44
12:Z:100:LYS:HE3	12:Z:103:PHE:O	2.17	0.44
5:E:92:ASN:HD21	12:L:70:ASN:HD21	1.66	0.44
11:K:206:SER:O	11:K:207:PHE:C	2.61	0.44
12:L:4:PRO:O	13:M:104:ARG:NH1	2.47	0.44
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.17	0.44
11:K:174:SER:OG	11:K:190:ASN:ND2	2.50	0.44
11:Y:197:PHE:CZ	11:Y:210:VAL:HG21	2.53	0.44
11:Y:206:SER:O	11:Y:207:PHE:C	2.60	0.44
13:M:187:ARG:NH1	8:V:139:GLU:OE1	2.46	0.44
8:V:84:LYS:HA	8:V:113:ILE:HD11	2.00	0.44
12:Z:146:ILE:HG23	12:Z:187:SER:HB3	2.00	0.44
5:E:77:ALA:N	5:E:78:PRO:CD	2.81	0.44
9:I:58:ASP:CG	10:J:93:ARG:NH2	2.76	0.44
2:P:95:GLN:HE22	9:W:71:ASN:HD22	1.66	0.44
6:T:158:GLY:O	7:U:54:LEU:HB3	2.18	0.44
2:B:93:HIS:HD1	2:B:113:ARG:HG2	1.82	0.43
7:G:78:ILE:HG22	7:G:79:PRO:HD3	1.99	0.43
9:I:7:ASN:HA	9:I:29:GLY:O	2.17	0.43
11:K:104:TYR:CE1	11:K:182:GLU:HA	2.51	0.43
9:W:7:ASN:HA	9:W:29:GLY:O	2.18	0.43
10:J:132:ALA:HB3	10:J:137:GLY:HA2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:L:165:ASN:C	12:L:165:ASN:HD22	2.26	0.43
14:N:164:LYS:NZ	14:b:139:ASP:OD2	2.45	0.43
5:S:77:ALA:N	5:S:78:PRO:CD	2.81	0.43
13:a:129:TYR:O	13:a:136:THR:HA	2.18	0.43
10:X:1:MET:HB3	10:X:1:MET:HE2	1.75	0.43
12:L:146:ILE:HG23	12:L:187:SER:HB3	2.00	0.43
9:I:123:PHE:HA	9:I:128:CYS:O	2.19	0.43
11:K:129:VAL:O	11:K:129:VAL:HG12	2.17	0.43
11:Y:174:SER:OG	11:Y:190:ASN:ND2	2.52	0.43
12:Z:43:VAL:HG12	12:Z:205:LEU:HD22	1.99	0.43
12:Z:100:LYS:O	12:Z:104:PRO:HA	2.18	0.43
12:L:100:LYS:O	12:L:104:PRO:HA	2.18	0.43
12:Z:164:THR:O	12:Z:167:LYS:HG2	2.18	0.43
7:G:34:LEU:C	7:G:34:LEU:HD23	2.44	0.43
9:I:37:ASN:OD1	11:Y:209:ASN:ND2	2.50	0.43
12:Z:4:PRO:O	13:a:104:ARG:NH1	2.49	0.43
12:Z:165:ASN:C	12:Z:165:ASN:HD22	2.26	0.43
6:T:240:GLN:HE21	6:T:240:GLN:HA	1.82	0.43
8:V:38:SER:OG	8:V:39:PRO:HD2	2.19	0.43
8:V:210:THR:HG21	9:W:167:SER:CB	2.49	0.43
9:I:141:ALA:HB2	9:I:177:ASP:HB2	2.01	0.43
10:J:23:ARG:NE	11:K:118:ASP:OD2	2.52	0.43
12:Z:31:THR:HG22	12:Z:36:ASN:ND2	2.32	0.43
6:F:123:ASN:C	6:F:123:ASN:ND2	2.73	0.43
10:J:173:PRO:HG3	10:X:25:ILE:O	2.19	0.43
11:Y:114:TYR:CE1	11:Y:134:THR:HG21	2.53	0.43
11:K:9:GLN:HB3	11:K:146:TRP:NE1	2.34	0.42
2:B:50:LYS:HD3	2:B:50:LYS:HA	1.79	0.42
8:H:84:LYS:HA	8:H:113:ILE:HD11	2.01	0.42
7:U:165:LYS:HD2	7:U:205:LEU:HD22	2.02	0.42
12:Z:113:GLY:HA2	12:Z:207:VAL:HG11	2.01	0.42
5:E:12:PHE:HB2	6:F:19:GLN:HE22	1.84	0.42
11:K:35:ILE:HG21	11:K:56:GLU:HB3	2.01	0.42
13:a:97:ALA:HA	13:a:130:VAL:HG21	2.01	0.42
14:b:176:VAL:HG12	14:b:178:LEU:HD13	2.01	0.42
1:O:224:TYR:CE1	8:V:36:ARG:HD2	2.54	0.42
10:X:45:SER:OG	10:X:103:LEU:HB2	2.19	0.42
9:I:58:ASP:OD1	10:J:93:ARG:NH2	2.49	0.42
10:J:22:THR:HG22	10:J:27:VAL:HG22	2.01	0.42
12:L:113:GLY:HA2	12:L:207:VAL:HG11	2.01	0.42
13:M:26:ASN:HA	13:M:39:VAL:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:3:ILE:HD11	10:J:174:MET:HE2	2.00	0.42
10:J:13:VAL:HG23	10:J:114:PRO:HB2	2.00	0.42
10:X:3:ILE:HD11	10:X:174:MET:HE2	2.01	0.42
10:X:13:VAL:HG23	10:X:114:PRO:HB2	2.01	0.42
2:P:145:TYR:OH	2:P:217:LYS:HB2	2.20	0.42
1:A:83:ARG:HE	7:G:114:ASN:HD21	1.68	0.42
9:W:141:ALA:HB2	9:W:177:ASP:HB2	2.01	0.42
7:G:114:ASN:HD22	7:G:114:ASN:HA	1.70	0.41
8:H:112:SER:HB3	8:H:125:LEU:HD13	2.02	0.41
10:J:45:SER:OG	10:J:103:LEU:HB2	2.20	0.41
12:L:13:LEU:HD13	12:L:150:LEU:HD21	2.02	0.41
11:K:114:TYR:CE1	11:K:134:THR:HG21	2.54	0.41
5:E:92:ASN:ND2	12:L:70:ASN:HD21	2.19	0.41
13:M:219:TRP:CH2	14:b:171:GLY:HA2	2.55	0.41
14:N:36:ARG:HG3	14:N:42:TRP:CE2	2.55	0.41
6:T:155:GLY:HA3	7:U:59:THR:HG21	2.01	0.41
11:Y:35:ILE:HG21	11:Y:56:GLU:HB3	2.02	0.41
11:Y:201:LYS:NZ	11:Y:207:PHE:O	2.51	0.41
6:F:78:ILE:N	6:F:79:PRO:CD	2.84	0.41
2:B:145:TYR:OH	2:B:217:LYS:HB2	2.20	0.41
3:C:108:THR:HG21	3:C:146:TYR:HB3	2.03	0.41
11:K:197:PHE:CZ	11:K:210:VAL:HG21	2.53	0.41
2:B:50:LYS:O	2:B:51:VAL:C	2.63	0.41
10:J:1:MET:HB3	10:J:1:MET:HE2	1.75	0.41
14:N:176:VAL:HG12	14:N:178:LEU:HD13	2.02	0.41
11:Y:19:ARG:O	11:Y:33:LYS:NZ	2.54	0.41
12:Z:31:THR:CG2	12:Z:36:ASN:HD21	2.33	0.41
13:a:35:ARG:HD3	13:a:36:PHE:CE2	2.55	0.41
11:K:167:ARG:NH1	9:W:34:GLY:O	2.51	0.41
7:U:34:LEU:C	7:U:34:LEU:HD23	2.45	0.41
11:Y:97:MET:HE3	11:Y:97:MET:HB2	1.84	0.41
8:H:139:GLU:OE1	13:a:187:ARG:NH1	2.47	0.41
12:L:35:ILE:O	12:L:35:ILE:HG22	2.20	0.41
13:M:129:TYR:O	13:M:136:THR:HA	2.20	0.41
3:Q:108:THR:HG21	3:Q:146:TYR:HB3	2.03	0.41
3:Q:201:VAL:HG13	3:Q:202:GLN:N	2.36	0.41
12:Z:13:LEU:HD13	12:Z:150:LEU:HD21	2.02	0.41
2:B:14:PRO:HA	3:C:20:TYR:CD1	2.55	0.41
7:G:165:LYS:HD2	7:G:205:LEU:HD22	2.03	0.41
8:H:104:ASP:HB2	8:H:105:PRO:HD2	2.03	0.41
8:H:110:LEU:HG	8:H:125:LEU:HD12	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:23:ARG:NH1	11:K:118:ASP:CG	2.79	0.41
10:J:33:ASP:OD2	10:J:182:LYS:NZ	2.54	0.41
12:L:8:ASN:HA	12:L:30:ILE:O	2.21	0.41
12:L:42:LYS:HB3	12:L:42:LYS:HE2	1.99	0.41
12:L:145:LEU:O	9:W:147:GLY:HA3	2.20	0.41
14:N:22:THR:HG22	15:h:1:00E:HAA	2.02	0.41
2:P:50:LYS:O	2:P:51:VAL:C	2.63	0.41
11:Y:209:ASN:C	11:Y:210:VAL:O	2.64	0.41
8:H:213:LEU:CD1	9:I:200:LYS:CB	2.99	0.41
14:N:32:ASP:OD2	14:N:185:ARG:NH2	2.54	0.41
2:B:14:PRO:HA	3:C:20:TYR:CE1	2.56	0.40
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.56	0.40
5:S:92:ASN:CG	12:Z:70:ASN:HD21	2.29	0.40
10:X:22:THR:HG22	10:X:27:VAL:HG22	2.02	0.40
11:Y:210:VAL:CG1	11:Y:211:ILE:H	2.22	0.40
8:H:38:SER:OG	8:H:39:PRO:HD2	2.21	0.40
11:K:206:SER:O	11:K:208:ASN:N	2.54	0.40
8:V:213:LEU:N	9:W:198:TYR:O	2.52	0.40
10:X:139:TYR:OH	10:X:167:GLU:CB	2.69	0.40
8:H:213:LEU:N	9:I:198:TYR:O	2.54	0.40
18:L:301:MES:H82	18:L:301:MES:H51	1.87	0.40
13:a:27:LEU:HD12	13:a:36:PHE:O	2.21	0.40
1:A:149:GLN:O	1:A:156:TYR:HA	2.21	0.40
2:B:217:LYS:C	2:B:219:ALA:N	2.80	0.40
8:H:19:ARG:NH1	8:H:167:LEU:O	2.54	0.40
11:K:209:ASN:C	11:K:210:VAL:O	2.64	0.40
14:N:9:LYS:HB3	14:N:9:LYS:NZ	2.36	0.40
10:X:23:ARG:NH1	11:Y:118:ASP:CG	2.80	0.40
10:X:33:ASP:OD2	10:X:182:LYS:NZ	2.55	0.40
12:Z:30:ILE:C	12:Z:30:ILE:HD12	2.46	0.40
3:C:201:VAL:HG13	3:C:202:GLN:N	2.35	0.40
2:P:114:LEU:HD23	2:P:114:LEU:HA	1.94	0.40
5:S:71:LEU:HD22	5:S:71:LEU:O	2.22	0.40
6:T:78:ILE:N	6:T:79:PRO:CD	2.84	0.40
11:Y:206:SER:O	11:Y:208:ASN:N	2.55	0.40
14:b:9:LYS:NZ	14:b:9:LYS:HB3	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	240 (97%)	7 (3%)	1 (0%)	30	59
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	30	59
2	B	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	7	26
2	P	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	7	26
3	C	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	16	44
3	Q	238/254 (94%)	232 (98%)	4 (2%)	2 (1%)	16	44
4	D	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
4	R	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
5	E	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
5	S	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
6	F	241/288 (84%)	237 (98%)	4 (2%)	0	100	100
6	T	241/288 (84%)	237 (98%)	4 (2%)	0	100	100
7	G	239/252 (95%)	236 (99%)	3 (1%)	0	100	100
7	U	239/252 (95%)	235 (98%)	4 (2%)	0	100	100
8	H	223/231 (96%)	219 (98%)	4 (2%)	0	100	100
8	V	223/231 (96%)	219 (98%)	4 (2%)	0	100	100
9	I	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	192 (100%)	1 (0%)	0	100	100
10	X	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
11	K	209/211 (99%)	198 (95%)	7 (3%)	4 (2%)	6	23
11	Y	209/211 (99%)	198 (95%)	8 (4%)	3 (1%)	9	30
12	L	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
12	Z	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
13	M	231/246 (94%)	225 (97%)	6 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	a	231/246 (94%)	225 (97%)	6 (3%)	0	100	100
14	N	193/195 (99%)	190 (98%)	3 (2%)	0	100	100
14	b	193/195 (99%)	190 (98%)	3 (2%)	0	100	100
15	f	1/5 (20%)	1 (100%)	0	0	100	100
15	g	1/5 (20%)	1 (100%)	0	0	100	100
15	h	1/5 (20%)	1 (100%)	0	0	100	100
15	i	1/5 (20%)	1 (100%)	0	0	100	100
15	j	1/5 (20%)	1 (100%)	0	0	100	100
15	k	1/5 (20%)	1 (100%)	0	0	100	100
All	All	6284/6638 (95%)	6124 (98%)	139 (2%)	21 (0%)	36	65

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
2	B	221	ASP
3	C	202	GLN
11	K	207	PHE
11	K	210	VAL
11	K	211	ILE
2	P	51	VAL
2	P	221	ASP
3	Q	202	GLN
11	Y	207	PHE
11	Y	210	VAL
11	Y	211	ILE
1	A	2	THR
2	B	218	GLY
2	B	220	ASN
1	O	2	THR
2	P	218	GLY
2	P	220	ASN
3	C	205	ALA
3	Q	205	ALA
11	K	147	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	203 (97%)	6 (3%)	37	71
1	O	209/209 (100%)	204 (98%)	5 (2%)	43	75
2	B	203/216 (94%)	197 (97%)	6 (3%)	36	70
2	P	203/216 (94%)	197 (97%)	6 (3%)	36	70
3	C	212/226 (94%)	204 (96%)	8 (4%)	29	64
3	Q	212/226 (94%)	204 (96%)	8 (4%)	29	64
4	D	194/215 (90%)	186 (96%)	8 (4%)	27	61
4	R	194/215 (90%)	186 (96%)	8 (4%)	27	61
5	E	190/193 (98%)	183 (96%)	7 (4%)	30	64
5	S	190/193 (98%)	183 (96%)	7 (4%)	30	64
6	F	201/239 (84%)	192 (96%)	9 (4%)	24	58
6	T	201/239 (84%)	192 (96%)	9 (4%)	24	58
7	G	206/210 (98%)	197 (96%)	9 (4%)	25	59
7	U	206/210 (98%)	197 (96%)	9 (4%)	25	59
8	H	184/189 (97%)	172 (94%)	12 (6%)	15	44
8	V	184/189 (97%)	170 (92%)	14 (8%)	12	36
9	I	172/173 (99%)	169 (98%)	3 (2%)	53	82
9	W	172/173 (99%)	169 (98%)	3 (2%)	53	82
10	J	173/175 (99%)	165 (95%)	8 (5%)	24	57
10	X	173/175 (99%)	164 (95%)	9 (5%)	21	52
11	K	169/169 (100%)	154 (91%)	15 (9%)	9	28
11	Y	169/169 (100%)	156 (92%)	13 (8%)	12	35
12	L	185/185 (100%)	173 (94%)	12 (6%)	15	44
12	Z	185/185 (100%)	175 (95%)	10 (5%)	20	51
13	M	199/208 (96%)	192 (96%)	7 (4%)	32	66
13	a	199/208 (96%)	193 (97%)	6 (3%)	36	70

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	N	161/161 (100%)	156 (97%)	5 (3%)	35	69
14	b	161/161 (100%)	156 (97%)	5 (3%)	35	69
15	f	2/2 (100%)	2 (100%)	0	100	100
15	g	2/2 (100%)	2 (100%)	0	100	100
15	h	2/2 (100%)	2 (100%)	0	100	100
15	i	2/2 (100%)	2 (100%)	0	100	100
15	j	2/2 (100%)	2 (100%)	0	100	100
15	k	2/2 (100%)	2 (100%)	0	100	100
All	All	5328/5548 (96%)	5101 (96%)	227 (4%)	26	60

All (227) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	61	LEU
1	A	122	THR
1	A	157	PHE
1	A	201	GLU
1	A	250	LEU
2	B	50	LYS
2	B	55	LEU
2	B	79	LEU
2	B	102	ASN
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	52	LEU
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	240	GLU
4	D	60	VAL
4	D	99	ILE
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	55	LEU
5	E	71	LEU
5	E	118	ASN
5	E	188	LEU
5	E	231	LYS
6	F	68	ARG
6	F	94	SER
6	F	123	ASN
6	F	171	GLU
6	F	172	LEU
6	F	181	GLU
6	F	201	GLU
6	F	221	ASN
6	F	240	GLN
7	G	13	GLU
7	G	26	THR
7	G	83	ASN
7	G	115	LEU
7	G	122	ARG
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	7	LYS
8	H	13	VAL
8	H	22	GLN
8	H	34	LEU
8	H	38	SER
8	H	55	VAL
8	H	68	LEU
8	H	113	ILE
8	H	118	SER
8	H	127	LEU
8	H	196	ARG
8	H	213	LEU
9	I	37	ASN
9	I	151	SER
9	I	171	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	J	1	MET
10	J	7	ILE
10	J	25	ILE
10	J	35	THR
10	J	92	ILE
10	J	149	ARG
10	J	174	MET
10	J	183	ILE
11	K	32	LYS
11	K	35	ILE
11	K	71	LYS
11	K	117	SER
11	K	131	SER
11	K	133	GLN
11	K	142	SER
11	K	148	LEU
11	K	149	SER
11	K	151	GLU
11	K	152	ASP
11	K	186	ILE
11	K	190	ASN
11	K	196	LEU
11	K	209	ASN
12	L	1	GLN
12	L	23	LEU
12	L	34	SER
12	L	35	ILE
12	L	42	LYS
12	L	49	ASN
12	L	71	SER
12	L	108	HIS
12	L	128	VAL
12	L	150	LEU
12	L	165	ASN
12	L	189	THR
13	M	1	THR
13	M	2	GLN
13	M	35	ARG
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	187	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	N	9	LYS
14	N	22	THR
14	N	107	LYS
14	N	119	VAL
14	N	178	LEU
1	O	1	MET
1	O	122	THR
1	O	157	PHE
1	O	201	GLU
1	O	250	LEU
2	P	50	LYS
2	P	55	LEU
2	P	79	LEU
2	P	102	ASN
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	52	LEU
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	240	GLU
4	R	60	VAL
4	R	99	ILE
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	55	LEU
5	S	71	LEU
5	S	118	ASN
5	S	188	LEU
5	S	231	LYS
6	T	68	ARG
6	T	94	SER
6	T	123	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	T	171	GLU
6	T	172	LEU
6	T	181	GLU
6	T	201	GLU
6	T	221	ASN
6	T	240	GLN
7	U	13	GLU
7	U	26	THR
7	U	83	ASN
7	U	115	LEU
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	7	LYS
8	V	13	VAL
8	V	22	GLN
8	V	34	LEU
8	V	35	HIS
8	V	38	SER
8	V	55	VAL
8	V	68	LEU
8	V	80	LEU
8	V	113	ILE
8	V	118	SER
8	V	125	LEU
8	V	127	LEU
8	V	196	ARG
9	W	37	ASN
9	W	151	SER
9	W	171	LEU
10	X	1	MET
10	X	7	ILE
10	X	25	ILE
10	X	35	THR
10	X	92	ILE
10	X	140	THR
10	X	149	ARG
10	X	174	MET
10	X	183	ILE
11	Y	32	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	Y	35	ILE
11	Y	117	SER
11	Y	130	VAL
11	Y	139	VAL
11	Y	142	SER
11	Y	143	ASN
11	Y	148	LEU
11	Y	149	SER
11	Y	152	ASP
11	Y	186	ILE
11	Y	190	ASN
11	Y	209	ASN
12	Z	1	GLN
12	Z	23	LEU
12	Z	42	LYS
12	Z	49	ASN
12	Z	71	SER
12	Z	108	HIS
12	Z	128	VAL
12	Z	150	LEU
12	Z	165	ASN
12	Z	189	THR
13	a	1	THR
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	187	ARG
14	b	9	LYS
14	b	22	THR
14	b	107	LYS
14	b	119	VAL
14	b	178	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (180) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	149	GLN
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	123	GLN
2	B	124	HIS
2	B	155	ASN
2	B	176	GLN
3	C	17	GLN
3	C	38	ASN
3	C	77	ASN
3	C	115	GLN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
3	C	165	ASN
3	C	176	ASN
3	C	233	GLN
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	106	GLN
4	D	146	GLN
4	D	160	ASN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	151	ASN
5	E	184	ASN
6	F	17	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
6	F	203	ASN
6	F	240	GLN
7	G	30	ASN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	121	GLN
7	G	166	GLN
7	G	167	GLN
7	G	175	ASN
7	G	231	ASN
8	H	22	GLN
8	H	30	ASN
8	H	66	HIS
8	H	165	ASN
8	H	189	ASN
8	H	200	GLN
9	I	37	ASN
9	I	44	HIS
9	I	88	GLN
9	I	168	GLN
9	I	172	ASN
10	J	10	GLN
10	J	55	GLN
10	J	78	GLN
10	J	118	GLN
10	J	191	GLN
11	K	85	ASN
11	K	176	ASN
11	K	179	HIS
11	K	190	ASN
11	K	191	HIS
11	K	209	ASN
12	L	1	GLN
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
12	L	76	HIS
12	L	80	ASN
12	L	152	ASN
12	L	153	GLN
12	L	158	ASN
12	L	195	HIS
13	M	18	ASN
13	M	48	ASN
13	M	102	GLN
13	M	108	ASN
13	M	179	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	N	69	GLN
14	N	141	ASN
14	N	161	GLN
1	O	143	ASN
1	O	149	GLN
2	P	20	GLN
2	P	93	HIS
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
2	P	124	HIS
2	P	176	GLN
3	Q	17	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	165	ASN
3	Q	176	ASN
3	Q	233	GLN
4	R	15	GLN
4	R	91	HIS
4	R	100	ASN
4	R	106	GLN
4	R	146	GLN
4	R	160	ASN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
6	T	203	ASN
6	T	240	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	U	30	ASN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
7	U	167	GLN
7	U	175	ASN
7	U	231	ASN
8	V	22	GLN
8	V	30	ASN
8	V	35	HIS
8	V	66	HIS
8	V	165	ASN
8	V	189	ASN
8	V	200	GLN
9	W	37	ASN
9	W	44	HIS
9	W	63	ASN
9	W	88	GLN
9	W	203	GLN
10	X	10	GLN
10	X	55	GLN
10	X	63	ASN
10	X	78	GLN
10	X	118	GLN
10	X	191	GLN
11	Y	85	ASN
11	Y	133	GLN
11	Y	176	ASN
11	Y	179	HIS
11	Y	190	ASN
11	Y	191	HIS
11	Y	209	ASN
12	Z	1	GLN
12	Z	3	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	76	HIS
12	Z	80	ASN
12	Z	158	ASN
12	Z	195	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	a	18	ASN
13	a	48	ASN
13	a	102	GLN
13	a	108	ASN
13	a	179	ASN
14	b	141	ASN
14	b	161	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

12 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	00E	j	1	15	9,9,10	0.70	0	10,10,12	1.09	1 (10%)
15	HPE	g	2	15	11,12,13	1.42	1 (9%)	9,14,16	0.75	0
15	HPE	j	2	15	11,12,13	1.46	1 (9%)	9,14,16	0.76	0
15	00E	g	1	15	9,9,10	0.69	0	10,10,12	1.18	1 (10%)
15	HPE	h	2	15	11,12,13	1.32	1 (9%)	9,14,16	1.78	3 (33%)
15	HPE	f	2	15	11,12,13	1.36	1 (9%)	9,14,16	0.43	0
15	00E	f	1	15	9,9,10	0.72	0	10,10,12	1.18	1 (10%)
15	HPE	k	2	15	11,12,13	1.28	1 (9%)	9,14,16	1.67	3 (33%)
15	HPE	i	2	15	11,12,13	1.32	1 (9%)	9,14,16	0.45	0
15	00E	k	1	15	9,9,10	0.72	0	10,10,12	3.95	5 (50%)
15	00E	i	1	15	9,9,10	0.77	0	10,10,12	1.10	1 (10%)
15	00E	h	1	15	9,9,10	0.65	0	10,10,12	4.59	6 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	00E	j	1	15	-	1/2/11/12	0/1/1/1
15	HPE	g	2	15	-	0/6/7/9	0/1/1/1
15	HPE	j	2	15	-	0/6/7/9	0/1/1/1
15	00E	g	1	15	-	1/2/11/12	0/1/1/1
15	HPE	h	2	15	-	4/6/7/9	0/1/1/1
15	HPE	f	2	15	-	2/6/7/9	0/1/1/1
15	00E	f	1	15	-	0/2/11/12	0/1/1/1
15	HPE	k	2	15	-	4/6/7/9	0/1/1/1
15	HPE	i	2	15	-	2/6/7/9	0/1/1/1
15	00E	k	1	15	-	1/2/11/12	0/1/1/1
15	00E	i	1	15	-	0/2/11/12	0/1/1/1
15	00E	h	1	15	-	1/2/11/12	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	j	2	HPE	CG-CD	-4.48	1.39	1.51
15	g	2	HPE	CG-CD	-4.40	1.39	1.51
15	f	2	HPE	CG-CD	-3.97	1.40	1.51
15	i	2	HPE	CG-CD	-3.83	1.40	1.51
15	h	2	HPE	CG-CD	-3.77	1.41	1.51
15	k	2	HPE	CG-CD	-3.73	1.41	1.51

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	k	1	00E	CD2-NB-CD1	9.81	129.98	108.84
15	h	1	00E	CD2-NB-CD1	9.61	129.55	108.84
15	h	1	00E	CA-NB-CD2	7.17	117.97	110.49
15	h	1	00E	CE2-OZ-CE1	5.54	127.79	109.88
15	k	1	00E	CE2-OZ-CE1	5.32	127.10	109.88
15	k	1	00E	CA-NB-CD1	-3.47	106.87	110.49
15	h	1	00E	OZ-CE2-CD2	3.30	118.89	111.77
15	h	1	00E	C-CA-NB	3.15	118.82	112.80
15	h	2	HPE	CZ2-CE2-CD	3.12	125.00	120.61
15	h	1	00E	CE1-CD1-NB	3.05	114.75	110.12
15	k	2	HPE	CZ2-CE2-CD	3.00	124.84	120.61
15	k	1	00E	CE1-CD1-NB	2.97	114.63	110.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	h	2	HPE	CH-CZ1-CE1	2.83	123.72	120.24
15	k	1	00E	OZ-CE2-CD2	2.73	117.66	111.77
15	f	1	00E	CA-NB-CD1	2.63	113.23	110.49
15	g	1	00E	CA-NB-CD2	2.54	113.14	110.49
15	k	2	HPE	CH-CZ1-CE1	2.53	123.36	120.24
15	i	1	00E	CA-NB-CD2	2.40	112.99	110.49
15	h	2	HPE	CZ2-CH-CZ1	-2.32	116.69	119.87
15	j	1	00E	CA-NB-CD2	2.29	112.88	110.49
15	k	2	HPE	CZ2-CH-CZ1	-2.10	116.99	119.87

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
15	h	1	00E	C-CA-NB-CD1
15	k	1	00E	C-CA-NB-CD1
15	h	2	HPE	N-CA-CB-CG
15	h	2	HPE	C-CA-CB-CG
15	k	2	HPE	N-CA-CB-CG
15	k	2	HPE	C-CA-CB-CG
15	g	1	00E	C-CA-NB-CD2
15	j	1	00E	C-CA-NB-CD2
15	k	2	HPE	CE1-CD-CG-CB
15	h	2	HPE	CE1-CD-CG-CB
15	k	2	HPE	CE2-CD-CG-CB
15	h	2	HPE	CE2-CD-CG-CB
15	i	2	HPE	CE1-CD-CG-CB
15	f	2	HPE	CE1-CD-CG-CB
15	f	2	HPE	CE2-CD-CG-CB
15	i	2	HPE	CE2-CD-CG-CB

There are no ring outliers.

5 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
15	j	1	00E	2	0
15	g	1	00E	2	0
15	h	2	HPE	2	0
15	k	2	HPE	2	0
15	h	1	00E	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 7 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
20	SO4	U	302	-	4,4,4	0.55	0	6,6,6	0.21	0
18	MES	H	301	-	12,12,12	0.73	0	15,16,16	0.42	0
19	MPD	K	301	-	7,7,7	0.14	0	9,10,10	0.43	0
18	MES	a	301	-	12,12,12	0.71	0	15,16,16	0.35	0
18	MES	i	101	-	12,12,12	0.82	0	15,16,16	0.46	0
18	MES	G	303	-	12,12,12	0.77	0	15,16,16	0.37	0
19	MPD	a	302	-	7,7,7	0.13	0	9,10,10	0.32	0
18	MES	L	301	-	12,12,12	0.70	0	15,16,16	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	MES	H	301	-	-	0/6/14/14	0/1/1/1
19	MPD	K	301	-	-	2/5/5/5	-
18	MES	a	301	-	-	0/6/14/14	0/1/1/1
18	MES	i	101	-	-	0/6/14/14	0/1/1/1
18	MES	G	303	-	-	1/6/14/14	0/1/1/1
19	MPD	a	302	-	-	1/5/5/5	-
18	MES	L	301	-	-	2/6/14/14	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
18	L	301	MES	C8-C7-N4-C5
19	K	301	MPD	C2-C3-C4-O4
19	K	301	MPD	C2-C3-C4-C5
18	G	303	MES	N4-C7-C8-S
18	L	301	MES	N4-C7-C8-S
19	a	302	MPD	C2-C3-C4-O4

There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
20	U	302	SO4	3	0
18	H	301	MES	1	0
18	G	303	MES	2	0
18	L	301	MES	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.62	0 100 100	47, 62, 94, 131	0
1	O	250/250 (100%)	-0.60	0 100 100	50, 70, 104, 148	0
2	B	244/258 (94%)	-0.47	1 (0%) 88 85	50, 67, 112, 152	0
2	P	244/258 (94%)	-0.45	1 (0%) 88 85	51, 71, 114, 155	0
3	C	240/254 (94%)	-0.50	1 (0%) 88 85	48, 72, 134, 151	0
3	Q	240/254 (94%)	-0.45	1 (0%) 88 85	54, 81, 146, 158	0
4	D	235/260 (90%)	-0.59	0 100 100	54, 74, 101, 130	0
4	R	235/260 (90%)	-0.51	0 100 100	54, 75, 106, 124	0
5	E	231/234 (98%)	-0.53	0 100 100	54, 76, 109, 135	0
5	S	231/234 (98%)	-0.47	0 100 100	58, 81, 116, 137	0
6	F	243/288 (84%)	-0.51	2 (0%) 82 77	47, 68, 108, 133	0
6	T	243/288 (84%)	-0.53	0 100 100	50, 73, 120, 136	0
7	G	241/252 (95%)	-0.62	0 100 100	44, 61, 94, 143	0
7	U	241/252 (95%)	-0.60	0 100 100	49, 63, 96, 128	0
8	H	225/231 (97%)	-0.60	1 (0%) 88 85	45, 57, 91, 132	0
8	V	225/231 (97%)	-0.56	0 100 100	48, 60, 94, 151	0
9	I	204/205 (99%)	-0.64	0 100 100	45, 61, 86, 113	0
9	W	204/205 (99%)	-0.67	0 100 100	46, 63, 94, 116	0
10	J	195/198 (98%)	-0.57	0 100 100	45, 67, 99, 130	0
10	X	195/198 (98%)	-0.59	0 100 100	51, 69, 96, 132	0
11	K	211/211 (100%)	-0.45	0 100 100	50, 70, 115, 130	0
11	Y	211/211 (100%)	-0.44	0 100 100	51, 70, 112, 131	0
12	L	222/222 (100%)	-0.60	2 (0%) 81 75	48, 63, 100, 120	0
12	Z	222/222 (100%)	-0.64	1 (0%) 87 83	46, 62, 94, 119	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.70	0 100 100	44, 58, 82, 90	0
13	a	233/246 (94%)	-0.71	1 (0%) 88 85	43, 56, 78, 91	0
14	N	195/195 (100%)	-0.71	0 100 100	43, 54, 80, 104	0
14	b	195/195 (100%)	-0.74	0 100 100	44, 55, 86, 105	0
15	f	2/5 (40%)	-0.89	0 100 100	56, 56, 56, 58	0
15	g	2/5 (40%)	-0.27	0 100 100	57, 57, 57, 61	0
15	h	2/5 (40%)	-0.70	0 100 100	48, 48, 48, 52	0
15	i	2/5 (40%)	-0.31	0 100 100	63, 63, 63, 63	0
15	j	2/5 (40%)	-0.55	0 100 100	59, 59, 59, 65	0
15	k	2/5 (40%)	-0.65	0 100 100	48, 48, 48, 53	0
All	All	6350/6638 (95%)	-0.57	11 (0%) 91 89	43, 66, 108, 158	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Q	50	LEU	3.5
6	F	215	CYS	2.9
13	a	1	THR	2.8
2	P	51	VAL	2.4
2	B	218	GLY	2.4
12	Z	166	GLY	2.3
12	L	165	ASN	2.2
12	L	166	GLY	2.2
8	H	216	SER	2.1
6	F	202	ASP	2.1
3	C	240	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
15	00E	h	1	9/10	0.60	0.16	95,121,135,137	0
15	00E	k	1	9/10	0.62	0.16	88,122,128,130	0
15	00E	i	1	9/10	0.81	0.14	76,109,118,119	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
15	00E	j	1	9/10	0.83	0.13	82,105,112,114	0
15	00E	f	1	9/10	0.84	0.13	76,102,110,112	0
15	HPE	h	2	12/13	0.84	0.17	65,85,103,105	0
15	00E	g	1	9/10	0.87	0.11	84,108,114,116	0
15	HPE	j	2	12/13	0.89	0.10	71,74,76,79	0
15	HPE	k	2	12/13	0.89	0.14	60,80,99,101	0
15	HPE	g	2	12/13	0.92	0.09	67,71,75,81	0
15	HPE	i	2	12/13	0.96	0.07	65,71,73,73	0
15	HPE	f	2	12/13	0.97	0.06	64,71,77,78	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
16	MG	W	301	1/1	0.79	0.23	128,128,128,128	0
18	MES	L	301	12/12	0.80	0.16	120,143,147,151	0
19	MPD	a	302	8/8	0.84	0.16	100,117,120,125	0
18	MES	i	101	12/12	0.86	0.39	54,59,71,75	12
18	MES	H	301	12/12	0.86	0.36	56,63,80,81	12
18	MES	G	303	12/12	0.89	0.12	81,121,138,139	0
18	MES	a	301	12/12	0.89	0.13	125,130,134,134	0
19	MPD	K	301	8/8	0.92	0.14	80,88,90,93	0
20	SO4	U	302	5/5	0.93	0.41	20,20,20,20	0
17	CL	b	201	1/1	0.97	0.28	30,30,30,30	0
17	CL	G	302	1/1	0.97	0.06	57,57,57,57	0
17	CL	U	301	1/1	0.97	0.06	59,59,59,59	0
16	MG	N	201	1/1	0.98	0.09	71,71,71,71	0
17	CL	N	202	1/1	0.98	0.22	30,30,30,30	0
16	MG	G	301	1/1	0.99	0.03	68,68,68,68	0

6.5 Other polymers [i](#)

There are no such residues in this entry.