



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:33 PM UTC

PDB ID : 9QOM / pdb_00009qom
Title : APH(2'')-IVa with a fragment
Authors : Guichou, J.F.; Gelin, M.; Tomaszczyk, M.; Kowalewski, J.; Lionne, C.
Deposited on : 2025-03-26
Resolution : 2.13 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3689 (2.16-2.12)
Clashscore	190562	3812 (2.16-2.12)
Ramachandran outliers	187476	3773 (2.16-2.12)
Sidechain outliers	187428	3772 (2.16-2.12)
RSRZ outliers	180081	3691 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	321	26% 69% 23% 7%
1	B	321	30% 72% 20% 7%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4998 atoms, of which 12 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called APH(2'')-Id.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	297	Total	C	N	O	S	0	1	0
			2450	1579	399	462	10			
1	A	297	Total	C	N	O	S	0	1	0
			2434	1568	394	462	10			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	initiating methionine	UNP O68183
B	-18	GLY	-	expression tag	UNP O68183
B	-17	SER	-	expression tag	UNP O68183
B	-16	SER	-	expression tag	UNP O68183
B	-15	HIS	-	expression tag	UNP O68183
B	-14	HIS	-	expression tag	UNP O68183
B	-13	HIS	-	expression tag	UNP O68183
B	-12	HIS	-	expression tag	UNP O68183
B	-11	HIS	-	expression tag	UNP O68183
B	-10	HIS	-	expression tag	UNP O68183
B	-9	SER	-	expression tag	UNP O68183
B	-8	SER	-	expression tag	UNP O68183
B	-7	GLY	-	expression tag	UNP O68183
B	-6	LEU	-	expression tag	UNP O68183
B	-5	VAL	-	expression tag	UNP O68183
B	-4	PRO	-	expression tag	UNP O68183
B	-3	ARG	-	expression tag	UNP O68183
B	-2	GLY	-	expression tag	UNP O68183
B	-1	SER	-	expression tag	UNP O68183
B	0	HIS	-	expression tag	UNP O68183
A	-19	MET	-	initiating methionine	UNP O68183
A	-18	GLY	-	expression tag	UNP O68183
A	-17	SER	-	expression tag	UNP O68183
A	-16	SER	-	expression tag	UNP O68183
A	-15	HIS	-	expression tag	UNP O68183

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-14	HIS	-	expression tag	UNP O68183
A	-13	HIS	-	expression tag	UNP O68183
A	-12	HIS	-	expression tag	UNP O68183
A	-11	HIS	-	expression tag	UNP O68183
A	-10	HIS	-	expression tag	UNP O68183
A	-9	SER	-	expression tag	UNP O68183
A	-8	SER	-	expression tag	UNP O68183
A	-7	GLY	-	expression tag	UNP O68183
A	-6	LEU	-	expression tag	UNP O68183
A	-5	VAL	-	expression tag	UNP O68183
A	-4	PRO	-	expression tag	UNP O68183
A	-3	ARG	-	expression tag	UNP O68183
A	-2	GLY	-	expression tag	UNP O68183
A	-1	SER	-	expression tag	UNP O68183
A	0	HIS	-	expression tag	UNP O68183

- Molecule 2 is 5-iodanyl-1 {H}-pyrrolo[2,3-b]pyridine (CCD ID: A1I8E) (formula: C₇H₅IN₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	I	N	0	0
			10	7	1	2		
2	A	1	Total	C	I	N	0	0
			10	7	1	2		

- Molecule 3 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
3	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	46	Total	O	0	0
			46	46		
4	A	28	Total	O	0	0
			28	28		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: APH(2^{''})-Id



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.00Å 65.06Å 78.36Å 90.00° 91.66° 90.00°	Depositor
Resolution (Å)	78.32 – 2.13 78.32 – 2.13	Depositor EDS
% Data completeness (in resolution range)	82.8 (78.32-2.13) 81.6 (78.32-2.13)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.23 (at 2.12Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.225 , 0.293 0.228 , 0.294	Depositor DCC
R_{free} test set	2068 reflections (4.79%)	wwPDB-VP
Wilson B-factor (Å ²)	18.0	Xtriage
Anisotropy	0.326	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 36.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.001 for l,k,-h 0.039 for h,-k,-l 0.042 for l,-k,h	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	4998	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DMS, A1I8E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/2495	0.63	1/3368 (0.0%)
1	B	0.36	0/2512	0.55	0/3389
All	All	0.42	0/5007	0.59	1/6757 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	287	TRP	N-CA-C	-7.40	102.59	111.69

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2434	0	2369	48	0
1	B	2450	0	2394	52	0
2	A	10	0	0	0	0
2	B	10	0	0	0	0
3	B	8	12	12	1	0
4	A	28	0	0	0	0
4	B	46	0	0	2	0
All	All	4986	12	4775	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:265[B]:ARG:HG2	1:B:265[B]:ARG:HH11	1.38	0.86
1:B:164:GLU:HG2	1:B:292:LEU:HD21	1.59	0.82
1:B:242:MET:HE3	1:B:246:SER:OG	1.84	0.77
1:B:66:ARG:HH22	1:B:138:PHE:HA	1.57	0.70
1:B:30:GLU:HG3	1:B:35:ILE:HG12	1.73	0.70
1:B:66:ARG:NH2	1:B:138:PHE:HA	2.06	0.70
1:A:121:LYS:HD2	1:A:251:HIS:ND1	2.08	0.68
1:A:164:GLU:O	1:A:165:LEU:HD23	1.95	0.66
1:A:227:ASP:O	1:A:231:ILE:HG12	1.97	0.65
1:B:139:LYS:HB2	1:B:141:ASN:OD1	1.97	0.64
1:B:178:ARG:HG2	1:B:182:GLU:OE2	1.99	0.63
1:B:60:GLU:HB2	1:B:219:GLY:HA2	1.83	0.61
1:B:265[B]:ARG:HG2	1:B:265[B]:ARG:NH1	2.14	0.59
1:A:148:GLU:O	1:A:152:GLU:HG3	2.04	0.58
1:A:296:ARG:O	1:A:297:SER:HB2	2.04	0.57
1:B:231:ILE:CD1	1:B:267:LYS:HD3	2.34	0.57
1:A:86:GLU:C	1:A:87:THR:HG23	2.29	0.57
1:A:16:LEU:HD12	1:A:82:GLY:HA2	1.85	0.57
1:A:30:GLU:HG2	1:A:35:ILE:HG12	1.87	0.57
1:A:183:ASN:ND2	1:A:185:ILE:HD11	2.20	0.57
1:B:86:GLU:C	1:B:87:THR:HG22	2.30	0.56
1:A:148:GLU:HA	1:A:148:GLU:OE1	2.06	0.56
1:A:271:TRP:CD1	1:A:275:LYS:HE2	2.42	0.55
1:B:175:ASP:HA	1:B:178:ARG:NH1	2.22	0.55
1:A:247:LYS:O	1:A:251:HIS:HD2	1.90	0.55
1:B:231:ILE:HD13	1:B:267:LYS:HD3	1.88	0.55
1:A:6:PHE:O	1:A:10:GLU:HG3	2.08	0.54
1:B:86:GLU:O	1:B:87:THR:CG2	2.56	0.54
1:B:291:GLY:O	1:B:295:ILE:HD12	2.07	0.54
1:A:143:VAL:C	1:A:144:LEU:HD23	2.33	0.54
1:B:25:ILE:HG13	1:B:39:ILE:HG12	1.88	0.53
1:A:185:ILE:HD12	1:A:186:TYR:N	2.24	0.53
1:A:285:MET:O	1:A:285:MET:HG3	2.09	0.53
1:B:156:LYS:O	1:B:160:LEU:HD23	2.09	0.53
1:B:234:MET:HE3	1:B:242:MET:SD	2.49	0.52
1:B:296:ARG:O	1:B:297:SER:HB2	2.09	0.52
1:B:183:ASN:HB3	1:B:186:TYR:CD2	2.45	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:150:ILE:CD1	1:B:180:ILE:HG21	2.40	0.51
1:A:275:LYS:NZ	1:A:290:GLU:OE2	2.44	0.51
1:B:52:ARG:NH2	1:B:281:GLU:OE2	2.41	0.50
1:B:103:LEU:HD11	1:B:108:LEU:HB2	1.93	0.50
1:B:271:TRP:CD1	1:B:275:LYS:HE2	2.47	0.50
1:A:2:ARG:HD2	1:A:88:TYR:OH	2.12	0.49
1:A:295:ILE:O	1:A:297:SER:N	2.45	0.49
1:B:106:LEU:C	1:B:106:LEU:HD13	2.37	0.49
1:B:24:THR:HG21	1:B:41:ARG:NH2	2.28	0.49
1:A:66:ARG:HD2	1:A:138:PHE:CE2	2.47	0.49
1:B:86:GLU:C	1:B:87:THR:CG2	2.85	0.49
1:A:121:LYS:CD	1:A:251:HIS:ND1	2.76	0.48
1:B:146:PHE:O	1:B:150:ILE:HG13	2.14	0.48
1:B:192:CYS:HB2	4:B:514:HOH:O	2.13	0.48
1:A:238:GLU:HA	1:A:238:GLU:OE1	2.13	0.48
1:A:86:GLU:O	1:A:87:THR:OG1	2.24	0.48
1:B:154:ASN:ND2	1:B:177:TYR:CG	2.81	0.48
1:B:144:LEU:HD13	1:B:222:ALA:CB	2.44	0.47
1:A:61:VAL:HG21	1:A:90:MET:HE3	1.97	0.47
1:A:234:MET:HG3	1:A:245:VAL:HG11	1.97	0.47
1:A:107:LEU:O	1:A:107:LEU:HD23	2.15	0.46
1:A:60:GLU:HB2	1:A:219:GLY:HA2	1.97	0.46
1:A:252:TYR:O	1:A:253:LYS:HB2	2.16	0.46
1:B:158:LYS:HE2	1:B:174:ASP:OD1	2.16	0.46
1:B:80:PHE:CE2	3:B:402:DMS:H12	2.50	0.46
1:B:154:ASN:HD22	1:B:177:TYR:CB	2.28	0.46
1:B:257:ILE:N	1:B:258:PRO:CD	2.78	0.46
1:A:59[B]:ASN:OD1	1:A:142:LEU:CD1	2.64	0.46
1:A:124:ALA:HB2	1:A:248:ILE:HG23	1.97	0.45
1:A:277:ILE:O	1:A:281:GLU:HG3	2.17	0.45
1:B:39:ILE:HD12	1:B:45:PHE:CD1	2.52	0.45
1:B:265[B]:ARG:HH11	1:B:265[B]:ARG:CG	2.18	0.45
1:B:186:TYR:CZ	1:B:266:MET:HG3	2.51	0.45
1:A:16:LEU:CD1	1:A:82:GLY:HA2	2.45	0.45
1:B:154:ASN:ND2	1:B:177:TYR:CB	2.80	0.45
1:A:242:MET:HE3	1:A:246:SER:OG	2.16	0.45
1:B:231:ILE:C	1:B:231:ILE:HD12	2.42	0.44
1:A:144:LEU:HD23	1:A:144:LEU:N	2.31	0.44
1:A:256:ASP:CG	1:A:259:THR:HG23	2.42	0.44
1:B:86:GLU:O	1:B:87:THR:HG23	2.18	0.44
1:B:25:ILE:O	1:B:25:ILE:HG23	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:189:TYR:O	1:B:191:PRO:HD3	2.18	0.44
1:A:39:ILE:HD12	1:A:45:PHE:CD1	2.53	0.43
1:B:139:LYS:HG2	4:B:507:HOH:O	2.17	0.43
1:A:113:LYS:N	1:A:113:LYS:HD3	2.33	0.43
1:A:86:GLU:O	1:A:87:THR:CB	2.67	0.43
1:A:86:GLU:O	1:A:87:THR:HG23	2.19	0.43
1:B:194:ILE:CD1	1:B:224:SER:HB3	2.49	0.42
1:B:184:GLU:OE2	1:B:184:GLU:HA	2.18	0.42
1:A:63:ILE:O	1:A:67:ILE:HG12	2.20	0.42
1:A:121:LYS:HD2	1:A:121:LYS:HA	1.94	0.42
1:B:165:LEU:HD23	1:B:165:LEU:HA	1.75	0.41
1:A:120:ALA:HB2	1:A:244:PHE:CE1	2.55	0.41
1:B:265[B]:ARG:NH1	1:B:265[B]:ARG:CG	2.80	0.41
1:A:75:ILE:C	1:A:98:ILE:HD11	2.46	0.41
1:A:139:LYS:HB2	1:A:141:ASN:OD1	2.21	0.41
1:A:183:ASN:OD1	1:A:185:ILE:HG13	2.21	0.41
1:B:147:ARG:HG3	1:B:181:LEU:HD22	2.02	0.41
1:A:83:MET:HG3	1:A:84:PRO:HD2	2.03	0.41
1:B:266:MET:HE3	1:B:266:MET:HB3	1.94	0.40
1:B:161:LEU:HD22	1:B:292:LEU:CD1	2.50	0.40
1:A:291:GLY:O	1:A:295:ILE:HG12	2.22	0.40
1:A:280:LYS:HD3	1:A:280:LYS:HA	1.74	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	296/321 (92%)	276 (93%)	17 (6%)	3 (1%)	12	7
1	B	296/321 (92%)	281 (95%)	13 (4%)	2 (1%)	18	13
All	All	592/642 (92%)	557 (94%)	30 (5%)	5 (1%)	16	9

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	281	GLU
1	A	166	LYS
1	A	296	ARG
1	B	237	ASP
1	A	217	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	269/296 (91%)	261 (97%)	8 (3%)	36	37
1	B	271/296 (92%)	266 (98%)	5 (2%)	51	57
All	All	540/592 (91%)	527 (98%)	13 (2%)	43	45

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	66	ARG
1	B	160	LEU
1	B	164	GLU
1	B	166	LYS
1	B	185	ILE
1	A	26	GLU
1	A	69	ASN
1	A	115	SER
1	A	171	LYS
1	A	201	ASP
1	A	281	GLU
1	A	286	ASP
1	A	287	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	56	ASN
1	B	69	ASN
1	B	89	GLN
1	B	154	ASN
1	A	109	ASN
1	A	293	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	DMS	B	403	-	3,3,3	0.73	0	3,3,3	0.96	0
3	DMS	B	402	-	3,3,3	0.72	0	3,3,3	0.70	0
2	A1I8E	A	401	-	11,11,11	2.32	4 (36%)	15,15,15	1.46	2 (13%)
2	A1I8E	B	401	-	11,11,11	2.16	3 (27%)	15,15,15	1.67	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1I8E	A	401	-	-	-	0/2/2/2
2	A1I8E	B	401	-	-	-	0/2/2/2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	A1I8E	C03-C02	5.67	1.43	1.38
2	B	401	A1I8E	C03-C02	4.98	1.42	1.38
2	B	401	A1I8E	C05-N04	3.46	1.40	1.35
2	A	401	A1I8E	C05-N10	3.39	1.41	1.36
2	B	401	A1I8E	C05-N10	2.85	1.41	1.36
2	A	401	A1I8E	C05-N04	2.61	1.39	1.35
2	A	401	A1I8E	C09-N10	2.34	1.42	1.38

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	A1I8E	C07-C06-C05	-3.75	115.19	118.20
2	A	401	A1I8E	C07-C06-C05	-3.71	115.23	118.20
2	B	401	A1I8E	C05-N10-C09	-3.06	106.35	108.11
2	A	401	A1I8E	C05-N10-C09	-2.81	106.49	108.11
2	B	401	A1I8E	C07-C06-C08	2.14	139.25	133.20
2	B	401	A1I8E	C06-C08-C09	2.10	109.61	107.05

There are no chirality outliers.

There are no torsion outliers.



There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	402	DMS	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	297/321 (92%)	1.66	83 (27%)	1 1	25, 47, 73, 101	1 (0%)
1	B	297/321 (92%)	1.74	96 (32%)	1 1	28, 47, 81, 129	1 (0%)
All	All	594/642 (92%)	1.70	179 (30%)	1 1	25, 47, 77, 129	2 (0%)

All (179) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	278	TYR	7.2
1	B	282	TYR	6.2
1	B	271	TRP	5.8
1	A	1	MET	5.5
1	B	287	TRP	5.4
1	A	284	TYR	5.0
1	B	145	ASP	4.8
1	B	284	TYR	4.6
1	A	282	TYR	4.6
1	B	143	VAL	4.3
1	B	87	THR	4.2
1	A	297	SER	4.2
1	A	295	ILE	4.1
1	B	146	PHE	4.0
1	A	287	TRP	3.9
1	A	285	MET	3.9
1	B	285	MET	3.9
1	A	169	GLN	3.8
1	B	142	LEU	3.8
1	A	144	LEU	3.8
1	B	180	ILE	3.7
1	B	237	ASP	3.6
1	A	26	GLU	3.6
1	B	277	ILE	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	176	PHE	3.5
1	B	173	VAL	3.5
1	A	141	ASN	3.4
1	B	160	LEU	3.4
1	B	86	GLU	3.4
1	A	241	GLY	3.4
1	A	261	LEU	3.3
1	A	142	LEU	3.3
1	A	87	THR	3.3
1	B	157	ILE	3.3
1	B	141	ASN	3.3
1	A	166	LYS	3.3
1	A	293	ASN	3.2
1	A	271	TRP	3.2
1	B	281	GLU	3.2
1	A	138	PHE	3.2
1	A	140	SER	3.2
1	A	143	VAL	3.1
1	B	276	ILE	3.1
1	B	147	ARG	3.1
1	B	270	TYR	3.1
1	B	167	GLY	3.1
1	B	168	PRO	3.1
1	A	265	ARG	3.1
1	B	144	LEU	3.1
1	B	152	GLU	3.1
1	B	1	MET	3.1
1	A	278	TYR	3.0
1	B	280	LYS	3.0
1	A	185	ILE	3.0
1	A	66	ARG	3.0
1	B	288	TYR	3.0
1	A	86	GLU	3.0
1	A	3	THR	3.0
1	B	272	SER	3.0
1	B	159	LYS	2.9
1	A	160	LEU	2.9
1	A	292	LEU	2.9
1	B	273	PHE	2.9
1	B	181	LEU	2.9
1	A	180	ILE	2.9
1	A	152	GLU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	186	TYR	2.9
1	B	107	LEU	2.8
1	B	297	SER	2.8
1	A	137	GLY	2.8
1	B	148	GLU	2.8
1	A	135	ILE	2.8
1	B	59	ASN	2.8
1	A	20	PHE	2.8
1	B	291	GLY	2.8
1	B	69	ASN	2.8
1	A	32	ASN	2.8
1	B	279	GLY	2.8
1	B	165	LEU	2.8
1	A	113	LYS	2.8
1	B	32	ASN	2.7
1	B	155	LYS	2.7
1	B	106	LEU	2.7
1	B	151	ASN	2.7
1	B	114	GLN	2.7
1	A	18	PRO	2.7
1	B	264	TYR	2.7
1	A	85	SER	2.7
1	A	136	SER	2.7
1	A	237	ASP	2.7
1	B	172	LYS	2.7
1	A	11	LYS	2.7
1	B	21	THR	2.6
1	B	292	LEU	2.6
1	B	174	ASP	2.6
1	B	150	ILE	2.6
1	A	22	ILE	2.6
1	A	286	ASP	2.6
1	B	185	ILE	2.6
1	B	295	ILE	2.6
1	A	283	GLY	2.6
1	B	293	ASN	2.6
1	B	18	PRO	2.6
1	B	134	ASN	2.5
1	B	178	ARG	2.5
1	A	236	ASP	2.5
1	A	114	GLN	2.5
1	B	137	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	162	SER	2.5
1	B	187	PHE	2.5
1	A	146	PHE	2.5
1	A	84	PRO	2.5
1	A	165	LEU	2.5
1	B	163	ARG	2.5
1	B	261	LEU	2.4
1	A	108	LEU	2.4
1	A	82	GLY	2.4
1	B	283	GLY	2.4
1	B	205	PHE	2.4
1	A	244	PHE	2.4
1	B	22	ILE	2.4
1	B	41	ARG	2.4
1	A	21	THR	2.4
1	B	289	GLU	2.4
1	B	58	PHE	2.3
1	B	183	ASN	2.3
1	A	99	LYS	2.3
1	B	138	PHE	2.3
1	A	58	PHE	2.3
1	A	14	GLU	2.3
1	A	235	GLU	2.3
1	A	238	GLU	2.3
1	A	34	CYS	2.3
1	A	12	ALA	2.3
1	B	179	ASP	2.3
1	A	281	GLU	2.3
1	A	109	ASN	2.3
1	B	177	TYR	2.2
1	B	166	LYS	2.2
1	A	105	PRO	2.2
1	A	242	MET	2.2
1	A	31	GLY	2.2
1	A	27	ILE	2.2
1	A	223	ILE	2.2
1	B	238	GLU	2.2
1	B	111	LEU	2.2
1	A	16	LEU	2.2
1	A	288	TYR	2.2
1	B	149	LYS	2.2
1	A	280	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	133	ILE	2.1
1	B	164	GLU	2.1
1	B	89	GLN	2.1
1	A	80	PHE	2.1
1	A	187	PHE	2.1
1	B	66	ARG	2.1
1	B	156	LYS	2.1
1	B	4	TYR	2.1
1	A	25	ILE	2.1
1	A	35	ILE	2.1
1	B	121	LYS	2.1
1	B	93	ALA	2.1
1	A	233	LEU	2.1
1	B	88	TYR	2.1
1	B	265[A]	ARG	2.1
1	A	186	TYR	2.1
1	A	296	ARG	2.1
1	B	296	ARG	2.0
1	A	17	TYR	2.0
1	A	65	LYS	2.0
1	B	223	ILE	2.0
1	B	20	PHE	2.0
1	A	43	PHE	2.0
1	A	61	VAL	2.0
1	A	234	MET	2.0
1	B	117	ASN	2.0
1	B	161	LEU	2.0
1	B	286	ASP	2.0
1	A	159	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	DMS	B	402	4/4	0.70	0.23	65,78,85,90	0
3	DMS	B	403	4/4	0.80	0.22	48,58,72,72	0
2	A1I8E	B	401	10/10	0.94	0.13	38,40,52,105	0
2	A1I8E	A	401	10/10	0.95	0.12	47,51,56,86	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around A1I8E A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.