Full wwPDB X-ray Structure Validation Report (i)

Jun 17, 2024 – 10:03 PM EDT

PDB ID	:	3T1T
Title	:	MglA bound to GDP in P1 tetrameric arrangement
Authors	:	Miertzschke, M.; Vetter, I.R.; Koerner, C.; Wittinghofer, A.
Deposited on	:	2011-07-22
Resolution	:	1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	198	3% 71% 24%
1	B	198	% 83% 11%
1	C	198	3% 70% 19% 10%
1	D	198	2% 74% 21%

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 6326 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gliding protein mglA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	Se			
1	A	193	1555	1005	264	281	5	0	6	0
1	B	192	1538	992	262	279	5	0	4	0
1	C	178	1444	931	249	260	4	0	5	0
1	D	191	1537	989	262	282	4	0	3	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	EXPRESSION TAG	UNP Q5SJ82
A	0	SER	-	EXPRESSION TAG	UNP Q5SJ82
B	-1	GLY	-	EXPRESSION TAG	UNP Q5SJ82
B	0	SER	-	EXPRESSION TAG	UNP Q5SJ82
C	-1	GLY	-	EXPRESSION TAG	UNP Q5SJ82
C	0	SER	-	EXPRESSION TAG	UNP Q5SJ82
D	-1	GLY	-	EXPRESSION TAG	UNP Q5SJ82
D	0	SER	-	EXPRESSION TAG	UNP Q5SJ82

- Molecule 2 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
2	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
2	C	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
2	D	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	33	Total	O	0	0
			33	33		
3	B	39	Total	O	0	0
			39	39		
3	C	43	Total	O	0	0
			43	43		
3	D	25	Total	O	0	0
			25	25		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Gliding protein mglA

Chain A:



• Molecule 1: Gliding protein mglA

Chain B:

• Molecule 1: Gliding protein mglA

Chain C:



• Molecule 1: Gliding protein mglA

Chain D:




N123
E126
Q139
R143
D144
L145
A148
L149
R155
V166
L167
E168
A171
T172
E173
G174
K175
V192
ALA
GLY
GLY
SER

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α, β, γ	48.69Å 62.86Å 81.47Å 99.91° 100.14° 108.54°	Depositor
Resolution (Å)	44.73 – 1.90 44.73 – 1.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (44.73-1.90) 96.5 (44.73-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.75 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.5.0110	Depositor
R, R_{free}	0.210 , 0.254 0.213 , 0.253	Depositor DCC
R_{free} test set	3325 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å^2)	25.1	Xtriage
Anisotropy	0.330	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 47.1	EDS
L-test for twinning[2]	$< \|L\| > = 0.44$, $< L^2 > = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	6326	wwPDB-VP
Average B, all atoms (Å^2)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.31% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	A	1.08	2/1597 (0.1%)	0.96	2/2156 (0.1%)
1	B	1.14	3/1577 (0.2%)	1.04	6/2128 (0.3%)
1	C	1.11	1/1480 (0.1%)	0.97	3/1997 (0.2%)
1	D	1.01	2/1570 (0.1%)	0.88	0/2119
All	All	1.09	8/6224 (0.1%)	0.97	11/8400 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	117	MSE	SE-CE	-9.50	1.39	1.95
1	A	140	VAL	CB-CG1	6.78	1.67	1.52
1	B	52	GLU	CB-CG	-6.75	1.39	1.52
1	D	101	PHE	CE2-CZ	5.77	1.48	1.37
1	C	77	TYR	CD2-CE2	5.63	1.47	1.39
1	A	100	VAL	CB-CG1	5.52	1.64	1.52
1	B	100	VAL	CB-CG1	5.33	1.64	1.52
1	D	120	MSE	CG-SE	-5.16	1.77	1.95

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	186	ARG	NE-CZ-NH1	8.10	124.35	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	89	ARG	NE-CZ-NH2	-7.49	116.56	120.30
1	A	186	ARG	NE-CZ-NH2	-6.91	116.84	120.30
1	A	186	ARG	NE-CZ-NH1	6.51	123.56	120.30
1	B	117	MSE	CG-SE-CE	-5.90	85.93	98.90
1	B	186	ARG	NE-CZ-NH2	-5.85	117.38	120.30
1	B	89	ARG	CB-CG-CD	-5.81	96.49	111.60
1	C	58	ASP	CB-CG-OD1	5.65	123.38	118.30
1	B	79	VAL	CA-CB-CG2	-5.35	102.88	110.90
1	C	186	ARG	NE-CZ-NH1	5.27	122.94	120.30
1	C	120	MSE	CG-SE-CE	5.15	110.23	98.90

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	51	ASP	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1555	0	1599	48	0
1	B	1538	0	1573	21	1
1	C	1444	0	1482	45	0
1	D	1537	0	1563	33	0
2	A	28	0	12	0	0
2	B	28	0	12	0	0
2	C	28	0	12	1	0
2	D	28	0	12	1	0
3	A	33	0	0	0	1
3	B	39	0	0	2	0
3	C	43	0	0	11	0
3	D	25	0	0	6	0
All	All	6326	0	6265	147	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:83:VAL:HA	3:C:213:HOH:O	1.21	1.37
1:B:5:ASN:ND2	3:B:226:HOH:O	1.67	1.25
1:C:121:ARG:O	3:C:218:HOH:O	1.57	1.18
1:A:135:PRO:HB3	1:A:187[B]:LEU:HG	1.19	1.17
1:A:99:ILE:CG2	1:A:120:MSE:HE1	1.85	1.06
1:A:18:TYR:CB	1:A:120:MSE:HE3	1.87	1.04
1:D:114:ALA:O	3:D:215:HOH:O	1.75	1.02
1:A:62:LEU:H	1:A:62:LEU:HD23	1.24	1.00
1:B:5:ASN:CG	3:B:226:HOH:O	1.92	0.99
1:A:99:ILE:HG21	1:A:120:MSE:HE1	1.45	0.95
1:C:82:GLN:O	3:C:213:HOH:O	1.82	0.95
1:C:89[B]:ARG:HG2	1:C:89[B]:ARG:HH11	1.32	0.94
1:A:18:TYR:HB2	1:A:120:MSE:HE3	1.51	0.92
1:A:99:ILE:HG21	1:A:120:MSE:CE	2.00	0.90
1:B:28:ASN:HD21	1:B:139:GLN:HE22	1.18	0.90
1:C:113:ASN:O	3:C:223:HOH:O	1.91	0.89
1:A:18:TYR:CG	1:A:120:MSE:HE3	2.07	0.88
1:A:28:ASN:HD21	1:A:139:GLN:HE22	1.22	0.88
1:C:117:MSE:HE3	1:C:117:MSE:O	1.77	0.84
1:C:28:ASN:HD21	1:C:139:GLN:HE22	1.26	0.83
1:C:83:VAL:CG1	1:C:89[A]:ARG:HH21	1.91	0.83
1:C:115[B]:GLU:OE1	3:C:214:HOH:O	1.96	0.83
1:A:49:THR:HG22	1:A:50:GLU:OE1	1.79	0.82
1:A:62:LEU:H	1:A:62:LEU:CD2	1.92	0.82
1:C:58:ASP:OD1	3:C:227:HOH:O	1.97	0.82
1:B:117:MSE:HE1	1:B:120:MSE:HE2	1.61	0.82
1:D:28:ASN:HD21	1:D:139:GLN:HE22	1.28	0.81
1:C:89[B]:ARG:HH11	1:C:89[B]:ARG:CG	1.94	0.80
1:D:31[A]:TRP:CD1	1:D:171:ALA:O	2.35	0.79
1:C:117:MSE:HE2	1:C:131:LEU:HD11	1.65	0.78
1:A:99:ILE:HG23	1:A:120:MSE:HE1	1.64	0.77
1:D:111:ARG:CG	1:D:111:ARG:HH11	1.98	0.77
1:C:54[B]:THR:HG21	3:C:217:HOH:O	1.84	0.75
1:A:135:PRO:HB3	1:A:187[B]:LEU:CG	2.10	0.75
1:A:135:PRO:CB	1:A:187[B]:LEU:HG	2.10	0.74
1:B:44[B]:MSE:SE	1:B:55:LEU:HD11	2.39	0.73
1:A:99:ILE:CG2	1:A:120:MSE:CE	2.61	0.72
1:A:115[A]:GLU:HG3	1:A:118:ARG:NH2	2.04	0.72
1:A:18:TYR:CB	1:A:120:MSE:CE	2.68	0.70
1:D:118:ARG:N	3:D:215:HOH:O	1.84	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:9:ARG:HH21	1:A:69:GLY:HA3	1.56	0.70
1:A:18:TYR:HB2	1:A:120:MSE:CE	2.22	0.70
1:C:89[B]:ARG:NH1	3:C:197:HOH:O	2.24	0.69
1:C:83:VAL:HG11	1:C:89[A]:ARG:HE	1.57	0.69
1:A:49:THR:CG2	1:A:50:GLU:OE1	2.41	0.68
1:C:107:PRO:HB3	1:C:149:LEU:HD21	1.76	0.67
1:D:111:ARG:HH11	1:D:111:ARG:HG3	1.60	0.67
1:A:44[B]:MSE:SE	1:A:55:LEU:HD11	2.46	0.66
1:C:83:VAL:HG12	1:C:89[A]:ARG:HH21	1.62	0.64
1:C:64:ILE:HD12	1:C:189:LEU:HD11	1.82	0.62
1:D:175:LYS:HE2	3:D:201:HOH:O	1.99	0.61
1:D:86:ASN:HA	1:D:89:ARG:HH11	1.66	0.60
1:D:86:ASN:HA	1:D:89:ARG:NH1	2.16	0.60
1:C:117:MSE:HE1	1:C:131:LEU:HD21	1.81	0.60
1:A:137:VAL:HG22	1:A:165:PRO:HG2	1.83	0.59
1:C:72:THR:HG21	1:C:74:PHE:HE1	1.68	0.59
1:C:83:VAL:HG11	1:C:89[A]:ARG:HH21	1.67	0.59
1:A:49:THR:HG22	1:A:50:GLU:H	1.68	0.58
1:C:125:ALA:N	3:C:218:HOH:O	1.71	0.58
1:D:111:ARG:CG	1:D:111:ARG:NH1	2.62	0.58
1:B:68:LYS:HD2	1:B:68:LYS:N	2.19	0.57
1:C:89[B]:ARG:HG2	1:C:89[B]:ARG:NH1	2.10	0.57
1:B:62:LEU:N	1:B:62:LEU:HD23	2.19	0.57
1:D:83:VAL:CG1	1:D:85:TYR:O	2.52	0.57
1:A:31[A]:TRP:CD1	1:A:178:PHE:CE2	2.93	0.57
1:A:31[A]:TRP:CD1	1:A:178:PHE:HE2	2.25	0.56
1:A:61:PRO:HD2	1:A:72:THR:O	2.06	0.55
1:D:31[A]:TRP:NE1	1:D:171:ALA:O	2.39	0.55
1:D:117:MSE:SE	1:D:120:MSE:HE2	2.57	0.55
1:B:36:VAL:HB	1:B:41:LYS:HD3	1.89	0.54
1:A:149:LEU:HD22	1:A:153:MSE:HE3	1.90	0.54
1:A:166:VAL:C	1:A:167:LEU:HD12	2.27	0.54
1:C:31[B]:TRP:CE2	1:C:174:GLY:HA3	2.44	0.53
1:A:161:GLU:HB2	1:A:163:LYS:HG2	1.91	0.53
1:D:143:ARG:HG3	1:D:168:GLU:HB3	1.91	0.53
1:D:145:LEU:HB2	1:D:148:ALA:HB2	1.92	0.52
1:D:126[B]:GLU:HG3	3:D:207:HOH:O	2.10	0.52
1:A:28:ASN:ND2	1:A:139:GLN:HE22	2.01	0.52
1:C:143:ARG:HG3	1:C:168[A]:GLU:HB3	1.92	0.51
1:C:72:THR:CG2	1:C:74:PHE:HE1	2.24	0.50
1:D:26:THR:HG22	1:D:30:LYS:HD2	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:117:MSE:CE	1:B:120:MSE:HE2	2.38	0.50
1:C:83:VAL:HG11	1:C:89[A]:ARG:NE	2.27	0.49
1:D:83:VAL:HG21	1:D:89:ARG:HD2	1.94	0.48
1:A:167:LEU:HD12	1:A:167:LEU:N	2.28	0.48
1:B:115[A]:GLU:HG2	1:B:118:ARG:NH2	2.29	0.48
1:B:152:GLU:H	1:B:152:GLU:CD	2.17	0.48
1:A:90:LYS:HE2	1:A:126:GLU:OE1	2.13	0.48
1:C:64:ILE:HD12	1:C:189:LEU:CD1	2.43	0.48
1:D:9:ARG:O	1:D:70:PHE:HA	2.13	0.48
1:D:52:GLU:CD	3:D:199:HOH:O	2.52	0.48
1:A:91[A]:LEU:CD1	1:A:94:ARG:HH21	2.26	0.48
1:A:31[A]:TRP:NE1	1:A:178:PHE:HE2	2.12	0.47
1:B:31[A]:TRP:CE2	1:B:174:GLY:HA3	2.49	0.47
1:C:125:ALA:CB	3:C:218:HOH:O	2.62	0.47
1:C:117:MSE:CE	1:C:131:LEU:HD11	2.42	0.47
1:A:43:GLU:H	1:A:43:GLU:CD	2.13	0.47
1:C:142:LYS:HG2	2:C:274:GDP:C6	2.49	0.47
1:D:111:ARG:NH1	1:D:111:ARG:HG2	2.28	0.47
1:B:139:GLN:HE21	1:B:141:ASN:HB2	1.79	0.47
1:C:28:ASN:ND2	1:C:139:GLN:HE22	2.06	0.46
1:A:187[A]:LEU:HD21	1:B:186:ARG:NH2	2.29	0.46
1:B:62:LEU:HD23	1:B:62:LEU:H	1.81	0.46
1:C:54[B]:THR:HG22	1:C:79:VAL:HG22	1.98	0.46
1:A:150:PRO:HD2	1:A:153:MSE:HE2	1.97	0.46
1:B:115[A]:GLU:CG	1:B:118:ARG:NH2	2.79	0.46
1:C:77:TYR:HB3	1:C:92:ILE:HD11	1.97	0.46
1:B:68:LYS:N	1:B:68:LYS:CD	2.79	0.45
1:A:31[B]:TRP:CZ2	1:A:172:THR:O	2.69	0.45
1:D:111:ARG:HH11	1:D:111:ARG:HG2	1.79	0.45
1:D:123:ASN:O	1:D:126[A]:GLU:HB2	2.17	0.45
1:B:115[A]:GLU:HG3	1:B:118:ARG:HH22	1.82	0.45
1:C:135:PRO:HG3	1:C:191:ARG:HD2	1.98	0.45
1:C:83:VAL:HG11	1:C:89[A]:ARG:NH2	2.32	0.45
1:D:49:THR:OG1	1:D:52:GLU:HB3	2.17	0.45
1:C:115[A]:GLU:HG2	1:C:118:ARG:NH2	2.32	0.44
1:C:44:MSE:CE	3:C:238:HOH:O	2.65	0.44
1:B:107:PRO:HA	1:B:149:LEU:HD11	1.99	0.44
1:A:147:ASP:O	1:A:148:ALA:C	2.56	0.44
1:A:91[A]:LEU:HD11	1:A:94:ARG:HH21	1.82	0.44
1:D:61:PRO:HD2	1:D:72:THR:O	2.17	0.44
1:D:155:ARG:HD2	1:D:166:VAL:HG11	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:5:ASN:O	1:A:10:GLU:N	2.48	0.43
1:B:68:LYS:HD2	1:B:68:LYS:H	1.82	0.43
1:D:83:VAL:HG12	1:D:85:TYR:O	2.18	0.43
1:C:79:VAL:HB	1:C:89[B]:ARG:NH1	2.33	0.43
1:D:51:ASP:HB2	1:D:85:TYR:CD2	2.54	0.43
1:C:72:THR:CG2	1:C:74:PHE:CE1	3.01	0.43
1:A:51:ASP:OD1	1:A:52:GLU:HG3	2.19	0.43
1:C:89[A]:ARG:HD2	1:C:119:ASN:OD1	2.18	0.42
1:A:36:VAL:HB	1:A:41:LYS:HD3	2.01	0.42
1:D:111:ARG:HB3	1:D:115[A]:GLU:OE2	2.19	0.42
1:B:107:PRO:HG3	1:B:149:LEU:HD21	2.00	0.42
1:A:83:VAL:CG1	1:A:85:TYR:O	2.68	0.42
1:D:24:GLY:HA2	2:D:274:GDP:O2A	2.20	0.41
1:C:89[B]:ARG:CG	1:C:89[B]:ARG:NH1	2.65	0.41
1:D:109:ARG:HA	1:D:109:ARG:HD2	1.91	0.41
1:C:13:PHE:CD2	1:C:72:THR:HG23	2.55	0.41
1:A:31[A]:TRP:HD1	1:A:178:PHE:CE2	2.39	0.41
1:A:139:GLN:HE21	1:A:141:ASN:HB2	1.86	0.41
1:D:107:PRO:HA	1:D:149:LEU:HD11	2.03	0.41
1:A:9:ARG:HG3	1:A:70:PHE:HA	2.01	0.41
1:D:31[B]:TRP:CE2	1:D:174:GLY:HA3	2.56	0.41
1:C:62:LEU:H	1:C:62:LEU:HD23	1.86	0.40
1:A:18:TYR:CD1	1:A:120:MSE:HE3	2.53	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:90:LYS:NZ	3:A:227:HOH:O[1_445]	2.16	0.04

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	197/198 (100%)	189 (96%)	7 (4%)	1 (0%)	29	18
1	B	194/198 (98%)	189 (97%)	5 (3%)	0	100	100
1	C	179/198 (90%)	176 (98%)	3 (2%)	0	100	100
1	D	192/198 (97%)	190 (99%)	2 (1%)	0	100	100
All	All	762/792 (96%)	744 (98%)	17 (2%)	1 (0%)	51	42

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	65	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/162 (104%)	162 (96%)	7 (4%)	30	21
1	B	167/162 (103%)	159 (95%)	8 (5%)	25	16
1	C	157/162 (97%)	153 (98%)	4 (2%)	47	41
1	D	167/162 (103%)	158 (95%)	9 (5%)	22	13
All	All	660/648 (102%)	632 (96%)	28 (4%)	28	20

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	ARG
1	A	43	GLU
1	A	50	GLU
1	A	62	LEU
1	A	63	ASP
1	A	89	ARG
1	A	126	GLU
1	B	3	THR
1	B	5	ASN
1	B	52	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	53	ARG
1	B	54	THR
1	B	62	LEU
1	B	68	LYS
1	B	186	ARG
1	C	9	ARG
1	C	111	ARG
1	C	157	VAL
1	C	163	LYS
1	D	5	ASN
1	D	52	GLU
1	D	54	THR
1	D	63	ASP
1	D	67	VAL
1	D	68	LYS
1	D	92	ILE
1	D	111	ARG
1	D	172	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	82	GLN
1	A	139	GLN
1	B	5	ASN
1	B	8	ASN
1	B	82	GLN
1	B	139	GLN
1	C	139	GLN
1	D	5	ASN
1	D	139	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	GDP	B	274	-	25,30,30	1.33	1 (4%)	30,47,47	1.71	8 (26%)
2	GDP	A	274	-	25,30,30	1.26	2 (8%)	30,47,47	1.54	8 (26%)
2	GDP	C	274	-	25,30,30	1.37	2 (8%)	30,47,47	1.59	6 (20%)
2	GDP	D	274	-	25,30,30	1.19	1 (4%)	30,47,47	1.61	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GDP	B	274	-	-	3/12/32/32	0/3/3/3
2	GDP	A	274	-	-	1/12/32/32	0/3/3/3
2	GDP	C	274	-	-	3/12/32/32	0/3/3/3
2	GDP	D	274	-	-	3/12/32/32	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	274	GDP	O4'-C1'	3.12	1.45	1.40
2	C	274	GDP	C5'-C4'	2.43	1.58	1.51
2	D	274	GDP	PA-O5'	2.18	1.67	1.59
2	B	274	GDP	C5'-C4'	2.17	1.58	1.51
2	A	274	GDP	PA-O1A	-2.03	1.43	1.50
2	A	274	GDP	C5-C4	2.01	1.48	1.43

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	D	274	GDP	O4'-C1'-N9	4.03	114.09	108.75
2	C	274	GDP	O4'-C1'-N9	3.97	114.00	108.75
2	B	274	GDP	C5-C6-N1	3.84	121.41	114.07
2	C	274	GDP	O2A-PA-O3A	3.73	117.36	107.27
2	B	274	GDP	C2-N1-C6	-3.60	118.52	125.11
2	C	274	GDP	C5-C6-N1	3.44	120.63	114.07
2	A	274	GDP	C4'-O4'-C1'	3.40	113.04	109.92
2	B	274	GDP	O6-C6-C5	-3.15	118.07	124.32
2	D	274	GDP	O2A-PA-O3A	3.08	115.61	107.27
2	A	274	GDP	O2A-PA-O3A	2.96	115.26	107.27
2	B	274	GDP	O4'-C4'-C5'	-2.95	99.87	109.33
2	D	274	GDP	O6-C6-C5	-2.94	118.50	124.32
2	C	274	GDP	O6-C6-C5	-2.80	118.77	124.32
2	D	274	GDP	O6-C6-N1	2.72	123.84	120.62
2	B	274	GDP	O2A-PA-O3A	2.69	114.54	107.27
2	A	274	GDP	O2B-PB-O1B	2.57	120.83	110.83
2	A	274	GDP	C5-C6-N1	2.52	118.88	114.07
2	D	274	GDP	C8-N7-C5	2.46	106.74	102.55
2	C	274	GDP	C2-N1-C6	-2.43	120.66	125.11
2	B	274	GDP	O3A-PB-O1B	-2.35	98.68	111.04
2	A	274	GDP	O6-C6-N1	-2.29	117.90	120.62
2	C	274	GDP	O2B-PB-O1B	-2.24	102.09	110.83
2	A	274	GDP	O3'-C3'-C2'	-2.22	104.69	111.82
2	B	274	GDP	O3A-PA-O1A	-2.21	104.05	110.70
2	A	274	GDP	O5'-PA-O1A	2.17	117.52	108.94
2	A	274	GDP	C8-N7-C5	2.05	106.04	102.55
2	B	274	GDP	C8-N7-C5	2.00	105.96	102.55

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	274	GDP	PA-O3A-PB-O3B
2	B	274	GDP	PA-O3A-PB-O3B
2	C	274	GDP	PA-O3A-PB-O3B
2	D	274	GDP	PA-O3A-PB-O3B
2	B	274	GDP	PA-O3A-PB-O1B
2	C	274	GDP	PA-O3A-PB-O1B
2	D	274	GDP	PA-O3A-PB-O1B
2	B	274	GDP	PA-O3A-PB-O2B
2	C	274	GDP	PA-O3A-PB-O2B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	274	GDP	PA-O3A-PB-O2B

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	274	GDP	1	0
2	D	274	GDP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand GDP B 274



Ligand GDP A 274



Ligand GDP C 274





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	189/198 (95%)	0.04	6 (3%)	47	50	13, 26, 51, 63	2 (1%)
1	B	188/198 (94%)	-0.16	1 (0%)	91	92	11, 24, 37, 51	2 (1%)
1	C	174/198 (87%)	-0.13	5 (2%)	51	54	12, 24, 40, 57	2 (1%)
1	D	187/198 (94%)	0.08	4 (2%)	63	66	13, 30, 54, 63	2 (1%)
All	All	738/792 (93%)	-0.04	16 (2%)	62	64	11, 26, 49, 63	8 (1%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	62	LEU	4.5
1	C	64	ILE	4.4
1	C	63	ASP	3.7
1	A	9	ARG	3.6
1	B	193	ALA	3.5
1	A	67	VAL	3.5
1	A	62	LEU	3.2
1	D	70	PHE	3.1
1	D	67	VAL	2.6
1	D	148	ALA	2.5
1	D	69	GLY	2.4
1	A	6	PHE	2.4
1	A	69	GLY	2.2
1	C	191	ARG	2.1
1	A	4	ILE	2.1
1	C	52	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	GDP	D	274	28/28	0.97	0.10	21,36,39,44	0
2	GDP	B	274	28/28	0.98	0.10	11,19,25,27	0
2	GDP	C	274	28/28	0.98	0.09	14,19,22,27	0
2	GDP	A	274	28/28	0.98	0.09	12,26,30,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around GDP D 274:

2mF$_o$-DF$_c$ (at 0.7 rmsd) in gray
mF$_o$-DF$_c$ (at 3 rmsd) in purple (negative) and green (positive)



Electron density around GDP B 274:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around GDP C 274:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around GDP A 274:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers (i)

There are no such residues in this entry.