



# wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 15, 2023 – 02:58 AM EDT

PDB ID : 7TCE  
Title : Crystal structure of delta sub IV Rhodobacter Sphaeroides bc1 with the anti-malarial drug atovaquone.  
Authors : Esser, L.; Xia, D.; Zhou, F.  
Deposited on : 2021-12-23  
Resolution : 3.85 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1048 (4.10-3.62)
Clashscore	141614	1015 (4.08-3.64)
Ramachandran outliers	138981	1069 (4.10-3.62)
Sidechain outliers	138945	1062 (4.10-3.62)
RSRZ outliers	127900	1206 (4.12-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	445	 5% (poor fit), 89% (0-1 outliers), 8% (2-3 outliers), 5% (not modelled)
1	E	445	 5% (poor fit), 88% (0-1 outliers), 8% (2-3 outliers), 5% (not modelled)
1	K	445	 5% (poor fit), 89% (0-1 outliers), 7% (2-3 outliers), 5% (not modelled)
1	O	445	 6% (poor fit), 90% (0-1 outliers), 7% (2-3 outliers), 5% (not modelled)
2	B	269	 7% (poor fit), 92% (0-1 outliers), 5% (2-3 outliers), 5% (not modelled)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	269	
2	L	269	
2	P	269	
3	C	187	
3	G	187	
3	M	187	
3	Q	187	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	AOQ	O	1003	-	-	-	X
6	6PE	A	1004	-	-	-	X
6	6PE	E	1004	-	-	-	X
6	6PE	K	1004	-	-	-	X
6	6PE	O	1004	-	-	-	X
8	BOG	A	1006	-	-	-	X
8	BOG	K	1005	-	-	-	X

## 2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 54681 atoms, of which 26895 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome b.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	429	6856	2325	3411	548	557	15	0	0	0
1	E	429	6857	2325	3412	548	557	15	0	0	0
1	K	429	6857	2325	3412	548	557	15	0	0	0
1	O	429	6857	2325	3412	548	557	15	0	0	0

- Molecule 2 is a protein called Cytochrome c1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
2	B	256	3790	1240	1837	326	374	13	0	0	0
2	F	256	3790	1240	1837	326	374	13	0	0	0
2	L	256	3790	1240	1837	326	374	13	0	0	0
2	P	256	3790	1240	1837	326	374	13	0	0	0

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	264	HIS	-	expression tag	UNP A3PFR5
B	265	HIS	-	expression tag	UNP A3PFR5
B	266	HIS	-	expression tag	UNP A3PFR5
B	267	HIS	-	expression tag	UNP A3PFR5
B	268	HIS	-	expression tag	UNP A3PFR5
B	269	HIS	-	expression tag	UNP A3PFR5
F	264	HIS	-	expression tag	UNP A3PFR5
F	265	HIS	-	expression tag	UNP A3PFR5

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	266	HIS	-	expression tag	UNP A3PFR5
F	267	HIS	-	expression tag	UNP A3PFR5
F	268	HIS	-	expression tag	UNP A3PFR5
F	269	HIS	-	expression tag	UNP A3PFR5
L	264	HIS	-	expression tag	UNP A3PFR5
L	265	HIS	-	expression tag	UNP A3PFR5
L	266	HIS	-	expression tag	UNP A3PFR5
L	267	HIS	-	expression tag	UNP A3PFR5
L	268	HIS	-	expression tag	UNP A3PFR5
L	269	HIS	-	expression tag	UNP A3PFR5
P	264	HIS	-	expression tag	UNP A3PFR5
P	265	HIS	-	expression tag	UNP A3PFR5
P	266	HIS	-	expression tag	UNP A3PFR5
P	267	HIS	-	expression tag	UNP A3PFR5
P	268	HIS	-	expression tag	UNP A3PFR5
P	269	HIS	-	expression tag	UNP A3PFR5

- Molecule 3 is a protein called Ubiquinol-cytochrome c reductase iron-sulfur subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
3	C	179	Total	C	H	N	O	S	0	0	0
			2645	845	1304	237	253	6			
3	G	179	Total	C	H	N	O	S	0	0	0
			2645	845	1304	237	253	6			
3	M	179	Total	C	H	N	O	S	0	0	0
			2645	845	1304	237	253	6			
3	Q	179	Total	C	H	N	O	S	0	0	0
			2645	845	1304	237	253	6			


- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C<sub>34</sub>H<sub>32</sub>FeN<sub>4</sub>O<sub>4</sub>).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Cl	H			O
5	A	1	Total	C	Cl	H	O	0	0
			44	22	1	18	3		
5	E	1	Total	C	Cl	H	O	0	0
			44	22	1	18	3		
5	K	1	Total	C	Cl	H	O	0	0
			44	22	1	18	3		
5	O	1	Total	C	Cl	H	O	0	0
			44	22	1	18	3		

- Molecule 6 is 1,2-DIHEXANOYL-SN-GLYCERO-3-PHOSPHOETHANOLAMINE (three-letter code: 6PE) (formula:  $C_{17}H_{33}NO_8P$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
6	A	1	Total	C	H	N	O	P	0	0
			60	17	33	1	8	1		
6	E	1	Total	C	H	N	O	P	0	0
			60	17	33	1	8	1		
6	K	1	Total	C	H	N	O	P	0	0
			60	17	33	1	8	1		
6	O	1	Total	C	H	N	O	P	0	0
			60	17	33	1	8	1		

- Molecule 7 is STRONTIUM ION (three-letter code: SR) (formula: Sr).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Sr	0	0
			1	1		
7	B	1	Total	Sr	0	0
			1	1		
7	E	1	Total	Sr	0	0
			1	1		
7	F	1	Total	Sr	0	0
			1	1		
7	L	1	Total	Sr	0	0
			1	1		
7	P	1	Total	Sr	0	0
			1	1		

- Molecule 8 is octyl beta-D-glucopyranoside (three-letter code: BOG) (formula: C<sub>14</sub>H<sub>28</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	H	O	0	0
			48	14	28	6		
8	E	1	Total	C	H	O	0	0
			48	14	28	6		
8	K	1	Total	C	H	O	0	0
			48	14	28	6		
8	O	1	Total	C	H	O	0	0
			48	14	28	6		

- Molecule 9 is HEME C (three-letter code: HEC) (formula:  $C_{34}H_{34}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
9	B	1	Total	C	Fe	H	N	O	0	0
			75	34	1	32	4	4		
9	F	1	Total	C	Fe	H	N	O	0	0
			75	34	1	32	4	4		
9	L	1	Total	C	Fe	H	N	O	0	0
			75	34	1	32	4	4		
9	P	1	Total	C	Fe	H	N	O	0	0
			75	34	1	32	4	4		

- Molecule 10 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula:  $Fe_2S_2$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	Fe	S		
10	C	1	4	2	2	0	0
10	G	1	4	2	2	0	0
10	M	1	4	2	2	0	0
10	Q	1	4	2	2	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytochrome b



- Molecule 1: Cytochrome b



- Molecule 1: Cytochrome b




- Molecule 1: Cytochrome b











- Molecule 3: Ubiquinol-cytochrome c reductase iron-sulfur subunit



- Molecule 3: Ubiquinol-cytochrome c reductase iron-sulfur subunit



- Molecule 3: Ubiquinol-cytochrome c reductase iron-sulfur subunit



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	127.27Å 156.39Å 141.41Å 90.00° 96.67° 90.00°	Depositor
Resolution (Å)	39.43 – 3.85 41.86 – 3.81	Depositor EDS
% Data completeness (in resolution range)	94.6 (39.43-3.85) 80.0 (41.86-3.81)	Depositor EDS
$R_{merge}$	0.20	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	0.56 (at 3.76Å)	Xtrriage
Refinement program	PHENIX 1.20_4444	Depositor
R, $R_{free}$	0.241 , 0.273 0.250 , 0.276	Depositor DCC
$R_{free}$ test set	1433 reflections (3.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	136.5	Xtrriage
Anisotropy	0.490	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 90.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	54681	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	192.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 56.24 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.8184e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, HEC, FES, BOG, 6PE, AOQ, SR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/3576	0.50	0/4906
1	E	0.27	0/3576	0.50	0/4906
1	K	0.27	0/3576	0.50	0/4906
1	O	0.30	0/3576	0.54	0/4906
2	B	0.28	0/2010	0.50	0/2733
2	F	0.27	0/2010	0.50	0/2733
2	L	0.27	0/2010	0.50	0/2733
2	P	0.30	0/2010	0.54	0/2733
3	C	0.27	0/1371	0.57	0/1868
3	G	0.26	0/1371	0.57	0/1868
3	M	0.27	0/1371	0.57	0/1868
3	Q	0.30	0/1371	0.60	0/1868
All	All	0.28	0/27828	0.52	0/38028

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3445	3411	3427	22	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	3445	3412	3427	23	0
1	K	3445	3412	3427	21	0
1	O	3445	3412	3427	21	0
2	B	1953	1837	1848	5	0
2	F	1953	1837	1848	3	0
2	L	1953	1837	1848	5	0
2	P	1953	1837	1848	7	0
3	C	1341	1304	1307	9	0
3	G	1341	1304	1307	6	0
3	M	1341	1304	1307	9	0
3	Q	1341	1304	1307	7	0
4	A	86	60	60	4	0
4	E	86	60	60	1	0
4	K	86	60	60	3	0
4	O	86	60	60	2	0
5	A	26	18	18	1	0
5	E	26	18	18	1	0
5	K	26	18	18	0	0
5	O	26	18	18	1	0
6	A	27	33	33	0	0
6	E	27	33	33	0	0
6	K	27	33	33	0	0
6	O	27	33	33	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	E	1	0	0	0	0
7	F	1	0	0	0	0
7	L	1	0	0	0	0
7	P	1	0	0	0	0
8	A	20	28	28	1	0
8	E	20	28	28	1	0
8	K	20	28	28	1	0
8	O	20	28	28	0	0
9	B	43	32	30	3	0
9	F	43	32	30	3	0
9	L	43	32	30	2	0
9	P	43	32	30	3	0
10	C	4	0	0	1	0
10	G	4	0	0	0	0
10	M	4	0	0	0	0
10	Q	4	0	0	0	0
All	All	27786	26895	27004	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 138 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:132:LEU:HD13	1:E:161:VAL:HG13	1.71	0.72
3:M:151:CYS:O	1:O:302:TYR:OH	2.07	0.72
3:C:151:CYS:O	1:E:302:TYR:OH	2.08	0.70
1:O:46:ILE:HD12	1:O:255:ALA:HB1	1.74	0.68
9:F:1001:HEC:HMC1	9:F:1001:HEC:HBC3	1.76	0.67

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	427/445 (96%)	413 (97%)	14 (3%)	0	100	100
1	E	427/445 (96%)	414 (97%)	13 (3%)	0	100	100
1	K	427/445 (96%)	413 (97%)	14 (3%)	0	100	100
1	O	427/445 (96%)	408 (96%)	19 (4%)	0	100	100
2	B	254/269 (94%)	245 (96%)	9 (4%)	0	100	100
2	F	254/269 (94%)	245 (96%)	9 (4%)	0	100	100
2	L	254/269 (94%)	244 (96%)	10 (4%)	0	100	100
2	P	254/269 (94%)	242 (95%)	12 (5%)	0	100	100
3	C	177/187 (95%)	166 (94%)	11 (6%)	0	100	100
3	G	177/187 (95%)	167 (94%)	10 (6%)	0	100	100
3	M	177/187 (95%)	166 (94%)	11 (6%)	0	100	100
3	Q	177/187 (95%)	164 (93%)	13 (7%)	0	100	100
All	All	3432/3604 (95%)	3287 (96%)	145 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	354/366 (97%)	352 (99%)	2 (1%)	86	91
1	E	354/366 (97%)	352 (99%)	2 (1%)	86	91
1	K	354/366 (97%)	352 (99%)	2 (1%)	86	91
1	O	354/366 (97%)	352 (99%)	2 (1%)	86	91
2	B	203/215 (94%)	203 (100%)	0	100	100
2	F	203/215 (94%)	203 (100%)	0	100	100
2	L	203/215 (94%)	203 (100%)	0	100	100
2	P	203/215 (94%)	202 (100%)	1 (0%)	88	93
3	C	138/144 (96%)	138 (100%)	0	100	100
3	G	138/144 (96%)	138 (100%)	0	100	100
3	M	138/144 (96%)	138 (100%)	0	100	100
3	Q	138/144 (96%)	136 (99%)	2 (1%)	67	81
All	All	2780/2900 (96%)	2769 (100%)	11 (0%)	91	94

5 of 11 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	O	199	TYR
2	P	91	HIS
3	Q	49	SER
3	Q	27	THR
1	K	13	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	K	217	HIS

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
1	O	279	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 34 ligands modelled in this entry, 6 are monoatomic - leaving 28 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	HEM	K	1001	1	41,50,50	1.53	4 (9%)	45,82,82	1.63	8 (17%)
5	AOQ	A	1003	-	29,29,29	1.00	1 (3%)	40,42,42	1.72	8 (20%)
5	AOQ	K	1003	-	29,29,29	1.06	1 (3%)	40,42,42	1.59	7 (17%)
10	FES	G	1001	3	0,4,4	-	-	-	-	-
5	AOQ	E	1003	-	29,29,29	1.05	1 (3%)	40,42,42	1.82	9 (22%)
6	6PE	A	1004	-	26,26,26	0.74	1 (3%)	29,31,31	1.00	3 (10%)
4	HEM	K	1002	1	41,50,50	1.46	6 (14%)	45,82,82	1.46	6 (13%)
4	HEM	A	1001	1	41,50,50	1.52	4 (9%)	45,82,82	1.62	8 (17%)
4	HEM	E	1001	1	41,50,50	1.46	5 (12%)	45,82,82	1.41	6 (13%)
5	AOQ	O	1003	-	29,29,29	1.03	1 (3%)	40,42,42	1.58	8 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	HEC	P	1001	2	32,50,50	2.17	3 (9%)	24,82,82	1.37	4 (16%)
6	6PE	O	1004	-	26,26,26	0.72	1 (3%)	29,31,31	1.11	3 (10%)
10	FES	C	1001	3	0,4,4	-	-	-	-	-
10	FES	Q	1001	3	0,4,4	-	-	-	-	-
10	FES	M	1001	3	0,4,4	-	-	-	-	-
6	6PE	E	1004	-	26,26,26	0.75	1 (3%)	29,31,31	0.97	3 (10%)
4	HEM	A	1002	1	41,50,50	1.46	6 (14%)	45,82,82	1.45	6 (13%)
8	BOG	O	1005	-	20,20,20	0.97	1 (5%)	25,25,25	1.19	2 (8%)
4	HEM	O	1002	1	41,50,50	1.45	5 (12%)	45,82,82	1.38	5 (11%)
8	BOG	E	1005	-	20,20,20	1.05	1 (5%)	25,25,25	1.12	3 (12%)
4	HEM	E	1002	1	41,50,50	1.45	5 (12%)	45,82,82	1.47	5 (11%)
9	HEC	L	1001	2	32,50,50	2.10	3 (9%)	24,82,82	1.41	4 (16%)
6	6PE	K	1004	-	26,26,26	0.77	1 (3%)	29,31,31	0.76	1 (3%)
9	HEC	F	1001	2	32,50,50	2.12	3 (9%)	24,82,82	1.39	4 (16%)
8	BOG	K	1005	-	20,20,20	0.97	1 (5%)	25,25,25	1.17	2 (8%)
4	HEM	O	1001	1	41,50,50	1.47	4 (9%)	45,82,82	1.40	6 (13%)
9	HEC	B	1001	2	32,50,50	2.11	3 (9%)	24,82,82	1.42	4 (16%)
8	BOG	A	1006	-	20,20,20	0.97	1 (5%)	25,25,25	1.14	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HEM	K	1001	1	-	0/12/54/54	-
5	AOQ	A	1003	-	-	3/8/38/38	0/4/4/4
5	AOQ	K	1003	-	-	4/8/38/38	0/4/4/4
10	FES	G	1001	3	-	-	0/1/1/1
5	AOQ	E	1003	-	-	2/8/38/38	0/4/4/4
6	6PE	A	1004	-	-	10/30/30/30	-
4	HEM	K	1002	1	-	3/12/54/54	-
4	HEM	A	1001	1	-	0/12/54/54	-
4	HEM	E	1001	1	-	0/12/54/54	-
5	AOQ	O	1003	-	-	2/8/38/38	0/4/4/4
9	HEC	P	1001	2	-	2/10/54/54	-
6	6PE	O	1004	-	-	12/30/30/30	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	FES	C	1001	3	-	-	0/1/1/1
10	FES	Q	1001	3	-	-	0/1/1/1
10	FES	M	1001	3	-	-	0/1/1/1
6	6PE	E	1004	-	-	9/30/30/30	-
4	HEM	A	1002	1	-	3/12/54/54	-
8	BOG	O	1005	-	-	6/11/31/31	0/1/1/1
4	HEM	O	1002	1	-	3/12/54/54	-
8	BOG	E	1005	-	-	4/11/31/31	0/1/1/1
4	HEM	E	1002	1	-	3/12/54/54	-
9	HEC	L	1001	2	-	4/10/54/54	-
6	6PE	K	1004	-	-	14/30/30/30	-
9	HEC	F	1001	2	-	2/10/54/54	-
8	BOG	K	1005	-	-	6/11/31/31	0/1/1/1
4	HEM	O	1001	1	-	0/12/54/54	-
9	HEC	B	1001	2	-	4/10/54/54	-
8	BOG	A	1006	-	-	6/11/31/31	0/1/1/1

The worst 5 of 63 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	P	1001	HEC	C2B-C3B	-6.25	1.34	1.40
9	F	1001	HEC	C2B-C3B	-6.05	1.34	1.40
9	B	1001	HEC	C2B-C3B	-6.04	1.34	1.40
9	L	1001	HEC	C2B-C3B	-5.94	1.34	1.40
9	P	1001	HEC	C3C-C2C	-5.86	1.34	1.40

The worst 5 of 117 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	1003	AOQ	C11-C16-C2	4.96	125.06	113.97
5	O	1003	AOQ	C11-C12-C13	4.57	119.11	110.52
5	K	1003	AOQ	C11-C12-C13	4.50	118.98	110.52
5	A	1003	AOQ	O6-C3-C4	-4.42	108.80	116.87
5	E	1003	AOQ	C11-C12-C13	4.39	118.77	110.52

There are no chirality outliers.

5 of 102 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
5	A	1003	AOQ	C15-C16-C2-C1
5	A	1003	AOQ	C15-C16-C2-C3
5	K	1003	AOQ	C15-C16-C2-C1
5	K	1003	AOQ	C15-C16-C2-C3
5	O	1003	AOQ	C15-C16-C2-C1




There are no ring outliers.


17 monomers are involved in 28 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	K	1001	HEM	3	0
5	A	1003	AOQ	1	0
5	E	1003	AOQ	1	0
4	A	1001	HEM	3	0
4	E	1001	HEM	1	0
5	O	1003	AOQ	1	0
9	P	1001	HEC	3	0
10	C	1001	FES	1	0
4	A	1002	HEM	1	0
4	O	1002	HEM	1	0
8	E	1005	BOG	1	0
9	L	1001	HEC	2	0
9	F	1001	HEC	3	0
8	K	1005	BOG	1	0
4	O	1001	HEM	1	0
9	B	1001	HEC	3	0
8	A	1006	BOG	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	429/445 (96%)	0.15	22 (5%) 28 24	117, 159, 213, 243	0
1	E	429/445 (96%)	0.19	24 (5%) 24 20	113, 159, 210, 268	0
1	K	429/445 (96%)	0.13	24 (5%) 24 20	121, 156, 207, 245	0
1	O	429/445 (96%)	0.27	27 (6%) 20 15	119, 168, 230, 286	0
2	B	256/269 (95%)	0.15	19 (7%) 14 11	139, 179, 230, 242	0
2	F	256/269 (95%)	0.57	31 (12%) 4 4	128, 181, 224, 256	0
2	L	256/269 (95%)	0.18	18 (7%) 16 12	132, 173, 221, 255	0
2	P	256/269 (95%)	0.66	32 (12%) 3 4	146, 193, 237, 257	0
3	C	179/187 (95%)	0.66	33 (18%) 1 1	138, 180, 219, 246	0
3	G	179/187 (95%)	0.92	37 (20%) 1 1	128, 190, 243, 272	0
3	M	179/187 (95%)	0.72	32 (17%) 1 1	152, 196, 227, 267	0
3	Q	179/187 (95%)	0.87	35 (19%) 1 1	126, 175, 235, 290	0
All	All	3456/3604 (95%)	0.37	334 (9%) 7 6	113, 173, 225, 290	0

The worst 5 of 334 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	O	36	PRO	10.0
1	O	38	PRO	8.8
1	A	230	ARG	8.2
1	O	228	GLU	8.1
1	O	229	VAL	7.6

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
7	SR	B	1002	1/1	-0.09	0.16	451,451,451,451	0
7	SR	L	1002	1/1	-0.02	0.16	475,475,475,475	0
7	SR	F	1002	1/1	0.32	0.13	287,287,287,287	0
8	BOG	K	1005	20/20	0.54	0.64	215,261,274,274	0
7	SR	E	1006	1/1	0.55	0.20	172,172,172,172	0
7	SR	P	1002	1/1	0.61	0.13	434,434,434,434	0
8	BOG	A	1006	20/20	0.63	0.58	193,233,255,258	0
7	SR	A	1005	1/1	0.69	0.18	197,197,197,197	0
5	AOQ	O	1003	26/26	0.70	0.46	152,185,225,229	0
8	BOG	E	1005	20/20	0.71	0.36	181,220,230,231	0
5	AOQ	A	1003	26/26	0.75	0.39	158,167,199,203	0
6	6PE	O	1004	27/27	0.76	0.52	174,216,253,258	0
6	6PE	E	1004	27/27	0.76	0.53	124,171,198,207	0
8	BOG	O	1005	20/20	0.76	0.37	186,228,251,255	0
6	6PE	K	1004	27/27	0.79	0.54	117,167,208,211	0
6	6PE	A	1004	27/27	0.79	0.55	185,222,246,247	0
5	AOQ	K	1003	26/26	0.81	0.35	149,172,203,209	0
5	AOQ	E	1003	26/26	0.83	0.48	138,165,203,210	0
9	HEC	P	1001	43/43	0.88	0.42	160,193,233,233	0
9	HEC	F	1001	43/43	0.92	0.42	138,182,224,227	0
10	FES	G	1001	4/4	0.93	0.39	209,255,301,355	0
4	HEM	E	1002	43/43	0.94	0.39	133,162,207,219	0
9	HEC	L	1001	43/43	0.94	0.40	184,209,256,261	0
4	HEM	O	1002	43/43	0.94	0.39	184,204,246,261	0
9	HEC	B	1001	43/43	0.94	0.34	139,158,190,195	0
4	HEM	K	1001	43/43	0.95	0.37	133,170,216,228	0
4	HEM	K	1002	43/43	0.95	0.38	141,165,198,211	0
4	HEM	A	1002	43/43	0.96	0.39	161,182,219,241	0
4	HEM	A	1001	43/43	0.96	0.37	137,167,214,217	0
10	FES	Q	1001	4/4	0.96	0.31	133,135,247,330	0
4	HEM	O	1001	43/43	0.97	0.39	148,178,221,232	0
10	FES	M	1001	4/4	0.97	0.27	169,202,233,265	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	HEM	E	1001	43/43	0.97	0.39	151,182,228,236	0
10	FES	C	1001	4/4	0.98	0.30	136,161,209,254	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







**Electron density around BOG A 1006:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around AOQ O 1003:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around 6PE O 1004:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 6PE E 1004:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around BOG O 1005:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 6PE K 1004:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around 6PE A 1004:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around AOQ K 1003:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around HEC P 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC F 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM E 1002:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC L 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM O 1002:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC B 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM K 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM K 1002:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM A 1002:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM A 1001:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEM O 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.