wwPDB EM Validation Summary Report (i)

May 5, 2024 – 08:41 PM EDT

PDB ID	:	4V6P
EMDB ID	:	EMD-5364
Title	:	Structural characterization of mRNA-tRNA translocation intermediates (class 4b of the six classes)
Authors	:	Agirrezabala, X.; Liao, H.; Schreiner, E.; Fu, J.; Ortiz-Meoz, R.F.; Schulten, K.; Green, R.; Frank, J.
Deposited on	:	2011-12-08
Resolution	:	13.50 Å(reported)
Based on initial model	:	2I2U

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev92
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 13.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1542	34% 53% 13%
2	AB	76	33% 51% 16%
3	AC	47	26% 49% 26%
4	AD	77	38% 49% 13%
5	AE	240	84% 15%
6	AF	232	75% 19% 6%
7	AG	205	76% 21%
8	AH	166	81% 16%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	AI	135	71% 27%
10	AJ	178	80% 18%
11	AK	129	80% 20%
12	AL	129	81% 17%
13	AM	103	72% 23% 5%
14	AN	128	84% 15%
15	AO	123	73% 24%
16	AP	117	80% 18%
17	AQ	100	73% 24%
18	AR	88	81% 18%
19	AS	82	80% 17%
20	AT	83	75% 20% 5%
21	AU	74	64% 27% 8%
22	AV	91	76% 21%
23	AW	86	83% 15%
24	AX	70	57% 41%
25	BA	120	31% 59% 10%
26	BB	2904	32% 54% 13%
27	BC	234	9% 83% 16%
28	BD	272	77% 20%
29	BE	209	78% 19%
30	BF	201	77% 18%
31	BG	178	69% 26% 5%
32	BH	176	74% 22%
33	BI	149	5% 83% 16%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	BJ	164	5% 82% 15%
35	BK	141	85% 13%
36	BL	142	79% 17%
37	BM	123	74% 23%
38	BN	144	78% 21%
39	BO	136	79% 16%
40	BP	127	75% 20% 5%
41	BQ	117	77% 20%
42	BR	114	69% 28%
43	BS	117	73% 22% 5%
44	BT	103	80% 17%
45	BU	110	79% 18%
46	BV	100	70% 25% 5%
47	BW	103	81% 17%
48	BX	94	74% 21%
49	BY	84	69% 25% 6%
50	BZ	77	70% 29%
51	B0	63	83% 16%
52	B1	58	83% 17%
53	B2	70	74% 19% 6%
54	B3	56	73% 23%
55	B4	54	78% 19%
56	B5	46	74% 24%
57	B6	64	80% 19%
58	B7	38	79% 18%

2 Entry composition (i)

There are 60 unique types of molecules in this entry. The entry contains 152351 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	AA	1542	33089	14767	6064	10717	1541	0	0

- Molecule 2 is a RNA chain called A site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	N	O	P	S		
2	AB	76	1627	731	287	532	75	2	0	0

- Molecule 3 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	AC	47	993	445	167	335	46	0	0

- Molecule 4 is a RNA chain called P site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	N	O	P	S		
4	AD	77	1641	734	297	533	76	1	0	0

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	AE	240	1872	1180	332	352	8	0	0

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	AF	232	1822	1149	346	323	4	0	0

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	AG	205	1643	1026	315	298	4	0	0

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	AH	166	1225	761	232	226	6	0	0

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	AI	135	1101	677	198	219	7	0	0

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	AJ	178	1400	874	269	253	4	0	0

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	AK	129	979	616	173	184	6	0	0

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	AL	129	1036	642	208	183	3	0	0

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	AM	103	825	514	158	151	2	0	0

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	AN	128	965	595	196	171	3	0	0

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	AO	123	955	590	196	165	4	0	0

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	AP	117	910	564	183	160	3	0	0

- Molecule 17 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	AQ	100	805	499	164	139	3	0	0

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	AR	88	716	440	146	129	1	0	0

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	AS	82	649	406	128	114	1	0	0

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	AT	83	672	425	124	120	3	0	0

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	AU	74	626	395	123	107	1	0	0

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	AV	91	727	464	139	122	2	0	0

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	AW	86	670	414	138	115	3	0	0

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	AX	70	590	366	125	98	1	0	0

- Molecule 25 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
25	BA	120	2566	1144	468	835	119	0	0

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
26	BB	2904	62351	27824	11469	20155	2903	0	0

- Molecule 27 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	BC	234	1733	1081	315	330	7	0	0

- Molecule 28 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	BD	272	2092	1294	425	366	7	0	0

- Molecule 29 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	BE	209	1565	979	288	294	4	0	0

- Molecule 30 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	BF	201	1552	974	283	290	5	0	0

- Molecule 31 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	BG	178	1420	905	251	258	6	0	0

- Molecule 32 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	BH	176	1323	832	243	246	2	0	0

- Molecule 33 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	BI	149	1111	699	197	214	1	0	0

- Molecule 34 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	BJ	164	1233	776	220	231	6	0	0

- Molecule 35 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	BK	141	1032	651	179	196	6	0	0

- Molecule 36 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	BL	142	1129	714	212	199	4	0	0

- Molecule 37 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	BM	123	947	593	181	167	6	0	0

- Molecule 38 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	BN	144	1053	654	207	190	2	0	0

- Molecule 39 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	BO	136	1074	686	205	177	6	0	0

- Molecule 40 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	BP	127	1008	621	204	178	5	0	0

- Molecule 41 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	BQ	117	900	557	179	163	1	0	0

- Molecule 42 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	BR	114	917	574	179	163	1	0	0

- Molecule 43 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
43	BS	117	947	604	192	151	0	0

- Molecule 44 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	BT	103	816	516	153	145	2	0	0

- Molecule 45 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	BU	110	857	532	166	156	3	0	0

- Molecule 46 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	BV	100	787	496	146	143	2	0	0

- Molecule 47 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
47	BW	103	789	498	148	143	0	0

- Molecule 48 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	BX	94	753	479	137	134	3	0	0

- Molecule 49 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	BY	84	634	391	129	113	1	0	0

- Molecule 50 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	BZ	77	625	388	129	106	2	0	0

- Molecule 51 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	B0	63	509	313	99	95	2	0	0

- Molecule 52 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	B1	58	449	281	87	79	2	0	0

- Molecule 53 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	B2	70	549	339	104	100	6	0	0

- Molecule 54 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	B3	56	444	269	94	80	1	0	0

- Molecule 55 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
55	B4	54	441	284	81	76	0	0

- Molecule 56 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	B5	46	377	228	90	57	2	0	0

- Molecule 57 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	B6	64	504	323	105	74	2	0	0

- Molecule 58 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	B7	38	302	185	65	48	4	0	0

- Molecule 59 is TRYPTOPHAN (three-letter code: TRP) (formula: $C_{11}H_{12}N_2O_2$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
59	AB	1	14	11	2	1	0

- Molecule 60 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: $C_6H_{11}NO_3S$).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
60	BB	1	10	6	1	2	1	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 16S ribosomal RNA

Chain AA: 34% 53% 13%





• Molecule 2: A site tRNA

Chain AB:



• Molecule 3: mRNA

Chain AC:



• Molecule 4: P site tRNA

Chain AD: 38% 49% 13%





• Molecule 5: 30S ribosomal protein S2

Chain AE: 84% 15%



• Molecule 6: 30S ribosomal protein S3

Chain AF: 75% 19% 6%



• Molecule 7: 30S ribosomal protein S4

Chain AG: 76% 21%



• Molecule 8: 30S ribosomal protein S5

Chain AH: 81% 16%



• Molecule 9: 30S ribosomal protein S6

Chain AI:



• Molecule 10: 30S ribosomal protein S7

Chain AJ:

• Molecule 11: 30S ribosomal protein S8

Chain AK:



• Molecule 12: 30S ribosomal protein S9

Chain AL:

• Molecule 13: 30S ribosomal protein S10

Chain AM:



• Molecule 14: 30S ribosomal protein S11

Chain AN:

• Molecule 15: 30S ribosomal protein S12

Chain AO:

• Molecule 16: 30S ribosomal protein S13

Chain AP:



• Molecule 17: 30S ribosomal protein S14

Chain AQ:

• Molecule 18: 30S ribosomal protein S15

Chain AR:



• Molecule 19: 30S ribosomal protein S16

Chain AS:



• Molecule 20: 30S ribosomal protein S17

Chain AT:



• Molecule 21: 30S ribosomal protein S18

Chain AU:

• Molecule 22: 30S ribosomal protein S19

Chain AV:



• Molecule 23: 30S ribosomal protein S20

Chain AW:

• Molecule 24: 30S ribosomal protein S21

Chain AX:



• Molecule 25: 5S ribosomal RNA

Chain BA:



• Molecule 26: 23S ribosomal RNA

Chain BB:



WORLDWIDE
PDB
PROTEIN DATA BANK

G2341	A2281	G2221	C2161	A2101	U2041	A1981	G1921	G1861	A1801	C1741	G1681	U1621	C1561	G1501	G1441	G1381
C2342	G2282	C2222	G2162	G2102	A2042	U1982	G1922	G1862	A1802	U1742	G1682	G1622	U1562	A1502	U1442	G1382
U2343	C2283	G2223	A2163	C2103	C2043	G1983	U1923	G1863	A1803	G1743	U1683	G1623	U1563	A1503	U1443	A1383
U2344	A2284	G2224	C2164	C2104	C2044	G1984	C1924	U1864	C1804	A1744	G1684	U1624	C1564	A1504	G1444	A1384
G2345	C2285	A2225	C2165	U2105	C2045	C1985	C1925	U1865	A1805	A1745	C1685	C1625	C1565	A1505	G1445	A1385
A2346	G2286	C2226	U2166	U2106	G2046	C1986	U1926	A1866	C1806	A1746	C1686	A1626	A1566	U1506	C1446	C1386
C2347	A2287	A2227	U2167	G2107	C2047	A1987	A1927	G1867	G1807	U1747	G1687	G1627	G1567	C1507	C1447	A1387
U2348	A2288	G2228	G2168	A2108	G2048	G1988	A1928	C1868	A1808	C1748	U1688	G1628	G1568	A1508	G1448	G1388
G2349	G2289	U2229	A2169	U2109	G2049	G1989	G1929	G1869	A1809	A1749	A1689	U1629	A1569	A1509	G1449	G1389
C2350	G2290	G2230	A2170	G2110	C2050	C1990	G1930	C1870	A1810	G1750	A1690	A1630	A1570	G1510	G1450	U1390
G2351	U2291	U2231	A2171	U2111	A2051	U1991	U1931	A1871	G1811	U1751	C1691	G1631	A1571	G1511	C1451	U1391
A2352	U2292	C2232	U2172	G2112	A2052	G1992	A1932	A1872	U1812	C1752	U1692	A1632	A1572	C1512	G1452	A1392
G2353	G2293	U2233	A2173	U2113	G2053	U1993	G1933	G1873	G1813	G1753	U1693	G1633	G1573	U1513	A1453	A1393
C2354	G2294	G2234	C2174	A2114	A2054	C1994	C1934	C1874	G1814	A1754	C1694	A1634	C1574	G1514	C1454	U1394
G2355	C2295	G2235	C2175	G2115	C2055	U1995	G1935	G1875	A1815	A1755	G1695	A1635	C1575	A1515	G1455	A1395
U2356	U2296	U2236	A2176	G2116	G2056	C1996	A1936	A1876	C1816	G1756	G1696	U1636	U1576	G1516	G1456	U1396
G2357	A2297	G2237	C2177	A2117	G2057	C1997	A1937	A1877	G1817	A1757	G1697	A1637	C1577	G1517	U1457	U1397
A2358	A2298	G2238	C2178	U2118	A2058	A1998	A1938	G1878	U1818	U1758	A1698	C1638	U1578	C1518	U1458	C1398
C2359	U2299	G2239	C2179	A2119	A2059	C1999	U1939	C1879	A1819	A1759	G1699	C1639	A1579	G1519	G1459	C1399
G2360	C2300	U2240	U2180	G2120	A2060	C2000	U1940	U1880	U1820	C1760	A1700	A1640	A1580	U1520	U1460	U1400
G2361	C2301	A2241	U2181	G2121	G2061	C2001	C1941	C1881	A1821	C1761	A1701	A1641	G1581	G1521	C1461	G1401
C2362	U2302	G2242	U2182	U2122	A2062	G2002	C1942	U1882	C1822	A1762	G1702	G1642	C1582	A1522	C1462	U1402
G2363	G2303	U2243	A2183	G2123	C2063	A2003	U1943	U1883	G1823	G1763	G1703	G1643	A1583	U1523	C1463	A1403
C2364	G2304	U2244	A2184	G2124	C2064	G2004	U1944	G1884	G1824	C1764	C1704	G1644	U1584	G1524	G1464	C1404
G2365	U2305	U2245	U2185	G2125	C2065	A2005	G1945	A1885	U1825	U1765	A1705	G1645	C1585	A1525	G1465	U1405
A2366	C2306	G2246	G2186	A2126	C2066	C2006	U1946	U1886	G1826	G1766	C1706	C1646	A1586	C1526	U1466	U1406
G2367	G2307	A2247	U2187	G2127	G2067	U2007	C1947	C1887	U1827	G1767	G1707	U1647	G1587	G1527	U1467	G1407
C2368	G2308	C2248	U2188	G2128	U2068	C2008	G1948	G1888	G1828	C1768	C1708	U1648	G1588	A1528	U1468	G1408
A2369	A2309	U2249	U2189	C2129	G2069	A2009	G1949	A1889	A1829	U1769	U1709	G1649	U1589	G1529	A1469	U1409
G2370	C2310	G2250	G2190	U2130	A2070	G2010	G1950	A1890	C1830	G1770	G1710	A1650	A1590	G1530	A1470	G1410
G2371	A2311	G2251	A2191	U2131	A2071	U2011	U1951	G1891	G1831	C1771	A1711	G1651	A1591	C1531	G1471	U1411
U2372	U2312	G2252	U2192	U2132	C2072	G2012	A1952	C1892	C1832	A1772	U1712	A1652	C1592	A1532	C1472	U1412
G2373	C2313	G2253	G2193	G2133	C2073	A2013	A1953	C1893	C1833	A1773	A1713	G1653	A1593	C1533	G1473	A1413
C2374	A2314	C2254	U2194	A2134	U2074	A2014	G1954	C1894	U1834	C1774	U1714	A1654	U1594	U1534	U1474	C1414
G2375	G2315	G2255	U2195	A2135	U2075	A2015	U1955	C1895	G1835	U1775	G1715	A1655	C1595	A1535	G1475	U1415
A2376	G2316	G2256	C2196	G2136	U2076	U2016	U1956	G1896	C1836	G1776	U1716	C1656	A1596	C1536	U1476	G1416
A2377	A2317	U2257	U2197	U2137	A2077	U2017	C1957	G1897	C1837	U1777	A1717	U1657	A1597	G1537	A1477	C1417
A2378	G2318	C2258	A2198	G2138	C2078	G2018	C1958	U1898	C1838	U1778	G1718	C1658	A1598	G1538	G1478	G1418
G2379	G2319	U2259	A2199	U2139	U2079	A2019	G1959	A1899	G1839	U1779	G1719	G1659	U1599	U1539	G1479	A1419
C2380	U2320	C2260	C2200	G2140	A2080	A2020	A1960	A1900	G1840	A1780	U1720	G1660	C1600	G1540	C1480	A1420
A2381	U2321	C2261	G2201	G2141	U2081	C2021	C1961	A1901	U1841	U1781	G1721	G1661	G1601	C1541	U1481	G1421
G2382	A2322	U2262	U2202	A2142	A2082	U2022	C1962	C1902	G1842	U1782	A1722	U1662	U1602	U1542	G1482	G1422
G2383	G2323	C2263	U2203	C2143	G2083	C2023	U1963	G1903	C1843	A1783	G1723	G1663	A1603	G1543	G1483	G1423
U2384	U2324	C2264	G2204	G2144	C2084	G2024	G1964	G1904	C1844	A1784	G1724	A1664	C1604	A1544	U1484	G1424
C2385	G2325	U2265	A2205	C2145	U2085	C2025	C1965	C1905	G1845	A1785	U1725	A1665	C1605	A1545	U1485	G1425
A2386	C2326	A2266	C2206	C2146	U2086	U2026	A1966	G1906	G1846	A1786	C1726	G1666	C1606	G1546	U1486	G1426
U2387	A2327	A2267	C2207	A2147	G2087	G2027	C1967	G1907	A1847	A1787	C1727	G1667	C1607	C1547	U1487	A1427
A2388	A2328	A2268	C2208	G2148	A2088	U2028	G1968	C1908	A1848	C1788	C1728	A1668	A1608	A1548	C1488	C1428
G2389	U2329	G2269	G2209	U2149	C2089	G2029	A1969	C1909	G1849	A1789	U1729	A1669	A1609	A1549	C1489	G1429
U2390	G2330	A2270	U2210	C2150	A2090	A2030	A1970	G1910	G1850	C1790	C1730	C1670	A1610	C1550	A1490	G1430
G2391	G2331	G2271	A2211	U2151	C2091	A2031	U1971	U1911	U1851	A1791	G1731	U1671	C1611	A1551	G1491	A1431
A2392	C2332	U2272	A2212	G2152	U2092	G2032	G1972	A1912	U1852	G1792	C1732	A1672	C1612	A1552	G1492	G1432
U2393	A2333	A2273	U2213	C2153	G2093	A2033	G1973	A1913	A1853	C1793	G1733	G1673	G1613	A1553	C1493	A1433
C2394	U2334	A2274	C2214	A2154	A2094	U2034	C1974	C1914	A1854	A1794	G1734	G1674	A1614	U1554	A1494	A1434
C2395	A2335	C2275	C2215	U2155	A2095	G2035	G1975	3TD1915	U1855	C1795	A1735	C1675	C1615	G1555	A1495	G1435
G2396	A2336	G2276	G2216	G2156	C2096	C2036	U1976	A1916	U1856	U1796	U1736	A1676	A1616	C1556	A1496	G1436
G2397	G2337	G2277	G2217	G2157	A2097	A2037	A1977	U1917	G1857	G1797	G1737	A1677	C1617	C1557	U1497	C1437
U2398	C2338	A2278	G2218	A2158	U2098	G2038	A1978	A1918	A1858	U1798	G1738	A1678	A1618	C1558	C1498	U1438
G2399	C2339	G2279	U2219	G2159	U2099	U2039	U1979	A1919	U1859	G1799	A1739	A1679	G1619	U1559	C1499	A1439
G2400	A2340	G2280	U2220	C2160	G2100	G2040	G1980	C1920	G1860	C1800	G1740	U1680	G1620	G1560	G1500	U1440

U2401 U2402 C2403 U2404 G2405 A2406 A2407 U2408 G2409 G2410 A2411 A2412 G2413 G2414 G2415 C2416 C2417 A2418 U2419 C2420 G2421 C2422 U2423 C2424 A2425 A2426 C2427 G2428 G2429 A2430 U2431 A2432 A2433 A2434 A2435 G2436 G2437 U2438 A2439 C2440 U2441 C2442 C2443 G2444 G2445 G2446 G2447 A2448 U2449 A2450 A2451 C2452 A2453 G2454 G2455 C2456 U2457 G2458 A2459 U2460

A2461 C2462 C2463 G2464 C2465 C2466 C2467 A2468 A2469 G2470 A2471 G2472 U2473 U2474 C2475 A2476 U2477 A2478 U2479 C2480 G2481 A2482 C2483 G2484 G2485 C2486 G2487 G2488 U2489 G2490 U2491 U2492 U2493 G2494 G2495 C2496 A2497 C2498 C2499 U2500 C2501 G2502 A2503 U2504 G2505 U2506 C2507 G2508 G2509 C2510 U2511 C2512 A2513 U2514 C2515 A2516 C2517 A2518 U2519 C2520

C2521 U2522 G2523 G2524 G2525 G2526 C2527 U2528 G2529 A2530 A2531 G2532 U2533 A2534 G2535 G2536 U2537 C2538 C2539 C2540 A2541 A2542 C2543 G2544 G2545 U2546 A2547 U2548 U2549 G2550 C2551 U2552 G2553 U2554 U2555 C2556 G2557 C2558 C2559 A2560 U2561 U2562 U2563 A2564 A2565 A2566 G2567 U2568 G2569 G2570 U2571 A2572 C2573 G2574 C2575 G2576 A2577 G2578 C2579 U2580

G2581 G2582 G2583 U2584 U2585 U2586 A2587 G2588 A2589 A2590 C2591 G2592 U2593 C2594 G2595 U2596 G2597 A2598 G2599 A2600 C2601 A2602 G2603 U2604 U2605 C2606 G2607 G2608 U2609 G2610 C2611 C2612 U2613 A2614 U2615 G2616 U2617 G2618 C2619 C2620 G2621 U2622 G2623 G2624 G2625 C2626 G2627 G2628 U2629 G2630 G2631 A2632 G2633 A2634 A2635 C2636 U2637 G2638 A2639 G2640

G2641 G2642 G2643 G2644 G2645 C2646 U2647 G2648 C2649 U2650 C2651 C2652 U2653 A2654 G2655 U2656 A2657 C2658 G2659 A2660 C2661 A2662 G2663 G2664 A2665 C2666 C2667 G2668 G2669 A2670 G2671 U2672 G2673 G2674 A2675 C2676 G2677 C2678 A2679 U2680 C2681 A2682 C2683 U2684 G2685 G2686 U2687 G2688 U2689 U2690 C2691 G2692 G2693 G2694 U2695 U2696 G2697 U2698 C2699 A2700

U2701 G2702 C2703 C2704 A2705 A2706 U2707 G2708 G2709 C2710 A2711 C2712 U2713 G2714 C2715 C2716 C2717 G2718 G2719 U2720 A2721 G2722 C2723 U2724 A2725 A2726 A2727 U2728 G2729 C2730 G2731 G2732 A2733 A2734 G2735 A2736 G2737 A2738 U2739 A2740 A2741 G2742 U2743 G2744 C2745 U2746 G2747 A2748 A2749 A2750 G2751 C2752 A2753 U2754 C2755 U2756 A2757 A2758 G2759 C2760

A2761 C2762 G2763 A2764 A2765 A2766 C2767 U2768 U2769 G2770 C2771 C2772 C2773 C2774 G2775 A2776 G2777 A2778 U2779 G2780 A2781 G2782 U2783 U2784 C2785 U2786 C2787 C2788 C2789 U2790 G2791 A2792 C2793 C2794 C2795 U2796 U2797 U2798 A2799 A2800 G2801 G2802 G2803 U2804 C2805 C2806 U2807 G2808 A2809 A2810 G2811 G2812 A2813 A2814 C2815 G2816 U2817 U2818 G2819 A2820

A2821 G2822 A2823 C2824 G2825 A2826 C2827 G2828 A2829 C2830 G2831 U2832 U2833 G2834 A2835 U2836 A2837 G2838 G2839 C2840 C2841 G2842 G2843 G2844 U2845 G2846 U2847 G2848 U2849 A2850 A2851 G2852 C2853 G2854 C2855 A2856 G2857 C2858 G2859 A2860 U2861 G2862 C2863 G2864 U2865 U2866 G2867 A2868 G2869 C2870 U2871 A2872 A2873 C2874 C2875 G2876 G2877 U2878 A2879 C2880

U2881 A2882 A2883 U2884 G2885 A2886 A2887 C2888 G2889 G2890 U2891 G2892 A2893 G2894 G2895 C2896 U2897 U2898 A2899 A2900 C2901 C2902 U2903 U2904

- Molecule 27: 50S ribosomal protein L1

Chain BC: 9% 83% 16%

M1 R7 M8 R9 V15 T18 Y21 S41 V42 D43 V44 L48 R53 R60 V73 R74 G81 A82 N83 A84 E85 A86 A87 K88 A89 A90 G91 A92 E93 L94 V95 G96 D99 D112 M121 L131 R134 P138 P147 N148 V149 A150 E151

K157 A158 G159 R162 Y163 R164 N165 D166 G169 H172 T173 T174 V178 L189 L193 V194 A204 K205 G206 V207 Y208 S213 G219 A220 M234

- Molecule 28: 50S ribosomal protein L2

Chain BD: 77% 20%

A1 V2 S9 R12 V18 K25 G26 K27 E34 G40 R47 R51 Y61 R62 I63 V64 R79 Y82 D83 P84 N85 R86 S87 A88 Y95 K96 D97 R100 R101 Y102 P106 Q114 D120 A121 M131 R132 V136 G137 H141 P147

G158 T159 Y160 V164 A165 R166 L173 R174 L175 R176 M180 R181 T190 R202 V203 L204 G205 R211 W212 R213 R220 P226 V227 D228 E235 G236 R237 N238 F239 P243 V244 K254 R257 R270 S271 K272

- Molecule 29: 50S ribosomal protein L3

Chain BE: 78% 19%



• Molecule 30: 50S ribosomal protein L4

Chain BF:



• Molecule 31: 50S ribosomal protein L5

Chain BG:



• Molecule 32: 50S ribosomal protein L6

Chain BH:



• Molecule 33: 50S ribosomal protein L9

Chain BI:



• Molecule 34: 50S ribosomal protein L10

Chain BJ:



• Molecule 35: 50S ribosomal protein L11

Chain BK:



• Molecule 36: 50S ribosomal protein L13

Chain BL:



• Molecule 37: 50S ribosomal protein L14

Chain BM:



• Molecule 38: 50S ribosomal protein L15

Chain BN:



• Molecule 39: 50S ribosomal protein L16

Chain BO:

• Molecule 40: 50S ribosomal protein L17

Chain BP:

• Molecule 41: 50S ribosomal protein L18

Chain BQ: 77% 20%



• Molecule 42: 50S ribosomal protein L19

Chain BR: 69% 28%



• Molecule 43: 50S ribosomal protein L20

Chain BS: 73% 22% 5%



• Molecule 44: 50S ribosomal protein L21

Chain BT: 80% 17%

• Molecule 45: 50S ribosomal protein L22

Chain BU: 79% 18%



• Molecule 46: 50S ribosomal protein L23

Chain BV: 70% 25% 5%



• Molecule 47: 50S ribosomal protein L24

Chain BW:

• Molecule 48: 50S ribosomal protein L25

Chain BX:



• Molecule 49: 50S ribosomal protein L27

Chain BY:



• Molecule 50: 50S ribosomal protein L28

Chain BZ:

• Molecule 51: 50S ribosomal protein L29

Chain B0:



• Molecule 52: 50S ribosomal protein L30

Chain B1:



• Molecule 53: 50S ribosomal protein L31

Chain B2:



• Molecule 54: 50S ribosomal protein L32

Chain B3:



• Molecule 55: 50S ribosomal protein L33

Chain B4:



• Molecule 56: 50S ribosomal protein L34

Chain B5:



• Molecule 57: 50S ribosomal protein L35

Chain B6:



• Molecule 58: 50S ribosomal protein L36

Chain B7:



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	21000	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	Volumes were CTF-corrected in defocus groups	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	25	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	58269	Depositor
Image detector	TVIPS TEMCAM-F415 (4k x 4k)	Depositor
Maximum map value	1.536	Depositor
Minimum map value	-0.480	Depositor
Average map value	0.031	Depositor
Map value standard deviation	0.200	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	375.0, 375.0, 375.0	wwPDB
Map dimensions	250, 250, 250	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.5, 1.5, 1.5	Depositor

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: 4OC, 4SU, MIA, UR3, OMG, 3TD, PSU, 6MZ, 7MG, FME, 5MU, CH, OMC, H2U, 1MG, OMU, 5MC, 2MG, MA6, 2MA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#|Z| >5	RMSZ	#|Z| >5
1	AA	3.07	3842/36769 (10.4%)	3.54	8339/57354 (14.5%)
2	AB	3.16	182/1600 (11.4%)	3.61	372/2492 (14.9%)
3	AC	3.10	124/1108 (11.2%)	3.72	275/1724 (16.0%)
4	AD	3.15	181/1721 (10.5%)	3.52	392/2683 (14.6%)
5	AE	1.46	6/1904 (0.3%)	1.85	30/2565 (1.2%)
6	AF	1.47	6/1852 (0.3%)	2.14	61/2490 (2.4%)
7	AG	1.54	7/1665 (0.4%)	1.95	47/2227 (2.1%)
8	AH	1.48	3/1239 (0.2%)	1.96	33/1664 (2.0%)
9	AI	1.50	5/1121 (0.4%)	1.99	30/1509 (2.0%)
10	AJ	1.51	5/1422 (0.4%)	1.96	30/1908 (1.6%)
11	AK	1.47	6/989 (0.6%)	1.83	20/1326 (1.5%)
12	AL	1.57	2/1048 (0.2%)	1.98	28/1394 (2.0%)
13	AM	1.46	3/835 (0.4%)	2.17	31/1127 (2.8%)
14	AN	1.51	2/982 (0.2%)	1.85	20/1323 (1.5%)
15	AO	1.51	3/969 (0.3%)	2.08	29/1300 (2.2%)
16	AP	1.55	1/919 (0.1%)	1.88	20/1226 (1.6%)
17	AQ	1.45	4/817 (0.5%)	2.05	21/1088 (1.9%)
18	AR	1.50	2/724 (0.3%)	2.03	16/966 (1.7%)
19	AS	1.50	4/659 (0.6%)	2.09	14/884 (1.6%)
20	AT	1.46	2/681 (0.3%)	2.02	24/913 (2.6%)
21	AU	1.68	6/637 (0.9%)	2.13	28/851 (3.3%)
22	AV	1.44	3/744 (0.4%)	1.80	16/995 (1.6%)
23	AW	1.44	0/676	1.87	16/895 (1.8%)
24	AX	1.54	3/598 (0.5%)	2.37	30/792 (3.8%)
25	BA	2.99	281/2869 (9.8%)	3.51	651/4474 (14.6%)
26	BB	3.08	7353/69257 (10.6%)	3.54	15900/108040 (14.7%)
27	BC	1.44	5/1748 (0.3%)	1.89	32/2355 (1.4%)
28	BD	1.55	11/2131 (0.5%)	1.90	52/2863 (1.8%)
29	BE	1.44	3/1586 (0.2%)	1.91	40/2134 (1.9%)
30	BF	1.46	7/1571 (0.4%)	1.94	37/2113 (1.8%)
31	BG	1.58	11/1444 (0.8%)	2.03	47/1937 (2.4%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#|Z| >5	RMSZ	#|Z| >5
32	BH	1.57	11/1343 (0.8%)	1.89	39/1816 (2.1%)
33	BI	1.56	7/1122 (0.6%)	1.83	20/1515 (1.3%)
34	BJ	1.49	3/1247 (0.2%)	1.95	37/1679 (2.2%)
35	BK	1.46	3/1046 (0.3%)	1.85	17/1410 (1.2%)
36	BL	1.48	6/1152 (0.5%)	1.94	27/1551 (1.7%)
37	BM	1.49	3/956 (0.3%)	2.06	24/1279 (1.9%)
38	BN	1.52	5/1062 (0.5%)	1.88	26/1413 (1.8%)
39	BO	1.49	4/1093 (0.4%)	1.95	25/1460 (1.7%)
40	BP	1.52	4/1021 (0.4%)	2.12	32/1364 (2.3%)
41	BQ	1.54	4/910 (0.4%)	1.99	23/1219 (1.9%)
42	BR	1.55	5/929 (0.5%)	1.93	26/1242 (2.1%)
43	BS	1.57	10/960 (1.0%)	2.05	33/1278 (2.6%)
44	BT	1.50	3/829 (0.4%)	1.84	16/1107 (1.4%)
45	BU	1.49	1/864 (0.1%)	1.95	26/1156 (2.2%)
46	BV	1.54	3/794 (0.4%)	1.91	18/1060 (1.7%)
47	BW	1.53	1/797 (0.1%)	1.83	15/1062 (1.4%)
48	BX	1.46	3/766 (0.4%)	1.89	22/1025 (2.1%)
49	BY	1.57	4/642 (0.6%)	2.03	20/848 (2.4%)
50	BZ	1.58	2/635 (0.3%)	1.97	14/848 (1.7%)
51	B0	1.43	1/510 (0.2%)	2.10	9/677 (1.3%)
52	B1	1.40	0/453	2.08	9/605 (1.5%)
53	B2	1.45	1/559 (0.2%)	2.02	17/745 (2.3%)
54	B3	1.52	4/450 (0.9%)	1.89	10/599 (1.7%)
55	B4	1.48	0/448	1.91	6/594 (1.0%)
56	B5	1.65	1/380 (0.3%)	2.10	13/498 (2.6%)
57	B6	1.47	0/513	1.90	7/676 (1.0%)
58	B7	1.51	2/303 (0.7%)	2.07	8/397 (2.0%)
All	All	2.69	12164/164069 (7.4%)	3.18	27220/244735 (11.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	881
2	AB	0	40
3	AC	0	28
4	AD	0	42
5	AE	0	3
6	AF	0	11
7	AG	0	6

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
8	AH	0	2
9	AI	0	4
10	AJ	0	4
11	AK	0	2
12	AL	0	2
14	AN	0	3
15	AO	0	4
16	AP	0	1
17	AQ	0	4
18	AR	0	1
19	AS	0	2
20	AT	0	1
21	AU	0	3
22	AV	0	2
23	AW	0	1
24	AX	0	2
25	BA	0	75
26	BB	0	1720
27	BC	0	2
28	BD	0	9
29	BE	0	4
30	BF	0	3
31	BG	0	6
32	BH	0	3
33	BI	0	1
34	BJ	0	5
35	BK	0	3
36	BL	0	2
37	BM	0	5
38	BN	0	2
39	BO	0	3
40	BP	0	4
41	BQ	0	6
42	BR	0	4
43	BS	0	6
44	BT	0	4
45	BU	0	5
46	BV	0	2
48	BX	0	4
49	BY	0	5
50	BZ	0	2
51	B0	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
52	B1	0	1
53	B2	0	4
54	B3	0	1
55	B4	0	4
56	B5	0	2
57	B6	0	2
All	All	0	2949

The worst 5 of 12164 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	659	G	N7-C5	18.05	1.50	1.39
26	BB	2104	C	P-O5'	17.37	1.77	1.59
26	BB	2168	G	N7-C5	16.73	1.49	1.39
26	BB	268	C	N1-C6	16.25	1.47	1.37
1	AA	1072	G	P-O5'	16.08	1.75	1.59

The worst 5 of 27220 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
51	B0	48	ARG	NE-CZ-NH1	24.22	132.41	120.30
26	BB	2494	G	N3-C4-C5	-22.56	117.32	128.60
51	B0	48	ARG	NE-CZ-NH2	-21.50	109.55	120.30
26	BB	93	G	C2-N3-C4	20.63	122.22	111.90
26	BB	1478	G	N1-C6-O6	-20.46	107.62	119.90

There are no chirality outliers.

5 of 2949 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	11	G	Sidechain
1	AA	3	A	Sidechain
1	AA	4	U	Sidechain
1	AA	5	U	Sidechain
1	AA	6	G	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	33089	0	16619	0	0
2	AB	1627	0	844	0	0
3	AC	993	0	501	0	0
4	AD	1641	0	840	0	0
5	AE	1872	0	1885	0	0
6	AF	1822	0	1913	0	0
7	AG	1643	0	1710	0	0
8	AH	1225	0	1273	0	0
9	AI	1101	0	1050	0	0
10	AJ	1400	0	1449	0	0
11	AK	979	0	1034	0	0
12	AL	1036	0	1084	0	0
13	AM	825	0	865	0	0
14	AN	965	0	997	0	0
15	AO	955	0	1019	0	0
16	AP	910	0	981	0	0
17	AQ	805	0	847	0	0
18	AR	716	0	742	0	0
19	AS	649	0	666	0	0
20	AT	672	0	716	0	0
21	AU	626	0	651	0	0
22	AV	727	0	769	0	0
23	AW	670	0	722	0	0
24	AX	590	0	631	0	0
25	BA	2566	0	1296	0	0
26	BB	62351	0	31238	0	0
27	BC	1733	0	1824	0	0
28	BD	2092	0	2170	0	0
29	BE	1565	0	1616	0	0
30	BF	1552	0	1619	0	0
31	BG	1420	0	1460	0	0
32	BH	1323	0	1374	0	0
33	BI	1111	0	1148	0	0
34	BJ	1233	0	1283	0	0
35	BK	1032	0	1088	0	0
36	BL	1129	0	1162	0	0
37	BM	947	0	1023	0	0
38	BN	1053	0	1129	0	0
39	BO	1074	0	1157	0	0
40	BP	1008	0	1045	0	0
41	BQ	900	0	935	0	0
42	BR	917	0	965	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
43	BS	947	0	1022	0	0
44	BT	816	0	839	0	0
45	BU	857	0	922	0	0
46	BV	787	0	846	0	0
47	BW	789	0	847	0	0
48	BX	753	0	780	0	0
49	BY	634	0	656	0	0
50	BZ	625	0	655	0	0
51	B0	509	0	543	0	0
52	B1	449	0	491	0	0
53	B2	549	0	552	0	0
54	B3	444	0	461	0	0
55	B4	441	0	485	0	0
56	B5	377	0	418	0	0
57	B6	504	0	574	0	0
58	B7	302	0	343	0	0
59	AB	14	0	9	0	0
60	BB	10	0	10	0	0
All	All	152351	0	103793	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
5	AE	238/240 (99%)	211 (89%)	24 (10%)	3 (1%)	12 48
6	AF	230/232 (99%)	204 (89%)	20 (9%)	6 (3%)	5 31
7	AG	203/205 (99%)	182 (90%)	17 (8%)	4 (2%)	7 38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	AH	164/166 (99%)	146 (89%)	15 (9%)	3 (2%)	8	40
9	AI	133/135 (98%)	118 (89%)	12 (9%)	3 (2%)	6	34
10	AJ	176/178 (99%)	163 (93%)	11 (6%)	2 (1%)	14	52
11	AK	127/129 (98%)	116 (91%)	9 (7%)	2 (2%)	9	44
12	AL	127/129 (98%)	118 (93%)	7 (6%)	2 (2%)	9	44
13	AM	101/103 (98%)	92 (91%)	5 (5%)	4 (4%)	3	23
14	AN	126/128 (98%)	111 (88%)	15 (12%)	0	100	100
15	AO	121/123 (98%)	103 (85%)	14 (12%)	4 (3%)	4	26
16	AP	115/117 (98%)	101 (88%)	11 (10%)	3 (3%)	5	31
17	AQ	98/100 (98%)	79 (81%)	13 (13%)	6 (6%)	1	17
18	AR	86/88 (98%)	82 (95%)	3 (4%)	1 (1%)	13	50
19	AS	80/82 (98%)	75 (94%)	4 (5%)	1 (1%)	12	48
20	AT	81/83 (98%)	66 (82%)	14 (17%)	1 (1%)	13	50
21	AU	72/74 (97%)	63 (88%)	6 (8%)	3 (4%)	3	22
22	AV	89/91 (98%)	79 (89%)	6 (7%)	4 (4%)	2	22
23	AW	84/86 (98%)	78 (93%)	4 (5%)	2 (2%)	6	33
24	AX	68/70 (97%)	53 (78%)	13 (19%)	2 (3%)	4	29
27	BC	232/234 (99%)	207 (89%)	20 (9%)	5 (2%)	6	35
28	BD	270/272 (99%)	232 (86%)	30 (11%)	8 (3%)	4	28
29	BE	207/209 (99%)	171 (83%)	31 (15%)	5 (2%)	6	33
30	BF	199/201 (99%)	171 (86%)	16 (8%)	12 (6%)	1	17
31	BG	176/178 (99%)	142 (81%)	24 (14%)	10 (6%)	1	18
32	BH	174/176 (99%)	149 (86%)	22 (13%)	3 (2%)	9	42
33	BI	147/149 (99%)	124 (84%)	21 (14%)	2 (1%)	11	46
34	BJ	162/164 (99%)	147 (91%)	13 (8%)	2 (1%)	13	50
35	BK	139/141 (99%)	126 (91%)	12 (9%)	1 (1%)	22	63
36	BL	140/142 (99%)	112 (80%)	21 (15%)	7 (5%)	2	20
37	BM	121/123 (98%)	104 (86%)	13 (11%)	4 (3%)	4	26
38	BN	142/144 (99%)	121 (85%)	17 (12%)	4 (3%)	5	30
39	BO	134/136 (98%)	116 (87%)	14 (10%)	4 (3%)	4	28
40	BP	125/127 (98%)	116 (93%)	8 (6%)	1 (1%)	19	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
41	BQ	115/117 (98%)	109 (95%)	4 (4%)	2 (2%)	9	42
42	BR	112/114 (98%)	88 (79%)	22 (20%)	2 (2%)	8	40
43	BS	115/117 (98%)	106 (92%)	7 (6%)	2 (2%)	9	42
44	BT	101/103 (98%)	90 (89%)	8 (8%)	3 (3%)	4	28
45	BU	108/110 (98%)	101 (94%)	4 (4%)	3 (3%)	5	30
46	BV	98/100 (98%)	78 (80%)	14 (14%)	6 (6%)	1	17
47	BW	101/103 (98%)	85 (84%)	13 (13%)	3 (3%)	4	28
48	BX	92/94 (98%)	82 (89%)	9 (10%)	1 (1%)	14	52
49	BY	82/84 (98%)	60 (73%)	18 (22%)	4 (5%)	2	20
50	BZ	75/77 (97%)	65 (87%)	6 (8%)	4 (5%)	2	19
51	B0	61/63 (97%)	55 (90%)	5 (8%)	1 (2%)	9	44
52	B1	56/58 (97%)	50 (89%)	5 (9%)	1 (2%)	8	40
53	B2	68/70 (97%)	45 (66%)	18 (26%)	5 (7%)	1	14
54	B3	54/56 (96%)	44 (82%)	9 (17%)	1 (2%)	8	38
55	B4	52/54 (96%)	45 (86%)	4 (8%)	3 (6%)	1	18
56	B5	44/46 (96%)	40 (91%)	2 (4%)	2 (4%)	2	22
57	B6	62/64 (97%)	54 (87%)	6 (10%)	2 (3%)	4	26
58	B7	36/38 (95%)	31 (86%)	4 (11%)	1 (3%)	5	30
All	All	6319/6423 (98%)	5506 (87%)	643 (10%)	170 (3%)	8	31

5 of 170 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
12	AL	86	LEU
13	AM	42	LEU
13	AM	57	VAL
16	AP	22	TYR
21	AU	11	ARG

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	AE	198/198 (100%)	191 (96%)	7 (4%)	36	59
6	AF	189/189 (100%)	176 (93%)	13 (7%)	15	40
7	AG	172/172 (100%)	165 (96%)	7 (4%)	30	55
8	AH	125/125 (100%)	119 (95%)	6 (5%)	25	51
9	AI	116/116 (100%)	109 (94%)	7 (6%)	19	44
10	AJ	146/146 (100%)	139 (95%)	7 (5%)	25	51
11	AK	104/104 (100%)	102 (98%)	2 (2%)	57	75
12	AL	106/106 (100%)	104 (98%)	2 (2%)	57	75
13	AM	90/90 (100%)	82 (91%)	8 (9%)	9	30
14	AN	98/98 (100%)	95 (97%)	3 (3%)	40	62
15	AO	103/103 (100%)	95 (92%)	8 (8%)	12	36
16	AP	95/95 (100%)	90 (95%)	5 (5%)	22	47
17	AQ	83/83 (100%)	82 (99%)	1 (1%)	71	83
18	AR	76/76 (100%)	74 (97%)	2 (3%)	46	66
19	AS	65/65 (100%)	63 (97%)	2 (3%)	40	62
20	AT	77/77 (100%)	71 (92%)	6 (8%)	12	36
21	AU	64/64 (100%)	59 (92%)	5 (8%)	12	36
22	AV	78/78 (100%)	72 (92%)	6 (8%)	13	37
23	AW	65/65 (100%)	62 (95%)	3 (5%)	27	52
24	AX	60/60 (100%)	54 (90%)	6 (10%)	7	26
27	BC	181/181 (100%)	171 (94%)	10 (6%)	21	47
28	BD	217/217 (100%)	208 (96%)	9 (4%)	30	55
29	BE	164/164 (100%)	156 (95%)	8 (5%)	25	50
30	BF	165/165 (100%)	157 (95%)	8 (5%)	25	51
31	BG	149/149 (100%)	141 (95%)	8 (5%)	22	47
32	BH	137/137 (100%)	128 (93%)	9 (7%)	16	41
33	BI	114/114 (100%)	108 (95%)	6 (5%)	22	47
34	BJ	122/122 (100%)	118 (97%)	4 (3%)	38	61
35	BK	109/109 (100%)	106 (97%)	3 (3%)	43	65
36	BL	116/116 (100%)	111 (96%)	5 (4%)	29	53
37	BM	104/104 (100%)	97 (93%)	7 (7%)	16	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
38	BN	103/103 (100%)	97 (94%)	6 (6%)	20	45
39	BO	109/109 (100%)	101 (93%)	8 (7%)	14	39
40	BP	103/103 (100%)	97 (94%)	6 (6%)	20	45
41	BQ	87/87 (100%)	83 (95%)	4 (5%)	27	52
42	BR	99/99 (100%)	91 (92%)	8 (8%)	11	35
43	BS	89/89 (100%)	87 (98%)	2 (2%)	52	71
44	BT	84/84 (100%)	79 (94%)	5 (6%)	19	44
45	BU	93/93 (100%)	92 (99%)	1 (1%)	73	84
46	BV	84/84 (100%)	75 (89%)	9 (11%)	6	23
47	BW	84/84 (100%)	79 (94%)	5 (6%)	19	44
48	BX	78/78 (100%)	75 (96%)	3 (4%)	33	57
49	BY	62/62 (100%)	60 (97%)	2 (3%)	39	61
50	BZ	67/67 (100%)	63 (94%)	4 (6%)	19	44
51	B0	55/55 (100%)	53 (96%)	2 (4%)	35	59
52	B1	48/48 (100%)	46 (96%)	2 (4%)	30	54
53	B2	62/62 (100%)	57 (92%)	5 (8%)	11	35
54	B3	47/47 (100%)	42 (89%)	5 (11%)	6	24
55	B4	48/48 (100%)	47 (98%)	1 (2%)	53	72
56	B5	38/38 (100%)	37 (97%)	1 (3%)	46	66
57	B6	51/51 (100%)	45 (88%)	6 (12%)	5	20
58	B7	34/34 (100%)	32 (94%)	2 (6%)	19	45
All	All	5213/5213 (100%)	4943 (95%)	270 (5%)	27	48

5 of 270 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
46	BV	91	GLN
48	BX	35	GLU
55	B4	21	THR
23	AW	7	LYS
22	AV	46	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1538/1542 (99%)	291 (18%)	99 (6%)
2	AB	74/76 (97%)	23 (31%)	6 (8%)
25	BA	119/120 (99%)	16 (13%)	10 (8%)
26	BB	2898/2904 (99%)	544 (18%)	186 (6%)
3	AC	46/47 (97%)	18 (39%)	6 (13%)
4	AD	76/77 (98%)	17 (22%)	4 (5%)
All	All	4751/4766 (99%)	909 (19%)	311 (6%)

5 of 909 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	8	A
1	AA	32	A
1	AA	36	C
1	AA	47	C
1	AA	48	C

5 of 311 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
26	BB	1778	U
26	BB	2602	A
26	BB	1927	A
26	BB	2223	G
26	BB	2791	G

5.4 Non-standard residues in protein, DNA, RNA chains (i)

49 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	H2U	AB	17	2	18,21,22	1.42	2 (11%)	21,30,33	2.16	5 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
26	5MC	BB	1962	26	18,22,23	1.10	2 (11%)	26,32,35	1.52	3 (11%)
26	CH	BB	2575	26	16,21,22	1.85	5 (31%)	20,30,33	1.80	5 (25%)
26	OMU	BB	2552	26	19,22,23	1.35	3 (15%)	26,31,34	2.28	11 (42%)
26	6MZ	BB	1618	26	18,25,26	1.78	6 (33%)	16,36,39	1.68	3 (18%)
26	PSU	BB	1911	26	18,21,22	1.80	4 (22%)	22,30,33	1.22	2 (9%)
4	OMC	AD	33	4	19,22,23	0.91	0	26,31,34	1.83	5 (19%)
1	5MC	AA	967	1	18,22,23	1.39	3 (16%)	26,32,35	1.86	5 (19%)
1	2MG	AA	1516	1	18,26,27	2.24	10 (55%)	16,38,41	1.33	3 (18%)
4	4SU	AD	8	4	18,21,22	2.10	5 (27%)	26,30,33	1.68	7 (26%)
4	5MU	AD	55	4	19,22,23	1.46	2 (10%)	28,32,35	1.88	7 (25%)
26	2MG	BB	2445	26	18,26,27	1.92	4 (22%)	16,38,41	1.23	1 (6%)
1	MA6	AA	1519	1	18,26,27	1.56	4 (22%)	19,38,41	1.50	4 (21%)
1	7MG	AA	527	1	22,26,27	4.77	4 (18%)	29,39,42	1.96	7 (24%)
1	MA6	AA	1518	1	18,26,27	1.36	2 (11%)	19,38,41	1.60	5 (26%)
26	PSU	BB	2504	26	18,21,22	1.85	4 (22%)	22,30,33	1.65	5 (22%)
26	PSU	BB	2605	26	18,21,22	1.98	5 (27%)	22,30,33	2.36	7 (31%)
2	H2U	AB	20	2	18,21,22	1.56	4 (22%)	21,30,33	1.87	7 (33%)
2	5MU	AB	54	2	19,22,23	1.56	4 (21%)	28,32,35	1.93	9 (32%)
2	7MG	AB	46	2	22,26,27	5.32	4 (18%)	29,39,42	1.92	4 (13%)
26	5MU	BB	1939	26	19,22,23	1.54	5 (26%)	28,32,35	2.02	8 (28%)
26	2MG	BB	1835	26	18,26,27	1.45	3 (16%)	16,38,41	1.66	5 (31%)
26	OMG	BB	2251	26	18,26,27	1.70	4 (22%)	19,38,41	1.43	2 (10%)
2	MIA	AB	37	2	24,31,32	2.36	9 (37%)	26,44,47	2.16	6 (23%)
1	5MC	AA	1407	1	18,22,23	1.27	1 (5%)	26,32,35	1.67	10 (38%)
26	PSU	BB	955	26	18,21,22	1.78	5 (27%)	22,30,33	1.70	6 (27%)
26	PSU	BB	1917	26	18,21,22	1.98	2 (11%)	22,30,33	1.77	5 (22%)
26	2MA	BB	2503	26	17,25,26	1.93	4 (23%)	17,37,40	1.26	2 (11%)
2	OMC	AB	32	2	19,22,23	1.20	2 (10%)	26,31,34	1.31	4 (15%)
1	UR3	AA	1498	1	19,22,23	1.26	3 (15%)	26,32,35	1.27	3 (11%)
26	1MG	BB	745	26	18,26,27	1.62	4 (22%)	19,39,42	1.84	6 (31%)
1	2MG	AA	966	1	18,26,27	1.16	1 (5%)	16,38,41	1.00	0
1	4OC	AA	1402	1	20,23,24	1.29	2 (10%)	26,32,35	1.12	2 (7%)
26	7MG	BB	2069	26	22,26,27	3.61	6 (27%)	29,39,42	1.82	4 (13%)
2	PSU	AB	55	2	18,21,22	1.53	3 (16%)	22,30,33	1.39	4 (18%)
4	PSU	AD	56	4	18,21,22	1.48	3 (16%)	22,30,33	1.31	1 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
26	PSU	BB	2580	26	18,21,22	2.07	7 (38%)	22,30,33	1.95	6 (27%)
2	4SU	AB	8	2	18,21,22	1.37	3 (16%)	26,30,33	1.66	6 (23%)
26	3TD	BB	1915	26	18,22,23	1.32	2 (11%)	22,32,35	1.20	2 (9%)
26	PSU	BB	2457	26	18,21,22	2.10	5 (27%)	22,30,33	1.70	4 (18%)
2	H2U	AB	16	2	18,21,22	1.22	2 (11%)	21,30,33	2.19	9 (42%)
26	6MZ	BB	2030	26	18,25,26	1.48	4 (22%)	16,36,39	1.76	3 (18%)
1	PSU	AA	516	1	18,21,22	1.99	7 (38%)	22,30,33	3.00	13 (59%)
26	PSU	BB	746	26	18,21,22	1.90	6 (33%)	22,30,33	1.28	3 (13%)
26	H2U	BB	2449	26	18,21,22	1.51	2 (11%)	21,30,33	1.85	5 (23%)
26	OMC	BB	2498	26	19,22,23	1.21	2 (10%)	26,31,34	1.64	5 (19%)
26	5MU	BB	747	26	19,22,23	1.58	4 (21%)	28,32,35	2.85	8 (28%)
4	H2U	AD	21	4	18,21,22	1.57	2 (11%)	21,30,33	1.55	5 (23%)
1	2MG	AA	1207	1	18,26,27	1.67	5 (27%)	16,38,41	2.04	5 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	H2U	AB	17	2	-	1/7/38/39	0/2/2/2
26	5MC	BB	1962	26	-	1/7/25/26	0/2/2/2
26	CH	BB	2575	26	-	0/5/25/26	0/2/2/2
26	OMU	BB	2552	26	-	0/9/27/28	0/2/2/2
26	6MZ	BB	1618	26	-	0/5/27/28	0/3/3/3
26	PSU	BB	1911	26	-	1/7/25/26	0/2/2/2
4	OMC	AD	33	4	-	0/9/27/28	0/2/2/2
1	5MC	AA	967	1	-	0/7/25/26	0/2/2/2
1	2MG	AA	1516	1	-	0/5/27/28	0/3/3/3
4	4SU	AD	8	4	-	0/7/25/26	0/2/2/2
4	5MU	AD	55	4	-	0/7/25/26	0/2/2/2
26	2MG	BB	2445	26	-	0/5/27/28	0/3/3/3
1	MA6	AA	1519	1	-	0/7/29/30	0/3/3/3
1	7MG	AA	527	1	-	1/7/37/38	0/3/3/3
1	MA6	AA	1518	1	-	0/7/29/30	0/3/3/3
26	PSU	BB	2504	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	2605	26	-	3/7/25/26	0/2/2/2
2	H2U	AB	20	2	-	2/7/38/39	0/2/2/2
2	5MU	AB	54	2	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	7MG	AB	46	2	-	2/7/37/38	0/3/3/3
26	5MU	BB	1939	26	-	0/7/25/26	0/2/2/2
26	2MG	BB	1835	26	-	0/5/27/28	0/3/3/3
26	OMG	BB	2251	26	-	0/5/27/28	0/3/3/3
2	MIA	AB	37	2	-	2/11/33/34	0/3/3/3
1	5MC	AA	1407	1	-	0/7/25/26	0/2/2/2
26	PSU	BB	955	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	1917	26	-	1/7/25/26	0/2/2/2
26	2MA	BB	2503	26	-	0/3/25/26	0/3/3/3
2	OMC	AB	32	2	-	0/9/27/28	0/2/2/2
1	UR3	AA	1498	1	-	0/7/25/26	0/2/2/2
26	1MG	BB	745	26	-	0/3/25/26	0/3/3/3
1	2MG	AA	966	1	-	0/5/27/28	0/3/3/3
1	4OC	AA	1402	1	-	0/9/29/30	0/2/2/2
26	7MG	BB	2069	26	-	0/7/37/38	0/3/3/3
2	PSU	AB	55	2	-	2/7/25/26	0/2/2/2
4	PSU	AD	56	4	-	0/7/25/26	0/2/2/2
26	PSU	BB	2580	26	-	0/7/25/26	0/2/2/2
2	4SU	AB	8	2	-	5/7/25/26	0/2/2/2
26	3TD	BB	1915	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	2457	26	-	0/7/25/26	0/2/2/2
2	H2U	AB	16	2	-	0/7/38/39	0/2/2/2
26	6MZ	BB	2030	26	-	0/5/27/28	0/3/3/3
1	PSU	AA	516	1	-	4/7/25/26	0/2/2/2
26	PSU	BB	746	26	-	1/7/25/26	0/2/2/2
26	H2U	BB	2449	26	-	0/7/38/39	0/2/2/2
26	OMC	BB	2498	26	-	0/9/27/28	0/2/2/2
26	5MU	BB	747	26	-	0/7/25/26	0/2/2/2
4	H2U	AD	21	4	-	3/7/38/39	0/2/2/2
1	2MG	AA	1207	1	-	0/5/27/28	0/3/3/3

The worst 5 of 185 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	46	7MG	C8-N9	-24.11	1.32	1.46
1	AA	527	7MG	C8-N9	-21.69	1.33	1.46
26	BB	2069	7MG	C8-N9	-15.54	1.37	1.46
2	AB	37	MIA	C2-S10	-8.16	1.68	1.75
26	BB	1917	PSU	C2-N1	7.04	1.46	1.36

The worst 5 of 247 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
26	BB	747	5MU	C6-C5-C4	9.28	125.79	118.03
1	AA	516	PSU	C6-C5-C4	8.98	124.48	118.20
26	BB	2605	PSU	C6-C5-C4	8.50	124.14	118.20
26	BB	2069	7MG	N9-C8-N7	7.05	113.46	103.38
26	BB	747	5MU	C5M-C5-C6	-7.05	113.44	122.85

There are no chirality outliers.

5 of 29 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	AA	516	PSU	C2'-C1'-C5-C4
1	AA	516	PSU	C2'-C1'-C5-C6
2	AB	8	4SU	C2'-C1'-N1-C2
2	AB	8	4SU	C2'-C1'-N1-C6
26	BB	746	PSU	O4'-C1'-C5-C6

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
59	TRP	AB	101	60,2	14,15,16	1.99	3 (21%)	13,20,22	2.27	5 (38%)
60	FME	BB	3001	59	8,9,10	1.23	2 (25%)	7,9,11	1.40	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	TRP	AB	101	60,2	-	0/5/6/8	0/2/2/2
60	FME	BB	3001	59	-	2/7/9/11	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	AB	101	TRP	OXT-C	-5.01	1.21	1.42
59	AB	101	TRP	CH2-CZ2	3.05	1.43	1.36
59	AB	101	TRP	C-CA	2.83	1.57	1.52
60	BB	3001	FME	CB-CG	2.21	1.60	1.51
60	BB	3001	FME	CE-SD	2.14	1.91	1.78

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
59	AB	101	TRP	CH2-CZ3-CE3	4.81	127.18	120.44
59	AB	101	TRP	CZ3-CH2-CZ2	-3.88	115.00	120.44
59	AB	101	TRP	CE3-CD2-CE2	-2.82	114.43	118.17
59	AB	101	TRP	CZ2-CE2-CD2	2.30	124.96	120.76
59	AB	101	TRP	CD2-CE2-NE1	-2.04	103.39	107.92

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	BB	3001	FME	O1-CN-N-CA
60	BB	3001	FME	CB-CA-N-CN

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
26	BB	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	BB	2677:G	O3'	2678:C	P	1.76

6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-5364. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections (i)

6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map



X Index: 125



Y Index: 125



Z Index: 125

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map


X Index: 130


Y Index: 130


Z Index: 114

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map


X


Y


Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views (i)

6.5.1 Primary map

X Y Z

The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate (i)



The volume at the recommended contour level is 4913 nm^3; this corresponds to an approximate mass of 4438 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.074 Å^{-1}

8 Fourier-Shell correlation (i)

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-5364 and PDB model 4V6P. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay (i)



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

9.4 Atom inclusion (i)



At the recommended contour level, 99% of all backbone atoms, 100% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9950	0.0640
AA	0.9990	0.0780
AB	0.9570	0.0490
AC	0.9190	-0.0060
AD	0.9460	0.0460
AE	0.9900	0.0400
AF	0.9990	0.0530
AG	1.0000	0.0350
AH	1.0000	0.0530
AI	0.9780	0.0440
AJ	1.0000	0.0500
AK	0.9960	0.0360
AL	0.9990	0.0480
AM	1.0000	0.0260
AN	1.0000	0.0430
AO	0.9910	0.0130
AP	1.0000	0.0490
AQ	1.0000	0.0080
AR	1.0000	0.0430
AS	1.0000	0.0320
AT	1.0000	0.0420
AU	1.0000	0.0640
AV	0.9560	0.0190
AW	1.0000	0.0310
AX	0.9840	0.0110
B0	1.0000	0.0200
B1	1.0000	0.0440
B2	0.9980	0.0410
B3	1.0000	0.0340
B4	1.0000	0.0440
B5	1.0000	0.0120
B6	1.0000	-0.0200
B7	1.0000	0.0490
BA	1.0000	0.0900
BB	0.9990	0.0820

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BC	0.9240	0.0270
BD	1.0000	0.0120
BE	1.0000	0.0220
BF	1.0000	0.0580
BG	1.0000	0.0490
BH	1.0000	0.0260
BI	0.9260	0.0230
BJ	0.9490	0.0530
BK	0.9800	0.0350
BL	1.0000	0.0110
BM	0.9960	0.0340
BN	1.0000	0.0120
BO	1.0000	0.0240
BP	1.0000	0.0150
BQ	0.9980	0.0620
BR	0.9940	0.0170
BS	0.9920	0.0070
BT	1.0000	0.0430
BU	1.0000	0.0100
BV	1.0000	0.0120
BW	0.9940	0.0540
BX	1.0000	0.0680
BY	0.9810	-0.0030
BZ	1.0000	0.0140