Full wwPDB X-ray Structure Validation Report (i)

Jun 25, 2024 – 10:12 AM EDT

PDB ID	:	5VU9
Title	:	TNA polymerase, translocated product
Authors	:	Chim, N.; Chaput, J.C.
Deposited on	:	2017-05-18
Resolution	:	2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1692 (2.04-2.04)
Clashscore	141614	1773 (2.04-2.04)
Ramachandran outliers	138981	1752 (2.04-2.04)
Sidechain outliers	138945	1752 (2.04-2.04)
RSRZ outliers	127900	1672 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	774	3%, 77%, 20%, . .
2	T	16	69%, 25%, 6%
3	P	13	8%, 62%, 31%, 8%

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 7149 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	757	Total	C	N	O	S	0	0	0
			6210	4000	1052	1142	16			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	141	ALA	ASP	engineered mutation	UNP D0VWU9
A	143	ALA	GLU	engineered mutation	UNP D0VWU9
A	147	HIS	GLU	engineered mutation	UNP D0VWU9
A	485	ARG	ALA	engineered mutation	UNP D0VWU9
A	584	LYS	GLU	engineered mutation	UNP D0VWU9
A	664	ILE	GLU	engineered mutation	UNP D0VWU9

- Molecule 2 is a DNA chain called DNA template.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	T	16	Total	C	N	O	P	0	0	0
			326	156	60	94	16			

- Molecule 3 is a DNA chain called DNA/TNA hybrid primer.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	P	13	Total	C	N	O	P	0	0	0
			266	124	54	75	13			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	302	Total	O	0	0
			302	302		
4	T	27	Total	O	0	0
			27	27		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	P	18	Total	O	0	0
			18	18		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DNA polymerase

Chain A:



• Molecule 2: DNA template

Chain T:



• Molecule 3: DNA/TNA hybrid primer

Chain P:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α, β, γ	69.14Å 110.92Å 151.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.85 – 2.05 89.41 – 1.98	Depositor EDS
% Data completeness (in resolution range)	95.0 (45.85-2.05) 83.8 (89.41-1.98)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	0.51 (at 1.98Å)	Xtriage
Refinement program	PHENIX (dev_2481: ???)	Depositor
R, R_{free}	0.190 , 0.235 0.196 , 0.240	Depositor DCC
R_{free} test set	2000 reflections (2.59%)	wwPDB-VP
Wilson B-factor (Å^2)	32.0	Xtriage
Anisotropy	0.379	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.35 , 49.1	EDS
L-test for twinning[2]	$< \|L\| > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	7149	wwPDB-VP
Average B, all atoms (Å^2)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.15% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FA2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.55	2/6350 (0.0%)	0.59	3/8570 (0.0%)
2	T	0.96	0/365	1.00	1/558 (0.2%)
3	P	0.86	0/253	0.94	0/388
All	All	0.59	2/6968 (0.0%)	0.64	4/9516 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	39	TYR	CE1-CZ	-6.10	1.30	1.38
1	A	37	TYR	CE1-CZ	-5.15	1.31	1.38

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	151	GLU	N-CA-CB	6.46	122.23	110.60
1	A	151	GLU	N-CA-C	-6.13	94.45	111.00
2	T	4	DT	O5'-P-OP2	-5.46	100.79	105.70
1	A	438	GLY	N-CA-C	5.43	126.67	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6210	0	6235	127	1
2	T	326	0	181	5	0
3	P	266	0	140	5	0
4	A	302	0	0	6	0
4	P	18	0	0	0	0
4	T	27	0	0	0	0
All	All	7149	0	6556	132	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:721:ASP:H	1:A:725:HIS:HE1	1.08	0.99
1:A:721:ASP:H	1:A:725:HIS:CE1	1.82	0.96
1:A:195:LEU:HD21	1:A:230:PHE:CD1	2.05	0.92
1:A:464:LYS:HG3	1:A:483:GLN:HG3	1.59	0.84
2:T:16:DG:O6	3:P:1:DC:N4	2.11	0.83
1:A:195:LEU:HD21	1:A:230:PHE:CE1	2.16	0.79
3:P:1:DC:H4'	3:P:2:DG:OP1	1.84	0.77
1:A:721:ASP:N	1:A:725:HIS:HE1	1.81	0.76
1:A:53:LYS:O	1:A:55:THR:HG23	1.86	0.76
1:A:428:CYS:HG	1:A:442:CYS:HG	1.29	0.75
1:A:52:LYS:HE2	1:A:68:VAL:HB	1.70	0.73
1:A:428:CYS:HB2	1:A:431:TYR:CZ	2.27	0.69
1:A:55:THR:HB	1:A:63:VAL:O	1.92	0.69
1:A:47:ALA:O	1:A:51:VAL:HG23	1.94	0.68
1:A:333:LEU:HD23	1:A:344:VAL:HG13	1.76	0.67
1:A:738:LEU:O	1:A:742:GLU:HB2	1.97	0.65
1:A:590:THR:HG22	1:A:593:LYS:HB2	1.79	0.64
1:A:525:ILE:HG23	1:A:536:VAL:HG21	1.79	0.64
1:A:54:ILE:HG21	1:A:100:ILE:CG1	2.27	0.64
1:A:54:ILE:HG21	1:A:100:ILE:HG12	1.80	0.64
2:T:13:DC:H2"	2:T:14:DG:C8	2.33	0.63
1:A:610:ILE:HD11	1:A:627:LEU:HD12	1.79	0.63
1:A:55:THR:O	1:A:99:LYS:NZ	2.19	0.62
1:A:610:ILE:HG13	1:A:623:GLN:OE1	2.00	0.62
1:A:333:LEU:CD2	1:A:344:VAL:HG13	2.30	0.62
1:A:392:PRO:HB3	1:A:538:TYR:HD1	1.65	0.61
1:A:460:ARG:HG3	1:A:483:GLN:HG2	1.83	0.61
1:A:376:GLU:OE2	1:A:380:ARG:NE	2.33	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:372:PRO:HG2	1:A:377:LEU:HD13	1.82	0.61
1:A:529:GLU:HG2	1:A:534:PHE:O	1.99	0.61
1:A:398:GLU:HG3	1:A:585:ARG:HG2	1.83	0.61
1:A:149:GLY:O	1:A:150:GLU:HB2	2.02	0.60
1:A:652:LYS:HE3	1:A:757:TYR:CE2	2.36	0.60
1:A:69:GLU:OE1	4:A:802:HOH:O	2.16	0.60
1:A:726:LYS:HG3	4:A:955:HOH:O	2.02	0.59
1:A:171:ILE:HG22	1:A:190:MET:HG3	1.84	0.58
1:A:548:ILE:HB	1:A:551:ALA:HB3	1.86	0.58
1:A:463:ILE:HD13	1:A:482:ARG:HG2	1.84	0.58
1:A:294:GLU:OE2	1:A:307:ARG:NH2	2.33	0.58
1:A:653:TYR:HA	1:A:727:TYR:OH	2.03	0.58
1:A:373:ASP:OD1	1:A:375:LYS:N	2.36	0.57
1:A:360:LYS:HD2	1:A:452:LEU:HD22	1.86	0.57
1:A:372:PRO:CG	1:A:377:LEU:HD13	2.36	0.56
1:A:247:ARG:HG3	1:A:247:ARG:HH11	1.72	0.55
1:A:591:LYS:HD3	2:T:7:DG:H5"	1.88	0.55
1:A:552:ASP:O	1:A:556:VAL:HG12	2.08	0.54
1:A:360:LYS:HG2	4:A:896:HOH:O	2.07	0.54
1:A:103:HIS:ND1	1:A:104:PRO:HD2	2.21	0.54
1:A:460:ARG:NE	1:A:483:GLN:OE1	2.39	0.53
1:A:73:LYS:HE2	1:A:365:ASN:OD1	2.09	0.53
1:A:464:LYS:CG	1:A:483:GLN:HG3	2.36	0.53
1:A:58:ARG:HG3	1:A:59:HIS:H	1.74	0.52
2:T:16:DG:N1	3:P:1:DC:N3	2.43	0.52
1:A:341:LEU:HD23	1:A:341:LEU:O	2.11	0.51
1:A:548:ILE:CG2	1:A:551:ALA:HB2	2.41	0.51
1:A:676:THR:HG21	1:A:684:LYS:HZ2	1.76	0.51
1:A:561:MET:HE3	1:A:561:MET:HA	1.93	0.50
1:A:650:LEU:HD23	1:A:655:VAL:HG21	1.93	0.50
1:A:610:ILE:CD1	1:A:627:LEU:HD12	2.42	0.50
1:A:93:VAL:HB	1:A:94:PRO:HD3	1.93	0.50
1:A:649:LYS:HG2	1:A:654:GLU:OE1	2.12	0.49
1:A:710:ILE:HD13	1:A:731:TYR:HE1	1.76	0.49
1:A:392:PRO:HB3	1:A:538:TYR:CD1	2.46	0.49
1:A:650:LEU:CD2	1:A:655:VAL:HG21	2.42	0.49
1:A:658:GLU:H	1:A:658:GLU:CD	2.16	0.49
1:A:266:ARG:HD2	4:A:832:HOH:O	2.12	0.48
1:A:496:TYR:HE2	1:A:504:TRP:HB2	1.78	0.48
1:A:327:LEU:CD1	1:A:341:LEU:HD11	2.43	0.48
1:A:354:GLU:HG2	1:A:496:TYR:HE1	1.78	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:THR:HG22	1:A:62:VAL:N	2.29	0.48
1:A:548:ILE:HB	1:A:551:ALA:CB	2.44	0.48
1:A:54:ILE:HG21	1:A:100:ILE:HG13	1.94	0.47
1:A:91:GLN:O	1:A:94:PRO:HD2	2.14	0.47
1:A:552:ASP:OD1	1:A:553:ALA:N	2.46	0.47
1:A:43:LYS:HG2	1:A:107:ILE:HD11	1.97	0.47
1:A:158:LEU:HD22	1:A:299:TRP:CE2	2.50	0.46
1:A:496:TYR:CZ	1:A:502:ALA:HB1	2.49	0.46
1:A:260:LEU:O	1:A:264:ILE:HG12	2.15	0.46
1:A:174:LYS:HE3	1:A:299:TRP:CE2	2.50	0.46
1:A:520:TYR:CD2	1:A:575:LEU:HD21	2.50	0.46
1:A:463:ILE:CD1	1:A:482:ARG:HG2	2.46	0.46
1:A:676:THR:HG21	1:A:684:LYS:NZ	2.30	0.46
1:A:211:GLY:HA2	1:A:215:ASP:HB2	1.97	0.46
1:A:630:LEU:HD21	1:A:748:PHE:HE2	1.80	0.46
1:A:78:ARG:HD3	1:A:425:ARG:NH1	2.31	0.45
1:A:165:GLU:H	1:A:165:GLU:CD	2.18	0.45
1:A:207:ILE:HD13	1:A:323:GLY:HA3	1.99	0.45
1:A:173:TRP:HA	1:A:184:VAL:O	2.17	0.45
1:A:650:LEU:HD23	1:A:655:VAL:CG2	2.47	0.45
1:A:327:LEU:HD11	1:A:341:LEU:HD11	1.99	0.45
1:A:52:LYS:HE2	1:A:68:VAL:CB	2.44	0.44
1:A:470:THR:O	1:A:476:ARG:NH1	2.51	0.44
1:A:613:ARG:HG2	3:P:11:DG:OP1	2.17	0.44
1:A:366:GLU:HG3	4:A:899:HOH:O	2.18	0.44
1:A:754:ASP:HA	1:A:755:LEU:HA	1.58	0.44
1:A:80:VAL:HG12	1:A:81:GLU:N	2.34	0.43
1:A:303:GLU:O	1:A:304:ASN:HB3	2.19	0.43
1:A:605:THR:HG23	1:A:608:LEU:HD12	1.99	0.42
1:A:78:ARG:HA	1:A:78:ARG:HD2	1.79	0.42
1:A:710:ILE:HD13	1:A:731:TYR:CE1	2.54	0.42
1:A:42:LEU:HD23	1:A:47:ALA:HB3	2.01	0.42
1:A:377:LEU:HD12	1:A:377:LEU:HA	1.92	0.42
1:A:608:LEU:O	1:A:611:VAL:HG22	2.20	0.42
1:A:652:LYS:O	1:A:653:TYR:HB2	2.19	0.42
1:A:382:GLN:NE2	1:A:507:LYS:HD3	2.34	0.42
1:A:555:THR:O	1:A:559:LYS:HG2	2.19	0.42
1:A:605:THR:HG21	1:A:610:ILE:HD12	2.01	0.42
1:A:618:ILE:HG23	1:A:619:ALA:N	2.35	0.42
1:A:54:ILE:HD13	1:A:100:ILE:HA	2.02	0.42
1:A:598:ASP:OD1	1:A:598:ASP:C	2.58	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:668:ARG:HG3	1:A:669:ASP:O	2.20	0.42
1:A:54:ILE:O	1:A:55:THR:HG22	2.20	0.41
1:A:137:MET:SD	1:A:327:LEU:HD23	2.60	0.41
1:A:378:ALA:O	1:A:381:ARG:HG2	2.20	0.41
1:A:89:HIS:CG	1:A:90:PRO:HD2	2.55	0.41
1:A:164:ASP:HB2	1:A:165:GLU:OE2	2.20	0.41
1:A:552:ASP:CG	1:A:553:ALA:N	2.74	0.41
1:A:638:LYS:O	1:A:642:ILE:HG13	2.21	0.41
1:A:436:GLN:HB3	4:A:804:HOH:O	2.20	0.41
1:A:471:ILE:H	1:A:471:ILE:HD12	1.86	0.41
1:A:520:TYR:CD2	1:A:575:LEU:CD2	3.03	0.41
1:A:630:LEU:O	1:A:634:GLY:HA2	2.20	0.41
1:A:649:LYS:HE3	1:A:654:GLU:HB3	2.03	0.41
1:A:687:ALA:HA	1:A:691:VAL:O	2.20	0.41
1:A:54:ILE:C	1:A:55:THR:CG2	2.89	0.41
1:A:54:ILE:C	1:A:55:THR:HG23	2.41	0.41
1:A:706:GLY:HA3	1:A:713:ARG:HD2	2.03	0.41
2:T:4:DT:H3	3:P:13:FA2:C2	2.33	0.41
1:A:72:GLN:OE1	1:A:79:PRO:HB3	2.21	0.40
1:A:616:SER:OG	1:A:618:ILE:HG22	2.22	0.40
1:A:652:LYS:HB2	1:A:654:GLU:HG3	2.02	0.40
1:A:379:ARG:HG2	1:A:379:ARG:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:46:SER:OG	1:A:476:ARG:NH2[1_455]	1.77	0.43

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	755/774 (98%)	726 (96%)	28 (4%)	1 (0%)	51 45

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	150	GLU

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	654/673 (97%)	645 (99%)	9 (1%)	67 65

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	GLN
1	A	165	GLU
1	A	351	ASN
1	A	483	GLN
1	A	516	TRP
1	A	575	LEU
1	A	613	ARG
1	A	725	HIS
1	A	753	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	725	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	FA2	P	12	3,2	16,22,23	5.85	12 (75%)	15,32,35	3.09	6 (40%)
3	FA2	P	13	3,2	16,22,23	5.87	12 (75%)	15,32,35	3.01	6 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FA2	P	12	3,2	-	0/1/21/22	0/3/3/3
3	FA2	P	13	3,2	-	0/1/21/22	0/3/3/3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	P	12	FA2	C2-N3	13.40	1.53	1.32
3	P	13	FA2	C2-N3	12.93	1.53	1.32
3	P	13	FA2	C4-N3	9.83	1.49	1.35
3	P	12	FA2	C4-N3	9.30	1.48	1.35
3	P	13	FA2	O2'-C2'	-9.27	1.21	1.43
3	P	12	FA2	O2'-C2'	-8.84	1.22	1.43
3	P	12	FA2	C6-C5	-6.99	1.17	1.43
3	P	13	FA2	C6-C5	-6.96	1.17	1.43
3	P	12	FA2	C8-N7	-6.52	1.23	1.34
3	P	13	FA2	C8-N7	-5.38	1.25	1.34
3	P	13	FA2	C6-N1	-5.22	1.14	1.37
3	P	12	FA2	C6-N1	-5.00	1.15	1.37
3	P	13	FA2	C5-C4	4.97	1.54	1.40
3	P	13	FA2	O4'-C1'	4.74	1.48	1.41
3	P	12	FA2	C5-C4	4.39	1.52	1.40
3	P	12	FA2	O4'-C4'	4.09	1.52	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	P	12	FA2	O4'-C1'	4.06	1.47	1.41
3	P	13	FA2	O4'-C4'	3.86	1.52	1.43
3	P	12	FA2	C2'-C1'	-3.39	1.48	1.53
3	P	13	FA2	C2'-C3'	-3.30	1.44	1.53
3	P	12	FA2	C2'-C3'	-3.19	1.44	1.53
3	P	13	FA2	C6-N6	3.14	1.45	1.34
3	P	13	FA2	C2'-C1'	-3.02	1.49	1.53
3	P	12	FA2	C6-N6	2.54	1.43	1.34

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	P	12	FA2	C4-C5-N7	-7.63	101.44	109.40
3	P	13	FA2	C4-C5-N7	-6.98	102.12	109.40
3	P	13	FA2	C2-N1-C6	5.66	128.43	118.75
3	P	12	FA2	C2-N1-C6	5.06	127.42	118.75
3	P	12	FA2	C1'-N9-C4	-5.00	117.86	126.64
3	P	13	FA2	C1'-N9-C4	-4.88	118.06	126.64
3	P	12	FA2	N3-C2-N1	-4.06	122.34	128.68
3	P	13	FA2	N3-C2-N1	-3.84	122.68	128.68
3	P	12	FA2	C4'-C3'-C2'	2.84	107.23	102.28
3	P	13	FA2	C3'-C2'-C1'	2.21	104.82	99.92
3	P	13	FA2	C4'-C3'-C2'	2.11	105.97	102.28
3	P	12	FA2	C3'-C2'-C1'	2.06	104.49	99.92

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	P	13	FA2	1	0

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	757/774 (97%)	0.29	22 (2%) 51 56	26, 48, 85, 120	0
2	T	16/16 (100%)	-0.16	0 100 100	37, 48, 79, 81	0
3	P	11/13 (84%)	-0.06	1 (9%) 9 9	41, 66, 94, 112	0
All	All	784/803 (97%)	0.28	23 (2%) 51 56	26, 48, 86, 120	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	46	SER	7.5
1	A	753	GLU	6.7
1	A	54	ILE	4.9
1	A	757	TYR	4.3
1	A	754	ASP	4.2
1	A	635	ASP	4.2
1	A	150	GLU	3.7
1	A	749	GLY	3.2
1	A	548	ILE	3.2
1	A	149	GLY	3.1
1	A	471	ILE	3.0
1	A	44	ASP	2.9
1	A	751	ARG	2.9
1	A	552	ASP	2.3
1	A	379	ARG	2.3
3	P	1	DC	2.3
1	A	102	GLU	2.2
1	A	51	VAL	2.2
1	A	83	TRP	2.2
1	A	62	VAL	2.1
1	A	691	VAL	2.1
1	A	148	GLU	2.1
1	A	747	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	FA2	P	12	20/21	0.97	0.13	23,37,49,53	0
3	FA2	P	13	20/21	0.98	0.12	25,35,44,44	0

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.