



wwPDB NMR Structure Validation Summary Report (i)

Aug 9, 2020 – 06:58 PM BST

PDB ID : 6W4E
Title : NMR-driven structure of KRAS4B-GTP homodimer on a lipid bilayer nanodisc
Authors : Lee, K.; Fang, Z.; Enomoto, M.; Gasmi-Seabrook, G.M.; Zheng, L.; Marshall, C.B.; Ikura, M.
Deposited on : 2020-03-10

This is a wwPDB NMR Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see [references \(1\)](#)) were used in the production of this report:


MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : 2.13.1
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
SOLUTION NMR


The overall completeness of chemical shifts assignment is 1%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%



2 Ensemble composition and analysis i

This entry contains 20 models. Model 15 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:202-A:398, D:399-D:596 (395)	0.19	15
2	B:1-B:165, C:1-C:167 (332)	0.40	16

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 1 single-model cluster was found.

Cluster number	Models
1	1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14, 15, 16, 18, 19
2	10, 11, 20
Single-model clusters	17

3 Entry composition [\(i\)](#)

There are 6 unique types of molecules in this entry. The entry contains 12112 atoms, of which 1536 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Apolipoprotein A-I.

Mol	Chain	Residues	Atoms						Trace
1	A	198	Total	C	H	N	O	S	0
			2004	1019	381	287	314	3	

Mol	Chain	Residues	Atoms						Trace
1	D	198	Total	C	H	N	O	S	0
			2002	1019	379	287	314	3	

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	199	GLY	-	expression tag	UNP P02647
A	200	PRO	-	expression tag	UNP P02647
D	397	GLY	-	expression tag	UNP P02647
D	398	PRO	-	expression tag	UNP P02647

- Molecule 2 is a protein called GTPase KRas.


Mol	Chain	Residues	Atoms						Trace
2	B	184	Total	C	H	N	O	S	0
			1830	920	358	256	289	7	

Mol	Chain	Residues	Atoms						Trace
2	C	184	Total	C	H	N	O	S	0
			1830	920	358	256	289	7	

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	SER	-	expression tag	UNP P01116
B	12	ASP	GLY	conflict	UNP P01116
C	1	SER	-	expression tag	UNP P01116
C	12	ASP	GLY	conflict	UNP P01116

- Molecule 3 is 1,2-DIOLEOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PCW) (formula: C₄₄H₈₅NO₈P).



Continued on next page...

Continued from previous page...

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				
3	D	1	Total	C	N	O	P
			54	44	1	8	1
3	D	1	Total	C	N	O	P
			54	44	1	8	1
3	D	1	Total	C	N	O	P
			54	44	1	8	1
3	D	1	Total	C	N	O	P
			54	44	1	8	1
3	D	1	Total	C	N	O	P
			54	44	1	8	1
3	D	1	Total	C	N	O	P
			54	44	1	8	1
3	D	1	Total	C	N	O	P
			54	44	1	8	1
3	D	1	Total	C	N	O	P
			54	44	1	8	1
3	D	1	Total	C	N	O	P
			54	44	1	8	1
3	B	1	Total	C	N	O	P
			54	44	1	8	1
3	B	1	Total	C	N	O	P
			54	44	1	8	1
3	B	1	Total	C	N	O	P
			54	44	1	8	1
3	B	1	Total	C	N	O	P
			54	44	1	8	1
3	B	1	Total	C	N	O	P
			54	44	1	8	1
3	B	1	Total	C	N	O	P
			54	44	1	8	1
3	C	1	Total	C	N	O	P
			54	44	1	8	1
3	C	1	Total	C	N	O	P
			54	44	1	8	1
3	C	1	Total	C	N	O	P
			54	44	1	8	1
3	C	1	Total	C	N	O	P
			54	44	1	8	1

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				
3	C	1	Total	C	N	O	P
			54	44	1	8	1
3	C	1	Total	C	N	O	P
			54	44	1	8	1
3	C	1	Total	C	N	O	P
			54	44	1	8	1
3	C	1	Total	C	N	O	P
			54	44	1	8	1
3	C	1	Total	C	N	O	P
			54	44	1	8	1
3	C	1	Total	C	N	O	P
			54	44	1	8	1
3	C	1	Total	C	N	O	P
			54	44	1	8	1
3	C	1	Total	C	N	O	P
			54	44	1	8	1
3	C	1	Total	C	N	O	P
			54	44	1	8	1
3	C	1	Total	C	N	O	P
			54	44	1	8	1

- Molecule 4 is O-[(S)-({(2R)-2,3-bis[(9Z)-octadec-9-enyloxy]propyl}oxy)(hydroxy)phosphoryl]-L-serine (three-letter code: 17F) (formula: C₄₂H₇₈NO₁₀P).




Mol	Chain	Residues	Atoms				
4	A	1	Total	C	H	N	O
			57	42	3	1	10
4	A	1	Total	C	H	N	O
			57	42	3	1	10
4	A	1	Total	C	H	N	O
			57	42	3	1	10
4	A	1	Total	C	H	N	O
			57	42	3	1	10

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					
4	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
4	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
4	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
4	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
4	D	1	Total	C	H	N	O	P
			57	42	3	1	10	1
4	B	1	Total	C	H	N	O	P
			57	42	3	1	10	1
4	B	1	Total	C	H	N	O	P
			57	42	3	1	10	1
4	B	1	Total	C	H	N	O	P
			57	42	3	1	10	1
4	C	1	Total	C	H	N	O	P
			57	42	3	1	10	1
4	C	1	Total	C	H	N	O	P
			57	42	3	1	10	1
4	C	1	Total	C	H	N	O	P
			57	42	3	1	10	1
4	C	1	Total	C	H	N	O	P
			57	42	3	1	10	1
4	C	1	Total	C	H	N	O	P
			57	42	3	1	10	1

- Molecule 5 is 5'-GUANOSINE-DIPHOSPHATE-MONOTHIOPHOSPHATE (three-letter code: GSP) (formula: C₁₀H₁₆N₅O₁₃P₃S).



Mol	Chain	Residues	Atoms						
			Total	C	H	N	O	P	S
5	B	1	38	10	6	5	13	3	1
5	C	1	38	10	6	5	13	3	1

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	
6	B	1	Total	Mg
			1	1
6	C	1	Total	Mg
			1	1

4 Residue-property plots ⓘ


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: Apolipoprotein A-I




- Molecule 1: Apolipoprotein A-I



- Molecule 2: GTPase KRas



- Molecule 2: GTPase KRas



4.2 Residue scores for the representative (medoid) model from the NMR ensemble

The representative model is number 15. Colouring as in section 4.1 above.

- Molecule 1: Apolipoprotein A-I

Chain A:



- Molecule 1: Apolipoprotein A-I

Chain D:



- Molecule 2: GTPase KRas

Chain B:



- Molecule 2: GTPase KRas

Chain C:



5 Refinement protocol and experimental data overview i

The models were refined using the following method: *simulated annealing*.

Of the 3000 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
HADDOCK	refinement	
HADDOCK	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section [7](#) of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	154
Number of shifts mapped to atoms	154
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	1%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality [\(i\)](#)

6.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GSP, MG, PCW, 17F

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1615	380	1616	24±4
1	D	1623	379	1626	21±4
2	B	1315	302	1290	18±4
2	C	1334	308	1310	20±3
3	A	1026	0	1520	362±21
3	B	324	0	480	159±15
3	C	648	0	960	324±22
3	D	1458	0	2160	557±21
4	A	162	9	228	62±11
4	B	162	9	228	69±10
4	C	270	15	380	109±13
4	D	270	15	380	106±15
5	B	32	6	12	9±3
5	C	32	6	12	9±2
6	B	1	0	0	1±0
6	C	1	0	0	1±0
All	All	205460	28580	244046	27079

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 60.

5 of 9929 unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
3:D:626:PCW:C20	3:D:626:PCW:H251	1.20	1.67	15	1
3:A:414:PCW:H432	3:A:414:PCW:H472	1.16	1.18	16	8
3:A:409:PCW:C19	3:A:409:PCW:H142	1.15	1.72	14	10
3:A:420:PCW:H372	3:D:618:PCW:H431	1.15	1.16	18	18
3:D:624:PCW:H20	3:D:624:PCW:H241	1.15	1.17	10	11

6.3 Torsion angles [\(i\)](#)

6.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	196/200 (98%)	191±1 (97±1%)	4±1 (2±1%)	1±0 (1±0%)	32 76
1	D	196/200 (98%)	190±1 (97±1%)	5±1 (3±1%)	0±0 (0±0%)	54 85
2	B	164/185 (89%)	154±2 (94±1%)	10±2 (6±1%)	0±1 (0±0%)	50 82
2	C	166/185 (90%)	158±2 (95±1%)	8±2 (5±1%)	0±0 (0±0%)	54 85
All	All	14440/15400 (94%)	13864 (96%)	542 (4%)	34 (0%)	50 82

5 of 9 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	365	LYS	20
2	B	37	GLU	3
1	D	420	GLY	3
1	D	498	PRO	2
2	C	37	GLU	2

6.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	173/175 (99%)	162±3 (93±1%)	12±3 (7±1%)	20 69
1	D	174/175 (99%)	161±2 (93±1%)	13±2 (7±1%)	18 66
2	B	146/165 (88%)	131±3 (90±2%)	15±3 (10±2%)	11 56
2	C	148/165 (90%)	135±3 (91±2%)	13±3 (9±2%)	13 59
All	All	12820/13600 (94%)	11771 (92%)	1049 (8%)	15 62

5 of 232 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	D	550	LYS	18
1	A	272	TYR	17
2	B	2	THR	16
2	B	87	THR	16
1	A	254	VAL	15

6.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [\(i\)](#)

Of 84 ligands modelled in this entry, 2 are monoatomic - leaving 82 for Mogul analysis.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
3	PCW	C	208	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	A	419	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	602	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	615	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	C	211	-	53,53,53	0.81±0.00	0±0 (0±0%)
4	17F	C	215	-	50,53,53	0.78±0.00	0±0 (0±0%)
3	PCW	C	212	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	D	604	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	614	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	C	204	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	C	216	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	A	402	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	A	417	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	D	607	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	C	217	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	A	405	-	53,53,53	0.81±0.00	0±0 (0±0%)
4	17F	B	209	-	50,53,53	0.78±0.00	0±0 (0±0%)
3	PCW	D	620	-	53,53,53	0.80±0.00	0±0 (0±0%)
4	17F	D	629	-	50,53,53	0.78±0.00	0±0 (0±0%)
4	17F	C	219	-	50,53,53	0.78±0.00	0±0 (0±0%)
3	PCW	A	404	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	606	-	53,53,53	0.81±0.00	0±0 (0±0%)
4	17F	C	213	-	50,53,53	0.78±0.00	0±0 (0±0%)
4	17F	A	415	-	50,53,53	0.78±0.00	0±0 (0±0%)
3	PCW	D	627	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	A	421	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	610	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	611	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	A	418	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	A	412	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	A	401	-	53,53,53	0.80±0.00	0±0 (0±0%)
4	17F	D	630	-	50,53,53	0.78±0.00	0±0 (0±0%)
3	PCW	A	403	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	C	210	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	603	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	619	-	53,53,53	0.80±0.00	0±0 (0±0%)
4	17F	D	632	-	50,53,53	0.78±0.00	0±0 (0±0%)
3	PCW	D	609	-	53,53,53	0.80±0.00	0±0 (0±0%)
4	17F	A	416	-	50,53,53	0.78±0.00	0±0 (0±0%)
5	GSP	B	201	-	26,34,34	1.41±0.00	0±0 (0±0%)
3	PCW	C	207	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	A	409	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	A	408	-	53,53,53	0.81±0.00	0±0 (0±0%)

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
3	PCW	A	410	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	C	209	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	C	206	-	53,53,53	0.80±0.00	0±0 (0±0%)
4	17F	B	210	-	50,53,53	0.78±0.00	0±0 (0±0%)
3	PCW	D	618	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	617	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	D	622	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	D	608	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	B	207	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	C	205	-	53,53,53	0.81±0.00	0±0 (0±0%)
4	17F	C	218	-	50,53,53	0.78±0.00	0±0 (0±0%)
3	PCW	A	406	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	B	206	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	A	411	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	B	203	-	53,53,53	0.81±0.00	0±0 (0±0%)
5	GSP	C	201	6	26,34,34	1.39±0.00	0±0 (0±0%)
3	PCW	A	414	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	601	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	D	612	-	53,53,53	0.80±0.00	0±0 (0±0%)
4	17F	C	214	-	50,53,53	0.78±0.00	0±0 (0±0%)
4	17F	D	631	-	50,53,53	0.78±0.00	0±0 (0±0%)
3	PCW	D	626	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	A	407	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	A	413	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	623	-	53,53,53	0.81±0.00	0±0 (0±0%)
3	PCW	D	624	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	C	203	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	B	208	-	53,53,53	0.80±0.00	0±0 (0±0%)
4	17F	D	628	-	50,53,53	0.78±0.00	0±0 (0±0%)
4	17F	B	211	-	50,53,53	0.78±0.00	0±0 (0±0%)
3	PCW	D	625	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	616	-	53,53,53	0.80±0.00	0±0 (0±0%)
4	17F	A	422	-	50,53,53	0.78±0.00	0±0 (0±0%)
3	PCW	D	605	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	621	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	A	420	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	B	204	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	D	613	-	53,53,53	0.80±0.00	0±0 (0±0%)
3	PCW	B	205	-	53,53,53	0.81±0.00	0±0 (0±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types,

if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
3	PCW	C	208	-	59,61,61	2.64±0.00	1±0 (1±0%)
3	PCW	A	419	-	59,61,61	2.65±0.00	1±0 (1±0%)
3	PCW	D	602	-	59,61,61	2.62±0.00	1±0 (1±0%)
3	PCW	D	615	-	59,61,61	2.64±0.00	1±0 (1±0%)
3	PCW	C	211	-	59,61,61	2.63±0.00	1±0 (1±0%)
4	17F	C	215	-	52,60,60	1.24±0.00	0±0 (0±0%)
3	PCW	C	212	-	59,61,61	2.65±0.00	1±0 (1±0%)
3	PCW	D	604	-	59,61,61	2.62±0.00	1±0 (1±0%)
3	PCW	D	614	-	59,61,61	2.64±0.00	1±0 (1±0%)
3	PCW	C	204	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	C	216	-	59,61,61	2.71±0.00	1±0 (1±0%)
3	PCW	A	402	-	59,61,61	2.64±0.00	1±0 (1±0%)
3	PCW	A	417	-	59,61,61	2.61±0.00	1±0 (1±0%)
3	PCW	D	607	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	C	217	-	59,61,61	2.64±0.00	1±0 (1±0%)
3	PCW	A	405	-	59,61,61	2.64±0.00	1±0 (1±0%)
4	17F	B	209	-	52,60,60	1.11±0.00	0±0 (0±0%)
3	PCW	D	620	-	59,61,61	2.63±0.00	1±0 (1±0%)
4	17F	D	629	-	52,60,60	1.10±0.00	0±0 (0±0%)
4	17F	C	219	-	52,60,60	1.13±0.00	0±0 (0±0%)
3	PCW	A	404	-	59,61,61	2.62±0.00	1±0 (1±0%)
3	PCW	D	606	-	59,61,61	2.64±0.00	1±0 (1±0%)
4	17F	C	213	-	52,60,60	1.13±0.00	0±0 (0±0%)
4	17F	A	415	-	52,60,60	1.37±0.00	0±0 (0±0%)
3	PCW	D	627	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	A	421	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	D	610	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	D	611	-	59,61,61	2.65±0.00	1±0 (1±0%)
3	PCW	A	418	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	A	412	-	59,61,61	2.64±0.00	1±0 (1±0%)
3	PCW	A	401	-	59,61,61	2.64±0.00	1±0 (1±0%)
4	17F	D	630	-	52,60,60	1.33±0.00	0±0 (0±0%)

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
3	PCW	A	403	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	C	210	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	D	603	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	D	619	-	59,61,61	2.65±0.00	1±0 (1±0%)
4	17F	D	632	-	52,60,60	1.13±0.00	0±0 (0±0%)
3	PCW	D	609	-	59,61,61	2.63±0.00	1±0 (1±0%)
4	17F	A	416	-	52,60,60	1.19±0.00	0±0 (0±0%)
5	GSP	B	201	-	28,54,54	1.96±0.00	0±0 (0±0%)
3	PCW	C	207	-	59,61,61	2.62±0.00	1±0 (1±0%)
3	PCW	A	409	-	59,61,61	2.62±0.00	1±0 (1±0%)
3	PCW	A	408	-	59,61,61	2.62±0.00	1±0 (1±0%)
3	PCW	A	410	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	C	209	-	59,61,61	2.62±0.00	1±0 (1±0%)
3	PCW	C	206	-	59,61,61	2.66±0.00	1±0 (1±0%)
4	17F	B	210	-	52,60,60	1.13±0.00	0±0 (0±0%)
3	PCW	D	618	-	59,61,61	2.65±0.00	1±0 (1±0%)
3	PCW	D	617	-	59,61,61	2.62±0.00	1±0 (1±0%)
3	PCW	D	622	-	59,61,61	2.60±0.00	1±0 (1±0%)
3	PCW	D	608	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	B	207	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	C	205	-	59,61,61	2.65±0.00	1±0 (1±0%)
4	17F	C	218	-	52,60,60	1.11±0.00	0±0 (0±0%)
3	PCW	A	406	-	59,61,61	2.64±0.00	1±0 (1±0%)
3	PCW	B	206	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	A	411	-	59,61,61	2.66±0.00	1±0 (1±0%)
3	PCW	B	203	-	59,61,61	2.64±0.00	1±0 (1±0%)
5	GSP	C	201	6	28,54,54	1.94±0.00	0±0 (0±0%)
3	PCW	A	414	-	59,61,61	2.63±0.00	1±0 (1±0%)
3	PCW	D	601	-	59,61,61	2.65±0.00	1±0 (1±0%)
3	PCW	D	612	-	59,61,61	2.63±0.00	1±0 (1±0%)
4	17F	C	214	-	52,60,60	1.10±0.00	0±0 (0±0%)
4	17F	D	631	-	52,60,60	1.11±0.00	0±0 (0±0%)
3	PCW	D	626	-	59,61,61	2.66±0.00	1±0 (1±0%)
3	PCW	A	407	-	59,61,61	2.60±0.00	1±0 (1±0%)
3	PCW	A	413	-	59,61,61	2.64±0.00	1±0 (1±0%)
3	PCW	D	623	-	59,61,61	2.65±0.00	1±0 (1±0%)

Mol	Type	Chain	Res	Link	Counts	Bond angles		
						RMSZ	#Z>2	
3	PCW	D	624	-	59,61,61	2.61±0.00	1±0 (1±0%)	
3	PCW	C	203	-	59,61,61	2.64±0.00	1±0 (1±0%)	
3	PCW	B	208	-	59,61,61	2.63±0.00	1±0 (1±0%)	
4	17F	D	628	-	52,60,60	1.13±0.00	0±0 (0±0%)	
4	17F	B	211	-	52,60,60	1.18±0.00	0±0 (0±0%)	
3	PCW	D	625	-	59,61,61	2.63±0.00	1±0 (1±0%)	
3	PCW	D	616	-	59,61,61	2.65±0.00	1±0 (1±0%)	
4	17F	A	422	-	52,60,60	1.12±0.00	0±0 (0±0%)	
3	PCW	D	605	-	59,61,61	2.67±0.00	1±0 (1±0%)	
3	PCW	D	621	-	59,61,61	2.63±0.00	1±0 (1±0%)	
3	PCW	A	420	-	59,61,61	2.64±0.00	1±0 (1±0%)	
3	PCW	B	204	-	59,61,61	2.63±0.00	1±0 (1±0%)	
3	PCW	D	613	-	59,61,61	2.63±0.00	1±0 (1±0%)	
3	PCW	B	205	-	59,61,61	2.71±0.00	1±0 (1±0%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PCW	D	615	-	-	0±0,57,57,57	-
3	PCW	A	404	-	-	0±0,57,57,57	-
3	PCW	A	419	-	-	0±0,57,57,57	-
4	17F	C	214	-	-	0±0,55,59,59	-
3	PCW	C	217	-	-	0±0,57,57,57	-
3	PCW	D	626	-	-	0±0,57,57,57	-
3	PCW	D	623	-	-	0±0,57,57,57	-
3	PCW	D	625	-	-	0±0,57,57,57	-
4	17F	A	422	-	-	0±0,55,59,59	-
3	PCW	B	208	-	-	0±0,57,57,57	-
4	17F	A	415	-	-	0±0,55,59,59	-
3	PCW	C	204	-	-	0±0,57,57,57	-
3	PCW	A	413	-	-	0±0,57,57,57	-
3	PCW	D	609	-	-	0±0,57,57,57	-
3	PCW	D	606	-	-	0±0,57,57,57	-
3	PCW	D	627	-	-	0±0,57,57,57	-
3	PCW	A	401	-	-	0±0,57,57,57	-
3	PCW	D	620	-	-	0±0,57,57,57	-
3	PCW	D	616	-	-	0±0,57,57,57	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PCW	C	209	-	-	0±0,57,57,57	-
3	PCW	C	206	-	-	0±0,57,57,57	-
3	PCW	D	607	-	-	0±0,57,57,57	-
4	17F	D	630	-	-	0±0,55,59,59	-
3	PCW	A	405	-	-	0±0,57,57,57	-
3	PCW	A	403	-	-	0±0,57,57,57	-
3	PCW	D	621	-	-	0±0,57,57,57	-
4	17F	B	210	-	-	1±0,55,59,59	-
3	PCW	D	603	-	-	0±0,57,57,57	-
3	PCW	D	612	-	-	0±0,57,57,57	-
3	PCW	D	624	-	-	0±0,57,57,57	-
3	PCW	D	619	-	-	0±0,57,57,57	-
4	17F	C	213	-	-	0±0,55,59,59	-
3	PCW	B	207	-	-	0±0,57,57,57	-
3	PCW	C	210	-	-	0±0,57,57,57	-
3	PCW	A	409	-	-	0±0,57,57,57	-
3	PCW	C	207	-	-	0±0,57,57,57	-
3	PCW	A	420	-	-	0±0,57,57,57	-
3	PCW	A	406	-	-	0±0,57,57,57	-
3	PCW	C	212	-	-	0±0,57,57,57	-
4	17F	D	628	-	-	0±0,55,59,59	-
3	PCW	D	613	-	-	0±0,57,57,57	-
4	17F	A	416	-	-	0±0,55,59,59	-
4	17F	D	629	-	-	0±0,55,59,59	-
3	PCW	C	216	-	-	0±0,57,57,57	-
4	17F	D	631	-	-	0±0,55,59,59	-
3	PCW	A	402	-	-	0±0,57,57,57	-
3	PCW	B	205	-	-	0±0,57,57,57	-
3	PCW	D	610	-	-	0±0,57,57,57	-
3	PCW	D	601	-	-	0±0,57,57,57	-
3	PCW	A	411	-	-	0±0,57,57,57	-
3	PCW	A	412	-	-	0±0,57,57,57	-
3	PCW	D	604	-	-	0±0,57,57,57	-
4	17F	C	219	-	-	0±0,55,59,59	-
3	PCW	B	203	-	-	0±0,57,57,57	-
3	PCW	C	203	-	-	0±0,57,57,57	-
3	PCW	D	605	-	-	0±0,57,57,57	-
3	PCW	A	418	-	-	0±0,57,57,57	-
4	17F	B	209	-	-	0±0,55,59,59	-
3	PCW	C	208	-	-	0±0,57,57,57	-
3	PCW	A	410	-	-	0±0,57,57,57	-
3	PCW	D	611	-	-	0±0,57,57,57	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PCW	C	205	-	-	0±0,57,57,57	-
5	GSP	C	201	6	-	0±0,17,38,38	0±0,3,3,3
4	17F	D	632	-	-	0±0,55,59,59	-
3	PCW	A	408	-	-	0±0,57,57,57	-
3	PCW	A	417	-	-	0±0,57,57,57	-
3	PCW	A	421	-	-	0±0,57,57,57	-
3	PCW	B	204	-	-	0±0,57,57,57	-
4	17F	B	211	-	-	0±0,55,59,59	-
3	PCW	D	622	-	-	0±0,57,57,57	-
3	PCW	C	211	-	-	0±0,57,57,57	-
3	PCW	A	407	-	-	0±0,57,57,57	-
4	17F	C	218	-	-	1±0,55,59,59	-
3	PCW	D	602	-	-	0±0,57,57,57	-
3	PCW	D	618	-	-	0±0,57,57,57	-
3	PCW	B	206	-	-	0±0,57,57,57	-
3	PCW	D	608	-	-	0±0,57,57,57	-
5	GSP	B	201	-	-	0±0,17,38,38	0±0,3,3,3
4	17F	C	215	-	-	1±0,55,59,59	-
3	PCW	D	617	-	-	0±0,57,57,57	-
3	PCW	D	614	-	-	0±0,57,57,57	-
3	PCW	A	414	-	-	0±0,57,57,57	-

There are no bond-length outliers.

5 of 64 unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
3	D	603	PCW	C8-N-C7	18.06	62.54	108.97	11	20
3	D	618	PCW	C8-N-C7	18.05	62.57	108.97	10	20
3	D	624	PCW	C8-N-C7	18.05	62.57	108.97	15	20
3	D	621	PCW	C8-N-C7	18.05	62.57	108.97	13	20
3	A	421	PCW	C8-N-C7	18.05	62.57	108.97	4	20


There are no chirality outliers.


All unique torsion outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.


Mol	Chain	Res	Type	Atoms	Models (Total)
4	C	215	17F	O10-C17-O9-C5	20
4	B	210	17F	O10-C17-O9-C5	20
4	C	218	17F	O10-C17-O9-C5	20


There are no ring outliers.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.













































































































































































































































6.7 Other polymers (i)

There are no such molecules in this entry.

6.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

7 Chemical shift validation (i)

The completeness of assignment taking into account all chemical shift lists is 1% for the well-defined parts and 1% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_0*

7.1.1 Bookkeeping (i)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	154
Number of shifts mapped to atoms	154
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing (i)

No chemical shift referencing corrections were calculated (not enough data).

7.1.3 Completeness of resonance assignments (i)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 1%, i.e. 92 atoms were assigned a chemical shift out of a possible 9261. 0 out of 133 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	14/3591 (0%)	7/1432 (0%)	0/1454 (0%)	7/705 (1%)
Sidechain	78/5071 (2%)	31/2965 (1%)	47/1847 (3%)	0/259 (0%)
Aromatic	0/599 (0%)	0/318 (0%)	0/256 (0%)	0/25 (0%)
Overall	92/9261 (1%)	38/4715 (1%)	47/3557 (1%)	7/989 (1%)

7.1.4 Statistically unusual chemical shifts (i)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [\(i\)](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain B:

