



Full wwPDB EM Validation Report ⓘ

Jun 2, 2026 – 12:11 AM JST

PDB ID : 9XMM / pdb_00009xmm
EMDB ID : EMD-67027
Title : Cryo-EM structure of Integrin alpha V beta 6 complex with a bicyclic inhibitory peptide
Authors : Wang, J.C.; An, Y.N.
Deposited on : 2025-11-11
Resolution : 2.88 Å(reported)
Based on initial model : 5FFO

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : **NOT EXECUTED**
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	229148	23984
Ramachandran outliers	224038	23583
Sidechain outliers	223484	23102

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	595	
2	B	474	
3	E	9	
4	C	2	
5	D	4	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
9	MN	B	2002	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 10651 atoms, of which 5204 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Integrin alpha-V heavy chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	440	Total	C	H	N	O	S	0	0
			6574	2143	3193	565	659	14		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	400	GLY	MET	conflict	UNP P06756
A	401	CYS	-	insertion	UNP P06756

- Molecule 2 is a protein called Integrin beta-6.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	B	241	Total	C	H	N	O	S	0	0
			3742	1204	1859	301	367	11		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	270	CYS	ILE	engineered mutation	UNP P18564

- Molecule 3 is a protein called ALA-TRP-ARG-GLY-ASP-CHG-CYS-ASN-PRO.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	E	9	Total	C	H	N	O	S	0	0
			134	46	61	14	12	1		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					AltConf	Trace
4	C	2	Total	C	H	N	O	0	0
			53	16	25	2	10		

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					AltConf	Trace
5	D	4	Total	C	H	N	O	0	0
			93	28	43	2	20		

- Molecule 6 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		AltConf
6	A	4	Total	Ca	0
			4	4	

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms					AltConf
7	A	1	Total	C	H	N	O	0
			27	8	13	1	5	


- Molecule 8 is alpha-D-mannopyranose (CCD ID: MAN) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	H	O	
8	A	1	21	6	10	5	0

- Molecule 9 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mn	
9	B	3	3	3	0

Chain E:  33% 22% 44%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  50% 50%



- Molecule 5: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  75% 25%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	273385	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	0.572	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, CA, NAG, MN, CHG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.19	0/3463	0.39	0/4691
2	B	0.29	1/1922 (0.1%)	0.38	0/2607
3	E	0.50	0/64	2.99	3/85 (3.5%)
All	All	0.24	1/5449 (0.0%)	0.50	3/7383 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	E	0	7

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	219	ILE	C-N	8.71	1.45	1.33

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	1	ALA	CA-C-N	16.27	150.98	121.70
3	E	1	ALA	C-N-CA	16.27	150.98	121.70
3	E	1	ALA	O-C-N	-14.00	100.60	123.00

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	E	1	ALA	Peptide
3	E	3	ARG	Sidechain,Peptide
3	E	4	GLY	Peptide
3	E	6	CHG	Peptide
3	E	7	CYS	Peptide
3	E	8	ASN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3381	3193	3196	57	0
2	B	1883	1859	1857	30	0
3	E	73	61	64	0	0
4	C	28	25	25	3	0
5	D	50	43	43	0	0
6	A	4	0	0	0	0
7	A	14	13	13	0	0
8	A	11	10	10	0	0
9	B	3	0	0	2	0
All	All	5447	5204	5208	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:GLU:OE1	1:A:432:ARG:NH2	2.04	0.91
1:A:294:PHE:CE1	1:A:317:VAL:HG13	2.17	0.79
1:A:190:GLU:OE2	1:A:205:ASN:N	2.21	0.73
1:A:414:ASP:OD2	1:A:419:GLY:N	2.27	0.66
2:B:233:ALA:O	2:B:305:ASN:ND2	2.31	0.64
2:B:127:SER:OG	9:B:2002:MN:MN	1.54	0.64
4:C:1:NAG:O7	4:C:1:NAG:O3	2.15	0.63
1:A:248:ARG:O	1:A:249:THR:OG1	2.16	0.63
4:C:1:NAG:O4	4:C:2:NAG:O7	2.17	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:121:LEU:HD11	2:B:228:ALA:HB1	1.82	0.60
1:A:108:CYS:SG	1:A:161:ILE:HG21	2.41	0.60
1:A:294:PHE:HE1	1:A:317:VAL:HG13	1.61	0.60
2:B:197:LEU:HD23	2:B:198:PRO:O	2.03	0.58
1:A:349:ASP:OD2	1:A:353:ASP:N	2.36	0.58
1:A:24:ASP:OD2	1:A:100:SER:N	2.37	0.57
2:B:337:GLN:NE2	2:B:339:ASP:O	2.38	0.57
2:B:170:LYS:HB2	2:B:175:GLU:CD	2.30	0.56
1:A:37:LEU:CD1	1:A:105:ILE:HD12	2.37	0.55
1:A:141:PRO:HB2	1:A:184:ILE:HD13	1.87	0.54
1:A:183:LEU:HD11	1:A:241:SER:HB2	1.89	0.54
2:B:239:ILE:HD11	2:B:241:TRP:NE1	2.23	0.54
1:A:344:ILE:HG22	1:A:358:ILE:HD11	1.90	0.53
1:A:347:LEU:HD21	1:A:350:LEU:HD11	1.91	0.53
1:A:276:PHE:CE1	1:A:295:ILE:HG21	2.44	0.53
1:A:64:THR:O	1:A:65:ARG:HB2	2.07	0.53
1:A:130:LEU:HD21	1:A:188:VAL:HG13	1.90	0.52
1:A:19:PHE:CE2	1:A:38:VAL:HG11	2.44	0.52
1:A:56:VAL:O	1:A:56:VAL:HG13	2.09	0.52
1:A:253:VAL:HG12	1:A:267:PHE:HB2	1.91	0.52
2:B:199:LEU:HD23	2:B:239:ILE:O	2.10	0.52
2:B:197:LEU:HD12	2:B:209:ILE:HD12	1.91	0.51
1:A:140:ALA:HB1	1:A:143:ARG:HB2	1.92	0.51
1:A:361:ALA:HB2	1:A:409:MET:HE2	1.92	0.51
1:A:115:ARG:NE	1:A:120:GLN:OE1	2.41	0.50
2:B:199:LEU:HD21	2:B:240:GLY:O	2.12	0.50
1:A:210:THR:CG2	1:A:261:MET:HE2	2.41	0.50
1:A:257:ASP:HB2	1:A:264:LEU:HD11	1.93	0.50
2:B:230:MET:O	2:B:234:VAL:HG22	2.12	0.49
1:A:351:ASP:OD1	1:A:351:ASP:N	2.46	0.48
1:A:352:GLN:NE2	1:A:419:GLY:O	2.47	0.48
1:A:3:LEU:HG	1:A:350:LEU:HD13	1.96	0.48
2:B:156:GLY:HA2	2:B:197:LEU:HD22	1.96	0.47
1:A:286:ASN:ND2	1:A:288:ASP:OD2	2.47	0.47
2:B:116:VAL:HG11	2:B:146:MET:HE3	1.96	0.47
2:B:230:MET:HE3	2:B:274:GLY:HA2	1.97	0.47
1:A:349:ASP:HB3	1:A:356:ASN:HA	1.96	0.47
2:B:126:ALA:N	2:B:216:SER:O	2.47	0.47
2:B:118:LEU:HD13	2:B:142:LEU:HD21	1.97	0.46
1:A:257:ASP:OD1	1:A:258:GLY:N	2.49	0.46
1:A:241:SER:C	1:A:253:VAL:HG23	2.41	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:ARG:NH2	1:A:87:GLU:OE1	2.50	0.45
2:B:277:HIS:ND1	2:B:286:MET:SD	2.90	0.45
1:A:291:ALA:O	1:A:320:GLN:NE2	2.45	0.45
1:A:222:LEU:HA	1:A:243:VAL:HG22	1.99	0.45
2:B:135:ILE:HD12	2:B:252:VAL:HG11	1.99	0.45
2:B:234:VAL:HG23	2:B:235:CYS:N	2.32	0.45
1:A:115:ARG:NH1	1:A:116:THR:O	2.51	0.44
2:B:123:ASP:C	2:B:124:LEU:HD22	2.42	0.44
1:A:422:ASP:OD1	1:A:438:ALA:N	2.45	0.44
1:A:28:PRO:O	1:A:29:SER:C	2.60	0.44
2:B:195:HIS:CE1	2:B:239:ILE:HG22	2.53	0.44
1:A:299:LEU:CD1	2:B:261:MET:HE1	2.49	0.43
1:A:416:ASP:OD1	1:A:416:ASP:N	2.51	0.43
2:B:127:SER:HG	9:B:2002:MN:MN	1.38	0.43
1:A:276:PHE:CZ	1:A:295:ILE:HG21	2.53	0.43
2:B:245:SER:OG	2:B:246:LEU:N	2.52	0.43
1:A:253:VAL:CG1	1:A:267:PHE:HB2	2.48	0.43
1:A:183:LEU:HD11	1:A:241:SER:CB	2.49	0.43
2:B:322:GLU:HA	2:B:333:VAL:HG21	2.01	0.43
1:A:66:ARG:NE	1:A:68:GLN:OE1	2.51	0.43
1:A:275:TYR:HE2	1:A:278:PHE:CD1	2.37	0.43
2:B:272:ASN:HA	2:B:290:LEU:HD12	2.00	0.43
2:B:221:THR:N	2:B:222:PRO:HD2	2.33	0.42
1:A:294:PHE:HD2	1:A:358:ILE:CD1	2.32	0.42
1:A:361:ALA:HB2	1:A:409:MET:CE	2.49	0.42
2:B:170:LYS:HE2	2:B:219:ILE:HD11	2.01	0.42
1:A:416:ASP:CG	1:A:418:ASN:ND2	2.77	0.42
1:A:250:LEU:HD23	1:A:250:LEU:O	2.19	0.42
1:A:26:PHE:CD1	1:A:105:ILE:HD11	2.54	0.42
2:B:170:LYS:HD2	2:B:175:GLU:OE2	2.20	0.42
2:B:201:ASN:OD1	2:B:201:ASN:O	2.38	0.42
1:A:372:ILE:HG22	1:A:373:VAL:N	2.35	0.41
1:A:247:ALA:HB2	1:A:252:MET:CE	2.50	0.41
1:A:108:CYS:SG	1:A:161:ILE:HD13	2.61	0.41
1:A:329:THR:HG22	1:A:330:LYS:N	2.36	0.41
1:A:210:THR:HG23	1:A:261:MET:HE2	2.02	0.41
1:A:222:LEU:HD13	1:A:243:VAL:CG2	2.51	0.41
4:C:1:NAG:HO3	4:C:1:NAG:C7	2.26	0.40
1:A:252:MET:HB2	1:A:267:PHE:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	436/595 (73%)	415 (95%)	21 (5%)	0	100	100
2	B	239/474 (50%)	231 (97%)	8 (3%)	0	100	100
3	E	6/9 (67%)	4 (67%)	0	2 (33%)	0	0
All	All	681/1078 (63%)	650 (95%)	29 (4%)	2 (0%)	37	62

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	E	7	CYS
3	E	8	ASN

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	351/487 (72%)	351 (100%)	0	100	100
2	B	214/413 (52%)	213 (100%)	1 (0%)	81	93
3	E	6/6 (100%)	5 (83%)	1 (17%)	2	6
All	All	571/906 (63%)	569 (100%)	2 (0%)	81	94

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	218	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	E	3	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	92	GLN
1	A	145	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	CHG	E	6	3	9,10,11	0.35	0	7,12,14	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CHG	E	6	3	-	0/5/14/16	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	C	1	1,4	14,14,15	0.60	1 (7%)	17,19,21	0.48	0
4	NAG	C	2	4	14,14,15	0.33	0	17,19,21	0.35	0
5	NAG	D	1	1,5	14,14,15	0.34	0	17,19,21	0.59	0
5	NAG	D	2	5	14,14,15	0.23	0	17,19,21	0.51	0
5	BMA	D	3	5	11,11,12	0.49	0	15,15,17	0.80	0
5	MAN	D	4	5	11,11,12	0.61	0	15,15,17	0.99	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	C	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	C	2	4	-	1/6/23/26	0/1/1/1
5	NAG	D	1	1,5	-	1/6/23/26	0/1/1/1
5	NAG	D	2	5	-	0/6/23/26	0/1/1/1
5	BMA	D	3	5	-	0/2/19/22	0/1/1/1
5	MAN	D	4	5	-	0/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	1	NAG	O5-C1	-2.12	1.40	1.43

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	4	MAN	O2-C2-C3	-2.22	105.70	110.14
5	D	4	MAN	C1-O5-C5	2.21	115.19	112.19

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	C	1	NAG	C1-C2-N2-C7
4	C	2	NAG	C3-C2-N2-C7
5	D	1	NAG	O5-C5-C6-O6
4	C	1	NAG	C3-C2-N2-C7


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	1	NAG	3	0
4	C	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 7 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	MAN	A	2006	-	11,11,12	0.67	0	15,15,17	1.06	2 (13%)
7	NAG	A	2005	1	14,14,15	0.36	0	17,19,21	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	MAN	A	2006	-	-	0/2/19/22	0/1/1/1
7	NAG	A	2005	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
8	A	2006	MAN	C1-O5-C5	2.33	115.35	112.19
8	A	2006	MAN	O2-C2-C3	-2.25	105.64	110.14

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	2005	NAG	O5-C5-C6-O6
7	A	2005	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.