



Full wwPDB X-ray Structure Validation Report i

Jun 23, 2024 – 02:04 AM EDT

PDB ID : 4XPB
Title : X-ray structure of Drosophila dopamine transporter with subsiteB mutations (D121G/S426M) bound to cocaine
Authors : Aravind, P.; Wang, K.; Gouaux, E.
Deposited on : 2015-01-16
Resolution : 3.05 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.37.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1754 (3.10-3.02)
Clashscore	141614	1864 (3.10-3.02)
Ramachandran outliers	138981	1794 (3.10-3.02)
Sidechain outliers	138945	1793 (3.10-3.02)
RSRZ outliers	127900	1713 (3.10-3.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition i

There are 9 unique types of molecules in this entry. The entry contains 7471 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transporter.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	532	4148	2783	638	708	19	0	0	0

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	20	MET	-	initiating methionine	UNP Q7K4Y6
A	74	ALA	VAL	engineered mutation	UNP Q7K4Y6
A	121	GLY	ASP	engineered mutation	UNP Q7K4Y6
A	?	-	ASN	deletion	UNP Q7K4Y6
A	?	-	ALA	deletion	UNP Q7K4Y6
A	?	-	SER	deletion	UNP Q7K4Y6
A	?	-	ARG	deletion	UNP Q7K4Y6
A	?	-	VAL	deletion	UNP Q7K4Y6
A	?	-	PRO	deletion	UNP Q7K4Y6
A	?	-	VAL	deletion	UNP Q7K4Y6
A	?	-	ILE	deletion	UNP Q7K4Y6
A	?	-	GLY	deletion	UNP Q7K4Y6
A	?	-	ASN	deletion	UNP Q7K4Y6
A	?	-	TYR	deletion	UNP Q7K4Y6
A	?	-	SER	deletion	UNP Q7K4Y6
A	?	-	ASP	deletion	UNP Q7K4Y6
A	?	-	LEU	deletion	UNP Q7K4Y6
A	?	-	TYR	deletion	UNP Q7K4Y6
A	?	-	ALA	deletion	UNP Q7K4Y6
A	?	-	MET	deletion	UNP Q7K4Y6
A	?	-	GLY	deletion	UNP Q7K4Y6
A	?	-	ASN	deletion	UNP Q7K4Y6
A	?	-	GLN	deletion	UNP Q7K4Y6
A	?	-	SER	deletion	UNP Q7K4Y6
A	?	-	LEU	deletion	UNP Q7K4Y6
A	?	-	LEU	deletion	UNP Q7K4Y6
A	?	-	TYR	deletion	UNP Q7K4Y6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ASN	deletion	UNP Q7K4Y6
A	?	-	GLU	deletion	UNP Q7K4Y6
A	?	-	THR	deletion	UNP Q7K4Y6
A	?	-	TYR	deletion	UNP Q7K4Y6
A	?	-	MET	deletion	UNP Q7K4Y6
A	?	-	ASN	deletion	UNP Q7K4Y6
A	?	-	GLY	deletion	UNP Q7K4Y6
A	?	-	SER	deletion	UNP Q7K4Y6
A	?	-	SER	deletion	UNP Q7K4Y6
A	?	-	LEU	deletion	UNP Q7K4Y6
A	?	-	ASP	deletion	UNP Q7K4Y6
A	?	-	THR	deletion	UNP Q7K4Y6
A	?	-	SER	deletion	UNP Q7K4Y6
A	?	-	ALA	deletion	UNP Q7K4Y6
A	?	-	VAL	deletion	UNP Q7K4Y6
A	?	-	GLY	deletion	UNP Q7K4Y6
A	?	-	HIS	deletion	UNP Q7K4Y6
A	?	-	VAL	deletion	UNP Q7K4Y6
A	?	-	GLU	deletion	UNP Q7K4Y6
A	415	ALA	LEU	engineered mutation	UNP Q7K4Y6
A	426	MET	SER	engineered mutation	UNP Q7K4Y6
A	602	LEU	-	expression tag	UNP Q7K4Y6
A	603	VAL	-	expression tag	UNP Q7K4Y6
A	604	PRO	-	expression tag	UNP Q7K4Y6
A	605	ARG	-	expression tag	UNP Q7K4Y6

- Molecule 2 is a protein called Antibody fragment heavy chain-protein, 9D5-heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	214	Total	C	N	O	S	0	0	0
			1625	1010	271	336	8			

- Molecule 3 is a protein called Antibody fragment light chain-protein, 9D5-light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	215	Total	C	N	O	S	0	0	0
			1592	1005	268	311	8			

- Molecule 4 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
4	B	2	Total C O 23 12 11	0	0	0

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	2	Total Na 2 2	0	0

- Molecule 6 is COCAINE (three-letter code: COC) (formula: C₁₇H₂₁NO₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C N O 22 17 1 4	0	0

- Molecule 7 is CHOLESTEROL (three-letter code: CLR) (formula: C₂₇H₄₆O).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 28 27 1	0	0
7	A	1	Total C O 28 27 1	0	0

- Molecule 8 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total Cl 1 1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	2	Total O 2 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Transporter



- Molecule 2: Antibody fragment heavy chain-protein, 9D5-heavy chain



- Molecule 3: Antibody fragment light chain-protein, 9D5-light chain



- Molecule 4: alpha-D-glucopyranose-(1-4)-beta-D-glucopyranose



BG C1
GLC2

4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	97.50 Å 139.96 Å 166.96 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.33 – 3.05 48.33 – 3.05	Depositor EDS
% Data completeness (in resolution range)	92.5 (48.33-3.05) 92.6 (48.33-3.05)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.66 (at 3.07 Å)	Xtriage
Refinement program	PHENIX	Depositor
R , R_{free}	0.244 , 0.269 0.255 , 0.270	Depositor DCC
R_{free} test set	2025 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	111.7	Xtriage
Anisotropy	0.143	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 75.2	EDS
L-test for twinning ²	$< L > = 0.53$, $< L^2 > = 0.37$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7471	wwPDB-VP
Average B, all atoms (Å ²)	109.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: BGC, CL, NA, CLR, COC, GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/4288	0.41	0/5868
2	L	0.40	2/1663 (0.1%)	0.55	2/2261 (0.1%)
3	H	0.39	1/1630 (0.1%)	0.61	3/2223 (0.1%)
All	All	0.32	3/7581 (0.0%)	0.49	5/10352 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	L	0	1
3	H	0	2
All	All	0	3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	153	PRO	N-CD	5.37	1.55	1.47
2	L	8	PRO	N-CD	5.25	1.55	1.47
2	L	96	PRO	N-CD	5.22	1.55	1.47

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	155	PRO	CA-N-CD	-6.04	103.05	111.50
3	H	131	ALA	C-N-CD	5.68	140.32	128.40
3	H	154	GLU	C-N-CD	5.44	139.82	128.40
2	L	152	ASP	CB-CG-OD2	5.24	123.02	118.30
2	L	7	SER	C-N-CD	5.04	138.99	128.40

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	H	62	ASP	Peptide
3	H	98	ARG	Peptide
2	L	151	ILE	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4148	0	4016	49	0
2	L	1625	0	1534	62	0
3	H	1592	0	1521	52	0
4	B	23	0	21	1	0
5	A	2	0	0	0	0
6	A	22	0	21	1	0
7	A	56	0	92	4	0
8	A	1	0	0	1	0
9	A	2	0	0	0	0
All	All	7471	0	7205	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:192:SER:O	3:H:196:SER:OG	1.62	1.17
3:H:194:TRP:HZ2	3:H:216:ILE:HG22	1.19	1.07
3:H:194:TRP:HZ2	3:H:216:ILE:CG2	1.70	1.04
3:H:194:TRP:CZ2	3:H:216:ILE:CG2	2.47	0.97
2:L:37:TYR:CE1	2:L:90:GLN:OE1	2.21	0.93
3:H:194:TRP:CZ2	3:H:216:ILE:HG22	2.02	0.93
2:L:6:GLN:OE1	2:L:89:CYS:SG	2.34	0.85
3:H:194:TRP:CZ2	3:H:216:ILE:HG21	2.12	0.84
2:L:152:ASP:O	2:L:191:ASN:ND2	2.12	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:37:TYR:HE1	2:L:90:GLN:OE1	1.62	0.80
2:L:6:GLN:NE2	2:L:102:GLY:HA2	1.99	0.77
2:L:192:SER:OG	2:L:211:ASN:OD1	2.02	0.76
2:L:92:PHE:CD2	3:H:102:ARG:HA	2.21	0.75
2:L:150:LYS:O	2:L:194:THR:OG1	2.04	0.74
2:L:168:ASP:OD1	2:L:169:SER:N	2.20	0.74
3:H:47:TRP:CE3	3:H:61:SER:HB3	2.23	0.73
2:L:192:SER:OG	2:L:211:ASN:HA	1.89	0.72
3:H:193:THR:O	3:H:196:SER:HB2	1.89	0.71
2:L:6:GLN:NE2	2:L:102:GLY:CA	2.53	0.71
1:A:213:SER:O	1:A:217:ASN:ND2	2.24	0.70
1:A:303:ALA:HB1	1:A:309:VAL:HG21	1.74	0.69
1:A:34:VAL:HG13	7:A:704:CLR:H42	1.75	0.69
2:L:156:ARG:NH1	2:L:158:ASN:O	2.26	0.69
1:A:321:LEU:O	1:A:323:PRO:HD3	1.94	0.67
2:L:37:TYR:CZ	2:L:90:GLN:OE1	2.47	0.67
3:H:32:TYR:O	3:H:72:ARG:NH2	2.29	0.66
1:A:370:MET:HG2	1:A:374:LEU:HD12	1.78	0.66
1:A:476:ARG:HD2	1:A:545:LEU:HD13	1.77	0.65
2:L:193:TYR:O	2:L:194:THR:HG23	1.97	0.65
1:A:445:GLU:HA	1:A:448:VAL:HG22	1.79	0.64
1:A:75:VAL:HB	1:A:526:VAL:HG11	1.78	0.64
1:A:585:SER:N	1:A:588:GLN:OE1	2.30	0.64
2:L:185:ASP:OD1	2:L:186:GLU:N	2.30	0.64
2:L:37:TYR:OH	2:L:90:GLN:OE1	2.13	0.64
3:H:193:THR:O	3:H:196:SER:N	2.31	0.64
3:H:5:VAL:HG22	3:H:23:ALA:HB3	1.81	0.63
3:H:91:THR:HG23	3:H:116:THR:HA	1.82	0.62
2:L:141:TYR:CD2	2:L:142:PRO:HA	2.34	0.62
3:H:22:CYS:HB3	3:H:79:LEU:HB3	1.81	0.62
1:A:445:GLU:N	1:A:445:GLU:OE1	2.31	0.62
2:L:6:GLN:HE22	2:L:102:GLY:HA2	1.63	0.62
2:L:92:PHE:CE2	3:H:102:ARG:HA	2.34	0.61
1:A:255:TRP:CD1	1:A:445:GLU:HB3	2.36	0.61
3:H:194:TRP:CD1	3:H:199:ILE:CG1	2.84	0.60
3:H:194:TRP:CD1	3:H:199:ILE:HG12	2.37	0.60
2:L:6:GLN:HE21	2:L:102:GLY:CA	2.15	0.59
3:H:71:SER:HB3	3:H:80:HIS:HB2	1.83	0.59
1:A:46:ASP:OD1	6:A:702:COC:H15	2.02	0.59
2:L:194:THR:HG22	2:L:209:SER:HB3	1.85	0.59
3:H:144:LEU:HD12	3:H:145:GLY:H	1.68	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:83:MET:HB3	3:H:86:LEU:HD21	1.85	0.58
1:A:364:PHE:HA	1:A:367:LEU:HB2	1.86	0.58
3:H:193:THR:O	3:H:196:SER:CB	2.51	0.58
2:L:196:GLU:HB3	2:L:207:VAL:HA	1.86	0.57
1:A:95:ALA:HA	1:A:329:LEU:HD23	1.87	0.57
1:A:582:THR:O	1:A:589:ARG:NH2	2.38	0.56
1:A:27:ARG:NH1	1:A:92:ARG:O	2.39	0.56
3:H:157:THR:OG1	3:H:204:ALA:HB3	2.06	0.55
2:L:194:THR:HG22	2:L:209:SER:CB	2.36	0.55
3:H:29:PHE:O	3:H:72:ARG:NH2	2.39	0.55
1:A:156:ASN:N	1:A:156:ASN:OD1	2.40	0.55
2:L:109:ARG:HD3	2:L:173:THR:HG22	1.89	0.54
1:A:43:PHE:HA	1:A:421:SER:HA	1.90	0.54
2:L:171:ASP:OD1	2:L:172:SER:N	2.40	0.54
1:A:33:LYS:NZ	1:A:344:ASP:OD2	2.32	0.54
2:L:192:SER:OG	2:L:211:ASN:CA	2.56	0.54
2:L:18:LYS:HD2	2:L:77:SER:O	2.08	0.53
2:L:92:PHE:CE1	2:L:97:LEU:HD11	2.43	0.53
3:H:62:ASP:CG	3:H:65:THR:HG23	2.30	0.52
3:H:62:ASP:HA	3:H:64:VAL:H	1.74	0.52
2:L:92:PHE:CE1	2:L:97:LEU:CD1	2.93	0.51
2:L:193:TYR:O	2:L:194:THR:CG2	2.58	0.51
2:L:114:PRO:HD3	2:L:199:HIS:HD2	1.74	0.51
2:L:141:TYR:CG	2:L:142:PRO:HA	2.46	0.51
1:A:340:ASN:HA	1:A:511:ILE:HG22	1.92	0.51
2:L:6:GLN:NE2	2:L:102:GLY:H	2.08	0.51
2:L:150:LYS:HA	2:L:155:GLU:HA	1.92	0.51
3:H:33:ALA:N	3:H:100:GLU:OE1	2.44	0.51
3:H:144:LEU:HD12	3:H:145:GLY:N	2.26	0.50
1:A:105:LEU:HB2	1:A:593:LEU:HB3	1.92	0.50
2:L:8:PRO:O	2:L:103:THR:HG23	2.12	0.50
2:L:141:TYR:CD2	2:L:142:PRO:CA	2.96	0.49
2:L:184:LYS:O	2:L:188:GLU:HG2	2.13	0.49
3:H:51:ILE:HD13	3:H:72:ARG:HB2	1.95	0.49
2:L:171:ASP:OD2	2:L:173:THR:OG1	2.30	0.49
3:H:194:TRP:CA	3:H:196:SER:H	2.26	0.49
2:L:6:GLN:NE2	2:L:102:GLY:N	2.61	0.48
3:H:194:TRP:CD1	3:H:199:ILE:HG13	2.49	0.48
1:A:27:ARG:HH12	1:A:93:LYS:HA	1.79	0.48
3:H:42:GLU:H	3:H:42:GLU:HG2	1.43	0.48
1:A:115:LEU:HD11	1:A:567:SER:HA	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:CYS:O	1:A:158:ARG:NH1	2.41	0.47
3:H:192:SER:O	3:H:196:SER:CB	2.60	0.47
1:A:51:TRP:C	1:A:51:TRP:CD1	2.88	0.47
2:L:121:PRO:HB2	2:L:126:LEU:HD11	1.96	0.47
2:L:123:SER:HA	2:L:126:LEU:HD13	1.97	0.47
1:A:546:THR:HG22	1:A:551:VAL:HA	1.96	0.47
1:A:96:ILE:HA	1:A:110:GLY:HA3	1.97	0.46
3:H:64:VAL:HG13	3:H:68:PHE:HB2	1.97	0.46
3:H:194:TRP:NE1	3:H:199:ILE:HG12	2.31	0.46
1:A:154:THR:HG22	2:L:164:TRP:CZ3	2.50	0.46
2:L:192:SER:OG	2:L:211:ASN:CG	2.54	0.46
1:A:585:SER:OG	1:A:588:GLN:NE2	2.42	0.46
2:L:161:LEU:HD21	3:H:175:VAL:HB	1.98	0.46
1:A:41:ILE:HD13	1:A:348:THR:HG23	1.98	0.46
1:A:115:LEU:HA	1:A:118:PHE:HB3	1.98	0.46
1:A:151:ILE:HD12	2:L:160:VAL:HG11	1.96	0.45
2:L:168:ASP:HB3	2:L:171:ASP:OD1	2.16	0.45
2:L:157:GLN:NE2	4:B:2:GLC:H2	2.32	0.45
1:A:73:LEU:HA	1:A:317:VAL:HG11	1.98	0.45
1:A:84:GLU:OE2	1:A:324:GLY:N	2.41	0.45
3:H:193:THR:C	3:H:196:SER:H	2.20	0.45
3:H:194:TRP:HA	3:H:196:SER:N	2.31	0.45
2:L:119:PHE:HB3	3:H:130:LEU:HB3	1.99	0.45
3:H:211:LYS:N	3:H:211:LYS:HD2	2.31	0.45
1:A:96:ILE:HG13	1:A:432:ALA:HB1	1.99	0.45
1:A:154:THR:HG22	2:L:164:TRP:CH2	2.52	0.45
2:L:92:PHE:CD2	3:H:102:ARG:CA	2.97	0.45
3:H:40:SER:OG	3:H:42:GLU:HG3	2.17	0.44
1:A:397:ILE:HG23	1:A:406:TRP:HB2	1.98	0.44
2:L:120:PRO:HB3	2:L:210:PHE:CE2	2.53	0.44
1:A:71:ILE:O	1:A:75:VAL:HG22	2.17	0.44
2:L:148:LYS:NZ	2:L:196:GLU:OE2	2.51	0.44
1:A:500:THR:OG1	1:A:524:ARG:NH2	2.50	0.43
7:A:705:CLR:H211	7:A:705:CLR:H232	1.67	0.43
2:L:114:PRO:HD3	2:L:199:HIS:CD2	2.53	0.43
3:H:155:PRO:HD2	3:H:155:PRO:O	2.19	0.43
3:H:194:TRP:HA	3:H:196:SER:H	1.83	0.43
1:A:27:ARG:NH1	1:A:93:LYS:HA	2.33	0.43
1:A:316:GLN:NE2	8:A:707:CL:CL	2.89	0.43
7:A:704:CLR:H211	7:A:704:CLR:H232	1.77	0.42
2:L:7:SER:HA	2:L:8:PRO:HA	1.75	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:30:SER:O	3:H:53:SER:HB2	2.19	0.42
3:H:144:LEU:HD21	3:H:216:ILE:HG21	2.00	0.42
1:A:235:ILE:HG12	1:A:464:THR:HG22	2.01	0.42
1:A:37:LEU:HD12	7:A:704:CLR:H41	2.01	0.42
2:L:152:ASP:HA	2:L:153:GLY:HA2	1.62	0.42
2:L:62:ARG:NH1	2:L:83:ASP:OD1	2.52	0.42
2:L:196:GLU:N	2:L:196:GLU:OE1	2.52	0.42
2:L:92:PHE:CD1	2:L:97:LEU:HD22	2.54	0.42
1:A:482:SER:HB3	1:A:567:SER:OG	2.20	0.42
1:A:489:PHE:CD2	1:A:571:ILE:HG21	2.55	0.42
3:H:62:ASP:OD1	3:H:64:VAL:HG12	2.19	0.42
1:A:522:CYS:HA	1:A:526:VAL:HB	2.01	0.41
2:L:139:ASN:HA	2:L:173:THR:OG1	2.20	0.41
1:A:41:ILE:HD11	1:A:348:THR:HA	2.02	0.41
1:A:336:LYS:HB3	1:A:336:LYS:HE3	1.68	0.41
3:H:144:LEU:HD21	3:H:216:ILE:HG12	2.02	0.41
3:H:193:THR:O	3:H:196:SER:CA	2.69	0.41
2:L:185:ASP:O	2:L:189:ARG:HG3	2.21	0.41
2:L:62:ARG:O	2:L:77:SER:N	2.36	0.41
2:L:114:PRO:HG3	2:L:145:ILE:HD11	2.03	0.41
3:H:152:PHE:HA	3:H:153:PRO:HA	1.81	0.41
3:H:193:THR:C	3:H:196:SER:HB2	2.41	0.41
1:A:427:GLU:OE2	1:A:431:THR:OG1	2.37	0.40
3:H:128:TYR:HA	3:H:129:PRO:HD3	1.89	0.40
3:H:34:MET:HB3	3:H:79:LEU:HD22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	530/543 (98%)	510 (96%)	20 (4%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	L	212/214 (99%)	203 (96%)	9 (4%)	0	100	100
3	H	211/240 (88%)	206 (98%)	5 (2%)	0	100	100
All	All	953/997 (96%)	919 (96%)	34 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	417/448 (93%)	412 (99%)	5 (1%)	71	87
2	L	183/187 (98%)	179 (98%)	4 (2%)	52	76
3	H	172/205 (84%)	168 (98%)	4 (2%)	50	75
All	All	772/840 (92%)	759 (98%)	13 (2%)	60	82

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	TRP
1	A	52	ARG
1	A	482	SER
1	A	543	GLU
1	A	549	ASP
2	L	6	GLN
2	L	7	SER
2	L	92	PHE
2	L	192	SER
3	H	133	VAL
3	H	134	CYS
3	H	153	PRO
3	H	194	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	L	6	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BGC	B	1	4	12,12,12	0.47	0	17,17,17	0.96	2 (11%)
4	GLC	B	2	4	11,11,12	0.28	0	15,15,17	0.83	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BGC	B	1	4	-	1/2/22/22	0/1/1/1
4	GLC	B	2	4	-	1/2/19/22	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
4	B	1	BGC	O5-C5-C6	2.27	112.09	106.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1	BGC	C1-O5-C5	2.13	117.69	113.66

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	2	GLC	O5-C5-C6-O6
4	B	1	BGC	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	2	GLC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry (i)

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	CLR	A	705	-	31,31,31	0.66	0	48,48,48	1.01	2 (4%)
7	CLR	A	704	-	31,31,31	0.64	0	48,48,48	1.08	3 (6%)
6	COC	A	702	-	24,24,24	4.44	9 (37%)	32,34,34	2.05	7 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	CLR	A	705	-	-	2/10/68/68	0/4/4/4
7	CLR	A	704	-	-	1/10/68/68	0/4/4/4
6	COC	A	702	-	-	1/14/39/39	0/4/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	702	COC	O1-C29	-11.22	1.27	1.46
6	A	702	COC	C24-N12	-10.87	1.32	1.48
6	A	702	COC	C10-N12	-7.83	1.31	1.47
6	A	702	COC	O1-C2	6.99	1.48	1.34
6	A	702	COC	C8-C29	5.50	1.69	1.53
6	A	702	COC	C26-C29	5.19	1.61	1.52
6	A	702	COC	O5-C6	4.99	1.45	1.33
6	A	702	COC	C8-C10	-4.71	1.48	1.54
6	A	702	COC	C21-C18	-2.53	1.47	1.54

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	702	COC	O5-C6-C8	6.36	120.30	111.03
6	A	702	COC	O1-C2-C4	4.46	119.13	111.92
6	A	702	COC	C26-C24-N12	3.99	113.25	107.53
7	A	704	CLR	C4-C5-C10	3.36	120.88	116.42
6	A	702	COC	C18-C10-N12	-3.31	101.77	105.18
6	A	702	COC	C18-C10-C8	-2.88	108.02	112.28
7	A	705	CLR	C4-C5-C10	2.79	120.12	116.42
7	A	704	CLR	C8-C7-C6	-2.43	109.24	112.73
6	A	702	COC	O5-C6-O7	-2.41	119.13	123.84
6	A	702	COC	O7-C6-C8	-2.38	120.56	124.99
7	A	705	CLR	C8-C7-C6	-2.32	109.39	112.73
7	A	704	CLR	C4-C5-C6	-2.03	117.69	120.61

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	705	CLR	C22-C23-C24-C25

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	A	705	CLR	C20-C22-C23-C24
7	A	704	CLR	C21-C20-C22-C23
6	A	702	COC	C8-C29-O1-C2


There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	705	CLR	1	0
7	A	704	CLR	3	0
6	A	702	COC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	532/543 (97%)	-0.06	2 (0%)	92 82	88, 107, 130, 155	0
2	L	214/214 (100%)	-0.02	3 (1%)	75 53	83, 105, 144, 152	0
3	H	215/240 (89%)	0.18	10 (4%)	31 14	86, 106, 147, 165	0
All	All	961/997 (96%)	-0.00	15 (1%)	72 49	83, 107, 143, 165	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	H	131	ALA	4.6
3	H	133	VAL	4.2
3	H	219	ARG	3.5
2	L	119	PHE	3.3
1	A	590	PHE	3.2
3	H	130	LEU	3.2
3	H	132	PRO	2.9
3	H	201	CYS	2.6
3	H	142	VAL	2.5
3	H	144	LEU	2.5
3	H	198	SER	2.3
2	L	156	ARG	2.3
2	L	123	SER	2.2
1	A	475	ASP	2.1
3	H	147	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains i


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	BGC	B	1	12/12	0.85	0.25	126,135,145,146	0
4	GLC	B	2	11/12	0.90	0.28	117,132,144,145	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	CLR	A	705	28/28	0.84	0.43	103,125,133,135	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NA	A	701	1/1	0.88	0.26	89,89,89,89	0
7	CLR	A	704	28/28	0.91	0.48	102,110,117,119	0
8	CL	A	707	1/1	0.91	0.40	105,105,105,105	0
5	NA	A	706	1/1	0.93	0.32	98,98,98,98	0
6	COC	A	702	22/22	0.95	0.20	56,65,70,72	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.