Full wwPDB X-ray Structure Validation Report (i)

Jan 3, 2024 – 10:43 am GMT

PDB ID	:	4Y78
Title	:	Yeast 20S proteasome in complex with Ac-LAD-ep
Authors	:	Huber, E.M.; Groll, M.
Deposited on	:	2015-02-13
Resolution	:	2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	2%, 97%, •
1	O	250	2%, 96%, •
2	B	258	2%, 88%, 7%, 5%
2	P	258	3%, 88%, 6%, 5%
3	C	254	5%, 87%, 6%, •, 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	6% 87% 6% 6%
4	D	260	85% 5% 10%
4	R	260	2% 85% 5% 10%
5	E	234	% 91% 7%
5	S	234	% 91% 7%
6	F	288	% 80% 16%
6	T	288	2% 80% 16%
7	G	252	% 91%
7	U	252	90% 6%
8	H	232	% 90% 6%
8	V	232	% 89% 6%
9	I	205	% 92% 8%
9	W	205	% 93% 6%
10	J	198	% 90% 7%
10	X	198	% 91% 6%
11	K	212	90% 8%
11	Y	212	% 94% 6%
12	L	222	95% 5%
12	Z	222	95% 5%
13	M	246	% 90% 5%
13	a	246	92% 5%
14	N	196	% 96%
14	b	196	% 98%
15	1	5	80% 20%
15	2	5	40% 60%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	3	5	40% 60%
15	4	5	80% 20%
15	5	5	60% 20% 20%
15	6	5	80% 20%

2 Entry composition (i)

There are 19 unique types of molecules in this entry. The entry contains 49882 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	1915	1219	315	377	4	0	0	0
1	O	250	1915	1219	315	377	4	0	0	0

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	1904	1201	321	379	3	0	0	0
2	P	244	1904	1201	321	379	3	0	0	0

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	1881	1176	329	372	4	0	0	0
3	Q	240	1881	1176	329	372	4	0	0	0

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	1813	1136	304	366	7	0	0	0
4	R	235	1813	1136	304	366	7	0	0	0

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	231	1773	1114	307	348	4	0	0	0
5	S	231	1773	1114	307	348	4	0	0	0

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	243	1892	1203	329	356	4	0	0	0
6	T	243	1892	1203	329	356	4	0	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	241	1907	1214	320	365	8	0	0	0
7	U	241	1907	1214	320	365	8	0	0	0

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	222	1684	1061	293	323	7	0	0	0
8	V	222	1684	1061	293	323	7	0	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	204	1581	1010	258	305	8	0	0	0
9	W	204	1581	1010	258	305	8	0	0	0

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	195	1561	992	264	299	6	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	X	195	1561	992	264	299	6	0	0	0

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	212	1644	1045	280	312	7	0	0	0
11	Y	212	1644	1045	280	312	7	0	0	0

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	L	222	1757	1115	303	335	4	0	0	0
12	Z	222	1764	1120	305	335	4	0	1	0

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	233	1824	1154	312	351	7	0	0	0
13	a	233	1824	1154	312	351	7	0	0	0

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	196	1512	955	250	300	7	0	0	0
14	b	196	1512	955	250	300	7	0	0	0

- Molecule 15 is a protein called Ac-LAD-ep.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
15	1	5	28	18	3	7	0	0	0
15	2	5	28	18	3	7	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
15	3	5	28	18	3	7	0	0	0
15	4	5	28	18	3	7	0	0	0
15	5	5	28	18	3	7	0	0	0
15	6	5	28	18	3	7	0	0	0

- Molecule 16 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
16	G	1	1	1	0	0
16	I	2	2	2	0	0
16	K	1	1	1	0	0
16	L	1	1	1	0	0
16	N	1	1	1	0	0
16	1	1	1	1	0	0
16	4	1	1	1	0	0

- Molecule 17 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
17	H	1	12	6	1	4	1	0	0
			Total	C	N	O	S		
17	K	1	12	6	1	4	1	0	0
			Total	C	N	O	S		
17	4	1	12	6	1	4	1	0	0
			Total	C	N	O	S		
17	5	1	12	6	1	4	1	0	0

- Molecule 18 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Cl		
18	U	1	1	1	0	0

- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
19	A	13	13	13	0	0
			Total	O		
19	B	17	17	17	0	0
			Total	O		
19	C	16	16	16	0	0
			Total	O		
19	D	10	10	10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	E	4	Total O 4 4	0	0
19	F	16	Total O 16 16	0	0
19	G	13	Total O 13 13	0	0
19	H	17	Total O 17 17	0	0
19	I	14	Total O 14 14	0	0
19	J	14	Total O 14 14	0	0
19	K	14	Total O 14 14	0	0
19	L	19	Total O 19 19	0	0
19	M	11	Total O 11 11	0	0
19	N	11	Total O 11 11	0	0
19	O	11	Total O 11 11	0	0
19	P	8	Total O 8 8	0	0
19	Q	14	Total O 14 14	0	0
19	R	12	Total O 12 12	0	0
19	S	4	Total O 4 4	0	0
19	T	10	Total O 10 10	0	0
19	U	14	Total O 14 14	0	0
19	V	12	Total O 12 12	0	0
19	W	9	Total O 9 9	0	0
19	X	15	Total O 15 15	0	0
19	Y	14	Total O 14 14	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
19	Z	10	10	10	0	0
			Total	O		
19	a	16	16	16	0	0
			Total	O		
19	b	12	12	12	0	0
			Total	O		
19	2	1	1	1	0	0
			Total	O		
19	4	1	1	1	0	0
			Total	O		
19	5	2	2	2	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Proteasome subunit alpha type-2

Chain A:



• Molecule 1: Proteasome subunit alpha type-2

Chain O:



• Molecule 2: Proteasome subunit alpha type-3

Chain B:



• Molecule 2: Proteasome subunit alpha type-3

Chain P:



• Molecule 3: Proteasome subunit alpha type-4

Chain C:



• Molecule 3: Proteasome subunit alpha type-4

Chain Q:



• Molecule 4: Proteasome subunit alpha type-5

Chain D:



• Molecule 4: Proteasome subunit alpha type-5

Chain R:



• Molecule 5: Proteasome subunit alpha type-6

Chain E:





• Molecule 5: Proteasome subunit alpha type-6

Chain S:





• Molecule 6: Probable proteasome subunit alpha type-7

Chain F:



• Molecule 6: Probable proteasome subunit alpha type-7

Chain T: 2% 80% 16%

MET THR SER ILE GLY T2 D14 G15 R16 K53 K59 Q117 N123 K139 G155 L172 E181 N203 K204 E205 K206 W214 N221 D230 K241 E242 I243 N244 GLY ASP ASP ASP GLU ASP GLU ASP ASP SER ASP ASN VAL MET SER SER ASP ASP

GLU ASN ALA PRO VAL ALA THR ASN ALA ASN ALA THR THR ASP GLN GLU GLY ASP ILE HIS LEU GLU

- Molecule 7: Proteasome subunit alpha type-1

Chain G: % 91%

MET SER GLY ALA ALA ALA ALA SER ALA ALA G2 Y3 F23 T26 I78 P79 N83 L115 M125 Q166 K179 S180 K181 R235 L236 Q242 ASP

- Molecule 7: Proteasome subunit alpha type-1

Chain U: 90% 6%

MET SER GLY ALA ALA ALA ALA SER ALA ALA G2 P12 F23 T26 T59 I78 P79 N83 L115 M125 Y154 A159 Q166 K181 D222 R235 L236 Q242 ASP

- Molecule 8: Proteasome subunit beta type-2

Chain H: % 90% 6%

T1 N30 C31 L34 C43 T52 T56 L68 K84 Q85 D104 P105 L127 R196 V218 C221 D222 ILE GLN GLU GLU GLN VAL ASP ILE THR ALA

- Molecule 8: Proteasome subunit beta type-2

Chain V: % 89% 6%

T1 N30 C31 L34 C43 G47 A50 D51 T52 T56 L68 K84 Q85 D104 P105 L127 R196 C221 D222 ILE GLN GLU GLU GLN VAL ASP ILE THR ALA

- Molecule 9: Proteasome subunit beta type-3

Chain I: % 92% 8%

MET S1 G9 I10 V20 S36 N37 K41 R98 P101 P118 I126 A141 L171 W182 I189 D192 K196 D204

- Molecule 9: Proteasome subunit beta type-3

Chain W: % 93% 6%

• Molecule 10: Proteasome subunit beta type-4

Chain J:

• Molecule 10: Proteasome subunit beta type-4

Chain X:





• Molecule 11: Proteasome subunit beta type-5

Chain K:



• Molecule 11: Proteasome subunit beta type-5

Chain Y:





• Molecule 12: Proteasome subunit beta type-6

Chain L:





• Molecule 12: Proteasome subunit beta type-6

Chain Z:





• Molecule 13: Proteasome subunit beta type-7

Chain M: 

• Molecule 13: Proteasome subunit beta type-7

Chain a: 

• Molecule 14: Proteasome subunit beta type-1

Chain N: 

• Molecule 14: Proteasome subunit beta type-1

Chain b: 

• Molecule 15: Ac-LAD-ep

Chain 1:

• Molecule 15: Ac-LAD-ep

Chain 2:

• Molecule 15: Ac-LAD-ep

Chain 3:

• Molecule 15: Ac-LAD-ep

Chain 4:

- Molecule 15: Ac-LAD-ep

Chain 5:

- Molecule 15: Ac-LAD-ep

Chain 6:

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	137.47Å 300.13Å 145.34Å 90.00° 113.11° 90.00°	Depositor
Resolution (Å)	15.00 – 2.80 15.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	98.0 (15.00-2.80) 98.0 (15.00-2.80)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.42 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.195 , 0.219 0.198 , 0.223	Depositor DCC
R_{free} test set	12889 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å^2)	66.5	Xtriage
Anisotropy	0.160	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.29 , 41.8	EDS
L-test for twinning[2]	$< \|L\| > = 0.51$, $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	49882	wwPDB-VP
Average B, all atoms (Å^2)	77.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.66% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ASJ, POL, MES, MG, ACE, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	A	0.28	0/1952	0.49	0/2642
1	O	0.28	0/1952	0.48	0/2642
2	B	0.28	0/1934	0.50	0/2618
2	P	0.28	0/1934	0.50	0/2618
3	C	0.28	0/1910	0.52	0/2586
3	Q	0.28	0/1910	0.51	0/2586
4	D	0.28	0/1837	0.49	0/2475
4	R	0.28	0/1837	0.49	0/2475
5	E	0.28	0/1800	0.48	0/2433
5	S	0.28	0/1800	0.48	0/2433
6	F	0.28	0/1932	0.46	0/2609
6	T	0.28	0/1932	0.47	0/2609
7	G	0.28	0/1945	0.48	0/2634
7	U	0.28	0/1945	0.48	0/2634
8	H	0.26	0/1715	0.49	0/2326
8	V	0.27	0/1715	0.49	0/2326
9	I	0.28	0/1611	0.49	0/2174
9	W	0.29	0/1611	0.50	0/2174
10	J	0.27	0/1589	0.49	0/2142
10	X	0.27	0/1589	0.49	0/2142
11	K	0.38	0/1681	0.52	0/2274
11	Y	0.28	0/1681	0.51	0/2274
12	L	0.28	0/1795	0.48	0/2420
12	Z	0.38	2/1806 (0.1%)	0.56	4/2435 (0.2%)
13	M	0.28	0/1855	0.52	0/2514
13	a	0.28	0/1855	0.52	0/2514
14	N	0.33	0/1541	0.51	1/2087 (0.0%)
14	b	0.30	0/1541	0.50	0/2087
15	1	0.45	0/13	1.22	0/17
15	2	1.00	0/13	1.26	0/17
15	3	0.75	0/13	1.32	0/17
15	4	0.46	0/13	1.19	0/17

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#|Z| >5	RMSZ	#|Z| >5
15	5	0.89	0/13	1.28	0/17
15	6	1.05	0/13	1.29	0/17
All	All	0.29	2/50283 (0.0%)	0.50	5/67985 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	Z	108[A]	HIS	CA-C	7.16	1.71	1.52
12	Z	108[B]	HIS	CA-C	7.16	1.71	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
12	Z	108[A]	HIS	CA-C-O	6.85	134.49	120.10
12	Z	108[B]	HIS	CA-C-O	6.85	134.49	120.10
12	Z	108[A]	HIS	CA-C-N	-5.45	105.20	117.20
12	Z	108[B]	HIS	CA-C-N	-5.45	105.20	117.20
14	N	1	THR	N-CA-C	5.24	125.15	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	3	0
1	O	1915	0	1929	6	0
2	B	1904	0	1904	9	0
2	P	1904	0	1904	6	0
3	C	1881	0	1895	11	0
3	Q	1881	0	1895	9	0
4	D	1813	0	1797	4	0
4	R	1813	0	1797	5	0
5	E	1773	0	1775	4	0
5	S	1773	0	1775	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	F	1892	0	1883	1	0
6	T	1892	0	1883	2	0
7	G	1907	0	1901	2	0
7	U	1907	0	1901	5	0
8	H	1684	0	1684	4	0
8	V	1684	0	1684	6	0
9	I	1581	0	1574	8	0
9	W	1581	0	1574	7	0
10	J	1561	0	1569	8	0
10	X	1561	0	1569	8	0
11	K	1644	0	1593	18	0
11	Y	1644	0	1592	6	0
12	L	1757	0	1711	3	0
12	Z	1764	0	1718	3	0
13	M	1824	0	1832	2	0
13	a	1824	0	1832	0	0
14	N	1512	0	1478	3	0
14	b	1512	0	1478	0	0
15	1	28	0	29	0	0
15	2	28	0	29	1	0
15	3	28	0	29	3	0
15	4	28	0	29	0	0
15	5	28	0	29	1	0
15	6	28	0	29	0	0
16	1	1	0	0	0	0
16	4	1	0	0	0	0
16	G	1	0	0	0	0
16	I	2	0	0	0	0
16	K	1	0	0	0	0
16	L	1	0	0	0	0
16	N	1	0	0	0	0
17	4	12	0	13	1	0
17	5	12	0	13	0	0
17	H	12	0	13	0	0
17	K	12	0	13	0	0
18	U	1	0	0	0	0
19	2	1	0	0	0	0
19	4	1	0	0	0	0
19	5	2	0	0	0	0
19	A	13	0	0	0	0
19	B	17	0	0	0	0
19	C	16	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	D	10	0	0	2	0
19	E	4	0	0	0	0
19	F	16	0	0	0	0
19	G	13	0	0	0	0
19	H	17	0	0	0	0
19	I	14	0	0	0	0
19	J	14	0	0	0	0
19	K	14	0	0	0	0
19	L	19	0	0	0	0
19	M	11	0	0	0	0
19	N	11	0	0	0	0
19	O	11	0	0	0	0
19	P	8	0	0	0	0
19	Q	14	0	0	0	0
19	R	12	0	0	0	0
19	S	4	0	0	0	0
19	T	10	0	0	0	0
19	U	14	0	0	0	0
19	V	12	0	0	0	0
19	W	9	0	0	0	0
19	X	15	0	0	0	0
19	Y	14	0	0	0	0
19	Z	10	0	0	0	0
19	a	16	0	0	0	0
19	b	12	0	0	0	0
All	All	49882	0	49282	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:1:MET:O	10:J:2:ASP:HB2	1.85	0.75
10:X:1:MET:O	10:X:2:ASP:HB2	1.85	0.74
11:K:18:SER:OG	11:K:29:GLN:O	2.08	0.72
8:V:50:ALA:HB3	9:W:126:ILE:HD12	1.70	0.71
12:L:13:LEU:HD13	12:L:150:LEU:HD21	1.76	0.67
12:Z:13:LEU:HD13	12:Z:150:LEU:HD21	1.77	0.67
11:K:2:THR:HG1	11:K:171:SER:HG	1.43	0.63
11:K:100:MET:HE3	11:K:127:PHE:HB2	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:R:99:ILE:HD11	4:R:104:LEU:HB2	1.81	0.62
4:D:99:ILE:HD11	4:D:104:LEU:HB2	1.81	0.62
11:Y:5:ALA:HB3	11:Y:100:MET:HE2	1.83	0.60
11:K:5:ALA:HA	11:K:13:ILE:O	2.03	0.58
11:K:1:THR:HG22	11:K:2:THR:N	2.18	0.58
15:3:2:LEU:N	15:3:2:LEU:HD23	2.19	0.57
11:Y:100:MET:HE3	11:Y:127:PHE:HB2	1.87	0.57
11:K:2:THR:OG1	11:K:171:SER:OG	2.16	0.56
9:I:98:ARG:O	9:I:126:ILE:HD11	2.07	0.55
10:J:174:MET:HA	10:X:174:MET:HA	1.88	0.55
7:G:23:PHE:O	7:G:26:THR:HB	2.08	0.53
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.74	0.53
2:B:124:HIS:HB3	3:C:124:VAL:HG12	1.90	0.53
4:D:45:ARG:NH1	19:D:301:HOH:O	2.41	0.52
11:K:3:THR:HB	11:K:16:VAL:HG12	1.92	0.52
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	1.91	0.52
9:W:20:VAL:HG13	9:W:118:PRO:HB3	1.92	0.52
11:K:1:THR:CG2	11:K:2:THR:N	2.72	0.52
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.74	0.52
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.09	0.51
9:I:20:VAL:HG13	9:I:118:PRO:HB3	1.92	0.51
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.76	0.51
3:C:51:LYS:O	3:C:52:LEU:HB2	2.10	0.51
14:N:152:VAL:HA	14:N:175:MET:HE1	1.93	0.51
8:V:52:THR:O	8:V:56:THR:HB	2.11	0.50
9:W:36:SER:HB2	10:X:126:VAL:HG11	1.93	0.50
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.93	0.50
7:U:23:PHE:O	7:U:26:THR:HB	2.11	0.50
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.93	0.50
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.94	0.50
8:H:52:THR:O	8:H:56:THR:HB	2.10	0.50
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.94	0.49
11:K:100:MET:CE	11:K:127:PHE:HB2	2.42	0.49
11:K:5:ALA:HB3	11:K:100:MET:HE2	1.93	0.49
14:N:20:THR:HG23	15:3:3:ALA:O	2.11	0.49
3:C:201:VAL:HG13	3:C:202:GLN:N	2.28	0.49
4:D:64:ARG:HD2	19:D:307:HOH:O	2.12	0.49
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.61	0.49
3:Q:201:VAL:HG13	3:Q:202:GLN:N	2.28	0.49
11:Y:100:MET:CE	11:Y:127:PHE:HB2	2.42	0.48
3:C:201:VAL:O	3:C:202:GLN:CB	2.61	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.96	0.48
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.96	0.47
5:S:87:LEU:HD21	5:S:107:ALA:HB1	1.96	0.47
2:B:146:GLN:HG2	3:C:57:ILE:HG21	1.95	0.47
9:I:36:SER:HB2	10:J:126:VAL:HG11	1.96	0.47
3:Q:201:VAL:O	3:Q:202:GLN:HB2	2.14	0.47
1:A:122:THR:HG22	2:B:128:ARG:HH21	1.79	0.47
3:C:201:VAL:O	3:C:202:GLN:HB2	2.14	0.47
10:J:21:VAL:HG11	11:K:122:LEU:HD11	1.97	0.47
5:E:87:LEU:HD21	5:E:107:ALA:HB1	1.96	0.46
11:K:7:ARG:HG3	11:K:12:ILE:HG12	1.98	0.46
4:R:159:TYR:CE2	5:S:56:SER:HB3	2.50	0.46
13:M:27:LEU:HD21	13:M:34:LEU:HD22	1.98	0.45
5:E:175:LEU:HA	5:E:178:PHE:CE2	2.52	0.45
10:J:67:TYR:CE1	10:J:75:LEU:HD13	2.52	0.45
1:A:149:GLN:O	1:A:156:TYR:HA	2.17	0.45
11:K:4:LEU:HD22	11:K:4:LEU:C	2.37	0.45
2:B:14:PRO:HA	3:C:20:TYR:CD1	2.52	0.45
8:V:50:ALA:CB	9:W:126:ILE:HD12	2.43	0.45
1:A:119:GLN:O	1:A:122:THR:HB	2.16	0.45
5:S:175:LEU:HA	5:S:178:PHE:CE2	2.52	0.45
10:X:21:VAL:HG11	11:Y:122:LEU:HD11	1.98	0.45
11:K:4:LEU:C	11:K:4:LEU:CD2	2.85	0.44
1:O:55:LEU:HB3	7:U:159:ALA:O	2.17	0.44
1:O:149:GLN:O	1:O:156:TYR:HA	2.17	0.44
8:H:84:LYS:HG3	8:H:85:GLN:N	2.32	0.44
12:L:8:ASN:HA	12:L:30:ILE:O	2.17	0.44
1:O:119:GLN:O	1:O:122:THR:HB	2.17	0.44
9:I:9:GLY:HA3	9:I:41:LYS:HE2	2.00	0.44
3:C:169:VAL:HG23	3:C:196:SER:HB2	2.00	0.43
2:B:93:HIS:HB3	2:B:113:ARG:HH21	1.83	0.43
2:P:151:ASN:HB2	2:P:152:PRO:HD2	2.01	0.43
8:V:84:LYS:HG3	8:V:85:GLN:N	2.33	0.43
12:Z:147:MET:N	12:Z:148:PRO:HD2	2.33	0.43
2:B:14:PRO:HA	3:C:20:TYR:CE1	2.52	0.43
11:K:5:ALA:HB3	11:K:100:MET:CE	2.48	0.43
10:X:67:TYR:CE1	10:X:75:LEU:HD13	2.53	0.43
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.18	0.43
2:P:93:HIS:HB3	2:P:113:ARG:HH21	1.83	0.43
6:F:228:LYS:HE3	6:F:228:LYS:HB2	1.84	0.43
2:B:151:ASN:HB2	2:B:152:PRO:HD2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.53	0.43
12:L:147:MET:N	12:L:148:PRO:HD2	2.33	0.42
9:W:9:GLY:HA3	9:W:41:LYS:HE2	2.01	0.42
15:2:3:ALA:O	15:2:5:POL:H32	2.19	0.42
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	2.00	0.42
6:T:155:GLY:HA3	7:U:59:THR:HG21	2.01	0.42
9:W:20:VAL:HG23	9:W:189:ILE:HB	2.02	0.42
13:M:127:LEU:HG	13:M:142:LEU:HD12	2.02	0.42
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.49	0.42
4:D:88:ALA:HA	4:D:99:ILE:HG21	2.01	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.83	0.42
1:O:14:PRO:HA	2:P:23:TYR:CD1	2.55	0.42
3:Q:11:PRO:HA	4:R:18:TYR:CD1	2.55	0.42
10:J:36:ARG:NH1	10:J:58:GLU:OE2	2.53	0.42
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.50	0.42
11:K:2:THR:HG21	11:K:164:ALA:CB	2.50	0.41
5:S:9:THR:HG21	5:S:119:THR:HA	2.02	0.41
10:J:1:MET:HA	10:J:34:LYS:CE	2.50	0.41
11:K:9:GLN:NE2	11:K:148:LEU:O	2.54	0.41
7:U:78:ILE:N	7:U:79:PRO:CD	2.83	0.41
9:I:20:VAL:HG23	9:I:189:ILE:HB	2.01	0.41
8:V:47:GLY:HA2	17:4:102:MES:H81	2.02	0.41
10:X:1:MET:O	10:X:2:ASP:CB	2.61	0.41
2:B:1:GLY:HA3	5:E:122:TYR:CD1	2.55	0.41
14:N:22:THR:HG23	15:3:2:LEU:CD2	2.50	0.41
10:X:1:MET:HA	10:X:34:LYS:CE	2.50	0.41
4:R:88:ALA:HA	4:R:99:ILE:HG21	2.02	0.41
5:E:9:THR:HG21	5:E:119:THR:HA	2.02	0.41
11:Y:1:THR:HG22	11:Y:2:THR:N	2.34	0.41
15:5:4:ASJ:N	15:5:5:POL:H12	2.36	0.41
11:K:8:PHE:CD1	11:K:8:PHE:N	2.89	0.40
3:C:198:LEU:HA	3:C:201:VAL:HG12	2.03	0.40
6:T:14:ASP:HB2	6:T:16:ARG:HD3	2.04	0.40
11:Y:1:THR:CG2	11:Y:3:THR:HG23	2.51	0.40
8:H:218:VAL:CG2	9:I:196:LYS:HB2	2.52	0.40
9:I:101:PRO:HB3	9:I:126:ILE:HD12	2.04	0.40
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.57	0.40
3:Q:198:LEU:HA	3:Q:201:VAL:HG12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	242 (98%)	5 (2%)	1 (0%)	34	66
1	O	248/250 (99%)	242 (98%)	5 (2%)	1 (0%)	34	66
2	B	242/258 (94%)	234 (97%)	7 (3%)	1 (0%)	34	66
2	P	242/258 (94%)	234 (97%)	7 (3%)	1 (0%)	34	66
3	C	238/254 (94%)	231 (97%)	5 (2%)	2 (1%)	19	49
3	Q	238/254 (94%)	230 (97%)	6 (2%)	2 (1%)	19	49
4	D	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
4	R	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
5	E	229/234 (98%)	224 (98%)	5 (2%)	0	100	100
5	S	229/234 (98%)	224 (98%)	5 (2%)	0	100	100
6	F	241/288 (84%)	232 (96%)	9 (4%)	0	100	100
6	T	241/288 (84%)	233 (97%)	8 (3%)	0	100	100
7	G	239/252 (95%)	234 (98%)	5 (2%)	0	100	100
7	U	239/252 (95%)	234 (98%)	5 (2%)	0	100	100
8	H	220/232 (95%)	214 (97%)	6 (3%)	0	100	100
8	V	220/232 (95%)	213 (97%)	7 (3%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	189 (98%)	3 (2%)	1 (0%)	29	61
10	X	193/198 (98%)	189 (98%)	3 (2%)	1 (0%)	29	61
11	K	210/212 (99%)	204 (97%)	6 (3%)	0	100	100
11	Y	210/212 (99%)	207 (99%)	3 (1%)	0	100	100
12	L	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
12	Z	221/222 (100%)	217 (98%)	4 (2%)	0	100	100
13	M	231/246 (94%)	225 (97%)	6 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	a	231/246 (94%)	225 (97%)	6 (3%)	0	100	100
14	N	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
14	b	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
15	1	2/5 (40%)	2 (100%)	0	0	100	100
15	2	2/5 (40%)	2 (100%)	0	0	100	100
15	3	2/5 (40%)	2 (100%)	0	0	100	100
15	4	2/5 (40%)	2 (100%)	0	0	100	100
15	5	2/5 (40%)	2 (100%)	0	0	100	100
15	6	2/5 (40%)	2 (100%)	0	0	100	100
All	All	6289/6644 (95%)	6125 (97%)	154 (2%)	10 (0%)	47	78

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
10	J	2	ASP
2	P	51	VAL
3	Q	202	GLN
10	X	2	ASP
3	C	205	ALA
3	Q	205	ALA
1	A	3	ASP
1	O	3	ASP

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	67	90
1	O	209/209 (100%)	206 (99%)	3 (1%)	67	90
2	B	203/216 (94%)	195 (96%)	8 (4%)	32	66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	P	203/216 (94%)	195 (96%)	8 (4%)	32	66
3	C	212/226 (94%)	203 (96%)	9 (4%)	30	63
3	Q	212/226 (94%)	203 (96%)	9 (4%)	30	63
4	D	194/215 (90%)	185 (95%)	9 (5%)	27	60
4	R	194/215 (90%)	185 (95%)	9 (5%)	27	60
5	E	190/193 (98%)	178 (94%)	12 (6%)	18	46
5	S	190/193 (98%)	179 (94%)	11 (6%)	20	50
6	F	201/239 (84%)	190 (94%)	11 (6%)	21	52
6	T	201/239 (84%)	190 (94%)	11 (6%)	21	52
7	G	206/210 (98%)	199 (97%)	7 (3%)	37	71
7	U	206/210 (98%)	198 (96%)	8 (4%)	32	66
8	H	181/190 (95%)	173 (96%)	8 (4%)	28	61
8	V	181/190 (95%)	173 (96%)	8 (4%)	28	61
9	I	172/173 (99%)	168 (98%)	4 (2%)	50	82
9	W	172/173 (99%)	168 (98%)	4 (2%)	50	82
10	J	173/175 (99%)	167 (96%)	6 (4%)	36	70
10	X	173/175 (99%)	167 (96%)	6 (4%)	36	70
11	K	169/169 (100%)	162 (96%)	7 (4%)	30	64
11	Y	169/169 (100%)	163 (96%)	6 (4%)	35	69
12	L	185/185 (100%)	179 (97%)	6 (3%)	39	73
12	Z	186/185 (100%)	180 (97%)	6 (3%)	39	73
13	M	199/208 (96%)	192 (96%)	7 (4%)	36	70
13	a	199/208 (96%)	192 (96%)	7 (4%)	36	70
14	N	162/162 (100%)	158 (98%)	4 (2%)	47	80
14	b	162/162 (100%)	158 (98%)	4 (2%)	47	80
15	1	1/1 (100%)	1 (100%)	0	100	100
15	2	1/1 (100%)	1 (100%)	0	100	100
15	3	1/1 (100%)	1 (100%)	0	100	100
15	4	1/1 (100%)	1 (100%)	0	100	100
15	5	1/1 (100%)	1 (100%)	0	100	100
15	6	1/1 (100%)	1 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	5319/5546 (96%)	5118 (96%)	201 (4%)	33 67

All (201) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LYS
1	A	61	LEU
1	A	157	PHE
2	B	50	LYS
2	B	52	THR
2	B	54	THR
2	B	55	LEU
2	B	58	GLN
2	B	79	LEU
2	B	114	LEU
2	B	191	LEU
3	C	4	ARG
3	C	38	ASN
3	C	61	LYS
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	203	THR
4	D	20	LEU
4	D	40	LEU
4	D	99	ILE
4	D	117	GLU
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	236	LYS
4	D	242	GLU
5	E	8	ASP
5	E	9	THR
5	E	10	VAL
5	E	25	LEU
5	E	29	LYS
5	E	54	GLU
5	E	55	LEU
5	E	71	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	174	THR
5	E	184	ASN
5	E	188	LEU
5	E	207	VAL
6	F	14	ASP
6	F	59	LYS
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	172	LEU
6	F	181	GLU
6	F	203	ASN
6	F	206	LYS
6	F	214	TRP
6	F	221	ASN
7	G	83	ASN
7	G	115	LEU
7	G	125	MET
7	G	166	GLN
7	G	181	LYS
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	31	CYS
8	H	34	LEU
8	H	43	CYS
8	H	56	THR
8	H	68	LEU
8	H	127	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
9	I	182	TRP
9	I	192	ASP
10	J	23	ARG
10	J	35	THR
10	J	75	LEU
10	J	78	GLN
10	J	144	LEU
10	J	174	MET
11	K	4	LEU
11	K	8	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	K	9	GLN
11	K	18	SER
11	K	35	ILE
11	K	106	ARG
11	K	118	ASP
12	L	1	GLN
12	L	23	LEU
12	L	49	ASN
12	L	136	CYS
12	L	150	LEU
12	L	167	LYS
13	M	43	ILE
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
13	M	223	LYS
14	N	9	LYS
14	N	22	THR
14	N	104	ASP
14	N	119	VAL
1	O	17	LYS
1	O	61	LEU
1	O	157	PHE
2	P	50	LYS
2	P	52	THR
2	P	54	THR
2	P	55	LEU
2	P	58	GLN
2	P	79	LEU
2	P	114	LEU
2	P	191	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	61	LYS
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	203	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	R	20	LEU
4	R	40	LEU
4	R	99	ILE
4	R	117	GLU
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	10	VAL
5	S	25	LEU
5	S	29	LYS
5	S	54	GLU
5	S	55	LEU
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	207	VAL
5	S	231	LYS
6	T	14	ASP
6	T	59	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	172	LEU
6	T	181	GLU
6	T	203	ASN
6	T	206	LYS
6	T	214	TRP
6	T	221	ASN
7	U	83	ASN
7	U	115	LEU
7	U	125	MET
7	U	154	TYR
7	U	166	GLN
7	U	181	LYS
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	31	CYS
8	V	34	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	V	43	CYS
8	V	56	THR
8	V	68	LEU
8	V	127	LEU
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
9	W	182	TRP
9	W	192	ASP
10	X	23	ARG
10	X	35	THR
10	X	75	LEU
10	X	78	GLN
10	X	144	LEU
10	X	174	MET
11	Y	4	LEU
11	Y	7	ARG
11	Y	9	GLN
11	Y	35	ILE
11	Y	106	ARG
11	Y	118	ASP
12	Z	1	GLN
12	Z	23	LEU
12	Z	49	ASN
12	Z	136	CYS
12	Z	150	LEU
12	Z	167	LYS
13	a	43	ILE
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
13	a	223	LYS
14	b	9	LYS
14	b	22	THR
14	b	104	ASP
14	b	119	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (99) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	20	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
2	B	176	GLN
3	C	38	ASN
3	C	77	ASN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	191	GLN
6	F	240	GLN
7	G	6	HIS
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	175	ASN
8	H	57	GLN
8	H	66	HIS
8	H	114	HIS
10	J	55	GLN
11	K	9	GLN
11	K	85	ASN
11	K	176	ASN
12	L	3	ASN
12	L	70	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	L	158	ASN
13	M	18	ASN
13	M	48	ASN
13	M	102	GLN
13	M	179	ASN
13	M	194	ASN
13	M	213	GLN
14	N	161	GLN
1	O	94	HIS
2	P	20	GLN
2	P	119	GLN
2	P	123	GLN
2	P	176	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	146	GLN
4	R	198	GLN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	191	GLN
6	T	240	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
8	V	57	GLN
8	V	66	HIS
10	X	55	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	X	86	GLN
11	Y	9	GLN
11	Y	85	ASN
11	Y	176	ASN
12	Z	3	ASN
12	Z	70	ASN
12	Z	158	ASN
13	a	18	ASN
13	a	48	ASN
13	a	102	GLN
13	a	179	ASN
13	a	194	ASN
13	a	213	GLN
14	b	161	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
15	ASJ	1	4	15,8,16	7,7,7	1.27	1 (14%)	5,8,8	1.65	1 (20%)
15	ASJ	3	4	15,14	7,7,7	1.17	1 (14%)	5,8,8	1.84	1 (20%)
15	ASJ	5	4	15,11	7,7,7	0.96	1 (14%)	5,8,8	1.29	0
15	ASJ	4	4	15,8,16	7,7,7	1.25	1 (14%)	5,8,8	1.71	1 (20%)
15	ASJ	6	4	15,14	7,7,7	1.10	1 (14%)	5,8,8	1.65	1 (20%)
15	ASJ	2	4	15,11	7,7,7	1.06	1 (14%)	5,8,8	1.01	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	ASJ	1	4	15,8,16	-	3/6/6/6	-
15	ASJ	3	4	15,14	-	0/6/6/6	-
15	ASJ	5	4	15,11	-	1/6/6/6	-
15	ASJ	4	4	15,8,16	-	3/6/6/6	-
15	ASJ	6	4	15,14	-	1/6/6/6	-
15	ASJ	2	4	15,11	-	1/6/6/6	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	2	4	ASJ	OD1-CG	-2.59	1.22	1.30
15	3	4	ASJ	OD1-CG	-2.54	1.22	1.30
15	1	4	ASJ	C-CA	2.53	1.56	1.52
15	6	4	ASJ	OD1-CG	-2.53	1.22	1.30
15	4	4	ASJ	C-CA	2.29	1.56	1.52
15	5	4	ASJ	OD1-CG	-2.23	1.23	1.30

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
15	4	4	ASJ	CB-CA-C	-3.10	106.61	112.21
15	1	4	ASJ	CB-CA-C	-2.99	106.81	112.21
15	3	4	ASJ	CB-CA-C	-2.94	106.89	112.21
15	6	4	ASJ	CB-CA-C	-2.24	108.16	112.21

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
15	1	4	ASJ	N-CA-CB-CG
15	2	4	ASJ	N-CA-CB-CG
15	4	4	ASJ	N-CA-CB-CG
15	5	4	ASJ	N-CA-CB-CG
15	6	4	ASJ	N-CA-CB-CG
15	4	4	ASJ	CA-CB-CG-OD1
15	4	4	ASJ	CA-CB-CG-OD2
15	1	4	ASJ	CA-CB-CG-OD2
15	1	4	ASJ	CA-CB-CG-OD1

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
15	5	4	ASJ	1	0

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 13 ligands modelled in this entry, 9 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
17	MES	K	302	-	12,12,12	2.20	1 (8%)	14,16,16	1.29	2 (14%)
17	MES	4	102	-	12,12,12	2.21	1 (8%)	14,16,16	1.26	2 (14%)
17	MES	5	101	-	12,12,12	2.22	1 (8%)	14,16,16	1.30	2 (14%)
17	MES	H	301	-	12,12,12	2.19	1 (8%)	14,16,16	1.43	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	MES	K	302	-	-	0/6/14/14	0/1/1/1
17	MES	4	102	-	-	2/6/14/14	0/1/1/1
17	MES	5	101	-	-	0/6/14/14	0/1/1/1
17	MES	H	301	-	-	3/6/14/14	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	5	101	MES	C8-S	-7.43	1.67	1.77
17	K	302	MES	C8-S	-7.34	1.67	1.77
17	4	102	MES	C8-S	-7.34	1.67	1.77
17	H	301	MES	C8-S	-7.27	1.67	1.77

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
17	5	101	MES	O3S-S-C8	3.04	110.68	105.77
17	H	301	MES	O2S-S-C8	2.96	110.48	106.92
17	4	102	MES	O1S-S-C8	2.85	110.34	106.92
17	H	301	MES	O1S-S-C8	2.67	110.13	106.92
17	K	302	MES	O3S-S-C8	2.60	109.97	105.77
17	5	101	MES	O2S-S-C8	2.57	110.01	106.92
17	K	302	MES	O2S-S-C8	2.32	109.70	106.92
17	H	301	MES	O3S-S-C8	2.21	109.34	105.77
17	4	102	MES	O3S-S-C8	2.10	109.16	105.77

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	H	301	MES	C7-C8-S-O1S
17	H	301	MES	C7-C8-S-O3S
17	4	102	MES	C8-C7-N4-C5
17	H	301	MES	C7-C8-S-O2S
17	4	102	MES	C8-C7-N4-C3

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	4	102	MES	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	250/250 (100%)	-0.41	5 (2%)	65	56	51, 66, 101, 144	0
1	O	250/250 (100%)	-0.34	6 (2%)	59	49	56, 74, 117, 149	0
2	B	244/258 (94%)	-0.30	6 (2%)	57	47	54, 72, 119, 174	0
2	P	244/258 (94%)	-0.23	9 (3%)	41	31	60, 77, 125, 178	0
3	C	240/254 (94%)	-0.23	13 (5%)	25	17	54, 76, 136, 173	0
3	Q	240/254 (94%)	-0.03	14 (5%)	23	15	67, 94, 168, 208	0
4	D	235/260 (90%)	-0.42	1 (0%)	92	91	57, 77, 110, 154	0
4	R	235/260 (90%)	-0.34	4 (1%)	70	63	63, 81, 117, 160	0
5	E	231/234 (98%)	-0.23	2 (0%)	84	80	61, 82, 114, 164	0
5	S	231/234 (98%)	-0.26	2 (0%)	84	80	62, 86, 123, 161	0
6	F	243/288 (84%)	-0.43	4 (1%)	72	66	56, 75, 123, 150	0
6	T	243/288 (84%)	-0.33	7 (2%)	51	41	57, 77, 126, 159	0
7	G	241/252 (95%)	-0.42	3 (1%)	79	73	54, 71, 110, 158	0
7	U	241/252 (95%)	-0.48	1 (0%)	92	91	55, 70, 103, 139	0
8	H	222/232 (95%)	-0.54	2 (0%)	84	80	53, 64, 95, 129	1 (0%)
8	V	222/232 (95%)	-0.49	2 (0%)	84	80	53, 68, 100, 138	1 (0%)
9	I	204/205 (99%)	-0.62	2 (0%)	82	77	51, 65, 94, 121	0
9	W	204/205 (99%)	-0.62	2 (0%)	82	77	51, 67, 95, 125	0
10	J	195/198 (98%)	-0.50	2 (1%)	82	77	52, 68, 94, 145	0
10	X	195/198 (98%)	-0.52	2 (1%)	82	77	55, 70, 96, 146	0
11	K	212/212 (100%)	-0.54	1 (0%)	91	88	52, 68, 98, 114	0
11	Y	212/212 (100%)	-0.55	2 (0%)	84	80	54, 70, 101, 129	0
12	L	222/222 (100%)	-0.55	0	100	100	54, 69, 97, 128	0
12	Z	222/222 (100%)	-0.54	1 (0%)	91	88	55, 68, 100, 128	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
13	M	233/246 (94%)	-0.55	2 (0%)	84	80	51, 67, 90, 102	0
13	a	233/246 (94%)	-0.58	1 (0%)	92	91	51, 65, 86, 94	0
14	N	196/196 (100%)	-0.66	1 (0%)	91	88	49, 62, 90, 117	0
14	b	196/196 (100%)	-0.63	2 (1%)	82	77	51, 63, 91, 113	0
15	1	2/5 (40%)	-0.93	0	100	100	64, 64, 64, 70	0
15	2	2/5 (40%)	-0.99	0	100	100	80, 80, 80, 86	0
15	3	2/5 (40%)	-0.75	0	100	100	64, 64, 64, 72	0
15	4	2/5 (40%)	-0.93	0	100	100	69, 69, 69, 76	0
15	5	2/5 (40%)	-0.37	0	100	100	82, 82, 82, 90	0
15	6	2/5 (40%)	-0.36	0	100	100	70, 70, 70, 76	0
All	All	6348/6644 (95%)	-0.43	99 (1%)	72	66	49, 72, 114, 208	2 (0%)

All (99) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	220	ASN	7.6
5	E	202	ASP	6.4
10	J	1	MET	6.3
3	Q	206	LYS	5.9
10	X	1	MET	5.7
3	Q	49	THR	5.4
3	Q	50	LEU	5.3
3	C	206	LYS	5.3
2	P	220	ASN	5.0
1	A	1	MET	4.9
2	P	51	VAL	4.5
1	O	1	MET	4.4
2	P	218	GLY	4.4
5	S	202	ASP	4.2
10	J	194	ASP	4.1
2	P	59	ASP	3.9
8	V	222	ASP	3.8
10	X	194	ASP	3.8
3	C	49	THR	3.7
9	I	1	SER	3.6
3	C	205	ALA	3.5
3	C	239	GLN	3.5
3	Q	236	GLN	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	218	GLY	3.4
1	O	52	SER	3.3
3	Q	239	GLN	3.3
2	P	219	ALA	3.3
2	B	219	ALA	3.2
2	B	51	VAL	3.1
13	a	1	THR	3.1
1	O	231	LYS	3.1
3	Q	240	GLU	3.0
4	R	241	ALA	3.0
4	R	125	LEU	3.0
8	V	221	CYS	3.0
2	P	221	ASP	2.9
6	F	244	ASN	2.9
6	T	241	LYS	2.9
9	I	192	ASP	2.9
3	Q	48	SER	2.9
3	C	225	GLU	2.9
2	P	222	GLY	2.9
9	W	1	SER	2.8
14	N	105	LYS	2.8
6	F	202	ASP	2.8
1	O	249	ALA	2.8
3	C	236	GLN	2.8
3	Q	141	ASP	2.7
4	D	242	GLU	2.7
4	R	242	GLU	2.7
14	b	195	GLN	2.7
8	H	221	CYS	2.6
13	M	216	ASN	2.6
3	C	238	LYS	2.6
3	Q	51	LYS	2.6
13	M	1	THR	2.6
7	U	222	ASP	2.6
7	G	2	GLY	2.5
7	G	179	LYS	2.5
3	Q	223	SER	2.5
3	Q	238	LYS	2.5
1	O	248	GLU	2.5
6	T	230	ASP	2.5
3	C	202	GLN	2.5
3	Q	205	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	R	230	GLU	2.3
3	C	240	GLU	2.3
11	K	212	GLY	2.3
6	T	2	THR	2.3
3	C	180	LYS	2.3
6	T	244	ASN	2.3
8	H	222	ASP	2.3
3	Q	237	GLU	2.3
5	E	180	LYS	2.2
2	B	221	ASP	2.2
1	O	182	GLU	2.2
7	G	3	TYR	2.2
3	C	175	LYS	2.2
11	Y	106	ARG	2.2
6	F	178	HIS	2.2
1	A	250	LEU	2.1
2	P	182	ASP	2.1
2	B	182	ASP	2.1
3	C	50	LEU	2.1
1	A	249	ALA	2.1
6	T	205	GLU	2.1
1	A	182	GLU	2.1
6	F	181	GLU	2.1
11	Y	147	ASP	2.1
9	W	191	LYS	2.1
6	T	243	ILE	2.0
1	A	231	LYS	2.0
6	T	53	LYS	2.0
14	b	105	LYS	2.0
12	Z	210	ASP	2.0
3	C	235	GLU	2.0
2	P	235	LYS	2.0
3	Q	229	GLN	2.0
5	S	180	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
15	ASJ	1	4	8/8	0.95	0.16	68,73,78,86	0
15	ASJ	3	4	8/8	0.95	0.12	65,71,77,81	0
15	ASJ	5	4	8/8	0.95	0.13	83,88,93,101	0
15	ASJ	6	4	8/8	0.95	0.13	67,74,76,77	0
15	ASJ	4	4	8/8	0.97	0.12	74,76,78,81	0
15	ASJ	2	4	8/8	0.98	0.11	56,80,85,86	0

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
17	MES	4	102	12/12	0.83	0.44	95,133,150,150	0
17	MES	H	301	12/12	0.84	0.31	85,111,130,137	0
18	CL	U	301	1/1	0.91	0.32	30,30,30,30	0
16	MG	1	101	1/1	0.92	0.13	30,30,30,30	0
17	MES	K	302	12/12	0.92	0.27	80,94,98,99	0
17	MES	5	101	12/12	0.93	0.27	82,94,98,98	0
16	MG	I	301	1/1	0.93	0.20	73,73,73,73	0
16	MG	4	101	1/1	0.95	0.14	30,30,30,30	0
16	MG	N	201	1/1	0.96	0.10	67,67,67,67	0
16	MG	K	301	1/1	0.97	0.09	62,62,62,62	0
16	MG	I	302	1/1	0.98	0.05	62,62,62,62	0
16	MG	L	301	1/1	0.98	0.06	72,72,72,72	0
16	MG	G	301	1/1	0.99	0.07	65,65,65,65	0

6.5 Other polymers (i)

There are no such residues in this entry.