# Full wwPDB X-ray Structure Validation Report (i)

Jan 4, 2024 – 04:41 am GMT

| | | |
|---|---|---|
| PDB ID | : | 4Y80 |
| Title | : | Yeast 20S proteasome in complex with Ac-LAI-ep |
| Authors | : | Huber, E.M.; Groll, M. |
| Deposited on | : | 2015-02-16 |
| Resolution | : | 2.50 Å(reported) |

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

| | | |
|---|---|---|
| MolProbity | : | 4.02b-467 |
| Mogul | : | 1.8.4, CSD as541be (2020) |
| Xtriage (Phenix) | : | 1.13 |
| EDS | : | 2.36 |
| Percentile statistics | : | 20191225.v01 (using entries in the PDB archive December 25th 2019) |
| Refmac | : | 5.8.0158 |
| CCP4 | : | 7.0.044 (Gargrove) |
| Ideal geometry (proteins) | : | Engh & Huber (2001) |
| Ideal geometry (DNA, RNA) | : | Parkinson et al. (1996) |
| Validation Pipeline (wwPDB-VP) | : | 2.36 |

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




| Metric | Whole archive (#Entries) | Similar resolution (#Entries, resolution range(Å)) |
|---|---|---|
| $R_{free}$ | 130704 | 4661 (2.50-2.50) |
| Clashscore | 141614 | 5346 (2.50-2.50) |
| Ramachandran outliers | 138981 | 5231 (2.50-2.50) |
| Sidechain outliers | 138945 | 5233 (2.50-2.50) |
| RSRZ outliers | 127900 | 4559 (2.50-2.50) |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|---|---|---|---|
| 1 | A | 250 | 4%, 96%, · |
| 1 | O | 250 | 5%, 95%, 5% |
| 2 | B | 258 | 7%, 88%, 7%, 5% |
| 2 | P | 258 | 7%, 88%, 6%, 5% |
| 3 | C | 254 | 9%, 87%, 6%, ·, 6% |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Length | Quality of chain |
|---|---|---|---|
| 3 | Q | 254 | 11% 87% 6% 6% |
| 4 | D | 260 | 2% 85% 5% 10% |
| 4 | R | 260 | 4% 84% 6% 10% |
| 5 | E | 234 | 5% 92% 6% |
| 5 | S | 234 | 7% 91% 8% |
| 6 | F | 288 | 5% 80% 5% 16% |
| 6 | T | 288 | 5% 80% 5% 16% |
| 7 | G | 252 | 6% 90% 5% |
| 7 | U | 252 | 3% 90% 6% |
| 8 | H | 232 | % 91% 5% |
| 8 | V | 232 | 3% 91% |
| 9 | I | 205 | % 93% 6% |
| 9 | W | 205 | 2% 92% 7% |
| 10 | J | 198 | % 91% 6% |
| 10 | X | 198 | 2% 91% 6% |
| 11 | K | 212 | % 92% 7% |
| 11 | Y | 212 | 2% 92% 8% |
| 12 | L | 222 | 94% 5% |
| 12 | Z | 222 | 94% 5% |
| 13 | M | 246 | 3% 91% 6% |
| 13 | a | 246 | % 92% 5% |
| 14 | N | 196 | % 96% |
| 14 | b | 196 | % 98% |
| 15 | c | 5 | 80% 20% |
| 15 | d | 5 | 80% 20% |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Length | Quality of chain |
|---|---|---|---|
| 15 | e | 5 | 80% 20% |
| 15 | f | 5 | 100% |
| 15 | g | 5 | 80% 20% |
| 15 | h | 5 | 80% 20% |

# 2 Entry composition (i)

There are 19 unique types of molecules in this entry. The entry contains 50255 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 1 | A | 250 | 1915 | 1219 | 315 | 377 | 4 | 0 | 0 | 0 |
| 1 | O | 250 | 1915 | 1219 | 315 | 377 | 4 | 0 | 0 | 0 |

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 2 | B | 244 | 1904 | 1201 | 321 | 379 | 3 | 0 | 0 | 0 |
| 2 | P | 244 | 1904 | 1201 | 321 | 379 | 3 | 0 | 0 | 0 |

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 3 | C | 240 | 1881 | 1176 | 329 | 372 | 4 | 0 | 0 | 0 |
| 3 | Q | 240 | 1881 | 1176 | 329 | 372 | 4 | 0 | 0 | 0 |

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 4 | D | 235 | 1813 | 1136 | 304 | 366 | 7 | 0 | 0 | 0 |
| 4 | R | 235 | 1813 | 1136 | 304 | 366 | 7 | 0 | 0 | 0 |

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 5 | E | 231 | 1773 | 1114 | 307 | 348 | 4 | 0 | 0 | 0 |
| 5 | S | 231 | 1773 | 1114 | 307 | 348 | 4 | 0 | 0 | 0 |

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 6 | F | 243 | 1892 | 1203 | 329 | 356 | 4 | 0 | 0 | 0 |
| 6 | T | 243 | 1892 | 1203 | 329 | 356 | 4 | 0 | 0 | 0 |

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 7 | G | 241 | 1907 | 1214 | 320 | 365 | 8 | 0 | 0 | 0 |
| 7 | U | 241 | 1907 | 1214 | 320 | 365 | 8 | 0 | 0 | 0 |

- Molecule 8 is a protein called Proteasome subunit beta type-2.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 8 | H | 222 | 1684 | 1061 | 293 | 323 | 7 | 0 | 0 | 0 |
| 8 | V | 222 | 1684 | 1061 | 293 | 323 | 7 | 0 | 0 | 0 |

- Molecule 9 is a protein called Proteasome subunit beta type-3.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 9 | I | 204 | 1581 | 1010 | 258 | 305 | 8 | 0 | 0 | 0 |
| 9 | W | 204 | 1581 | 1010 | 258 | 305 | 8 | 0 | 0 | 0 |

- Molecule 10 is a protein called Proteasome subunit beta type-4.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 10 | J | 195 | 1561 | 992 | 264 | 299 | 6 | 0 | 0 | 0 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 10 | X | 195 | 1561 | 992 | 264 | 299 | 6 | 0 | 0 | 0 |

- Molecule 11 is a protein called Proteasome subunit beta type-5.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 11 | K | 212 | 1644 | 1045 | 280 | 312 | 7 | 0 | 0 | 0 |
| | | | Total | C | N | O | S | | | |
| 11 | Y | 212 | 1644 | 1045 | 280 | 312 | 7 | 0 | 0 | 0 |

- Molecule 12 is a protein called Proteasome subunit beta type-6.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 12 | L | 222 | 1757 | 1115 | 303 | 335 | 4 | 0 | 0 | 0 |
| | | | Total | C | N | O | S | | | |
| 12 | Z | 222 | 1764 | 1120 | 305 | 335 | 4 | 0 | 1 | 0 |

- Molecule 13 is a protein called Proteasome subunit beta type-7.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 13 | M | 232 | 1815 | 1148 | 311 | 349 | 7 | 0 | 0 | 0 |
| | | | Total | C | N | O | S | | | |
| 13 | a | 233 | 1824 | 1154 | 312 | 351 | 7 | 0 | 0 | 0 |

- Molecule 14 is a protein called Proteasome subunit beta type-1.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 14 | N | 196 | 1512 | 955 | 250 | 300 | 7 | 0 | 0 | 0 |
| | | | Total | C | N | O | S | | | |
| 14 | b | 196 | 1512 | 955 | 250 | 300 | 7 | 0 | 0 | 0 |

- Molecule 15 is a protein called Ac-LAI-ep.

| Mol | Chain | Residues | Atoms | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | | | |
| 15 | c | 5 | 28 | 20 | 3 | 5 | 0 | 0 | 0 |
| | | | Total | C | N | O | | | |
| 15 | d | 5 | 28 | 20 | 3 | 5 | 0 | 0 | 0 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Residues | Atoms | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | | | |
| 15 | e | 5 | 28 | 20 | 3 | 5 | 0 | 0 | 0 |
| 15 | f | 5 | 28 | 20 | 3 | 5 | 0 | 0 | 0 |
| 15 | g | 5 | 28 | 20 | 3 | 5 | 0 | 0 | 0 |
| 15 | h | 5 | 28 | 20 | 3 | 5 | 0 | 0 | 0 |

- Molecule 16 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|---|---|---|---|---|---|---|
| | | | Total | Mg | | |
| 16 | G | 1 | 1 | 1 | 0 | 0 |
| 16 | I | 2 | 2 | 2 | 0 | 0 |
| 16 | K | 1 | 1 | 1 | 0 | 0 |
| 16 | L | 1 | 1 | 1 | 0 | 0 |
| 16 | N | 1 | 1 | 1 | 0 | 0 |
| 16 | Z | 1 | 1 | 1 | 0 | 0 |

- Molecule 17 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|---|---|---|---|---|---|---|
| | | | Total | Cl | | |
| 17 | G | 1 | 1 | 1 | 0 | 0 |
| 17 | N | 1 | 1 | 1 | 0 | 0 |
| 17 | U | 1 | 1 | 1 | 0 | 0 |
| 17 | b | 1 | 1 | 1 | 0 | 0 |

- Molecule 18 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: $C_6H_{13}NO_4S$).




| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf |
|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | |
| 18 | H | 1 | 12 | 6 | 1 | 4 | 1 | 0 | 0 |
| | | | Total | C | N | O | S | | |
| 18 | d | 1 | 12 | 6 | 1 | 4 | 1 | 0 | 0 |
| | | | Total | C | N | O | S | | |
| 18 | g | 1 | 12 | 6 | 1 | 4 | 1 | 0 | 0 |

- Molecule 19 is water.

| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|---|---|---|---|---|---|---|
| | | | Total | O | | |
| 19 | A | 32 | 32 | 32 | 0 | 0 |
| | | | Total | O | | |
| 19 | B | 26 | 26 | 26 | 0 | 0 |
| | | | Total | O | | |
| 19 | C | 29 | 29 | 29 | 0 | 0 |
| | | | Total | O | | |
| 19 | D | 15 | 15 | 15 | 0 | 0 |
| | | | Total | O | | |
| 19 | E | 11 | 11 | 11 | 0 | 0 |
| | | | Total | O | | |
| 19 | F | 25 | 25 | 25 | 0 | 0 |
| | | | Total | O | | |
| 19 | G | 38 | 38 | 38 | 0 | 0 |
| | | | Total | O | | |
| 19 | H | 26 | 26 | 26 | 0 | 0 |
| | | | Total | O | | |
| 19 | I | 32 | 32 | 32 | 0 | 0 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|---|---|---|---|---|---|
| 19 | J | 37 | Total O<br>37 37 | 0 | 0 |
| 19 | K | 33 | Total O<br>33 33 | 0 | 0 |
| 19 | L | 28 | Total O<br>28 28 | 0 | 0 |
| 19 | M | 39 | Total O<br>39 39 | 0 | 0 |
| 19 | N | 23 | Total O<br>23 23 | 0 | 0 |
| 19 | O | 23 | Total O<br>23 23 | 0 | 0 |
| 19 | P | 21 | Total O<br>21 21 | 0 | 0 |
| 19 | Q | 16 | Total O<br>16 16 | 0 | 0 |
| 19 | R | 19 | Total O<br>19 19 | 0 | 0 |
| 19 | S | 8 | Total O<br>8 8 | 0 | 0 |
| 19 | T | 26 | Total O<br>26 26 | 0 | 0 |
| 19 | U | 31 | Total O<br>31 31 | 0 | 0 |
| 19 | V | 21 | Total O<br>21 21 | 0 | 0 |
| 19 | W | 22 | Total O<br>22 22 | 0 | 0 |
| 19 | X | 29 | Total O<br>29 29 | 0 | 0 |
| 19 | Y | 27 | Total O<br>27 27 | 0 | 0 |
| 19 | Z | 36 | Total O<br>36 36 | 0 | 0 |
| 19 | a | 38 | Total O<br>38 38 | 0 | 0 |
| 19 | b | 26 | Total O<br>26 26 | 0 | 0 |
| 19 | d | 1 | Total O<br>1 1 | 0 | 0 |
| 19 | e | 2 | Total O<br>2 2 | 0 | 0 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|---|---|---|---|---|---|---|
| | | | Total | O | | |
| 19 | f | 1 | 1 | 1 | 0 | 0 |
| | | | Total | O | | |
| 19 | g | 3 | 3 | 3 | 0 | 0 |
| | | | Total | O | | |
| 19 | h | 2 | 2 | 2 | 0 | 0 |

# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Proteasome subunit alpha type-2

Chain A:







• Molecule 1: Proteasome subunit alpha type-2

Chain O:



• Molecule 2: Proteasome subunit alpha type-3

Chain B:




• Molecule 2: Proteasome subunit alpha type-3

Chain P:




• Molecule 3: Proteasome subunit alpha type-4

Chain C:




• Molecule 3: Proteasome subunit alpha type-4

Chain Q:




• Molecule 4: Proteasome subunit alpha type-5

Chain D:




• Molecule 4: Proteasome subunit alpha type-5

Chain R:




• Molecule 5: Proteasome subunit alpha type-6

Chain E:







• Molecule 5: Proteasome subunit alpha type-6

Chain S:







I233
• Molecule 6: Probable proteasome subunit alpha type-7
Chain F:
5%
80%
5%
16%
MET THR SER ILE GLY T2 D14 Q19 K53 K59 Q117 N123 K139 L172 D177 H178 H179 P180 E181 E201 D202 N203 K204 E205 K206 W214 C215 N221 K228 K241 E242 I243 N244 GLY ASP ASP ASP GLU ASP GLU ASP ASP SER ASP ASN VAL
MET SER SER ASP ASP GLU ASN ALA PRO VAL ALA THR ASN ALA ASN ALA THR THR ASP GLN GLU GLY ASP ILE HIS LEU GLU
• Molecule 6: Probable proteasome subunit alpha type-7
Chain T:
5%
80%
5%
16%
MET THR SER ILE GLY T2 D14 Q19 K53 L54 K59 Q117 N123 K139 Q166 L172 H178 H179 P180 E181 N203 K204 E205 K206 W214 C215 N221 K228 G229 D230 K241 E242 I243 N244 GLY ASP ASP ASP GLU ASP GLU ASP ASP SER ASP
ASN VAL MET SER SER ASP ASP GLU ASN ALA PRO VAL ALA THR ASN ALA ASN ALA THR THR ASP GLN GLU GLY ASP ILE HIS LEU GLU
• Molecule 7: Proteasome subunit alpha type-1
Chain G:
6%
90%
5%
MET SER GLY ALA ALA ALA ALA SER ALA ALA G2 Y3 F23 T26 D40 P51 I78 P79 N83 L115 M125 I131 Q166 T170 K179 S180 K181 I182 D183 E188 E208 D222 E230 R235 L236 V237 A240 E241 Q242 ASP
• Molecule 7: Proteasome subunit alpha type-1
Chain U:
3%
90%
6%
MET SER GLY ALA ALA ALA ALA SER ALA ALA G2 Y3 P12 F23 T26 I78 P79 N83 L115 M125 I131 A159 Q166 K181 D203 D222 R235 L236 E241 Q242 ASP
• Molecule 8: Proteasome subunit beta type-2
Chain H:
%
91%
5%
T1 N30 L34 C43 T52 T56 L68 K84 Q85 D104 P105 L127 R196 C221 D222 ILE GLN GLU GLU GLN VAL ASP ILE THR ALA
• Molecule 8: Proteasome subunit beta type-2
Chain V:
3%
91%

• Molecule 9: Proteasome subunit beta type-3

Chain I:



• Molecule 9: Proteasome subunit beta type-3

Chain W:







• Molecule 10: Proteasome subunit beta type-4

Chain J:




• Molecule 10: Proteasome subunit beta type-4

Chain X:







• Molecule 11: Proteasome subunit beta type-5

Chain K:



• Molecule 11: Proteasome subunit beta type-5

Chain Y:



• Molecule 12: Proteasome subunit beta type-6

Chain L:







• Molecule 12: Proteasome subunit beta type-6

Chain Z:







• Molecule 13: Proteasome subunit beta type-7

Chain M:







• Molecule 13: Proteasome subunit beta type-7

Chain a:







• Molecule 14: Proteasome subunit beta type-1

Chain N:







• Molecule 14: Proteasome subunit beta type-1

Chain b:







• Molecule 15: Ac-LAI-ep

Chain c:

• Molecule 15: Ac-LAI-ep

Chain d: 80% 20%

• Molecule 15: Ac-LAI-ep

Chain e: 80% 20%

• Molecule 15: Ac-LAI-ep

Chain f: 100%

There are no outlier residues recorded for this chain.

• Molecule 15: Ac-LAI-ep

Chain g: 80% 20%

• Molecule 15: Ac-LAI-ep

Chain h: 80% 20%

# 4 Data and refinement statistics (i)

| Property | Value | Source |
|---|---|---|
| Space group | P 1 21 1 | Depositor |
| Cell constants<br>a, b, c, $\alpha$, $\beta$, $\gamma$ | 136.63Å 300.15Å 145.43Å<br>90.00° 113.22° 90.00° | Depositor |
| Resolution (Å) | 15.00 – 2.50<br>14.99 – 2.50 | Depositor<br>EDS |
| % Data completeness<br>(in resolution range) | 97.4 (15.00-2.50)<br>97.4 (14.99-2.50) | Depositor<br>EDS |
| $R_{merge}$ | 0.07 | Depositor |
| $R_{sym}$ | (Not available) | Depositor |
| $< I/\sigma(I) >$ [1] | 2.79 (at 2.51Å) | Xtriage |
| Refinement program | REFMAC 5.7.0032 | Depositor |
| R, $R_{free}$ | 0.202 , 0.219<br>0.205 , 0.222 | Depositor<br>DCC |
| $R_{free}$ test set | 17918 reflections (5.00%) | wwPDB-VP |
| Wilson B-factor (Å$^2$) | 50.2 | Xtriage |
| Anisotropy | 0.043 | Xtriage |
| Bulk solvent $k_{sol}$(e/Å$^3$), $B_{sol}$(Å$^2$) | 0.32 , 28.8 | EDS |
| L-test for twinning[2] | $< \|L\| > = 0.48$, $< L^2 > = 0.32$ | Xtriage |
| Estimated twinning fraction | No twinning to report. | Xtriage |
| $F_o$,$F_c$ correlation | 0.95 | EDS |
| Total number of atoms | 50255 | wwPDB-VP |
| Average B, all atoms (Å$^2$) | 58.0 | wwPDB-VP |

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.43% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ACE, POL, CL, IL0, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|---|---|---|---|---|---|
| | | RMSZ | $\#\|Z\|>5$ | RMSZ | $\#\|Z\|>5$ |
| 1 | A | 0.27 | 0/1952 | 0.48 | 0/2642 |
| 1 | O | 0.27 | 0/1952 | 0.48 | 0/2642 |
| 2 | B | 0.28 | 0/1934 | 0.50 | 0/2618 |
| 2 | P | 0.27 | 0/1934 | 0.50 | 0/2618 |
| 3 | C | 0.28 | 0/1910 | 0.51 | 0/2586 |
| 3 | Q | 0.28 | 0/1910 | 0.51 | 0/2586 |
| 4 | D | 0.27 | 0/1837 | 0.48 | 0/2475 |
| 4 | R | 0.27 | 0/1837 | 0.48 | 0/2475 |
| 5 | E | 0.27 | 0/1800 | 0.48 | 0/2433 |
| 5 | S | 0.27 | 0/1800 | 0.48 | 0/2433 |
| 6 | F | 0.27 | 0/1932 | 0.46 | 0/2609 |
| 6 | T | 0.27 | 0/1932 | 0.46 | 0/2609 |
| 7 | G | 0.27 | 0/1945 | 0.48 | 0/2634 |
| 7 | U | 0.28 | 0/1945 | 0.48 | 0/2634 |
| 8 | H | 0.27 | 0/1715 | 0.49 | 0/2326 |
| 8 | V | 0.26 | 0/1715 | 0.49 | 0/2326 |
| 9 | I | 0.28 | 0/1611 | 0.49 | 0/2174 |
| 9 | W | 0.28 | 0/1611 | 0.48 | 0/2174 |
| 10 | J | 0.26 | 0/1589 | 0.49 | 0/2142 |
| 10 | X | 0.26 | 0/1589 | 0.49 | 0/2142 |
| 11 | K | 0.29 | 0/1681 | 0.54 | 1/2274 (0.0%) |
| 11 | Y | 0.27 | 0/1681 | 0.55 | 1/2274 (0.0%) |
| 12 | L | 0.28 | 0/1795 | 0.48 | 0/2420 |
| 12 | Z | 0.35 | 2/1806 (0.1%) | 0.56 | 4/2435 (0.2%) |
| 13 | M | 0.28 | 0/1846 | 0.52 | 0/2503 |
| 13 | a | 0.27 | 0/1855 | 0.52 | 0/2514 |
| 14 | N | 0.32 | 0/1541 | 0.50 | 0/2087 |
| 14 | b | 0.29 | 0/1541 | 0.49 | 0/2087 |
| 15 | c | 1.03 | 0/13 | 1.43 | 0/17 |
| 15 | d | 1.27 | 0/13 | 1.31 | 0/17 |
| 15 | e | 0.70 | 0/13 | 1.36 | 0/17 |
| 15 | f | 0.50 | 0/13 | 1.14 | 0/17 |

| Mol | Chain | Bond lengths | | Bond angles | |
|---|---|---|---|---|---|
| | | RMSZ | #\|Z\| >5 | RMSZ | #\|Z\| >5 |
| 15 | g | 0.36 | 0/13 | 1.23 | 0/17 |
| 15 | h | 0.46 | 0/13 | 1.17 | 0/17 |
| All | All | 0.28 | 2/50274 (0.0%) | 0.50 | 6/67974 (0.0%) |

All (2) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|---|---|---|---|---|---|---|---|
| 12 | Z | 108[A] | HIS | CA-C | 5.85 | 1.68 | 1.52 |
| 12 | Z | 108[B] | HIS | CA-C | 5.85 | 1.68 | 1.52 |

All (6) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed($^o$) | Ideal($^o$) |
|---|---|---|---|---|---|---|---|
| 11 | Y | 32 | LYS | CB-CG-CD | 8.75 | 134.35 | 111.60 |
| 11 | K | 32 | LYS | CB-CG-CD | 8.27 | 133.09 | 111.60 |
| 12 | Z | 108[A] | HIS | CA-C-O | 6.64 | 134.04 | 120.10 |
| 12 | Z | 108[B] | HIS | CA-C-O | 6.64 | 134.04 | 120.10 |
| 12 | Z | 108[A] | HIS | CA-C-N | -5.01 | 106.18 | 117.20 |
| 12 | Z | 108[B] | HIS | CA-C-N | -5.01 | 106.18 | 117.20 |

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|---|---|---|---|---|---|---|
| 1 | A | 1915 | 0 | 1929 | 5 | 0 |
| 1 | O | 1915 | 0 | 1929 | 6 | 0 |
| 2 | B | 1904 | 0 | 1904 | 7 | 0 |
| 2 | P | 1904 | 0 | 1904 | 6 | 0 |
| 3 | C | 1881 | 0 | 1895 | 10 | 0 |
| 3 | Q | 1881 | 0 | 1895 | 10 | 0 |
| 4 | D | 1813 | 0 | 1797 | 3 | 0 |
| 4 | R | 1813 | 0 | 1797 | 6 | 0 |
| 5 | E | 1773 | 0 | 1775 | 4 | 0 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|---|---|---|---|---|---|---|
| 5 | S | 1773 | 0 | 1775 | 6 | 0 |
| 6 | F | 1892 | 0 | 1883 | 2 | 0 |
| 6 | T | 1892 | 0 | 1883 | 3 | 0 |
| 7 | G | 1907 | 0 | 1901 | 4 | 0 |
| 7 | U | 1907 | 0 | 1901 | 5 | 0 |
| 8 | H | 1684 | 0 | 1685 | 3 | 0 |
| 8 | V | 1684 | 0 | 1685 | 2 | 0 |
| 9 | I | 1581 | 0 | 1574 | 7 | 0 |
| 9 | W | 1581 | 0 | 1574 | 7 | 0 |
| 10 | J | 1561 | 0 | 1569 | 9 | 0 |
| 10 | X | 1561 | 0 | 1569 | 8 | 0 |
| 11 | K | 1644 | 0 | 1592 | 8 | 0 |
| 11 | Y | 1644 | 0 | 1592 | 8 | 0 |
| 12 | L | 1757 | 0 | 1711 | 4 | 0 |
| 12 | Z | 1764 | 0 | 1718 | 4 | 0 |
| 13 | M | 1815 | 0 | 1821 | 1 | 0 |
| 13 | a | 1824 | 0 | 1832 | 0 | 0 |
| 14 | N | 1512 | 0 | 1478 | 1 | 0 |
| 14 | b | 1512 | 0 | 1478 | 0 | 0 |
| 15 | c | 28 | 0 | 36 | 0 | 0 |
| 15 | d | 28 | 0 | 36 | 0 | 0 |
| 15 | e | 28 | 0 | 36 | 0 | 0 |
| 15 | f | 28 | 0 | 36 | 0 | 0 |
| 15 | g | 28 | 0 | 36 | 0 | 0 |
| 15 | h | 28 | 0 | 36 | 0 | 0 |
| 16 | G | 1 | 0 | 0 | 0 | 0 |
| 16 | I | 2 | 0 | 0 | 0 | 0 |
| 16 | K | 1 | 0 | 0 | 0 | 0 |
| 16 | L | 1 | 0 | 0 | 0 | 0 |
| 16 | N | 1 | 0 | 0 | 0 | 0 |
| 16 | Z | 1 | 0 | 0 | 0 | 0 |
| 17 | G | 1 | 0 | 0 | 0 | 0 |
| 17 | N | 1 | 0 | 0 | 0 | 0 |
| 17 | U | 1 | 0 | 0 | 0 | 0 |
| 17 | b | 1 | 0 | 0 | 0 | 0 |
| 18 | H | 12 | 0 | 13 | 0 | 0 |
| 18 | d | 12 | 0 | 13 | 0 | 0 |
| 18 | g | 12 | 0 | 13 | 0 | 0 |
| 19 | A | 32 | 0 | 0 | 0 | 0 |
| 19 | B | 26 | 0 | 0 | 0 | 0 |
| 19 | C | 29 | 0 | 0 | 0 | 0 |
| 19 | D | 15 | 0 | 0 | 0 | 0 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|---|---|---|---|---|---|---|
| 19 | E | 11 | 0 | 0 | 0 | 0 |
| 19 | F | 25 | 0 | 0 | 0 | 0 |
| 19 | G | 38 | 0 | 0 | 0 | 0 |
| 19 | H | 26 | 0 | 0 | 0 | 0 |
| 19 | I | 32 | 0 | 0 | 0 | 0 |
| 19 | J | 37 | 0 | 0 | 0 | 0 |
| 19 | K | 33 | 0 | 0 | 0 | 0 |
| 19 | L | 28 | 0 | 0 | 0 | 0 |
| 19 | M | 39 | 0 | 0 | 0 | 0 |
| 19 | N | 23 | 0 | 0 | 0 | 0 |
| 19 | O | 23 | 0 | 0 | 0 | 0 |
| 19 | P | 21 | 0 | 0 | 0 | 0 |
| 19 | Q | 16 | 0 | 0 | 0 | 0 |
| 19 | R | 19 | 0 | 0 | 0 | 0 |
| 19 | S | 8 | 0 | 0 | 0 | 0 |
| 19 | T | 26 | 0 | 0 | 1 | 0 |
| 19 | U | 31 | 0 | 0 | 0 | 0 |
| 19 | V | 21 | 0 | 0 | 0 | 0 |
| 19 | W | 22 | 0 | 0 | 0 | 0 |
| 19 | X | 29 | 0 | 0 | 0 | 0 |
| 19 | Y | 27 | 0 | 0 | 0 | 0 |
| 19 | Z | 36 | 0 | 0 | 0 | 0 |
| 19 | a | 38 | 0 | 0 | 0 | 0 |
| 19 | b | 26 | 0 | 0 | 0 | 0 |
| 19 | d | 1 | 0 | 0 | 0 | 0 |
| 19 | e | 2 | 0 | 0 | 0 | 0 |
| 19 | f | 1 | 0 | 0 | 0 | 0 |
| 19 | g | 3 | 0 | 0 | 0 | 0 |
| 19 | h | 2 | 0 | 0 | 0 | 0 |
| All | All | 50255 | 0 | 49301 | 119 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 10:J:1:MET:O | 10:J:2:ASP:HB2 | 1.84 | 0.76 |
| 10:X:1:MET:O | 10:X:2:ASP:HB2 | 1.84 | 0.75 |
| 12:Z:13:LEU:HD13 | 12:Z:150:LEU:HD21 | 1.75 | 0.68 |
| 12:L:13:LEU:HD13 | 12:L:150:LEU:HD21 | 1.75 | 0.68 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 4:D:99:ILE:HD11 | 4:D:104:LEU:HB2 | 1.78 | 0.66 |
| 4:R:99:ILE:HD11 | 4:R:104:LEU:HB2 | 1.77 | 0.65 |
| 11:K:100:MET:HE3 | 11:K:127:PHE:HB2 | 1.78 | 0.64 |
| 11:Y:5:ALA:HB3 | 11:Y:100:MET:HE2 | 1.82 | 0.61 |
| 11:Y:100:MET:HE3 | 11:Y:127:PHE:HB2 | 1.85 | 0.59 |
| 3:C:51:LYS:O | 3:C:52:LEU:HB2 | 2.05 | 0.56 |
| 3:Q:51:LYS:O | 3:Q:52:LEU:HB2 | 2.06 | 0.56 |
| 11:K:5:ALA:HB3 | 11:K:100:MET:HE2 | 1.88 | 0.55 |
| 10:J:174:MET:HA | 10:X:174:MET:HA | 1.88 | 0.55 |
| 7:G:23:PHE:O | 7:G:26:THR:HB | 2.07 | 0.55 |
| 7:U:23:PHE:O | 7:U:26:THR:HB | 2.07 | 0.55 |
| 3:C:160:GLN:HE21 | 3:C:160:GLN:HA | 1.73 | 0.54 |
| 3:Q:160:GLN:HE21 | 3:Q:160:GLN:HA | 1.73 | 0.54 |
| 11:K:100:MET:CE | 11:K:127:PHE:HB2 | 2.39 | 0.52 |
| 1:O:122:THR:HG22 | 2:P:128:ARG:HH21 | 1.75 | 0.52 |
| 2:P:124:HIS:HB3 | 3:Q:124:VAL:HG12 | 1.92 | 0.52 |
| 9:I:101:PRO:HB3 | 9:I:126:ILE:HD12 | 1.91 | 0.51 |
| 11:Y:100:MET:CE | 11:Y:127:PHE:HB2 | 2.39 | 0.51 |
| 9:W:20:VAL:HG13 | 9:W:118:PRO:HB3 | 1.93 | 0.51 |
| 9:I:20:VAL:HG13 | 9:I:118:PRO:HB3 | 1.93 | 0.51 |
| 5:E:12:PHE:H | 6:F:19:GLN:HE22 | 1.57 | 0.50 |
| 12:Z:5:TYR:CE1 | 12:Z:106:TYR:CD1 | 3.00 | 0.50 |
| 10:J:16:ALA:HB2 | 10:J:161:LEU:HD21 | 1.94 | 0.49 |
| 12:L:5:TYR:CE1 | 12:L:106:TYR:CD1 | 3.00 | 0.49 |
| 5:S:87:LEU:HD21 | 5:S:107:ALA:HB1 | 1.94 | 0.49 |
| 2:B:146:GLN:HG2 | 3:C:57:ILE:HG21 | 1.93 | 0.49 |
| 3:C:201:VAL:HG13 | 3:C:202:GLN:N | 2.27 | 0.49 |
| 10:X:16:ALA:HB2 | 10:X:161:LEU:HD21 | 1.95 | 0.49 |
| 2:B:124:HIS:HB3 | 3:C:124:VAL:HG12 | 1.93 | 0.49 |
| 9:I:10:ILE:HG21 | 9:I:141:ALA:HB3 | 1.95 | 0.49 |
| 3:C:201:VAL:O | 3:C:202:GLN:CB | 2.61 | 0.49 |
| 5:S:12:PHE:H | 6:T:19:GLN:HE22 | 1.59 | 0.49 |
| 3:Q:201:VAL:O | 3:Q:202:GLN:CB | 2.61 | 0.48 |
| 3:Q:201:VAL:HG13 | 3:Q:202:GLN:N | 2.28 | 0.48 |
| 9:W:98:ARG:O | 9:W:126:ILE:HD11 | 2.13 | 0.48 |
| 14:N:152:VAL:HA | 14:N:175:MET:HE1 | 1.95 | 0.48 |
| 9:W:10:ILE:HG21 | 9:W:141:ALA:HB3 | 1.95 | 0.48 |
| 1:A:122:THR:HG22 | 2:B:128:ARG:HH21 | 1.77 | 0.48 |
| 8:H:104:ASP:HB2 | 8:H:105:PRO:HD2 | 1.96 | 0.48 |
| 5:E:87:LEU:HD21 | 5:E:107:ALA:HB1 | 1.94 | 0.48 |
| 10:X:1:MET:O | 10:X:2:ASP:CB | 2.59 | 0.48 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 6:T:215:CYS:HB3 | 19:T:307:HOH:O | 2.13 | 0.47 |
| 1:O:55:LEU:HB3 | 7:U:159:ALA:O | 2.15 | 0.47 |
| 8:H:52:THR:O | 8:H:56:THR:HB | 2.15 | 0.47 |
| 3:Q:201:VAL:O | 3:Q:202:GLN:HB2 | 2.14 | 0.47 |
| 9:W:9:GLY:HA3 | 9:W:41:LYS:HE2 | 1.97 | 0.47 |
| 9:I:9:GLY:HA3 | 9:I:41:LYS:HE2 | 1.96 | 0.47 |
| 10:J:21:VAL:HG11 | 11:K:122:LEU:HD11 | 1.97 | 0.47 |
| 3:C:201:VAL:O | 3:C:202:GLN:HB2 | 2.14 | 0.46 |
| 8:V:104:ASP:HB2 | 8:V:105:PRO:HD2 | 1.96 | 0.46 |
| 9:W:36:SER:HB2 | 10:X:126:VAL:HG11 | 1.98 | 0.46 |
| 6:F:228:LYS:HE3 | 6:F:228:LYS:HB2 | 1.81 | 0.46 |
| 9:I:36:SER:HB2 | 10:J:126:VAL:HG11 | 1.98 | 0.46 |
| 10:J:67:TYR:CE1 | 10:J:75:LEU:HD13 | 2.52 | 0.45 |
| 10:X:21:VAL:HG11 | 11:Y:122:LEU:HD11 | 1.98 | 0.45 |
| 2:P:151:ASN:HB2 | 2:P:152:PRO:HD2 | 1.99 | 0.45 |
| 5:E:9:THR:HG21 | 5:E:119:THR:HA | 1.99 | 0.45 |
| 8:V:52:THR:O | 8:V:56:THR:HB | 2.16 | 0.44 |
| 12:Z:8:ASN:HA | 12:Z:30:ILE:O | 2.17 | 0.44 |
| 10:X:67:TYR:CE1 | 10:X:75:LEU:HD13 | 2.52 | 0.44 |
| 2:B:151:ASN:HB2 | 2:B:152:PRO:HD2 | 1.99 | 0.44 |
| 10:J:1:MET:O | 10:J:2:ASP:CB | 2.59 | 0.44 |
| 4:R:159:TYR:CE2 | 5:S:56:SER:HB3 | 2.51 | 0.44 |
| 5:S:9:THR:HG21 | 5:S:119:THR:HA | 1.99 | 0.44 |
| 9:W:101:PRO:HB3 | 9:W:126:ILE:HD12 | 2.00 | 0.44 |
| 12:L:8:ASN:HA | 12:L:30:ILE:O | 2.17 | 0.44 |
| 3:Q:9:PHE:H | 4:R:15:GLN:HE22 | 1.66 | 0.44 |
| 12:Z:147:MET:N | 12:Z:148:PRO:HD2 | 2.33 | 0.44 |
| 3:Q:11:PRO:HA | 4:R:18:TYR:CD1 | 2.53 | 0.43 |
| 5:E:175:LEU:HA | 5:E:178:PHE:CE2 | 2.53 | 0.43 |
| 1:O:23:TYR:CD1 | 7:U:12:PRO:HA | 2.53 | 0.43 |
| 3:C:169:VAL:HG23 | 3:C:196:SER:HB2 | 2.00 | 0.43 |
| 5:S:175:LEU:HA | 5:S:178:PHE:CE2 | 2.53 | 0.43 |
| 9:W:20:VAL:HG23 | 9:W:189:ILE:HB | 2.00 | 0.43 |
| 9:I:20:VAL:HG23 | 9:I:189:ILE:HB | 2.00 | 0.43 |
| 2:B:93:HIS:HB3 | 2:B:113:ARG:HH21 | 1.83 | 0.43 |
| 4:R:88:ALA:HA | 4:R:99:ILE:HG21 | 2.00 | 0.43 |
| 3:Q:169:VAL:HG23 | 3:Q:196:SER:HB2 | 2.00 | 0.43 |
| 4:D:88:ALA:HA | 4:D:99:ILE:HG21 | 2.00 | 0.43 |
| 12:L:147:MET:N | 12:L:148:PRO:HD2 | 2.33 | 0.43 |
| 2:P:93:HIS:HB3 | 2:P:113:ARG:HH21 | 1.83 | 0.43 |
| 7:U:26:THR:HG21 | 7:U:131:ILE:HD12 | 2.01 | 0.42 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 1:A:149:GLN:O | 1:A:156:TYR:HA | 2.20 | 0.42 |
| 4:R:91:HIS:HB3 | 4:R:99:ILE:CG2 | 2.49 | 0.42 |
| 7:G:78:ILE:N | 7:G:79:PRO:CD | 2.82 | 0.42 |
| 13:M:127:LEU:HG | 13:M:142:LEU:HD12 | 2.02 | 0.42 |
| 7:U:78:ILE:N | 7:U:79:PRO:CD | 2.82 | 0.42 |
| 1:O:14:PRO:HA | 2:P:23:TYR:CD1 | 2.55 | 0.42 |
| 2:B:151:ASN:HB2 | 2:B:152:PRO:CD | 2.49 | 0.42 |
| 3:C:198:LEU:HA | 3:C:201:VAL:HG12 | 2.02 | 0.42 |
| 2:P:151:ASN:HB2 | 2:P:152:PRO:CD | 2.49 | 0.42 |
| 3:Q:198:LEU:HA | 3:Q:201:VAL:HG12 | 2.02 | 0.42 |
| 11:K:53:GLN:O | 11:K:57:THR:HG23 | 2.20 | 0.42 |
| 1:O:149:GLN:O | 1:O:156:TYR:HA | 2.19 | 0.42 |
| 11:Y:53:GLN:O | 11:Y:57:THR:HG23 | 2.20 | 0.42 |
| 7:G:26:THR:HG21 | 7:G:131:ILE:HD12 | 2.01 | 0.42 |
| 4:D:91:HIS:HB3 | 4:D:99:ILE:CG2 | 2.49 | 0.42 |
| 1:A:115:ALA:HB1 | 1:A:154:GLY:O | 2.21 | 0.41 |
| 1:A:55:LEU:HD12 | 7:G:170:THR:HG23 | 2.01 | 0.41 |
| 10:J:1:MET:HA | 10:J:34:LYS:CE | 2.50 | 0.41 |
| 11:K:5:ALA:HB3 | 11:K:100:MET:CE | 2.49 | 0.41 |
| 2:B:14:PRO:HA | 3:C:20:TYR:CD1 | 2.56 | 0.41 |
| 8:H:84:LYS:HG3 | 8:H:85:GLN:N | 2.36 | 0.41 |
| 10:X:1:MET:HA | 10:X:34:LYS:CE | 2.50 | 0.41 |
| 11:K:20:ALA:HB2 | 11:K:31:VAL:HG21 | 2.02 | 0.41 |
| 6:T:228:LYS:HE3 | 6:T:228:LYS:HB2 | 1.81 | 0.41 |
| 1:O:115:ALA:HB1 | 1:O:154:GLY:O | 2.21 | 0.41 |
| 11:Y:20:ALA:HB2 | 11:Y:31:VAL:HG21 | 2.02 | 0.41 |
| 10:J:1:MET:HA | 10:J:34:LYS:HE3 | 2.03 | 0.41 |
| 1:A:119:GLN:O | 1:A:122:THR:HB | 2.21 | 0.40 |
| 11:K:37:ILE:HG23 | 11:K:60:GLY:HA2 | 2.02 | 0.40 |
| 5:S:68:HIS:HE1 | 5:S:102:LEU:O | 2.04 | 0.40 |
| 11:Y:37:ILE:HG23 | 11:Y:60:GLY:HA2 | 2.02 | 0.40 |
| 9:I:101:PRO:HB3 | 9:I:126:ILE:CD1 | 2.51 | 0.40 |
| 11:Y:5:ALA:HB3 | 11:Y:100:MET:CE | 2.50 | 0.40 |

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|---|---|---|---|---|---|---|---|
| 1 | A | 248/250 (99%) | 241 (97%) | 6 (2%) | 1 (0%) | 34 | 54 |
| 1 | O | 248/250 (99%) | 241 (97%) | 6 (2%) | 1 (0%) | 34 | 54 |
| 2 | B | 242/258 (94%) | 234 (97%) | 7 (3%) | 1 (0%) | 34 | 54 |
| 2 | P | 242/258 (94%) | 234 (97%) | 7 (3%) | 1 (0%) | 34 | 54 |
| 3 | C | 238/254 (94%) | 230 (97%) | 6 (2%) | 2 (1%) | 19 | 35 |
| 3 | Q | 238/254 (94%) | 230 (97%) | 6 (2%) | 2 (1%) | 19 | 35 |
| 4 | D | 231/260 (89%) | 227 (98%) | 4 (2%) | 0 | 100 | 100 |
| 4 | R | 231/260 (89%) | 227 (98%) | 4 (2%) | 0 | 100 | 100 |
| 5 | E | 229/234 (98%) | 223 (97%) | 6 (3%) | 0 | 100 | 100 |
| 5 | S | 229/234 (98%) | 223 (97%) | 6 (3%) | 0 | 100 | 100 |
| 6 | F | 241/288 (84%) | 234 (97%) | 7 (3%) | 0 | 100 | 100 |
| 6 | T | 241/288 (84%) | 234 (97%) | 7 (3%) | 0 | 100 | 100 |
| 7 | G | 239/252 (95%) | 236 (99%) | 3 (1%) | 0 | 100 | 100 |
| 7 | U | 239/252 (95%) | 236 (99%) | 3 (1%) | 0 | 100 | 100 |
| 8 | H | 220/232 (95%) | 215 (98%) | 5 (2%) | 0 | 100 | 100 |
| 8 | V | 220/232 (95%) | 215 (98%) | 5 (2%) | 0 | 100 | 100 |
| 9 | I | 202/205 (98%) | 195 (96%) | 7 (4%) | 0 | 100 | 100 |
| 9 | W | 202/205 (98%) | 195 (96%) | 7 (4%) | 0 | 100 | 100 |
| 10 | J | 193/198 (98%) | 189 (98%) | 3 (2%) | 1 (0%) | 29 | 48 |
| 10 | X | 193/198 (98%) | 189 (98%) | 3 (2%) | 1 (0%) | 29 | 48 |
| 11 | K | 210/212 (99%) | 207 (99%) | 3 (1%) | 0 | 100 | 100 |
| 11 | Y | 210/212 (99%) | 207 (99%) | 3 (1%) | 0 | 100 | 100 |
| 12 | L | 220/222 (99%) | 216 (98%) | 4 (2%) | 0 | 100 | 100 |
| 12 | Z | 221/222 (100%) | 217 (98%) | 4 (2%) | 0 | 100 | 100 |
| 13 | M | 230/246 (94%) | 223 (97%) | 7 (3%) | 0 | 100 | 100 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|---|---|---|---|---|---|---|---|
| 13 | a | 231/246 (94%) | 224 (97%) | 7 (3%) | 0 | 100 | 100 |
| 14 | N | 194/196 (99%) | 189 (97%) | 5 (3%) | 0 | 100 | 100 |
| 14 | b | 194/196 (99%) | 189 (97%) | 5 (3%) | 0 | 100 | 100 |
| 15 | c | 2/5 (40%) | 2 (100%) | 0 | 0 | 100 | 100 |
| 15 | d | 2/5 (40%) | 2 (100%) | 0 | 0 | 100 | 100 |
| 15 | e | 2/5 (40%) | 2 (100%) | 0 | 0 | 100 | 100 |
| 15 | f | 2/5 (40%) | 2 (100%) | 0 | 0 | 100 | 100 |
| 15 | g | 2/5 (40%) | 2 (100%) | 0 | 0 | 100 | 100 |
| 15 | h | 2/5 (40%) | 2 (100%) | 0 | 0 | 100 | 100 |
| All | All | 6288/6644 (95%) | 6132 (98%) | 146 (2%) | 10 (0%) | 47 | 68 |

All (10) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|---|---|---|---|
| 2 | B | 51 | VAL |
| 3 | C | 202 | GLN |
| 10 | J | 2 | ASP |
| 2 | P | 51 | VAL |
| 3 | Q | 202 | GLN |
| 10 | X | 2 | ASP |
| 3 | C | 205 | ALA |
| 3 | Q | 205 | ALA |
| 1 | A | 3 | ASP |
| 1 | O | 3 | ASP |

### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|---|---|---|---|---|---|---|
| 1 | A | 209/209 (100%) | 206 (99%) | 3 (1%) | 67 | 86 |
| 1 | O | 209/209 (100%) | 206 (99%) | 3 (1%) | 67 | 86 |
| 2 | B | 203/216 (94%) | 195 (96%) | 8 (4%) | 32 | 57 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|---|---|---|---|---|---|---|
| 2 | P | 203/216 (94%) | 195 (96%) | 8 (4%) | 32 | 57 |
| 3 | C | 212/226 (94%) | 204 (96%) | 8 (4%) | 33 | 58 |
| 3 | Q | 212/226 (94%) | 204 (96%) | 8 (4%) | 33 | 58 |
| 4 | D | 194/215 (90%) | 183 (94%) | 11 (6%) | 20 | 39 |
| 4 | R | 194/215 (90%) | 184 (95%) | 10 (5%) | 23 | 44 |
| 5 | E | 190/193 (98%) | 180 (95%) | 10 (5%) | 22 | 43 |
| 5 | S | 190/193 (98%) | 180 (95%) | 10 (5%) | 22 | 43 |
| 6 | F | 201/239 (84%) | 190 (94%) | 11 (6%) | 21 | 41 |
| 6 | T | 201/239 (84%) | 190 (94%) | 11 (6%) | 21 | 41 |
| 7 | G | 206/210 (98%) | 199 (97%) | 7 (3%) | 37 | 63 |
| 7 | U | 206/210 (98%) | 199 (97%) | 7 (3%) | 37 | 63 |
| 8 | H | 181/190 (95%) | 174 (96%) | 7 (4%) | 32 | 57 |
| 8 | V | 181/190 (95%) | 174 (96%) | 7 (4%) | 32 | 57 |
| 9 | I | 172/173 (99%) | 167 (97%) | 5 (3%) | 42 | 69 |
| 9 | W | 172/173 (99%) | 168 (98%) | 4 (2%) | 50 | 76 |
| 10 | J | 173/175 (99%) | 167 (96%) | 6 (4%) | 36 | 62 |
| 10 | X | 173/175 (99%) | 167 (96%) | 6 (4%) | 36 | 62 |
| 11 | K | 169/169 (100%) | 163 (96%) | 6 (4%) | 35 | 61 |
| 11 | Y | 169/169 (100%) | 163 (96%) | 6 (4%) | 35 | 61 |
| 12 | L | 185/185 (100%) | 178 (96%) | 7 (4%) | 33 | 58 |
| 12 | Z | 186/185 (100%) | 179 (96%) | 7 (4%) | 33 | 58 |
| 13 | M | 198/208 (95%) | 191 (96%) | 7 (4%) | 36 | 62 |
| 13 | a | 199/208 (96%) | 192 (96%) | 7 (4%) | 36 | 62 |
| 14 | N | 162/162 (100%) | 157 (97%) | 5 (3%) | 40 | 67 |
| 14 | b | 162/162 (100%) | 158 (98%) | 4 (2%) | 47 | 73 |
| 15 | c | 1/1 (100%) | 1 (100%) | 0 | 100 | 100 |
| 15 | d | 1/1 (100%) | 1 (100%) | 0 | 100 | 100 |
| 15 | e | 1/1 (100%) | 1 (100%) | 0 | 100 | 100 |
| 15 | f | 1/1 (100%) | 1 (100%) | 0 | 100 | 100 |
| 15 | g | 1/1 (100%) | 1 (100%) | 0 | 100 | 100 |
| 15 | h | 1/1 (100%) | 1 (100%) | 0 | 100 | 100 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles |
|---|---|---|---|---|---|
| All | All | 5318/5546 (96%) | 5119 (96%) | 199 (4%) | 34 60 |

All (199) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | A | 17 | LYS |
| 1 | A | 61 | LEU |
| 1 | A | 157 | PHE |
| 2 | B | 50 | LYS |
| 2 | B | 52 | THR |
| 2 | B | 54 | THR |
| 2 | B | 55 | LEU |
| 2 | B | 58 | GLN |
| 2 | B | 79 | LEU |
| 2 | B | 114 | LEU |
| 2 | B | 191 | LEU |
| 3 | C | 4 | ARG |
| 3 | C | 38 | ASN |
| 3 | C | 61 | LYS |
| 3 | C | 147 | GLN |
| 3 | C | 160 | GLN |
| 3 | C | 169 | VAL |
| 3 | C | 180 | LYS |
| 3 | C | 203 | THR |
| 4 | D | 20 | LEU |
| 4 | D | 40 | LEU |
| 4 | D | 51 | LEU |
| 4 | D | 99 | ILE |
| 4 | D | 117 | GLU |
| 4 | D | 125 | LEU |
| 4 | D | 176 | LEU |
| 4 | D | 193 | LEU |
| 4 | D | 214 | ILE |
| 4 | D | 236 | LYS |
| 4 | D | 242 | GLU |
| 5 | E | 9 | THR |
| 5 | E | 10 | VAL |
| 5 | E | 25 | LEU |
| 5 | E | 29 | LYS |
| 5 | E | 54 | GLU |
| 5 | E | 55 | LEU |
| 5 | E | 71 | LEU |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type |
|---|---|---|---|
| 5 | E | 184 | ASN |
| 5 | E | 188 | LEU |
| 5 | E | 207 | VAL |
| 6 | F | 14 | ASP |
| 6 | F | 59 | LYS |
| 6 | F | 117 | GLN |
| 6 | F | 123 | ASN |
| 6 | F | 139 | LYS |
| 6 | F | 172 | LEU |
| 6 | F | 181 | GLU |
| 6 | F | 203 | ASN |
| 6 | F | 206 | LYS |
| 6 | F | 214 | TRP |
| 6 | F | 221 | ASN |
| 7 | G | 83 | ASN |
| 7 | G | 115 | LEU |
| 7 | G | 125 | MET |
| 7 | G | 166 | GLN |
| 7 | G | 181 | LYS |
| 7 | G | 235 | ARG |
| 7 | G | 236 | LEU |
| 8 | H | 30 | ASN |
| 8 | H | 34 | LEU |
| 8 | H | 43 | CYS |
| 8 | H | 56 | THR |
| 8 | H | 68 | LEU |
| 8 | H | 127 | LEU |
| 8 | H | 196 | ARG |
| 9 | I | 37 | ASN |
| 9 | I | 126 | ILE |
| 9 | I | 171 | LEU |
| 9 | I | 182 | TRP |
| 9 | I | 192 | ASP |
| 10 | J | 23 | ARG |
| 10 | J | 35 | THR |
| 10 | J | 75 | LEU |
| 10 | J | 78 | GLN |
| 10 | J | 144 | LEU |
| 10 | J | 174 | MET |
| 11 | K | 4 | LEU |
| 11 | K | 9 | GLN |
| 11 | K | 32 | LYS |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type |
|---|---|---|---|
| 11 | K | 35 | ILE |
| 11 | K | 106 | ARG |
| 11 | K | 118 | ASP |
| 12 | L | 1 | GLN |
| 12 | L | 23 | LEU |
| 12 | L | 49 | ASN |
| 12 | L | 106 | TYR |
| 12 | L | 136 | CYS |
| 12 | L | 150 | LEU |
| 12 | L | 167 | LYS |
| 13 | M | 43 | ILE |
| 13 | M | 48 | ASN |
| 13 | M | 70 | LEU |
| 13 | M | 104 | ARG |
| 13 | M | 161 | ARG |
| 13 | M | 187 | ARG |
| 13 | M | 223 | LYS |
| 14 | N | 9 | LYS |
| 14 | N | 20 | THR |
| 14 | N | 22 | THR |
| 14 | N | 104 | ASP |
| 14 | N | 119 | VAL |
| 1 | O | 17 | LYS |
| 1 | O | 61 | LEU |
| 1 | O | 157 | PHE |
| 2 | P | 50 | LYS |
| 2 | P | 52 | THR |
| 2 | P | 54 | THR |
| 2 | P | 55 | LEU |
| 2 | P | 58 | GLN |
| 2 | P | 79 | LEU |
| 2 | P | 114 | LEU |
| 2 | P | 191 | LEU |
| 3 | Q | 4 | ARG |
| 3 | Q | 38 | ASN |
| 3 | Q | 61 | LYS |
| 3 | Q | 147 | GLN |
| 3 | Q | 160 | GLN |
| 3 | Q | 169 | VAL |
| 3 | Q | 180 | LYS |
| 3 | Q | 203 | THR |
| 4 | R | 20 | LEU |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type |
|---|---|---|---|
| 4 | R | 40 | LEU |
| 4 | R | 99 | ILE |
| 4 | R | 117 | GLU |
| 4 | R | 125 | LEU |
| 4 | R | 176 | LEU |
| 4 | R | 193 | LEU |
| 4 | R | 214 | ILE |
| 4 | R | 236 | LYS |
| 4 | R | 242 | GLU |
| 5 | S | 9 | THR |
| 5 | S | 10 | VAL |
| 5 | S | 25 | LEU |
| 5 | S | 29 | LYS |
| 5 | S | 54 | GLU |
| 5 | S | 55 | LEU |
| 5 | S | 71 | LEU |
| 5 | S | 184 | ASN |
| 5 | S | 188 | LEU |
| 5 | S | 207 | VAL |
| 6 | T | 14 | ASP |
| 6 | T | 59 | LYS |
| 6 | T | 117 | GLN |
| 6 | T | 123 | ASN |
| 6 | T | 139 | LYS |
| 6 | T | 172 | LEU |
| 6 | T | 181 | GLU |
| 6 | T | 203 | ASN |
| 6 | T | 206 | LYS |
| 6 | T | 214 | TRP |
| 6 | T | 221 | ASN |
| 7 | U | 83 | ASN |
| 7 | U | 115 | LEU |
| 7 | U | 125 | MET |
| 7 | U | 166 | GLN |
| 7 | U | 181 | LYS |
| 7 | U | 235 | ARG |
| 7 | U | 236 | LEU |
| 8 | V | 30 | ASN |
| 8 | V | 34 | LEU |
| 8 | V | 43 | CYS |
| 8 | V | 56 | THR |
| 8 | V | 68 | LEU |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type |
|---|---|---|---|
| 8 | V | 127 | LEU |
| 8 | V | 196 | ARG |
| 9 | W | 37 | ASN |
| 9 | W | 171 | LEU |
| 9 | W | 182 | TRP |
| 9 | W | 192 | ASP |
| 10 | X | 23 | ARG |
| 10 | X | 35 | THR |
| 10 | X | 75 | LEU |
| 10 | X | 78 | GLN |
| 10 | X | 144 | LEU |
| 10 | X | 174 | MET |
| 11 | Y | 4 | LEU |
| 11 | Y | 7 | ARG |
| 11 | Y | 9 | GLN |
| 11 | Y | 35 | ILE |
| 11 | Y | 106 | ARG |
| 11 | Y | 118 | ASP |
| 12 | Z | 1 | GLN |
| 12 | Z | 23 | LEU |
| 12 | Z | 49 | ASN |
| 12 | Z | 106 | TYR |
| 12 | Z | 136 | CYS |
| 12 | Z | 150 | LEU |
| 12 | Z | 167 | LYS |
| 13 | a | 43 | ILE |
| 13 | a | 48 | ASN |
| 13 | a | 70 | LEU |
| 13 | a | 104 | ARG |
| 13 | a | 161 | ARG |
| 13 | a | 187 | ARG |
| 13 | a | 223 | LYS |
| 14 | b | 9 | LYS |
| 14 | b | 22 | THR |
| 14 | b | 104 | ASP |
| 14 | b | 119 | VAL |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (95) such sidechains are listed below:

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | A | 94 | HIS |
| 2 | B | 20 | GLN |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type |
|---|---|---|---|
| 2 | B | 95 | GLN |
| 2 | B | 119 | GLN |
| 2 | B | 123 | GLN |
| 2 | B | 155 | ASN |
| 2 | B | 176 | GLN |
| 3 | C | 38 | ASN |
| 3 | C | 77 | ASN |
| 3 | C | 116 | GLN |
| 3 | C | 120 | GLN |
| 3 | C | 147 | GLN |
| 3 | C | 160 | GLN |
| 4 | D | 15 | GLN |
| 4 | D | 146 | GLN |
| 4 | D | 225 | ASN |
| 5 | E | 68 | HIS |
| 5 | E | 92 | ASN |
| 5 | E | 99 | ASN |
| 5 | E | 116 | GLN |
| 5 | E | 120 | GLN |
| 5 | E | 184 | ASN |
| 6 | F | 19 | GLN |
| 6 | F | 86 | ASN |
| 6 | F | 117 | GLN |
| 6 | F | 191 | GLN |
| 6 | F | 240 | GLN |
| 7 | G | 6 | HIS |
| 7 | G | 83 | ASN |
| 7 | G | 114 | ASN |
| 7 | G | 117 | GLN |
| 7 | G | 121 | GLN |
| 7 | G | 167 | GLN |
| 8 | H | 57 | GLN |
| 8 | H | 66 | HIS |
| 10 | J | 55 | GLN |
| 11 | K | 85 | ASN |
| 11 | K | 176 | ASN |
| 12 | L | 3 | ASN |
| 12 | L | 49 | ASN |
| 12 | L | 70 | ASN |
| 12 | L | 158 | ASN |
| 13 | M | 18 | ASN |
| 13 | M | 48 | ASN |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type |
|---|---|---|---|
| 13 | M | 102 | GLN |
| 13 | M | 179 | ASN |
| 13 | M | 194 | ASN |
| 13 | M | 213 | GLN |
| 14 | N | 161 | GLN |
| 1 | O | 94 | HIS |
| 2 | P | 20 | GLN |
| 2 | P | 119 | GLN |
| 2 | P | 123 | GLN |
| 2 | P | 176 | GLN |
| 3 | Q | 38 | ASN |
| 3 | Q | 77 | ASN |
| 3 | Q | 116 | GLN |
| 3 | Q | 120 | GLN |
| 3 | Q | 147 | GLN |
| 3 | Q | 160 | GLN |
| 4 | R | 15 | GLN |
| 4 | R | 146 | GLN |
| 4 | R | 225 | ASN |
| 5 | S | 68 | HIS |
| 5 | S | 92 | ASN |
| 5 | S | 99 | ASN |
| 5 | S | 116 | GLN |
| 5 | S | 120 | GLN |
| 5 | S | 184 | ASN |
| 6 | T | 19 | GLN |
| 6 | T | 86 | ASN |
| 6 | T | 117 | GLN |
| 6 | T | 191 | GLN |
| 6 | T | 240 | GLN |
| 7 | U | 83 | ASN |
| 7 | U | 114 | ASN |
| 7 | U | 117 | GLN |
| 7 | U | 121 | GLN |
| 7 | U | 167 | GLN |
| 8 | V | 57 | GLN |
| 10 | X | 55 | GLN |
| 10 | X | 86 | GLN |
| 11 | Y | 85 | ASN |
| 11 | Y | 176 | ASN |
| 12 | Z | 3 | ASN |
| 12 | Z | 49 | ASN |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type |
|---|---|---|---|
| 12 | Z | 70 | ASN |
| 12 | Z | 158 | ASN |
| 13 | a | 18 | ASN |
| 13 | a | 48 | ASN |
| 13 | a | 102 | GLN |
| 13 | a | 179 | ASN |
| 13 | a | 194 | ASN |
| 13 | a | 213 | GLN |
| 14 | b | 161 | GLN |

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Counts | RMSZ | $\#\|Z\| > 2$ | Counts | RMSZ | $\#\|Z\| > 2$ |
| 15 | IL0 | e | 4 | 15,14 | 6,7,8 | 1.21 | 1 (16%) | 3,8,10 | 1.91 | 1 (33%) |
| 15 | IL0 | g | 4 | 11,15 | 6,7,8 | 0.96 | 1 (16%) | 3,8,10 | 0.99 | 0 |
| 15 | IL0 | h | 4 | 15,14 | 6,7,8 | 1.30 | 1 (16%) | 3,8,10 | 0.95 | 0 |
| 15 | IL0 | d | 4 | 11,15 | 6,7,8 | 1.07 | 1 (16%) | 3,8,10 | 1.97 | 2 (66%) |
| 15 | IL0 | c | 4 | 8,15 | 6,7,8 | 0.66 | 0 | 3,8,10 | 1.83 | 1 (33%) |
| 15 | IL0 | f | 4 | 8,15 | 6,7,8 | 0.75 | 0 | 3,8,10 | 1.40 | 0 |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|---|---|---|---|---|---|---|---|
| 15 | IL0 | e | 4 | 15,14 | - | 2/8/8/10 | - |
| 15 | IL0 | g | 4 | 11,15 | - | 3/8/8/10 | - |
| 15 | IL0 | h | 4 | 15,14 | - | 3/8/8/10 | - |
| 15 | IL0 | d | 4 | 11,15 | - | 2/8/8/10 | - |
| 15 | IL0 | c | 4 | 8,15 | - | 5/8/8/10 | - |
| 15 | IL0 | f | 4 | 8,15 | - | 5/8/8/10 | - |

All (4) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|---|---|---|---|---|---|---|---|
| 15 | h | 4 | IL0 | C-CA | 2.97 | 1.57 | 1.52 |
| 15 | e | 4 | IL0 | C-CA | 2.82 | 1.56 | 1.52 |
| 15 | d | 4 | IL0 | C-CA | 2.07 | 1.55 | 1.52 |
| 15 | g | 4 | IL0 | C-CA | 2.02 | 1.55 | 1.52 |

All (4) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed($^o$) | Ideal($^o$) |
|---|---|---|---|---|---|---|---|
| 15 | e | 4 | IL0 | O-C-CA | -2.94 | 105.25 | 111.43 |
| 15 | c | 4 | IL0 | O-C-CA | -2.93 | 105.27 | 111.43 |
| 15 | d | 4 | IL0 | O-C-CA | -2.50 | 106.18 | 111.43 |
| 15 | d | 4 | IL0 | CG2-CB-CG1 | -2.22 | 106.17 | 111.78 |

There are no chirality outliers.

All (20) torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|---|---|---|---|---|
| 15 | c | 4 | IL0 | N-CA-CB-CG2 |
| 15 | c | 4 | IL0 | C-CA-CB-CG1 |
| 15 | c | 4 | IL0 | C-CA-CB-CG2 |
| 15 | d | 4 | IL0 | O-C-CA-N |
| 15 | f | 4 | IL0 | N-CA-CB-CG1 |
| 15 | f | 4 | IL0 | N-CA-CB-CG2 |
| 15 | f | 4 | IL0 | C-CA-CB-CG1 |
| 15 | f | 4 | IL0 | C-CA-CB-CG2 |
| 15 | g | 4 | IL0 | O-C-CA-N |
| 15 | h | 4 | IL0 | CG2-CB-CG1-CD1 |
| 15 | h | 4 | IL0 | O-C-CA-CB |
| 15 | c | 4 | IL0 | N-CA-CB-CG1 |
| 15 | g | 4 | IL0 | CG2-CB-CG1-CD1 |
| 15 | e | 4 | IL0 | O-C-CA-CB |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Atoms |
|---|---|---|---|---|
| 15 | e | 4 | IL0 | O-C-CA-N |
| 15 | h | 4 | IL0 | O-C-CA-N |
| 15 | c | 4 | IL0 | O-C-CA-CB |
| 15 | f | 4 | IL0 | O-C-CA-CB |
| 15 | d | 4 | IL0 | O-C-CA-CB |
| 15 | g | 4 | IL0 | O-C-CA-CB |

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 14 ligands modelled in this entry, 11 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Counts | RMSZ | $\#\|Z\| > 2$ | Counts | RMSZ | $\#\|Z\| > 2$ |
| 18 | MES | d | 101 | - | 12,12,12 | 2.22 | 1 (8%) | 14,16,16 | 1.28 | 2 (14%) |
| 18 | MES | H | 301 | - | 12,12,12 | 2.20 | 1 (8%) | 14,16,16 | 1.34 | 3 (21%) |
| 18 | MES | g | 101 | - | 12,12,12 | 2.21 | 1 (8%) | 14,16,16 | 1.28 | 2 (14%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|---|---|---|---|---|---|---|---|
| 18 | MES | d | 101 | - | - | 0/6/14/14 | 0/1/1/1 |
| 18 | MES | H | 301 | - | - | 1/6/14/14 | 0/1/1/1 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|---|---|---|---|---|---|---|---|
| 18 | MES | g | 101 | - | - | 0/6/14/14 | 0/1/1/1 |

All (3) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|---|---|---|---|---|---|---|---|
| 18 | d | 101 | MES | C8-S | -7.35 | 1.67 | 1.77 |
| 18 | g | 101 | MES | C8-S | -7.34 | 1.67 | 1.77 |
| 18 | H | 301 | MES | C8-S | -7.32 | 1.67 | 1.77 |

All (7) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed($^o$) | Ideal($^o$) |
|---|---|---|---|---|---|---|---|
| 18 | d | 101 | MES | O3S-S-C8 | 2.96 | 110.56 | 105.77 |
| 18 | g | 101 | MES | O3S-S-C8 | 2.95 | 110.53 | 105.77 |
| 18 | H | 301 | MES | O2S-S-C8 | 2.72 | 110.19 | 106.92 |
| 18 | g | 101 | MES | O2S-S-C8 | 2.56 | 109.99 | 106.92 |
| 18 | H | 301 | MES | O3S-S-C8 | 2.39 | 109.63 | 105.77 |
| 18 | H | 301 | MES | O1S-S-C8 | 2.36 | 109.75 | 106.92 |
| 18 | d | 101 | MES | O2S-S-C8 | 2.07 | 109.41 | 106.92 |

There are no chirality outliers.

All (1) torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|---|---|---|---|---|
| 18 | H | 301 | MES | C7-C8-S-O1S |

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, $95^{th}$ percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

| Mol | Chain | Analysed | <RSRZ> | #RSRZ>2 | | | OWAB(Å$^2$) | Q<0.9 |
|---|---|---|---|---|---|---|---|---|
| 1 | A | 250/250 (100%) | -0.12 | 9 (3%) | 42 | 46 | 35, 49, 84, 127 | 0 |
| 1 | O | 250/250 (100%) | 0.01 | 13 (5%) | 27 | 29 | 38, 55, 99, 130 | 0 |
| 2 | B | 244/258 (94%) | 0.09 | 17 (6%) | 16 | 16 | 34, 53, 104, 159 | 0 |
| 2 | P | 244/258 (94%) | 0.20 | 19 (7%) | 13 | 13 | 38, 57, 109, 163 | 0 |
| 3 | C | 240/254 (94%) | 0.22 | 23 (9%) | 8 | 7 | 35, 56, 122, 164 | 0 |
| 3 | Q | 240/254 (94%) | 0.51 | 29 (12%) | 4 | 4 | 43, 73, 157, 202 | 0 |
| 4 | D | 235/260 (90%) | 0.03 | 6 (2%) | 56 | 59 | 42, 61, 97, 144 | 0 |
| 4 | R | 235/260 (90%) | 0.15 | 11 (4%) | 31 | 33 | 46, 65, 103, 156 | 0 |
| 5 | E | 231/234 (98%) | 0.13 | 12 (5%) | 27 | 29 | 42, 62, 97, 142 | 0 |
| 5 | S | 231/234 (98%) | 0.24 | 17 (7%) | 14 | 15 | 44, 68, 110, 145 | 0 |
| 6 | F | 243/288 (84%) | -0.04 | 13 (5%) | 26 | 28 | 37, 56, 106, 134 | 0 |
| 6 | T | 243/288 (84%) | 0.19 | 13 (5%) | 26 | 28 | 41, 66, 119, 158 | 0 |
| 7 | G | 241/252 (95%) | -0.06 | 16 (6%) | 18 | 19 | 34, 51, 94, 146 | 0 |
| 7 | U | 241/252 (95%) | -0.10 | 7 (2%) | 51 | 55 | 36, 52, 85, 129 | 0 |
| 8 | H | 222/232 (95%) | -0.10 | 2 (0%) | 84 | 86 | 36, 48, 75, 116 | 0 |
| 8 | V | 222/232 (95%) | -0.02 | 6 (2%) | 54 | 58 | 37, 52, 80, 125 | 1 (0%) |
| 9 | I | 204/205 (99%) | -0.34 | 3 (1%) | 73 | 75 | 31, 44, 77, 95 | 0 |
| 9 | W | 204/205 (99%) | -0.29 | 4 (1%) | 65 | 68 | 33, 48, 78, 102 | 0 |
| 10 | J | 195/198 (98%) | -0.31 | 2 (1%) | 82 | 84 | 32, 46, 72, 117 | 0 |
| 10 | X | 195/198 (98%) | -0.26 | 3 (1%) | 73 | 75 | 34, 49, 74, 126 | 0 |
| 11 | K | 212/212 (100%) | -0.30 | 2 (0%) | 84 | 86 | 34, 46, 75, 91 | 0 |
| 11 | Y | 212/212 (100%) | -0.26 | 4 (1%) | 66 | 69 | 36, 48, 77, 103 | 0 |
| 12 | L | 222/222 (100%) | -0.29 | 0 | 100 | 100 | 33, 49, 75, 103 | 0 |
| 12 | Z | 222/222 (100%) | -0.25 | 1 (0%) | 91 | 91 | 33, 48, 78, 104 | 0 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed | <RSRZ> | #RSRZ>2 | | | OWAB(Å$^2$) | Q<0.9 |
|---|---|---|---|---|---|---|---|---|
| 13 | M | 232/246 (94%) | -0.23 | 8 (3%) | 45 | 48 | 29, 48, 77, 98 | 0 |
| 13 | a | 233/246 (94%) | -0.25 | 3 (1%) | 77 | 79 | 31, 46, 72, 94 | 0 |
| 14 | N | 196/196 (100%) | -0.32 | 2 (1%) | 82 | 84 | 33, 44, 72, 98 | 0 |
| 14 | b | 196/196 (100%) | -0.27 | 2 (1%) | 82 | 84 | 34, 45, 74, 95 | 0 |
| 15 | c | 2/5 (40%) | -0.60 | 0 | 100 | 100 | 55, 55, 55, 57 | 0 |
| 15 | d | 2/5 (40%) | -0.70 | 0 | 100 | 100 | 55, 55, 55, 61 | 0 |
| 15 | e | 2/5 (40%) | 1.00 | 0 | 100 | 100 | 55, 55, 55, 62 | 0 |
| 15 | f | 2/5 (40%) | 0.00 | 0 | 100 | 100 | 56, 56, 56, 62 | 0 |
| 15 | g | 2/5 (40%) | -0.46 | 0 | 100 | 100 | 55, 55, 55, 64 | 0 |
| 15 | h | 2/5 (40%) | 1.25 | 0 | 100 | 100 | 61, 61, 61, 69 | 0 |
| All | All | 6347/6644 (95%) | -0.06 | 247 (3%) | 39 | 42 | 29, 53, 99, 202 | 1 (0%) |

All (247) RSRZ outliers are listed below:

| Mol | Chain | Res | Type | RSRZ |
|---|---|---|---|---|
| 2 | P | 219 | ALA | 12.6 |
| 1 | O | 1 | MET | 10.3 |
| 2 | B | 220 | ASN | 9.1 |
| 3 | Q | 49 | THR | 8.3 |
| 3 | C | 206 | LYS | 8.0 |
| 1 | A | 1 | MET | 7.9 |
| 8 | V | 222 | ASP | 7.8 |
| 8 | H | 221 | CYS | 7.6 |
| 3 | Q | 50 | LEU | 7.2 |
| 3 | Q | 206 | LYS | 7.1 |
| 8 | V | 221 | CYS | 7.0 |
| 2 | P | 51 | VAL | 6.9 |
| 8 | H | 222 | ASP | 6.6 |
| 10 | X | 1 | MET | 6.4 |
| 2 | P | 222 | GLY | 6.1 |
| 2 | P | 218 | GLY | 6.0 |
| 3 | Q | 48 | SER | 5.9 |
| 9 | W | 1 | SER | 5.8 |
| 3 | C | 49 | THR | 5.8 |
| 10 | J | 1 | MET | 5.7 |
| 2 | B | 219 | ALA | 5.4 |
| 2 | B | 51 | VAL | 5.2 |
| 5 | E | 233 | ILE | 5.2 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | RSRZ |
|---|---|---|---|---|
| 3 | Q | 236 | GLN | 5.1 |
| 7 | U | 222 | ASP | 5.1 |
| 5 | E | 202 | ASP | 5.1 |
| 5 | S | 202 | ASP | 4.8 |
| 2 | P | 220 | ASN | 4.8 |
| 2 | P | 221 | ASP | 4.8 |
| 3 | C | 236 | GLN | 4.8 |
| 3 | C | 202 | GLN | 4.7 |
| 1 | A | 250 | LEU | 4.7 |
| 13 | M | 232 | LYS | 4.7 |
| 2 | B | 221 | ASP | 4.7 |
| 10 | X | 194 | ASP | 4.6 |
| 3 | Q | 225 | GLU | 4.6 |
| 2 | P | 52 | THR | 4.5 |
| 2 | B | 222 | GLY | 4.5 |
| 9 | I | 1 | SER | 4.5 |
| 2 | B | 218 | GLY | 4.5 |
| 10 | J | 194 | ASP | 4.4 |
| 4 | D | 241 | ALA | 4.4 |
| 3 | Q | 240 | GLU | 4.3 |
| 4 | D | 242 | GLU | 4.3 |
| 3 | Q | 239 | GLN | 4.3 |
| 13 | M | 231 | GLN | 4.3 |
| 3 | Q | 51 | LYS | 4.3 |
| 13 | M | 1 | THR | 4.3 |
| 13 | M | 230 | THR | 4.2 |
| 5 | S | 233 | ILE | 4.2 |
| 3 | C | 238 | LYS | 4.1 |
| 2 | P | 59 | ASP | 4.1 |
| 3 | C | 225 | GLU | 4.1 |
| 3 | C | 205 | ALA | 4.0 |
| 3 | Q | 238 | LYS | 3.9 |
| 3 | Q | 202 | GLN | 3.9 |
| 13 | M | 229 | GLY | 3.8 |
| 1 | O | 249 | ALA | 3.8 |
| 3 | Q | 205 | ALA | 3.8 |
| 13 | a | 1 | THR | 3.8 |
| 13 | a | 233 | ILE | 3.7 |
| 3 | C | 50 | LEU | 3.7 |
| 6 | F | 243 | ILE | 3.7 |
| 11 | Y | 106 | ARG | 3.7 |
| 10 | X | 193 | ASP | 3.7 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | RSRZ |
|---|---|---|---|---|
| 2 | B | 242 | GLY | 3.6 |
| 7 | U | 2 | GLY | 3.6 |
| 6 | T | 215 | CYS | 3.6 |
| 7 | G | 179 | LYS | 3.6 |
| 1 | O | 201 | GLU | 3.5 |
| 3 | C | 239 | GLN | 3.5 |
| 7 | U | 181 | LYS | 3.5 |
| 1 | O | 231 | LYS | 3.5 |
| 7 | G | 3 | TYR | 3.4 |
| 11 | Y | 212 | GLY | 3.4 |
| 3 | C | 240 | GLU | 3.4 |
| 1 | O | 250 | LEU | 3.4 |
| 6 | T | 244 | ASN | 3.4 |
| 11 | K | 212 | GLY | 3.4 |
| 6 | F | 180 | PRO | 3.4 |
| 6 | F | 53 | LYS | 3.3 |
| 6 | T | 243 | ILE | 3.3 |
| 4 | R | 242 | GLU | 3.3 |
| 5 | S | 54 | GLU | 3.3 |
| 6 | T | 181 | GLU | 3.2 |
| 3 | Q | 223 | SER | 3.2 |
| 3 | Q | 141 | ASP | 3.2 |
| 1 | O | 52 | SER | 3.2 |
| 2 | P | 225 | TYR | 3.2 |
| 4 | R | 125 | LEU | 3.2 |
| 4 | R | 241 | ALA | 3.2 |
| 13 | a | 232 | LYS | 3.2 |
| 4 | R | 217 | GLN | 3.2 |
| 3 | C | 180 | LYS | 3.2 |
| 6 | T | 241 | LYS | 3.2 |
| 14 | N | 105 | LYS | 3.1 |
| 1 | A | 248 | GLU | 3.1 |
| 9 | W | 133 | LYS | 3.1 |
| 2 | B | 225 | TYR | 3.1 |
| 3 | Q | 55 | THR | 3.1 |
| 3 | Q | 203 | THR | 3.1 |
| 13 | M | 216 | ASN | 3.0 |
| 4 | D | 125 | LEU | 3.0 |
| 7 | U | 241 | GLU | 3.0 |
| 7 | G | 242 | GLN | 3.0 |
| 8 | V | 145 | ASP | 2.9 |
| 6 | F | 241 | LYS | 2.9 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | RSRZ |
|---|---|---|---|---|
| 6 | F | 205 | GLU | 2.9 |
| 8 | V | 114 | HIS | 2.9 |
| 5 | E | 180 | LYS | 2.9 |
| 6 | F | 244 | ASN | 2.9 |
| 3 | Q | 232 | THR | 2.9 |
| 3 | C | 235 | GLU | 2.9 |
| 9 | W | 192 | ASP | 2.9 |
| 7 | G | 188 | GLU | 2.9 |
| 1 | O | 248 | GLU | 2.8 |
| 6 | T | 2 | THR | 2.8 |
| 3 | C | 216 | ASP | 2.8 |
| 14 | N | 195 | GLN | 2.8 |
| 6 | F | 215 | CYS | 2.8 |
| 2 | B | 59 | ASP | 2.8 |
| 5 | S | 218 | ASP | 2.8 |
| 1 | A | 249 | ALA | 2.8 |
| 2 | B | 182 | ASP | 2.8 |
| 2 | P | 182 | ASP | 2.8 |
| 6 | F | 202 | ASP | 2.8 |
| 3 | C | 204 | GLY | 2.8 |
| 1 | A | 2 | THR | 2.8 |
| 7 | U | 203 | ASP | 2.8 |
| 6 | T | 205 | GLU | 2.7 |
| 6 | T | 178 | HIS | 2.7 |
| 3 | Q | 52 | LEU | 2.7 |
| 2 | P | 223 | GLU | 2.7 |
| 7 | U | 242 | GLN | 2.7 |
| 14 | b | 105 | LYS | 2.7 |
| 5 | E | 3 | ASN | 2.7 |
| 13 | M | 47 | ASP | 2.7 |
| 5 | E | 218 | ASP | 2.7 |
| 2 | P | 203 | SER | 2.7 |
| 3 | Q | 60 | SER | 2.7 |
| 3 | Q | 187 | GLU | 2.7 |
| 7 | G | 240 | ALA | 2.7 |
| 6 | F | 201 | GLU | 2.6 |
| 5 | E | 201 | ARG | 2.6 |
| 2 | P | 60 | THR | 2.6 |
| 3 | C | 37 | LYS | 2.6 |
| 3 | C | 47 | ARG | 2.6 |
| 5 | S | 201 | ARG | 2.6 |
| 5 | S | 225 | ASP | 2.6 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | RSRZ |
|---|---|---|---|---|
| 2 | B | 3 | ARG | 2.6 |
| 2 | B | 52 | THR | 2.6 |
| 3 | C | 175 | LYS | 2.6 |
| 3 | Q | 229 | GLN | 2.6 |
| 6 | F | 2 | THR | 2.6 |
| 7 | U | 3 | TYR | 2.6 |
| 12 | Z | 1 | GLN | 2.6 |
| 7 | G | 2 | GLY | 2.6 |
| 5 | E | 227 | GLU | 2.6 |
| 3 | C | 60 | SER | 2.6 |
| 1 | O | 2 | THR | 2.6 |
| 3 | Q | 175 | LYS | 2.6 |
| 14 | b | 195 | GLN | 2.6 |
| 6 | F | 177 | ASP | 2.5 |
| 6 | F | 181 | GLU | 2.5 |
| 9 | I | 131 | GLU | 2.5 |
| 2 | P | 240 | LYS | 2.5 |
| 5 | S | 163 | ARG | 2.5 |
| 9 | I | 133 | LYS | 2.5 |
| 5 | S | 207 | VAL | 2.5 |
| 4 | D | 2 | ARG | 2.5 |
| 2 | B | 60 | THR | 2.5 |
| 5 | S | 29 | LYS | 2.4 |
| 2 | B | 244 | THR | 2.4 |
| 4 | R | 1 | ASP | 2.4 |
| 3 | C | 48 | SER | 2.4 |
| 5 | E | 194 | GLU | 2.4 |
| 5 | E | 123 | GLY | 2.4 |
| 4 | R | 237 | GLU | 2.4 |
| 6 | T | 180 | PRO | 2.4 |
| 5 | S | 52 | ALA | 2.4 |
| 7 | G | 181 | LYS | 2.4 |
| 3 | Q | 180 | LYS | 2.4 |
| 3 | C | 181 | GLU | 2.4 |
| 7 | G | 208 | GLU | 2.3 |
| 3 | Q | 59 | PRO | 2.3 |
| 7 | G | 237 | VAL | 2.3 |
| 7 | G | 241 | GLU | 2.3 |
| 3 | Q | 58 | THR | 2.3 |
| 2 | P | 61 | SER | 2.3 |
| 2 | P | 232 | GLN | 2.3 |
| 6 | T | 230 | ASP | 2.3 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | RSRZ |
|---|---|---|---|---|
| 2 | B | 217 | LYS | 2.2 |
| 7 | G | 222 | ASP | 2.2 |
| 11 | Y | 147 | ASP | 2.2 |
| 1 | O | 178 | ARG | 2.2 |
| 1 | O | 182 | GLU | 2.2 |
| 11 | Y | 202 | GLU | 2.2 |
| 7 | G | 51 | PRO | 2.2 |
| 3 | C | 203 | THR | 2.2 |
| 5 | S | 30 | GLN | 2.2 |
| 5 | S | 180 | LYS | 2.2 |
| 2 | B | 203 | SER | 2.2 |
| 3 | C | 187 | GLU | 2.2 |
| 4 | D | 1 | ASP | 2.2 |
| 5 | S | 171 | LEU | 2.2 |
| 5 | S | 210 | LEU | 2.2 |
| 3 | Q | 47 | ARG | 2.2 |
| 1 | A | 220 | ASP | 2.2 |
| 7 | G | 180 | SER | 2.2 |
| 3 | Q | 221 | ALA | 2.2 |
| 5 | S | 3 | ASN | 2.2 |
| 13 | M | 82 | ASP | 2.2 |
| 2 | B | 50 | LYS | 2.1 |
| 2 | P | 50 | LYS | 2.1 |
| 6 | T | 54 | LEU | 2.1 |
| 1 | O | 50 | LYS | 2.1 |
| 3 | C | 178 | ASP | 2.1 |
| 5 | E | 122 | TYR | 2.1 |
| 1 | A | 229 | THR | 2.1 |
| 4 | R | 169 | GLU | 2.1 |
| 2 | P | 186 | ASP | 2.1 |
| 6 | F | 178 | HIS | 2.1 |
| 9 | W | 191 | LYS | 2.1 |
| 4 | R | 177 | ASN | 2.1 |
| 6 | T | 166 | GLN | 2.1 |
| 4 | D | 47 | THR | 2.1 |
| 7 | G | 40 | ASP | 2.1 |
| 5 | E | 121 | SER | 2.1 |
| 5 | S | 178 | PHE | 2.1 |
| 3 | Q | 204 | GLY | 2.1 |
| 8 | V | 215 | GLU | 2.1 |
| 11 | K | 202 | GLU | 2.1 |
| 2 | P | 230 | LYS | 2.1 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | RSRZ |
|---|---|---|---|---|
| 4 | R | 230 | GLU | 2.1 |
| 4 | R | 54 | ASP | 2.0 |
| 1 | O | 229 | THR | 2.0 |
| 4 | R | 226 | GLU | 2.0 |
| 7 | G | 230 | GLU | 2.0 |
| 7 | G | 183 | ASP | 2.0 |
| 8 | V | 198 | GLU | 2.0 |
| 5 | E | 165 | GLN | 2.0 |
| 3 | Q | 171 | GLU | 2.0 |
| 6 | T | 53 | LYS | 2.0 |
| 1 | A | 52 | SER | 2.0 |
| 5 | S | 173 | ARG | 2.0 |
| 1 | O | 245 | ASP | 2.0 |
| 1 | A | 166 | LYS | 2.0 |

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, $95^{th}$ percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | B-factors(Å$^2$) | Q<0.9 |
|---|---|---|---|---|---|---|---|---|
| 15 | IL0 | e | 4 | 8/9 | 0.75 | 0.32 | 56,58,58,58 | 0 |
| 15 | IL0 | h | 4 | 8/9 | 0.76 | 0.34 | 61,63,67,68 | 0 |
| 15 | IL0 | f | 4 | 8/9 | 0.93 | 0.18 | 62,65,73,75 | 0 |
| 15 | IL0 | c | 4 | 8/9 | 0.93 | 0.16 | 60,63,67,67 | 0 |
| 15 | IL0 | g | 4 | 8/9 | 0.94 | 0.17 | 56,64,71,74 | 0 |
| 15 | IL0 | d | 4 | 8/9 | 0.95 | 0.17 | 52,62,66,67 | 0 |

## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

## 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, $95^{th}$ percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | B-factors(Å$^2$) | Q<0.9 |
|---|---|---|---|---|---|---|---|---|
| 18 | MES | H | 301 | 12/12 | 0.71 | 0.36 | 89,111,129,131 | 0 |
| 16 | MG | G | 301 | 1/1 | 0.84 | 0.08 | 48,48,48,48 | 0 |
| 18 | MES | g | 101 | 12/12 | 0.84 | 0.37 | 79,82,85,91 | 0 |
| 18 | MES | d | 101 | 12/12 | 0.85 | 0.40 | 79,85,87,90 | 0 |
| 16 | MG | Z | 301 | 1/1 | 0.89 | 0.23 | 66,66,66,66 | 0 |
| 17 | CL | b | 201 | 1/1 | 0.93 | 0.14 | 83,83,83,83 | 0 |
| 16 | MG | K | 301 | 1/1 | 0.94 | 0.09 | 46,46,46,46 | 0 |
| 16 | MG | N | 201 | 1/1 | 0.95 | 0.10 | 42,42,42,42 | 0 |
| 16 | MG | I | 301 | 1/1 | 0.95 | 0.21 | 56,56,56,56 | 0 |
| 17 | CL | U | 301 | 1/1 | 0.97 | 0.16 | 30,30,30,30 | 0 |
| 16 | MG | L | 301 | 1/1 | 0.99 | 0.06 | 46,46,46,46 | 0 |
| 17 | CL | G | 302 | 1/1 | 0.99 | 0.14 | 30,30,30,30 | 0 |
| 17 | CL | N | 202 | 1/1 | 0.99 | 0.06 | 58,58,58,58 | 0 |
| 16 | MG | I | 302 | 1/1 | 0.99 | 0.04 | 39,39,39,39 | 0 |

## 6.5 Other polymers (i)

There are no such residues in this entry.