



wwPDB EM Validation Summary Report ⓘ

Mar 20, 2026 – 11:29 AM UTC

PDB ID : 9YPY / pdb_00009ypy
EMDB ID : EMD-73314
Title : Ribosome with accommodated A-site tRNA, Structure V
Authors : Susorov, D.; Korostelev, A.A.
Deposited on : 2025-10-14
Resolution : 3.00 Å(reported)
Based on initial model : 5LZS

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	14081 (2.50 - 3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	5	3601	
2	7	120	
3	8	156	












Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	9	1869	
5	A	257	
6	B	403	
7	C	425	
8	D	297	
9	E	291	
10	G	319	
11	H	192	
12	I	214	
13	J	178	
14	K	247	
15	L	211	
16	M	218	
17	N	204	
18	O	203	
19	P	184	
20	Q	188	
21	R	196	
22	S	176	
23	T	160	
24	U	128	
25	V	140	
26	W	157	
27	X	156	
28	Y	145	











Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Z	136	
30	a	148	
31	b	245	
32	c	115	
33	d	125	
34	e	135	
35	f	110	
36	g	116	
37	h	123	
38	i	105	
39	k	70	
40	l	51	
41	m	102	
42	n	25	
43	o	106	
44	p	92	
45	r	137	
46	AA	295	
47	BB	264	
48	CC	293	
49	DD	243	
50	EE	263	
51	FF	204	
52	GG	249	
53	HH	194	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	II	208	
55	JJ	194	
56	KK	165	
57	LL	158	
58	MM	132	
59	NN	151	
60	OO	168	
61	PP	145	
62	QQ	146	
63	RR	135	
64	SS	152	
65	TT	145	
66	UU	119	
67	VV	83	
68	WW	130	
69	XX	143	
70	YY	130	
71	ZZ	125	
72	aa	115	
73	bb	84	
74	cc	69	
75	dd	56	
76	ee	133	
77	ff	156	
78	gg	317	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
79	10	185	5% 94%
80	12	76	41% 50% 8%
81	11	75	20% 44% 44% 11%
81	13	75	51% 36% 11%
82	j	97	77% 11% 11%

2 Entry composition

There are 88 unique types of molecules in this entry. The entry contains 215539 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 28S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	5	3601	Total	C	N	O	P	0	0
			77221	34390	14143	25087	3601		

There are 59 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
5	1	C	N	conflict	GB 5LZS_5
5	3948	C	-	insertion	GB 5LZS_5
5	3949	A	-	insertion	GB 5LZS_5
5	3950	U	-	insertion	GB 5LZS_5
5	3951	G	-	insertion	GB 5LZS_5
5	3952	A	-	insertion	GB 5LZS_5
5	3953	G	-	insertion	GB 5LZS_5
5	3954	A	-	insertion	GB 5LZS_5
5	3955	G	-	insertion	GB 5LZS_5
5	3956	G	-	insertion	GB 5LZS_5
5	3957	U	-	insertion	GB 5LZS_5
5	3958	G	-	insertion	GB 5LZS_5
5	3959	U	-	insertion	GB 5LZS_5
5	3960	A	-	insertion	GB 5LZS_5
5	3961	G	-	insertion	GB 5LZS_5
5	3962	A	-	insertion	GB 5LZS_5
5	3963	A	-	insertion	GB 5LZS_5
5	3964	U	-	insertion	GB 5LZS_5
5	3965	A	-	insertion	GB 5LZS_5
5	3966	A	-	insertion	GB 5LZS_5
5	3967	G	-	insertion	GB 5LZS_5
5	3968	U	-	insertion	GB 5LZS_5
5	3969	G	-	insertion	GB 5LZS_5
5	3970	G	-	insertion	GB 5LZS_5
5	3971	G	-	insertion	GB 5LZS_5
5	3972	A	-	insertion	GB 5LZS_5
5	3973	G	-	insertion	GB 5LZS_5
5	3974	G	-	insertion	GB 5LZS_5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
5	3975	C	-	insertion	GB 5LZS_5
5	3976	C	-	insertion	GB 5LZS_5
5	4035	G	-	insertion	GB 5LZS_5
5	4036	G	-	insertion	GB 5LZS_5
5	4037	C	-	insertion	GB 5LZS_5
5	4038	C	-	insertion	GB 5LZS_5
5	4039	G	-	insertion	GB 5LZS_5
5	4040	C	-	insertion	GB 5LZS_5
5	4041	C	-	insertion	GB 5LZS_5
5	4042	G	-	insertion	GB 5LZS_5
5	4043	G	-	insertion	GB 5LZS_5
5	4044	U	-	insertion	GB 5LZS_5
5	4045	G	-	insertion	GB 5LZS_5
5	4046	A	-	insertion	GB 5LZS_5
5	4047	A	-	insertion	GB 5LZS_5
5	4048	A	-	insertion	GB 5LZS_5
5	4049	U	-	insertion	GB 5LZS_5
5	4050	A	-	insertion	GB 5LZS_5
5	4051	C	-	insertion	GB 5LZS_5
5	4052	C	-	insertion	GB 5LZS_5
5	4053	A	-	insertion	GB 5LZS_5
5	4054	C	-	insertion	GB 5LZS_5
5	4055	U	-	insertion	GB 5LZS_5
5	4056	A	-	insertion	GB 5LZS_5
5	4057	C	-	insertion	GB 5LZS_5
5	4058	U	-	insertion	GB 5LZS_5
5	4059	C	-	insertion	GB 5LZS_5
5	4060	U	-	insertion	GB 5LZS_5
5	4061	G	-	insertion	GB 5LZS_5
5	4062	A	-	insertion	GB 5LZS_5
5	4063	U	-	insertion	GB 5LZS_5

- Molecule 2 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	7	119	Total	C	N	O	P	0	0
			2538	1132	454	834	118		

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
7	2	U	N	conflict	GB X06789.1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
7	36	C	N	conflict	GB X06789.1
7	102	U	N	conflict	GB X06789.1
7	112	U	N	conflict	GB X06789.1
7	114	U	N	conflict	GB X06789.1
7	119	U	C	conflict	GB X06789.1
7	120	U	N	conflict	GB X06789.1

- Molecule 3 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	8	151	Total	C	N	O	P	0	0
			3208	1432	564	1062	150		

- Molecule 4 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	9	1697	Total	C	N	O	P	0	0
			36229	16171	6507	11855	1696		

- Molecule 5 is a protein called Ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	A	248	Total	C	N	O	S	0	0
			1898	1189	389	314	6		

- Molecule 6 is a protein called Ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	B	394	Total	C	N	O	S	0	0
			3172	2020	597	542	13		

- Molecule 7 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	C	362	Total	C	N	O	S	0	0
			2883	1812	577	480	14		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	378	LYS	-	insertion	UNP G1SVW5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	379	VAL	-	insertion	UNP G1SVW5
C	380	LYS	-	insertion	UNP G1SVW5
C	381	LYS	-	insertion	UNP G1SVW5
C	382	PRO	-	insertion	UNP G1SVW5
C	383	ARG	-	insertion	UNP G1SVW5
C	384	ALA	-	insertion	UNP G1SVW5
C	385	VAL	-	insertion	UNP G1SVW5
C	386	GLY	-	insertion	UNP G1SVW5
C	387	ILE	-	insertion	UNP G1SVW5
C	388	LYS	-	insertion	UNP G1SVW5
C	389	GLN	-	insertion	UNP G1SVW5

- Molecule 8 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	D	293	Total	C	N	O	S	0	0
			2391	1512	438	427	14		

- Molecule 9 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	E	216	Total	C	N	O	S	0	0
			1729	1115	329	282	3		

- Molecule 10 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	G	233	Total	C	N	O	S	0	0
			1879	1199	361	315	4		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	244	GLY	CYS	conflict	UNP G1STW0

- Molecule 11 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	H	190	Total	C	N	O	S	0	0
			1516	954	284	272	6		

- Molecule 12 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	I	205	Total	C	N	O	S	0	0
			1664	1056	321	274	13		

- Molecule 13 is a protein called Ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	J	170	Total	C	N	O	S	0	0
			1362	861	254	241	6		

- Molecule 14 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	K	225	Total	C	N	O	S	0	0
			1875	1205	358	303	9		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	61	ARG	GLY	conflict	UNP G1TUB1
K	93	ARG	GLY	conflict	UNP G1TUB1
K	131	MET	VAL	conflict	UNP G1TUB1
K	153	ILE	VAL	conflict	UNP G1TUB1

- Molecule 15 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	L	210	Total	C	N	O	S	0	0
			1702	1065	354	279	4		

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	46	ILE	-	insertion	UNP G1TPV0
L	47	ALA	-	insertion	UNP G1TPV0
L	48	PRO	-	insertion	UNP G1TPV0
L	49	ARG	-	insertion	UNP G1TPV0
L	50	PRO	-	insertion	UNP G1TPV0
L	51	ALA	-	insertion	UNP G1TPV0
L	52	ALA	-	insertion	UNP G1TPV0
L	53	GLY	-	insertion	UNP G1TPV0
L	54	PRO	-	insertion	UNP G1TPV0

- Molecule 16 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	M	138	Total	C	N	O	S	0	0
			1137	727	221	182	7		

- Molecule 17 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	N	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 18 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	O	199	Total	C	N	O	S	0	0
			1630	1051	319	255	5		

- Molecule 19 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	P	153	Total	C	N	O	S	0	0
			1242	777	241	215	9		

- Molecule 20 is a protein called Ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	Q	187	Total	C	N	O	S	0	0
			1515	946	315	250	4		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	4	ASP	ASN	conflict	UNP G1TFE0
Q	14	ARG	TRP	conflict	UNP G1TFE0
Q	53	MET	LEU	conflict	UNP G1TFE0
Q	58	ARG	TRP	conflict	UNP G1TFE0
Q	75	ARG	GLN	conflict	UNP G1TFE0
Q	80	ALA	PRO	conflict	UNP G1TFE0
Q	86	VAL	ILE	conflict	UNP G1TFE0
Q	104	ARG	HIS	conflict	UNP G1TFE0
Q	110	ARG	CYS	conflict	UNP G1TFE0
Q	137	VAL	GLY	conflict	UNP G1TFE0
Q	157	GLY	ARG	conflict	UNP G1TFE0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Q	181	ARG	TRP	conflict	UNP G1TFE0

- Molecule 21 is a protein called Ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	R	180	Total	C	N	O	S	0	0
			1508	933	328	238	9		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	38	ARG	CYS	conflict	UNP G1TJR3
R	64	ARG	GLN	conflict	UNP G1TJR3
R	94	THR	LYS	conflict	UNP G1TJR3

- Molecule 22 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	S	176	Total	C	N	O	S	0	0
			1462	930	285	236	11		

There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
S	1	MET	THR	conflict	UNP G1TTY7
S	18	PRO	-	insertion	UNP G1TTY7
S	19	THR	-	insertion	UNP G1TTY7
S	20	PRO	SER	conflict	UNP G1TTY7
S	22	CYS	SER	conflict	UNP G1TTY7
S	23	ARG	PRO	conflict	UNP G1TTY7
S	24	THR	ALA	conflict	UNP G1TTY7
S	49	SER	LEU	conflict	UNP G1TTY7
S	50	GLN	GLU	conflict	UNP G1TTY7
S	95	ARG	HIS	conflict	UNP G1TTY7
S	101	THR	ILE	conflict	UNP G1TTY7
S	102	THR	MET	conflict	UNP G1TTY7
S	104	GLY	SER	conflict	UNP G1TTY7
S	126	ILE	VAL	conflict	UNP G1TTY7
S	132	ILE	MET	conflict	UNP G1TTY7
S	135	SER	ALA	conflict	UNP G1TTY7
S	136	LYS	ARG	conflict	UNP G1TTY7
S	138	ARG	PRO	conflict	UNP G1TTY7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
S	149	LYS	ARG	conflict	UNP G1TTY7
S	151	LYS	ARG	conflict	UNP G1TTY7
S	168	THR	TYR	conflict	UNP G1TTY7
S	169	THR	ALA	conflict	UNP G1TTY7
S	176	PHE	-	insertion	UNP G1TTY7

- Molecule 23 is a protein called eL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	T	159	Total	C	N	O	S	0	0
			1298	823	252	217	6		

- Molecule 24 is a protein called eL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	U	99	Total	C	N	O	S	0	0
			809	519	141	147	2		

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
U	18	LEU	VAL	conflict	UNP G1TSG1
U	32	GLY	ARG	conflict	UNP G1TSG1
U	36	ALA	GLU	conflict	UNP G1TSG1
U	39	PHE	SER	conflict	UNP G1TSG1
U	54	GLY	ARG	conflict	UNP G1TSG1
U	60	VAL	ALA	conflict	UNP G1TSG1
U	62	SER	THR	conflict	UNP G1TSG1
U	63	LEU	ILE	conflict	UNP G1TSG1
U	97	ARG	HIS	conflict	UNP G1TSG1
U	106	THR	SER	conflict	UNP G1TSG1
U	126	GLU	ASP	conflict	UNP G1TSG1

- Molecule 25 is a protein called Ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	V	129	Total	C	N	O	S	0	0
			969	613	182	169	5		

- Molecule 26 is a protein called eL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	W	106	Total	C	N	O	S	0	0
			860	538	174	144	4		

- Molecule 27 is a protein called eL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	X	118	Total	C	N	O	S	0	0
			967	618	181	167	1		

- Molecule 28 is a protein called uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Y	134	Total	C	N	O	S	0	0
			1115	700	226	186	3		

- Molecule 29 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Z	135	Total	C	N	O	S	0	0
			1107	714	208	182	3		

- Molecule 30 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	a	147	Total	C	N	O	S	0	0
			1162	734	239	185	4		

- Molecule 31 is a protein called Large ribosomal subunit protein eL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	b	98	Total	C	N	O	S	0	0
			806	498	182	123	3		

- Molecule 32 is a protein called eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	c	98	Total	C	N	O	S	0	0
			761	481	134	140	6		

- Molecule 33 is a protein called eL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	d	107	Total	C	N	O	S	0	0
			888	560	171	155	2		

- Molecule 34 is a protein called Ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	e	128	Total	C	N	O	S	0	0
			1053	667	216	165	5		

- Molecule 35 is a protein called eL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	f	109	Total	C	N	O	S	0	0
			876	555	174	143	4		

- Molecule 36 is a protein called Large ribosomal subunit protein eL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	g	114	Total	C	N	O	S	0	0
			906	566	187	147	6		

- Molecule 37 is a protein called eL35.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	h	122	Total	C	N	O	S	0	0
			1013	640	204	168	1		

- Molecule 38 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	i	102	Total	C	N	O	S	0	0
			830	520	176	129	5		

- Molecule 39 is a protein called eL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	k	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
k	3	ARG	GLN	conflict	UNP G1U3J0
k	38	CYS	TYR	conflict	UNP G1U3J0
k	48	THR	MET	conflict	UNP G1U3J0
k	66	VAL	MET	conflict	UNP G1U3J0

- Molecule 40 is a protein called eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	l	50	Total	C	N	O	S	0	0
			447	286	96	64	1		

- Molecule 41 is a protein called Ubiquitin A-52 residue ribosomal protein fusion product 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	m	52	Total	C	N	O	S	0	0
			429	266	90	67	6		

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
m	1	MET	-	initiating methionine	UNP A0A2K5PSA0
m	2	GLY	-	expression tag	UNP A0A2K5PSA0
m	3	ASP	-	expression tag	UNP A0A2K5PSA0
m	4	PRO	-	expression tag	UNP A0A2K5PSA0
m	5	GLU	-	expression tag	UNP A0A2K5PSA0
m	6	SER	-	expression tag	UNP A0A2K5PSA0
m	7	GLY	-	expression tag	UNP A0A2K5PSA0
m	8	GLY	-	expression tag	UNP A0A2K5PSA0
m	9	CYS	-	expression tag	UNP A0A2K5PSA0

- Molecule 42 is a protein called eL41.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	n	25	Total	C	N	O	S	0	0
			240	145	64	28	3		

- Molecule 43 is a protein called Large ribosomal subunit protein eL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	o	104	Total	C	N	O	S	0	0
			851	533	174	138	6		

- Molecule 44 is a protein called eL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	p	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 45 is a protein called eL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	r	124	Total	C	N	O	S	0	0
			994	616	205	167	6		

- Molecule 46 is a protein called uS2 (SA).

Mol	Chain	Residues	Atoms					AltConf	Trace
46	AA	217	Total	C	N	O	S	0	0
			1710	1086	300	316	8		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AA	114	THR	ALA	conflict	UNP G1TLT8

- Molecule 47 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BB	213	Total	C	N	O	S	0	0
			1729	1098	309	308	14		

- Molecule 48 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	CC	221	Total	C	N	O	S	0	0
			1716	1111	295	301	9		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CC	13	ASP	GLY	conflict	UNP O18789
CC	19	ILE	MET	conflict	UNP O18789

- Molecule 49 is a protein called Ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	DD	224	Total	C	N	O	S	0	0
			1739	1108	313	311	7		

- Molecule 50 is a protein called eS4 (S4 X isoform).

Mol	Chain	Residues	Atoms					AltConf	Trace
50	EE	262	Total	C	N	O	S	0	0
			2076	1324	386	358	8		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EE	25	GLY	SER	conflict	UNP G1TK17
EE	51	ARG	LYS	conflict	UNP G1TK17
EE	78	THR	ALA	conflict	UNP G1TK17
EE	156	VAL	MET	conflict	UNP G1TK17

- Molecule 51 is a protein called Ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	FF	184	Total	C	N	O	S	0	0
			1460	915	273	265	7		

- Molecule 52 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	GG	237	Total	C	N	O	S	0	0
			1923	1200	387	329	7		

- Molecule 53 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	HH	185	Total	C	N	O	S	0	0
			1489	952	271	265	1		

- Molecule 54 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	II	198	Total	C	N	O	S	0	0
			1628	1021	322	280	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
II	47	ARG	GLY	conflict	UNP G1TJW1

- Molecule 55 is a protein called Ribosomal protein S9 (Predicted).

Mol	Chain	Residues	Atoms					AltConf	Trace
55	JJ	181	Total	C	N	O	S	0	0
			1508	960	302	244	2		

- Molecule 56 is a protein called S10_ plectin domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	KK	96	Total	C	N	O	S	0	0
			810	530	143	131	6		

- Molecule 57 is a protein called Ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	LL	143	Total	C	N	O	S	0	0
			1175	749	222	198	6		

- Molecule 58 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	MM	112	Total	C	N	O	S	0	0
			871	551	155	158	7		

- Molecule 59 is a protein called Ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	NN	149	Total	C	N	O	S	0	0
			1202	770	228	203	1		

- Molecule 60 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	OO	136	Total	C	N	O	S	0	0
			1016	621	199	190	6		

- Molecule 61 is a protein called uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	PP	129	Total	C	N	O	S	0	0
			1058	670	201	180	7		

- Molecule 62 is a protein called uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	QQ	142	Total	C	N	O	S	0	0
			1128	717	213	195	3		

- Molecule 63 is a protein called eS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	RR	132	Total	C	N	O	S	0	0
			1068	670	199	195	4		

- Molecule 64 is a protein called uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	SS	140	Total	C	N	O	S	0	0
			1157	728	231	197	1		

- Molecule 65 is a protein called eS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	TT	141	Total	C	N	O	S	0	0
			1097	688	211	195	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
TT	119	GLY	TRP	conflict	UNP G1TN62

- Molecule 66 is a protein called uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	UU	100	Total	C	N	O	S	0	0
			795	498	152	141	4		

- Molecule 67 is a protein called eS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	VV	83	Total	C	N	O	S	0	0
			637	393	117	122	5		

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
VV	3	ASN	SER	conflict	UNP G1TM82
VV	4	ASP	ASN	conflict	UNP G1TM82
VV	33	GLN	PRO	conflict	UNP G1TM82
VV	50	PHE	SER	conflict	UNP G1TM82
VV	75	ALA	SER	conflict	UNP G1TM82
VV	76	ASP	HIS	conflict	UNP G1TM82
VV	81	LYS	GLN	conflict	UNP G1TM82

- Molecule 68 is a protein called Ribosomal protein S15a.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	WW	129	Total	C	N	O	S	0	0
			1034	659	193	176	6		

- Molecule 69 is a protein called uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	XX	140	Total	C	N	O	S	0	0
			1087	687	215	182	3		

- Molecule 70 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	YY	124	Total	C	N	O	S	0	0
			1011	640	198	168	5		

- Molecule 71 is a protein called eS25.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	ZZ	75	Total	C	N	O	S	0	0
			598	382	111	104	1		

- Molecule 72 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	aa	101	Total	C	N	O	S	0	0
			814	507	170	132	5		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
aa	28	ARG	CYS	conflict	UNP G1TFE8
aa	56	ALA	VAL	conflict	UNP G1TFE8
aa	109	ARG	PRO	conflict	UNP G1TFE8

- Molecule 73 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	bb	83	Total	C	N	O	S	0	0
			651	408	121	115	7		

- Molecule 74 is a protein called Ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	cc	62	Total	C	N	O	S	0	0
			488	297	97	92	2		

- Molecule 75 is a protein called eS29.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	dd	55	Total	C	N	O	S	0	0
			459	286	94	74	5		

- Molecule 76 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	ee	57	Total	C	N	O	S	0	0
			457	282	101	73	1		

- Molecule 77 is a protein called Ribosomal protein S27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	ff	68	Total	C	N	O	S	0	0
			555	351	103	94	7		

- Molecule 78 is a protein called RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	gg	313	Total	C	N	O	S	0	0
			2436	1535	424	465	12		

- Molecule 79 is a RNA chain called MF mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	10	11	Total	C	N	O	P	0	0
			234	105	41	77	11		

- Molecule 80 is a RNA chain called Phe-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	12	75	Total	C	N	O	P	0	0
			1599	714	286	524	75		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
12	37	C	G	conflict	GB 176419


- Molecule 81 is a RNA chain called Met-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	13	74	Total	C	N	O	P	0	0
			1585	707	293	511	74		
81	11	74	Total	C	N	O	P	0	0
			1585	707	293	511	74		

- Molecule 82 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	j	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 83 is SPERMIDINE (CCD ID: SPD) (formula: C₇H₁₉N₃).




Mol	Chain	Residues	Atoms			AltConf
83	5	1	Total	C	N	0
			10	7	3	

- Molecule 84 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
84	g	1	Total	Zn	0
			1	1	
84	m	1	Total	Zn	0
			1	1	
84	o	1	Total	Zn	0
			1	1	
84	p	1	Total	Zn	0
			1	1	
84	dd	1	Total	Zn	0
			1	1	
84	j	1	Total	Zn	0
			1	1	

- Molecule 85 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).




Mol	Chain	Residues	Atoms					AltConf
85	12	1	Total	C	N	O	P	0
			32	10	5	14	3	

- Molecule 86 is PHENYLALANINE (CCD ID: PHE) (formula: $C_9H_{11}NO_2$).




Mol	Chain	Residues	Atoms				AltConf
86	12	1	Total	C	N	O	0
			11	9	1	1	

- Molecule 87 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					AltConf
87	13	1	Total	C	N	O	P	0
			31	10	5	13	3	
87	11	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 88 is METHIONINE (CCD ID: MET) (formula: C₅H₁₁NO₂S).




Mol	Chain	Residues	Atoms					AltConf
88	13	1	Total	C	N	O	S	0
			8	5	1	1	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 28S ribosomal RNA



U3930	G3958	U3814	U3695	U2826	G2705	G2559	U2440	C2295	G2058	C1977	G1855	U1725	A1534	C1411B
C3931	U3959	A3817	C3936	G2827	U2706	G2562	C2441	G2296	G2065	C1978	G1869	U1727	U1538	C1411C
U3932	U3950	U3818	U3707	U2828	U2707	C2563	U2447	G2299	C2066	A1979	U1875	G1733	G1539	G1415
G3934	G3951	G3819	C3708	G2842	U2708	G2564	G2457	A2300	A2069	U1980	C1876	G1734	A1547	G1416
C3935	A3952	G3823	G3710	G2848	C2709	G2565	C2458	C2301	U2070	G1982	C1884	U1735	G1555	C1417
G3938	A3952	G3827	A3711	G2855	G2711	G2566	C2465	C2302	G2079	A1983	G1890	G1741	G1559	A1420
G3939	A3952	A3828	U3713	C2856	G2712	G2567	G2466	G2303	U2080	A1984	A1891	A1742	G1558	G1421
G3944	G3944	G3829	G3714	A2857	C2719	G2568	G2466	A2314	G1986	U1985	G1891	G1750	G1559	U1428
A3947	U3947	U3838	A3717	G2862	G2726	U2570	G2471	G2318	C2083	U1987	G1895	G1750	A1564	U1428
C3948	C3948	G3839	A3718	G2863	U2730	C2571	G2475	G2321	G2085	G1988	A1896	U1766	A1565	G1435
A3949	U3950	U3840	A3723	U2864	C2731	C2583	G2476	G2322	A2088	G1989	A1897	U1767	A1566	G1436
U3950	A3950	U3840	A3724	U2865	C2732	A2587	A2477	G2326	G2089	U1990	G1898	U1768	U1567	C1437
G3951	A3951	A3861	G3725	U2866	C2733	A2588	G2478	G2327	U2090	A1991	G1899	G1769	C1568	U1438
A3952	A3952	A3862	A3726	C2899	C2734	C2594	G2479	A2332	C2091	U1992	A1908	G1760	G1577	U1440
G3958	A3958	A3863	A3727	U2900	G2735	A2601	G2480	G2333	G2092	C1993	G1909	G1761	U1578	C1441
U3959	U3959	A3865	U2740	G2901	U2740	G2622	C2488	C2334	G2093	U1997	G1916	G1764	U1578	C1442
A3960	A3960	G3866	A2743	G3597	A2743	G2622	C2489	G2335	C2094	A1997	A1917	A1765	C1590	A1444
G3961	G3961	A3867	A2744	C3598	A2744	U2632	U2490	G2336	A2097	G2001	U1918	A1766	U1591	U1445
A3962	A3962	G3868	G3733	A3599	G3733	U2633	C2491	G2337	C2098	A2002	G1919	A1767	U1596	C1446
A3963	A3963	G3873	G3735	G3600	A2743	U2634	C2492	G2347	C2099	G2003	G1920	C1768	U1596	C1447
U3964	U3964	A3874	A3736	G3603	G2753	U2635	C2492	G2348	G2100	U2004	G1921	C1769	G1605	G1448
A3965	A3965	A3875	A3737	A3604	G2754	U2636	C2492	G2349	A2101	G2005	G1922	G1605	G1605	C1449
G3967	G3967	A3876	G3738	C3605	G2755	G2638	A2502	G2351	A2102	U2006	A1923	A1770	G1612	G1451
U3968	U3968	A3877	G3739	A3611	G2756	U2639	C2503	G2361	A2103	G2007	C1931	U1771	G1613	G1455
G3969	G3969	A3878	G3740	A3612	G2757	G2640	C2504	A2395	A2104	U2008	G1939	U1772	C1614	C1456
G3970	G3970	A3879	G3741	G3614	G2758	G2641	C2505	A2396	A2105	A2009	G1940	U1773	G1617	C1468
G3971	G3971	A3880	G3742	G3615	G2759	A2647	C2506	A2397	A2106	U2010	G1941	U1787	G1624	C1469
A3972	A3972	G3881	G3743	G3616	G2760	A2648	C2507	U2398	A2107	A2011	A1942	G1798	G1625	C1472
G3973	G3973	G3882	G3744	A3624	U2761	G2652	A2511	G2399	A2108	C2012	A1943	G1798	G1625	U1473
G3974	G3974	G3883	G3745	A3625	G2762	C2653	A2512	A2404	G2259	U1947	U1803	G1803	A1631	C1474
C3975	C3975	G3884	G3746	G3626	U2763	G2657	A2513	G2407	C2260	G1948	A1804	G1475	A1632	G1476
C3976	C3976	G3885	G3747	A3635	U2764	G2657	A2517	U2409	C2261	U1957	A1805	G1476	A1633	C1477
G4035	G4035	U3641	G2770	U3644	G2765	G2664	A2517	G2407	G2262	U1958	A1806	G1477	A1634	C1478
G4036	G4036	A3642	G2771	A3643	G2766	G2664	C2520	U2409	G2265	U1959	G1811	G1482	G1654	G1482
G4037	G4037	U3644	G2772	U3645	G2767	G2669	G2521	C2411	C2266	A1960	C1812	G1483	C1661	C1483
G4038	G4038	U3645	G2773	U3646	G2768	G2673	C2526	A2412	U2267	G1961	C1812	G1484	C1662	G1484
G4039	G4039	A3646	A2783	A3647	G2769	A2674	A2529	U2413	A2268	C1962	C1818	G1485	C1663	C1485
C4040	C4040	A3648	A2787	A3649	G2770	G2677	C2539	U2414	C2269	A1963	G1819	G1486	C1663	C1486
C4041	C4041	A3649	U2788	A3650	G2771	G2677	C2540	U2415	G2270	C1964	U1821	G1488	C1663	C1488
G4042	G4042	A3651	U2789	A3652	G2772	G2677	C2541	U2416	G2275	C1965	G1822	G1489	C1663	C1489
U4043	U4043	A3653	U2790	A3654	G2773	G2677	C2542	G2416	A2276	A1967	G1822	G1502	C1663	G1502
U4044	U4044	A3655	C2791	A3655	G2774	G2677	C2543	G2417	A2277	A1970	G1835	G1502	C1663	G1502
G4045	G4045	A3656	C2792	A3656	G2775	G2677	C2544	G2418	C2278	U1971	G1836	G1502	C1663	C1505
G4046	G4046	A3657	C2793	A3657	G2776	G2677	C2545	G2419	C2279	G1972	G1837	G1502	C1663	C1505
A4047	A4047	A3658	G2794	A3658	G2777	G2677	C2546	G2420	A2287	U1973	G1838	G1502	C1663	C1505
A4048	A4048	A3659	G2795	A3659	G2778	G2677	C2547	G2421	G2287	G1974	G1839	G1502	C1663	C1505
U4049	U4049	A3660	A2806	A3660	G2779	G2677	C2548	G2422	G2288	U1975	G1840	G1502	C1663	C1505
A4050	A4050	A3661	G2822	A3661	G2780	G2677	C2549	G2423	G2289	G1976	G1841	G1502	C1663	C1505
C4051	C4051	A3662	G2823	A3662	G2781	G2677	C2550	G2424	G2290	G1977	G1842	G1502	C1663	C1505
C4052	C4052	A3663	G2824	A3663	G2782	G2677	C2551	G2425	G2291	G1978	G1843	G1502	C1663	C1505
A4053	A4053	A3664	G2825	A3664	G2783	G2677	C2552	G2426	G2292	G1979	G1844	G1502	C1663	C1505
C4054	C4054	A3665	G2826	A3665	G2784	G2677	C2553	G2427	G2293	G1980	G1845	G1502	C1663	C1505
U4058	U4058	A3666	G2827	A3666	G2785	G2677	C2554	G2428	G2294	G1981	G1846	G1502	C1663	C1505




• Molecule 2: 5S ribosomal RNA

Chain 7: 82% 16% ..




• Molecule 3: 5.8S ribosomal RNA

Chain 8: 69% 24% . .




• Molecule 4: 18S ribosomal RNA

Chain 9: 61% 26% . 9%








• Molecule 5: Ribosomal protein L8

Chain A: 89% 7% .




• Molecule 6: Ribosomal protein L3

Chain B: 89% 9% .




• Molecule 7: 60S ribosomal protein L4

Chain C: 78% 7% 15%








• Molecule 8: Large ribosomal subunit protein uL18

Chain D: 95% . .




• Molecule 9: 60S ribosomal protein L6



Chain K:  87% 9%




- Molecule 15: 60S ribosomal protein L13

Chain L:  96%



- Molecule 16: 60S ribosomal protein L14

Chain M:  62% 37%





- Molecule 17: Ribosomal protein L15

Chain N:  87% 12%




- Molecule 18: Large ribosomal subunit protein uL13

Chain O:  94%




- Molecule 19: Large ribosomal subunit protein uL22

Chain P:  77% 5% 17%




- Molecule 20: Ribosomal protein L18


Chain Q:  94% 5%




● Molecule 21: Ribosomal protein L19

Chain R:  87% 5% 8%


● Molecule 22: 60S ribosomal protein L18a

Chain S:  90% 10%

● Molecule 23: eL21

Chain T:  91% 8% ..


● Molecule 24: eL22

Chain U:  73% 23%

● Molecule 25: Ribosomal protein L23


Chain V:  87% 5% 8%

● Molecule 26: eL24


Chain W:  13% 66% 32%

● Molecule 27: eL23

Chain X:  71% 5% 24%



• Molecule 28: uL24




• Molecule 29: 60S ribosomal protein L27




• Molecule 30: 60S ribosomal protein L27a




• Molecule 31: Large ribosomal subunit protein eL29




• Molecule 32: eL30




• Molecule 33: eL31






- Molecule 34: Ribosomal protein L32




- Molecule 35: eL33




- Molecule 36: Large ribosomal subunit protein eL34





- Molecule 37: eL35



- Molecule 38: 60S ribosomal protein L36



- Molecule 39: eL38





- Molecule 40: eL39

Chain l:  92% 6%




- Molecule 41: Ubiquitin A-52 residue ribosomal protein fusion product 1

Chain m:  46% 5% 49%




- Molecule 42: eL41

Chain n:  96%



- Molecule 43: Large ribosomal subunit protein eL42

Chain o:  88% 10%




- Molecule 44: eL43

Chain p:  90% 9%



- Molecule 45: eL28


Chain r:  82% 8% 9%




- Molecule 46: uS2 (SA)

Chain AA:  68% 6% 26%



- Molecule 47: 40S ribosomal protein S3a




- Molecule 48: Small ribosomal subunit protein uS5



- Molecule 49: Ribosomal protein S3



- Molecule 50: eS4 (S4 X isoform)




- Molecule 51: Ribosomal protein S5

Chain FF:  83% 7% 10%




- Molecule 52: 40S ribosomal protein S6

Chain GG:  10% 87% 8% 5%




- Molecule 53: 40S ribosomal protein S7

Chain HH:  12% 85% 10% 5%




- Molecule 54: 40S ribosomal protein S8

Chain II:  87% 9% 5%




- Molecule 55: Ribosomal protein S9 (Predicted)

Chain JJ:  78% 14% 7%




- Molecule 56: S10_pectin domain-containing protein

Chain KK:  56% 42%




- Molecule 57: Ribosomal protein S11

Chain LL: 85% 6% 9%



- Molecule 58: 40S ribosomal protein S12

Chain MM: 54% 64% 20% 15%




- Molecule 59: Ribosomal protein S13

Chain NN: 89% 9%



- Molecule 60: Small ribosomal subunit protein uS11


Chain OO: 74% 7% 19%



- Molecule 61: uS19

Chain PP: 81% 8% 11%








- Molecule 62: uS9




- Molecule 63: eS17




- Molecule 64: uS13



- Molecule 65: eS19



- Molecule 66: uS10



- Molecule 67: eS21




- Molecule 68: Ribosomal protein S15a

Chain WW:  93% 6%




- Molecule 69: uS12

Chain XX:  94%




- Molecule 70: 40S ribosomal protein S24

Chain YY:  85% 11% 5%



- Molecule 71: eS25

Chain ZZ:  54% 6% 40%




- Molecule 72: 40S ribosomal protein S26

Chain aa:  78% 10% 12%




- Molecule 73: 40S ribosomal protein S27

Chain bb:  5% 95%




- Molecule 74: Ribosomal protein S28

Chain cc:  77% 13% 10%





• Molecule 80: Phe-tRNA




• Molecule 81: Met-tRNA



• Molecule 81: Met-tRNA



• Molecule 82: Ribosomal protein L37



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	15402	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30.0165	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.108	Depositor
Minimum map value	-0.030	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.015	Depositor
Map size (Å)	464.8, 464.8, 464.8	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.162, 1.162, 1.162	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SPD, ATP, GTP, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	5	0.46	0/86380	0.68	21/134721 (0.0%)
2	7	0.45	0/2836	0.62	0/4421
3	8	0.46	0/3581	0.66	0/5577
4	9	0.42	0/40509	0.66	9/63128 (0.0%)
5	A	0.36	0/1936	0.52	0/2596
6	B	0.34	0/3240	0.54	0/4339
7	C	0.36	0/2937	0.54	0/3946
8	D	0.31	0/2437	0.49	0/3264
9	E	0.30	0/1762	0.57	0/2362
10	G	0.30	0/1910	0.56	0/2569
11	H	0.31	0/1535	0.52	0/2063
12	I	0.32	0/1702	0.51	0/2272
13	J	0.28	0/1385	0.51	0/1852
14	K	0.37	0/1911	0.54	0/2549
15	L	0.32	0/1733	0.51	0/2316
16	M	0.32	0/1158	0.51	0/1547
17	N	0.37	0/1746	0.56	0/2338
18	O	0.38	0/1662	0.57	0/2222
19	P	0.37	0/1268	0.61	0/1700
20	Q	0.37	0/1539	0.59	0/2054
21	R	0.33	0/1524	0.54	0/2013
22	S	0.36	0/1501	0.49	0/2012
23	T	0.34	0/1326	0.49	0/1770
24	U	0.28	0/823	0.52	0/1104
25	V	0.34	0/983	0.49	0/1319
26	W	0.30	0/873	0.53	0/1158
27	X	0.31	0/984	0.52	0/1323
28	Y	0.33	0/1132	0.49	0/1504
29	Z	0.32	0/1130	0.49	0/1507
30	a	0.38	0/1191	0.56	0/1590
31	b	0.31	0/819	0.56	0/1081
32	c	0.34	0/771	0.48	0/1034

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	d	0.36	0/903	0.52	0/1216
34	e	0.38	0/1071	0.57	0/1429
35	f	0.39	0/895	0.51	0/1198
36	g	0.35	0/916	0.56	0/1220
37	h	0.31	0/1021	0.54	0/1348
38	i	0.30	0/841	0.53	0/1112
39	k	0.28	0/575	0.50	0/761
40	l	0.36	0/459	0.57	0/608
41	m	0.32	0/435	0.44	0/575
42	n	0.38	0/241	0.71	0/305
43	o	0.33	0/864	0.55	0/1140
44	p	0.37	0/718	0.57	0/953
45	r	0.34	0/1010	0.53	0/1354
46	AA	0.30	0/1747	0.49	0/2374
47	BB	0.30	0/1756	0.52	0/2350
48	CC	0.31	0/1753	0.51	0/2369
49	DD	0.27	0/1767	0.46	0/2378
50	EE	0.28	0/2118	0.52	0/2849
51	FF	0.28	0/1481	0.52	0/1991
52	GG	0.23	0/1946	0.50	0/2590
53	HH	0.25	0/1511	0.48	0/2022
54	II	0.27	0/1655	0.50	0/2205
55	JJ	0.30	0/1533	0.53	0/2047
56	KK	0.25	0/834	0.48	0/1125
57	LL	0.32	0/1195	0.50	0/1597
58	MM	0.21	0/880	0.50	0/1179
59	NN	0.30	0/1226	0.51	0/1649
60	OO	0.32	0/1029	0.54	0/1380
61	PP	0.25	0/1079	0.53	0/1441
62	QQ	0.28	0/1146	0.49	0/1534
63	RR	0.27	0/1082	0.54	0/1452
64	SS	0.27	0/1175	0.51	0/1575
65	TT	0.27	0/1115	0.52	0/1493
66	UU	0.27	0/805	0.49	0/1081
67	VV	0.29	0/644	0.46	0/860
68	WW	0.35	0/1051	0.51	0/1406
69	XX	0.32	0/1105	0.49	0/1476
70	YY	0.23	0/1028	0.45	0/1366
71	ZZ	0.25	0/604	0.54	0/810
72	aa	0.33	0/828	0.51	0/1109
73	bb	0.26	0/665	0.52	0/891
74	cc	0.26	0/490	0.38	0/656
75	dd	0.31	0/470	0.58	0/623

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
76	ee	0.27	0/462	0.52	0/607
77	ff	0.19	0/567	0.54	0/753
78	gg	0.23	0/2493	0.47	0/3394
79	10	0.40	0/261	0.59	0/404
80	12	0.34	0/1787	0.74	0/2783
81	11	0.28	0/1773	0.68	0/2763
81	13	0.37	0/1773	0.69	1/2763 (0.0%)
82	j	0.37	0/720	0.56	0/952
All	All	0.40	0/231727	0.62	31/340767 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	5	0	1
4	9	0	1
5	A	0	1
7	C	0	2
8	D	0	1
9	E	0	2
14	K	0	1
17	N	0	2
18	O	0	1
19	P	0	1
20	Q	0	1
23	T	0	1
28	Y	0	2
29	Z	0	1
37	h	0	1
39	k	0	1
44	p	0	1
54	II	0	2
55	JJ	0	1
59	NN	0	1
60	OO	0	1
74	cc	0	1
All	All	0	27

There are no bond length outliers.

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	9	1835	A	C2'-C3'-O3'	7.42	120.63	109.50
1	5	4119	C	C2'-C3'-O3'	6.66	119.48	109.50
1	5	4944	C	C1'-O4'-C4'	-6.61	103.29	109.90
81	13	20	A	C2'-C3'-O3'	6.47	119.21	109.50
1	5	1440	U	C2'-C3'-O3'	5.90	118.34	109.50

There are no chirality outliers.

5 of 27 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	5	2544	G	Sidechain
4	9	900	C	Sidechain
5	A	123	ARG	Sidechain
7	C	100	ARG	Sidechain
7	C	204	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	5	77221	0	39013	613	0
2	7	2538	0	1286	12	0
3	8	3208	0	1629	24	0
4	9	36229	0	18300	306	0
5	A	1898	0	1993	14	0
6	B	3172	0	3310	24	0
7	C	2883	0	3053	22	0
8	D	2391	0	2424	9	0
9	E	1729	0	1887	14	0
10	G	1879	0	2027	13	0
11	H	1516	0	1597	10	0
12	I	1664	0	1712	3	0
13	J	1362	0	1399	11	0
14	K	1875	0	1995	8	0
15	L	1702	0	1820	7	0
16	M	1137	0	1211	3	0
17	N	1701	0	1749	18	0
18	O	1630	0	1778	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	P	1242	0	1274	10	0
20	Q	1515	0	1634	13	0
21	R	1508	0	1664	7	0
22	S	1462	0	1508	12	0
23	T	1298	0	1366	11	0
24	U	809	0	833	4	0
25	V	969	0	1031	4	0
26	W	860	0	903	3	0
27	X	967	0	1040	5	0
28	Y	1115	0	1205	8	0
29	Z	1107	0	1182	7	0
30	a	1162	0	1209	8	0
31	b	806	0	866	3	0
32	c	761	0	794	6	0
33	d	888	0	930	3	0
34	e	1053	0	1147	8	0
35	f	876	0	912	6	0
36	g	906	0	998	6	0
37	h	1013	0	1147	3	0
38	i	830	0	916	4	0
39	k	569	0	637	4	0
40	l	447	0	480	5	0
41	m	429	0	465	4	0
42	n	240	0	289	1	0
43	o	851	0	920	7	0
44	p	708	0	756	7	0
45	r	994	0	1051	8	0
46	AA	1710	0	1708	14	0
47	BB	1729	0	1803	17	0
48	CC	1716	0	1806	9	0
49	DD	1739	0	1832	10	0
50	EE	2076	0	2177	16	0
51	FF	1460	0	1509	10	0
52	GG	1923	0	2089	17	0
53	HH	1489	0	1582	12	0
54	II	1628	0	1706	14	0
55	JJ	1508	0	1626	19	0
56	KK	810	0	836	4	0
57	LL	1175	0	1249	6	0
58	MM	871	0	913	18	0
59	NN	1202	0	1289	9	0
60	OO	1016	0	1039	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
61	PP	1058	0	1104	9	0
62	QQ	1128	0	1195	10	0
63	RR	1068	0	1121	8	0
64	SS	1157	0	1213	9	0
65	TT	1097	0	1132	8	0
66	UU	795	0	862	7	0
67	VV	637	0	637	3	0
68	WW	1034	0	1080	5	0
69	XX	1087	0	1154	5	0
70	YY	1011	0	1083	11	0
71	ZZ	598	0	656	5	0
72	aa	814	0	867	10	0
73	bb	651	0	672	2	0
74	cc	488	0	514	5	0
75	dd	459	0	448	3	0
76	ee	457	0	502	4	0
77	ff	555	0	567	8	0
78	gg	2436	0	2393	25	0
79	10	234	0	118	1	0
80	12	1599	0	808	27	0
81	11	1585	0	804	27	0
81	13	1585	0	803	27	0
82	j	705	0	737	10	0
83	5	10	0	19	1	0
84	dd	1	0	0	0	0
84	g	1	0	0	0	0
84	j	1	0	0	0	0
84	m	1	0	0	0	0
84	o	1	0	0	0	0
84	p	1	0	0	0	0
85	12	32	0	11	1	0
86	12	11	0	8	1	0
87	11	31	0	11	0	0
87	13	31	0	11	1	0
88	13	8	0	8	2	0
All	All	215539	0	159042	1421	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 1421 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:9:536:A:H61	4:9:547:G:H1	1.19	0.90
4:9:925:G:H1	4:9:1017:U:H3	1.18	0.90
1:5:2638:G:N2	1:5:2697:A:N1	2.19	0.89
1:5:976:G:H21	7:C:323:ARG:HD3	1.38	0.88
4:9:190:G:O2'	4:9:209:A:N6	2.07	0.87

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	A	246/257 (96%)	239 (97%)	7 (3%)	0	100	100
6	B	392/403 (97%)	378 (96%)	14 (4%)	0	100	100
7	C	360/425 (85%)	351 (98%)	9 (2%)	0	100	100
8	D	291/297 (98%)	282 (97%)	9 (3%)	0	100	100
9	E	208/291 (72%)	198 (95%)	10 (5%)	0	100	100
10	G	229/319 (72%)	222 (97%)	7 (3%)	0	100	100
11	H	188/192 (98%)	185 (98%)	3 (2%)	0	100	100
12	I	201/214 (94%)	195 (97%)	6 (3%)	0	100	100
13	J	168/178 (94%)	165 (98%)	3 (2%)	0	100	100
14	K	223/247 (90%)	217 (97%)	6 (3%)	0	100	100
15	L	208/211 (99%)	205 (99%)	3 (1%)	0	100	100
16	M	136/218 (62%)	134 (98%)	2 (2%)	0	100	100
17	N	201/204 (98%)	197 (98%)	4 (2%)	0	100	100
18	O	197/203 (97%)	194 (98%)	3 (2%)	0	100	100
19	P	151/184 (82%)	147 (97%)	4 (3%)	0	100	100
20	Q	185/188 (98%)	178 (96%)	7 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
21	R	178/196 (91%)	177 (99%)	1 (1%)	0	100	100
22	S	174/176 (99%)	169 (97%)	5 (3%)	0	100	100
23	T	157/160 (98%)	153 (98%)	4 (2%)	0	100	100
24	U	97/128 (76%)	94 (97%)	3 (3%)	0	100	100
25	V	127/140 (91%)	124 (98%)	3 (2%)	0	100	100
26	W	102/157 (65%)	101 (99%)	1 (1%)	0	100	100
27	X	116/156 (74%)	115 (99%)	1 (1%)	0	100	100
28	Y	132/145 (91%)	128 (97%)	4 (3%)	0	100	100
29	Z	133/136 (98%)	130 (98%)	3 (2%)	0	100	100
30	a	145/148 (98%)	138 (95%)	7 (5%)	0	100	100
31	b	94/245 (38%)	90 (96%)	4 (4%)	0	100	100
32	c	96/115 (84%)	95 (99%)	1 (1%)	0	100	100
33	d	105/125 (84%)	101 (96%)	4 (4%)	0	100	100
34	e	126/135 (93%)	123 (98%)	3 (2%)	0	100	100
35	f	107/110 (97%)	105 (98%)	2 (2%)	0	100	100
36	g	112/116 (97%)	108 (96%)	4 (4%)	0	100	100
37	h	120/123 (98%)	118 (98%)	2 (2%)	0	100	100
38	i	100/105 (95%)	98 (98%)	2 (2%)	0	100	100
39	k	67/70 (96%)	66 (98%)	1 (2%)	0	100	100
40	l	48/51 (94%)	48 (100%)	0	0	100	100
41	m	50/102 (49%)	48 (96%)	2 (4%)	0	100	100
42	n	23/25 (92%)	23 (100%)	0	0	100	100
43	o	102/106 (96%)	99 (97%)	3 (3%)	0	100	100
44	p	89/92 (97%)	85 (96%)	4 (4%)	0	100	100
45	r	122/137 (89%)	119 (98%)	3 (2%)	0	100	100
46	AA	215/295 (73%)	205 (95%)	10 (5%)	0	100	100
47	BB	211/264 (80%)	204 (97%)	7 (3%)	0	100	100
48	CC	219/293 (75%)	214 (98%)	5 (2%)	0	100	100
49	DD	222/243 (91%)	219 (99%)	3 (1%)	0	100	100
50	EE	260/263 (99%)	253 (97%)	7 (3%)	0	100	100
51	FF	180/204 (88%)	171 (95%)	9 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
52	GG	235/249 (94%)	230 (98%)	5 (2%)	0	100	100
53	HH	181/194 (93%)	176 (97%)	5 (3%)	0	100	100
54	II	194/208 (93%)	190 (98%)	4 (2%)	0	100	100
55	JJ	179/194 (92%)	174 (97%)	5 (3%)	0	100	100
56	KK	94/165 (57%)	92 (98%)	2 (2%)	0	100	100
57	LL	139/158 (88%)	136 (98%)	3 (2%)	0	100	100
58	MM	108/132 (82%)	106 (98%)	2 (2%)	0	100	100
59	NN	147/151 (97%)	145 (99%)	2 (1%)	0	100	100
60	OO	134/168 (80%)	132 (98%)	2 (2%)	0	100	100
61	PP	127/145 (88%)	122 (96%)	5 (4%)	0	100	100
62	QQ	140/146 (96%)	137 (98%)	3 (2%)	0	100	100
63	RR	130/135 (96%)	129 (99%)	1 (1%)	0	100	100
64	SS	138/152 (91%)	134 (97%)	4 (3%)	0	100	100
65	TT	139/145 (96%)	139 (100%)	0	0	100	100
66	UU	98/119 (82%)	95 (97%)	3 (3%)	0	100	100
67	VV	81/83 (98%)	80 (99%)	1 (1%)	0	100	100
68	WW	127/130 (98%)	122 (96%)	5 (4%)	0	100	100
69	XX	138/143 (96%)	134 (97%)	4 (3%)	0	100	100
70	YY	122/130 (94%)	118 (97%)	4 (3%)	0	100	100
71	ZZ	73/125 (58%)	69 (94%)	4 (6%)	0	100	100
72	aa	99/115 (86%)	95 (96%)	4 (4%)	0	100	100
73	bb	81/84 (96%)	79 (98%)	2 (2%)	0	100	100
74	cc	60/69 (87%)	59 (98%)	1 (2%)	0	100	100
75	dd	53/56 (95%)	50 (94%)	3 (6%)	0	100	100
76	ee	55/133 (41%)	51 (93%)	4 (7%)	0	100	100
77	ff	66/156 (42%)	62 (94%)	4 (6%)	0	100	100
78	gg	311/317 (98%)	294 (94%)	17 (6%)	0	100	100
82	j	84/97 (87%)	82 (98%)	2 (2%)	0	100	100
All	All	11146/12891 (86%)	10840 (97%)	306 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	A	190/199 (96%)	190 (100%)	0	100	100
6	B	342/348 (98%)	342 (100%)	0	100	100
7	C	302/347 (87%)	302 (100%)	0	100	100
8	D	247/250 (99%)	247 (100%)	0	100	100
9	E	190/251 (76%)	190 (100%)	0	100	100
10	G	200/272 (74%)	200 (100%)	0	100	100
11	H	169/171 (99%)	169 (100%)	0	100	100
12	I	175/181 (97%)	175 (100%)	0	100	100
13	J	143/149 (96%)	143 (100%)	0	100	100
14	K	196/215 (91%)	196 (100%)	0	100	100
15	L	175/176 (99%)	175 (100%)	0	100	100
16	M	117/161 (73%)	117 (100%)	0	100	100
17	N	171/172 (99%)	171 (100%)	0	100	100
18	O	171/173 (99%)	171 (100%)	0	100	100
19	P	134/163 (82%)	134 (100%)	0	100	100
20	Q	164/165 (99%)	164 (100%)	0	100	100
21	R	159/175 (91%)	159 (100%)	0	100	100
22	S	157/157 (100%)	157 (100%)	0	100	100
23	T	139/140 (99%)	139 (100%)	0	100	100
24	U	89/114 (78%)	89 (100%)	0	100	100
25	V	100/107 (94%)	100 (100%)	0	100	100
26	W	86/126 (68%)	86 (100%)	0	100	100
27	X	106/134 (79%)	106 (100%)	0	100	100
28	Y	124/135 (92%)	124 (100%)	0	100	100
29	Z	117/118 (99%)	117 (100%)	0	100	100
30	a	119/120 (99%)	119 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
31	b	80/184 (44%)	80 (100%)	0	100	100
32	c	84/98 (86%)	84 (100%)	0	100	100
33	d	98/110 (89%)	98 (100%)	0	100	100
34	e	114/121 (94%)	114 (100%)	0	100	100
35	f	88/89 (99%)	88 (100%)	0	100	100
36	g	98/99 (99%)	98 (100%)	0	100	100
37	h	109/110 (99%)	109 (100%)	0	100	100
38	i	86/89 (97%)	86 (100%)	0	100	100
39	k	64/65 (98%)	64 (100%)	0	100	100
40	l	47/48 (98%)	47 (100%)	0	100	100
41	m	48/90 (53%)	48 (100%)	0	100	100
42	n	24/24 (100%)	24 (100%)	0	100	100
43	o	92/94 (98%)	92 (100%)	0	100	100
44	p	74/75 (99%)	74 (100%)	0	100	100
45	r	108/121 (89%)	108 (100%)	0	100	100
46	AA	180/245 (74%)	180 (100%)	0	100	100
47	BB	194/231 (84%)	194 (100%)	0	100	100
48	CC	187/225 (83%)	186 (100%)	1 (0%)	81	89
49	DD	187/202 (93%)	187 (100%)	0	100	100
50	EE	224/225 (100%)	224 (100%)	0	100	100
51	FF	157/170 (92%)	157 (100%)	0	100	100
52	GG	207/218 (95%)	207 (100%)	0	100	100
53	HH	165/174 (95%)	165 (100%)	0	100	100
54	II	172/180 (96%)	172 (100%)	0	100	100
55	JJ	161/168 (96%)	161 (100%)	0	100	100
56	KK	87/136 (64%)	87 (100%)	0	100	100
57	LL	130/142 (92%)	130 (100%)	0	100	100
58	MM	94/108 (87%)	94 (100%)	0	100	100
59	NN	130/131 (99%)	130 (100%)	0	100	100
60	OO	106/130 (82%)	106 (100%)	0	100	100
61	PP	115/130 (88%)	115 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
62	QQ	117/121 (97%)	117 (100%)	0	100	100
63	RR	119/121 (98%)	119 (100%)	0	100	100
64	SS	122/132 (92%)	122 (100%)	0	100	100
65	TT	111/115 (96%)	111 (100%)	0	100	100
66	UU	92/107 (86%)	92 (100%)	0	100	100
67	VV	67/67 (100%)	67 (100%)	0	100	100
68	WW	112/113 (99%)	112 (100%)	0	100	100
69	XX	112/115 (97%)	111 (99%)	1 (1%)	70	85
70	YY	107/112 (96%)	107 (100%)	0	100	100
71	ZZ	66/103 (64%)	66 (100%)	0	100	100
72	aa	88/98 (90%)	88 (100%)	0	100	100
73	bb	75/76 (99%)	75 (100%)	0	100	100
74	cc	55/62 (89%)	55 (100%)	0	100	100
75	dd	48/49 (98%)	48 (100%)	0	100	100
76	ee	47/106 (44%)	47 (100%)	0	100	100
77	ff	61/140 (44%)	61 (100%)	0	100	100
78	gg	272/275 (99%)	272 (100%)	0	100	100
82	j	73/80 (91%)	73 (100%)	0	100	100
All	All	9736/10943 (89%)	9734 (100%)	2 (0%)	100	100

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
48	CC	248	TYR
69	XX	105	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 111 such sidechains are listed below:

Mol	Chain	Res	Type
35	f	20	ASN
82	j	76	HIS
51	FF	203	ASN
82	j	48	ASN
70	YY	15	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	5	3580/3601 (99%)	561 (15%)	178 (4%)
2	7	118/120 (98%)	6 (5%)	1 (0%)
3	8	149/156 (95%)	22 (14%)	4 (2%)
4	9	1685/1869 (90%)	248 (14%)	60 (3%)
79	10	10/185 (5%)	1 (10%)	0
80	12	74/76 (97%)	15 (20%)	6 (8%)
81	11	73/75 (97%)	13 (17%)	5 (6%)
81	13	73/75 (97%)	12 (16%)	5 (6%)
All	All	5762/6157 (93%)	878 (15%)	259 (4%)

5 of 878 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	5	13	U
1	5	15	A
1	5	25	A
1	5	39	A
1	5	42	A

5 of 259 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
4	9	1476	A
4	9	1757	G
1	5	2396	A
1	5	2267	U
80	12	18	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 12 ligands modelled in this entry, 6 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
83	SPD	5	5101	-	9,9,9	0.30	0	8,8,8	0.79	0
88	MET	13	102	81	6,7,8	0.51	0	2,7,9	0.41	0
87	ATP	13	101	81	32,33,33	0.34	0	48,52,52	0.48	0
85	GTP	12	101	80	33,34,34	1.01	3 (9%)	50,54,54	1.63	8 (16%)
87	ATP	11	101	81	32,33,33	0.32	0	48,52,52	0.53	0
86	PHE	12	102	80	10,11,12	0.43	0	8,13,15	0.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
83	SPD	5	5101	-	-	0/7/7/7	-
88	MET	13	102	81	-	1/5/6/8	-
87	ATP	13	101	81	-	2/22/38/38	0/3/3/3
85	GTP	12	101	80	-	2/22/38/38	0/3/3/3
87	ATP	11	101	81	-	2/22/38/38	0/3/3/3
86	PHE	12	102	80	-	0/5/6/8	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
85	12	101	GTP	C2-N3	2.31	1.38	1.33
85	12	101	GTP	C5-N7	-2.07	1.34	1.39
85	12	101	GTP	PB-O3A	2.01	1.61	1.59

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
85	12	101	GTP	C5-C4-N3	-5.29	119.96	128.39
85	12	101	GTP	C2-N3-C4	4.51	120.07	112.30
85	12	101	GTP	N9-C4-N3	3.48	132.92	125.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
85	12	101	GTP	C2-N1-C6	-3.13	119.44	125.11
85	12	101	GTP	O6-C6-C5	-2.66	119.52	126.53

There are no chirality outliers.

5 of 7 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
85	12	101	GTP	C5'-O5'-PA-O3A
85	12	101	GTP	C5'-O5'-PA-O2A
88	13	102	MET	O-C-CA-CB
87	13	101	ATP	O4'-C4'-C5'-O5'
87	13	101	ATP	C3'-C4'-C5'-O5'


There are no ring outliers.


5 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
83	5	5101	SPD	1	0
88	13	102	MET	2	0
87	13	101	ATP	1	0
85	12	101	GTP	1	0
86	12	102	PHE	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	5	23

The worst 5 of 23 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	5	2113:G	O3'	2258:C	P	40.85
1	5	1252:C	O3'	1271:G	P	35.70
1	5	1219:G	O3'	1233:G	P	20.96
1	5	3976:C	O3'	4035:G	P	18.46
1	5	523:C	O3'	638:G	P	17.48


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-73314. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 214




Y Index: 200




Z Index: 191


6.3.2 Raw map



X Index: 214



Y Index: 205




Z Index: 191


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.015. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1759 nm³; this corresponds to an approximate mass of 1589 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of $0.333 \text{ \AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.333 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	3.01	3.84	3.06
Unmasked-calculated*	3.93	8.50	4.18

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.93 differs from the reported value 3.0 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-73314 and PDB model 9YPY. Per-residue inclusion information can be found in section [3](#) on page [28](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.015 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.015).

9.4 Atom inclusion ⓘ



At the recommended contour level, 94% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.015) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8990	 0.5450
10	 0.9790	 0.5780
11	 0.5950	 0.2740
12	 0.8420	 0.3880
13	 0.9350	 0.4910
5	 0.9380	 0.5480
7	 0.9930	 0.6000
8	 0.9680	 0.5740
9	 0.9350	 0.5400
A	 0.9580	 0.6120
AA	 0.8320	 0.5410
B	 0.9080	 0.5890
BB	 0.8420	 0.5500
C	 0.9180	 0.5910
CC	 0.8810	 0.5600
D	 0.8750	 0.5580
DD	 0.7850	 0.5190
E	 0.8610	 0.5490
EE	 0.8420	 0.5370
FF	 0.8230	 0.5260
G	 0.8200	 0.5420
GG	 0.7380	 0.4720
H	 0.8650	 0.5620
HH	 0.6830	 0.4780
I	 0.9050	 0.5820
II	 0.8360	 0.5270
J	 0.8180	 0.5300
JJ	 0.8250	 0.5270
K	 0.9330	 0.5990
KK	 0.8170	 0.5110
L	 0.8660	 0.5660
LL	 0.8640	 0.5590
M	 0.8840	 0.5650
MM	 0.3210	 0.3280
N	 0.9670	 0.6120



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
NN	 0.8940	 0.5640
O	 0.9330	 0.5900
OO	 0.8580	 0.5490
P	 0.9200	 0.5950
PP	 0.7840	 0.4950
Q	 0.9390	 0.6040
QQ	 0.8420	 0.5360
R	 0.8830	 0.5590
RR	 0.7740	 0.5120
S	 0.9370	 0.5990
SS	 0.8010	 0.4940
T	 0.8770	 0.5680
TT	 0.8280	 0.5140
U	 0.7790	 0.4960
UU	 0.7480	 0.4890
V	 0.9290	 0.5940
VV	 0.8220	 0.5420
W	 0.7490	 0.4910
WW	 0.9090	 0.5760
X	 0.8730	 0.5720
XX	 0.8980	 0.5820
Y	 0.8690	 0.5700
YY	 0.8120	 0.5130
Z	 0.8570	 0.5610
ZZ	 0.7170	 0.4660
a	 0.9470	 0.6000
aa	 0.8960	 0.5670
b	 0.8340	 0.5350
bb	 0.7700	 0.5240
c	 0.8670	 0.5700
cc	 0.7910	 0.5180
d	 0.8890	 0.5670
dd	 0.9030	 0.5510
e	 0.9370	 0.6020
ee	 0.7410	 0.4930
f	 0.9430	 0.6000
ff	 0.4020	 0.3790
g	 0.8930	 0.5770
gg	 0.6850	 0.4510
h	 0.8640	 0.5580
i	 0.8570	 0.5500
j	 0.9640	 0.6060

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
k	 0.7760	 0.5220
l	 0.9370	 0.5850
m	 0.9110	 0.5790
n	 0.9590	 0.5950
o	 0.9040	 0.5920
p	 0.9060	 0.5830
r	 0.9140	 0.5850