



Full wwPDB EM Validation Report ⓘ

Mar 10, 2026 – 02:10 PM UTC

PDB ID : 9ZNN / pdb_00009znn
EMDB ID : EMD-74451
Title : Cryo-EM structure of human UDP-N-acetylglucosamine-dolichyl-phosphate
N-acetylglucosaminophosphotransferase (DPAGT1) in complex with APPB
Authors : Kirsh, J.M.; Ochoa, J.M.; Soroush-Pejrimovsky, M.T.; Kaudeer, B.Y.;
Clemons, W.M.
Deposited on : 2025-12-14
Resolution : 2.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13054 (2.40 - 3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	419	 79% 13% 8%
1	B	419	 79% 13% 8%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6462 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-N-acetylglucosamine--dolichyl-phosphate N-acetylglucosaminephosphotransferase.


Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	384	Total	C	N	O	S	2	0
			3068	2048	493	508	19		
1	B	387	Total	C	N	O	S	1	0
			3084	2058	495	511	20		

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	409	GLY	-	expression tag	UNP Q9H3H5
A	410	SER	-	expression tag	UNP Q9H3H5
A	411	SER	-	expression tag	UNP Q9H3H5
A	412	ALA	-	expression tag	UNP Q9H3H5
A	413	SER	-	expression tag	UNP Q9H3H5
A	414	GLU	-	expression tag	UNP Q9H3H5
A	415	ASN	-	expression tag	UNP Q9H3H5
A	416	LEU	-	expression tag	UNP Q9H3H5
A	417	TYR	-	expression tag	UNP Q9H3H5
A	418	PHE	-	expression tag	UNP Q9H3H5
A	419	GLN	-	expression tag	UNP Q9H3H5
B	409	GLY	-	expression tag	UNP Q9H3H5
B	410	SER	-	expression tag	UNP Q9H3H5
B	411	SER	-	expression tag	UNP Q9H3H5
B	412	ALA	-	expression tag	UNP Q9H3H5
B	413	SER	-	expression tag	UNP Q9H3H5
B	414	GLU	-	expression tag	UNP Q9H3H5
B	415	ASN	-	expression tag	UNP Q9H3H5
B	416	LEU	-	expression tag	UNP Q9H3H5
B	417	TYR	-	expression tag	UNP Q9H3H5
B	418	PHE	-	expression tag	UNP Q9H3H5
B	419	GLN	-	expression tag	UNP Q9H3H5


- Molecule 2 is 4-({(2S,3S)-1-amino-3-[[{(2S,3R,4S,5R)-5-(aminomethyl)-3,4-dihydroxyoxolan-2-yl]oxy}-3-[(2S,3S,4R,5R)-5-(2,4-dioxo-3,4-dihydropyrimidin-1(2H)-yl)-3,4-dihydroxyoxola

n-2-yl]-1-oxopropan-2-yl}amino)-N-[(4-{4-[4-(trifluoromethoxy)phenoxy]piperidin-1-yl}phenyl)methyl]butanamide (non-preferred name) (CCD ID: A1C3G) (formula: $C_{39}H_{50}F_3N_7O_{13}$).



Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total	C	F	N	O	0
			62	39	3	7	13	
2	B	1	Total	C	F	N	O	0
			62	39	3	7	13	

- Molecule 3 is (2R)-3-{[(S)-[(2R)-2,3-dihydroxypropoxy](hydroxy)phosphoryl]oxy}-2-{[(9Z)-octadec-9-enoyl]oxy}propyl (9Z)-octadec-9-enoate (CCD ID: A1C3H) (formula: $C_{42}H_{79}O_{10}P$).



Mol	Chain	Residues	Atoms				AltConf
3	A	1	Total	C	O	P	0
			53	42	10	1	
3	B	1	Total	C	O	P	0
			53	42	10	1	


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		AltConf
4	A	42	Total	O	0
			42	42	
4	B	38	Total	O	0
			38	38	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: UDP-N-acetylglucosamine--dolichyl-phosphate N-acetylglucosaminephosphotransferase



- Molecule 1: UDP-N-acetylglucosamine--dolichyl-phosphate N-acetylglucosaminephosphotransferase



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	82209	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	70	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.635	Depositor
Minimum map value	-0.367	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.008	Depositor
Recommended contour level	0.0000261	Depositor
Map size (Å)	312.0, 312.0, 312.0	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.65, 0.65, 0.65	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1C3G, A1C3H

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.21	0/3149	0.37	0/4280
1	B	0.20	0/3166	0.35	0/4304
All	All	0.21	0/6315	0.36	0/8584

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	33	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3068	0	3182	31	0
1	B	3084	0	3190	34	0
2	A	62	0	0	1	0
2	B	62	0	0	0	0
3	A	53	0	0	0	0
3	B	53	0	0	0	0
4	A	42	0	0	0	0
4	B	38	0	0	0	0
All	All	6462	0	6372	61	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (61) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:21:GLY:HA3	1:B:69:ILE:HD11	1.54	0.87
1:A:21:GLY:HA3	1:A:69:ILE:HD11	1.61	0.81
1:A:58:GLN:HG3	1:A:248:VAL:HB	1.65	0.78
1:A:228:MET:HE3	1:A:265:VAL:HG21	1.67	0.77
1:B:108:MET:HG2	1:B:260:MET:HB2	1.71	0.71
1:B:183:ALA:HB1	1:B:282:GLN:HB3	1.81	0.63
1:B:195:ALA:HB3	1:B:239:LEU:HD13	1.82	0.60
1:B:179:PHE:HZ	1:B:283:VAL:HG22	1.69	0.58
1:A:75:PRO:HG2	1:B:138:MET:HE3	1.85	0.57
1:A:105:ILE:O	1:A:109:ILE:HG13	2.05	0.56
2:A:501:A1C3G:F17	2:A:501:A1C3G:C12	2.42	0.56
1:B:58:GLN:HG3	1:B:248:VAL:HG13	1.86	0.56
1:B:364:ILE:HG23	1:B:379:LEU:HD21	1.88	0.56
1:A:212:GLU:HB2	1:A:221:HIS:CD2	2.41	0.55
1:B:289:SER:HB3	1:B:303:ARG:HH12	1.72	0.55
1:B:136:LEU:HD22	1:B:264:VAL:HG22	1.89	0.54
1:B:366:LEU:O	1:B:370:VAL:HG23	2.08	0.54
1:A:129:PRO:HB2	1:A:178:VAL:HG22	1.90	0.53
1:B:129:PRO:HB2	1:B:178:VAL:HG22	1.90	0.53
1:A:111:LEU:HB3	1:A:128:LEU:HD22	1.89	0.53
1:B:59:GLY:HA3	1:B:254:PHE:HB2	1.92	0.52
1:A:114:ALA:HA	1:B:113:PHE:HE2	1.75	0.50
1:B:182:ASN:O	1:B:186:ILE:HG13	2.11	0.50
1:A:96:VAL:HG22	1:B:96:VAL:HG22	1.93	0.50
1:B:159:LEU:HB3	1:B:163:LEU:HD11	1.94	0.50
1:A:195:ALA:HB3	1:A:239:LEU:HD13	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:ALA:HB1	1:B:264:VAL:HG11	1.94	0.48
1:B:228:MET:HE3	1:B:265:VAL:HG21	1.95	0.48
1:A:229:ILE:HB	1:A:230:PRO:HD3	1.96	0.48
1:A:124:HIS:O	1:A:128:LEU:HG	2.14	0.48
1:A:9:MET:O	1:A:13:ILE:HG12	2.14	0.47
1:B:140:TYR:CD1	1:B:173:MET:HE1	2.49	0.47
1:A:108:MET:HG2	1:A:260:MET:HB2	1.97	0.46
1:A:108:MET:HE2	1:A:256:TYR:CD2	2.50	0.46
1:B:9:MET:O	1:B:13:ILE:HG12	2.15	0.46
1:A:59:GLY:HA3	1:A:254:PHE:HB2	1.98	0.46
1:B:115:ASP:OD2	1:B:125:LYS:HG2	2.15	0.45
1:B:105:ILE:O	1:B:109:ILE:HG13	2.17	0.45
1:A:364:ILE:HG23	1:A:379:LEU:HD21	1.99	0.45
1:B:179:PHE:CZ	1:B:283:VAL:HG22	2.51	0.45
1:A:362:THR:HG23	1:A:365:ASN:H	1.81	0.45
1:A:173:MET:HE3	1:A:267:ILE:HG21	1.99	0.44
1:A:70:LEU:O	1:A:74:ILE:HG13	2.17	0.44
1:A:95:PHE:O	1:A:99:ILE:HG12	2.17	0.44
1:B:12:LEU:O	1:B:16:ILE:HG12	2.18	0.43
1:B:313:LYS:HE3	1:B:373:PRO:HB2	2.00	0.43
1:A:113:PHE:HE2	1:B:114:ALA:HA	1.83	0.43
1:A:57:SER:O	1:A:60:VAL:HG12	2.18	0.43
1:A:40:ARG:HG3	1:B:40[A]:ARG:HE	1.85	0.42
1:B:95:PHE:O	1:B:99:ILE:HG12	2.19	0.42
1:B:153:LYS:HA	1:B:156:ARG:HG3	2.00	0.42
1:A:182:ASN:O	1:A:186:ILE:HG13	2.19	0.42
1:B:22:PHE:HB2	1:B:233:PHE:HB3	2.02	0.42
1:B:153:LYS:HA	1:B:156:ARG:HE	1.85	0.42
1:A:64:ALA:O	1:A:68:ILE:HG12	2.19	0.41
1:A:73:PHE:O	1:A:73:PHE:CG	2.74	0.41
1:A:194:GLU:H	1:A:194:GLU:CD	2.29	0.41
1:B:159:LEU:HD23	1:B:159:LEU:HA	1.90	0.41
1:B:182:ASN:HA	1:B:185:ASN:HB2	2.03	0.41
1:A:116:ASP:OD1	1:A:252:ASP:HB2	2.20	0.40
1:A:213:LEU:HD12	1:A:213:LEU:HA	1.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	382/419 (91%)	376 (98%)	6 (2%)	0	100	100
1	B	384/419 (92%)	380 (99%)	4 (1%)	0	100	100
All	All	766/838 (91%)	756 (99%)	10 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	341/370 (92%)	341 (100%)	0	100	100
1	B	343/370 (93%)	343 (100%)	0	100	100
All	All	684/740 (92%)	684 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	270	HIS
1	B	93	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	A1C3G	B	502	-	66,67,67	0.47	1 (1%)	88,96,96	0.37	0
3	A1C3H	B	501	-	52,52,52	0.28	0	55,58,58	0.29	0
2	A1C3G	A	501	-	66,67,67	0.48	1 (1%)	88,96,96	0.41	0
3	A1C3H	A	502	-	52,52,52	0.29	0	55,58,58	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1C3G	B	502	-	-	13/47/89/89	0/6/6/6
3	A1C3H	B	501	-	-	27/57/57/57	-
2	A1C3G	A	501	-	-	16/47/89/89	1/6/6/6
3	A1C3H	A	502	-	-	18/57/57/57	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	A1C3G	C33-C60	-2.65	1.48	1.52
2	B	502	A1C3G	C33-C60	-2.52	1.48	1.52

There are no bond angle outliers.

There are no chirality outliers.

All (74) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	A1C3G	C60-C33-C34-C35
2	A	501	A1C3G	C60-C33-C34-O50
2	A	501	A1C3G	N32-C33-C34-C35
2	A	501	A1C3G	N32-C33-C34-O50
2	A	501	A1C3G	C34-C33-C60-N62
2	A	501	A1C3G	C34-C33-C60-O61
2	B	502	A1C3G	C60-C33-C34-C35
2	B	502	A1C3G	C60-C33-C34-O50
2	B	502	A1C3G	N32-C33-C34-C35
2	B	502	A1C3G	N32-C33-C34-O50
2	B	502	A1C3G	C34-C33-C60-N62
2	B	502	A1C3G	C34-C33-C60-O61
2	B	502	A1C3G	C34-C33-N32-C31
2	B	502	A1C3G	C52-C51-O50-C34
3	A	502	A1C3H	C17-C18-O20-C21
3	A	502	A1C3H	O19-C18-O20-C21
3	A	502	A1C3H	C37-C35-O34-C22
3	A	502	A1C3H	O36-C35-O34-C22
3	A	502	A1C3H	C29-O28-P25-O26
3	B	501	A1C3H	C10-C11-C12-C13
3	B	501	A1C3H	O28-C29-C30-C31
3	B	501	A1C3H	C37-C35-O34-C22
3	B	501	A1C3H	O36-C35-O34-C22
3	B	501	A1C3H	C23-O24-P25-O26
3	B	501	A1C3H	C23-O24-P25-O28
3	B	501	A1C3H	C29-O28-P25-O24
2	B	502	A1C3G	C29-C27-N26-C25
3	B	501	A1C3H	O28-C29-C30-O33
2	B	502	A1C3G	O28-C27-N26-C25
3	B	501	A1C3H	C3-C4-C5-C6
2	A	501	A1C3G	C20-C19-N3-C4
2	A	501	A1C3G	N32-C33-C60-N62
2	A	501	A1C3G	N32-C33-C60-O61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	502	A1C3G	N32-C33-C60-N62
2	B	502	A1C3G	N32-C33-C60-O61
2	A	501	A1C3G	C24-C19-N3-C4
3	B	501	A1C3H	C11-C12-C13-C14
3	B	501	A1C3H	C2-C3-C4-C5
3	B	501	A1C3H	C4-C5-C6-C7
2	A	501	A1C3G	C29-C30-C31-N32
3	B	501	A1C3H	C46-C47-C48-C49
3	B	501	A1C3H	C47-C48-C49-C50
3	B	501	A1C3H	C6-C7-C8-C9
2	B	502	A1C3G	O55-C51-O50-C34
3	B	501	A1C3H	C13-C14-C15-C16
3	B	501	A1C3H	C15-C16-C17-C18
3	A	502	A1C3H	C6-C7-C8-C9
3	B	501	A1C3H	C38-C39-C40-C41
3	B	501	A1C3H	O20-C21-C22-C23
3	A	502	A1C3H	C30-C29-O28-P25
3	A	502	A1C3H	C12-C13-C14-C15
3	B	501	A1C3H	C50-C51-C52-C53
3	B	501	A1C3H	C49-C50-C51-C52
2	A	501	A1C3G	O55-C51-O50-C34
3	A	502	A1C3H	C10-C11-C12-C13
3	A	502	A1C3H	O20-C21-C22-C23
3	A	502	A1C3H	O20-C21-C22-O34
2	A	501	A1C3G	C60-C33-N32-C31
3	B	501	A1C3H	C30-C29-O28-P25
3	B	501	A1C3H	O20-C21-C22-O34
2	A	501	A1C3G	C34-C33-N32-C31
3	A	502	A1C3H	C29-O28-P25-O24
3	A	502	A1C3H	C29-O28-P25-O27
3	B	501	A1C3H	C23-O24-P25-O27
3	B	501	A1C3H	C29-O28-P25-O26
3	A	502	A1C3H	C4-C5-C6-C7
3	B	501	A1C3H	O34-C22-C23-O24
3	A	502	A1C3H	C44-C45-C46-C47
3	B	501	A1C3H	C42-C43-C44-C45
3	A	502	A1C3H	C22-C23-O24-P25
2	A	501	A1C3G	C12-C11-O14-C15
3	A	502	A1C3H	C39-C40-C41-C42
2	A	501	A1C3G	C10-C11-O14-C15
3	A	502	A1C3H	C35-C37-C38-C39


All (1) ring outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	A	501	A1C3G	C1-C2-C4-C5-C6-N3


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	A1C3G	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-74451. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240



Y Index: 240



Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 249



Y Index: 240




Z Index: 262


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 2.61e-05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2494 nm^3 ; this corresponds to an approximate mass of 2253 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.345 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-74451 and PDB model 9ZNN. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 2.61×10^{-5} at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0000261).

9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 99% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0000261) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9920	0.5510
A	0.9910	0.5520
B	0.9930	0.5490

