

**X Window System Protocol**  
**X Consortium Standard**  
**X Version 11, Release 6.8**

Robert W. Scheifler  
X Consortium, Inc.

X Window System is a trademark of The Open Group.

Copyright © 1986, 1987, 1988, 1994, 2004 The Open Group

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the Open Group.

## Acknowledgments

The primary contributors to the X11 protocol are:

Dave Carver (Digital HPW)  
Branko Gerovac (Digital HPW)  
Jim Gettys (MIT/Project Athena, Digital)  
Phil Karlton (Digital WSL)  
Scott McGregor (Digital SSG)  
Ram Rao (Digital UEG)  
David Rosenthal (Sun)  
Dave Winchell (Digital UEG)

The implementors of initial server who provided useful input are:

Susan Angebrannt (Digital)  
Raymond Drewry (Digital)  
Todd Newman (Digital)

The invited reviewers who provided useful input are:

Andrew Cherson (Berkeley)  
Burns Fisher (Digital)  
Dan Garfinkel (HP)  
Leo Hourvitz (Next)  
Brock Krizan (HP)  
David Laidlaw (Stellar)  
Dave Mellinger (Interleaf)  
Ron Newman (MIT)  
John Ousterhout (Berkeley)  
Andrew Palay (ITC CMU)  
Ralph Swick (MIT)  
Craig Taylor (Sun)  
Jeffery Vroom (Stellar)

Thanks go to Al Mento of Digital's UEG Documentation Group for formatting this document.

This document does not attempt to provide the rationale or pragmatics required to fully understand the protocol or to place it in perspective within a complete system.

The protocol contains many management mechanisms that are not intended for normal applications. Not all mechanisms are needed to build a particular user interface. It is important to keep in mind that the protocol is intended to provide mechanism, not policy.

Robert W. Scheifler  
X Consortium, Inc.

## 1. Protocol Formats

### Request Format

Every request contains an 8-bit major opcode and a 16-bit length field expressed in units of four bytes. Every request consists of four bytes of a header (containing the major opcode, the length field, and a data byte) followed by zero or more additional bytes of data. The length field defines the total length of the request, including the header. The length field in a request must equal the minimum length required to contain the request. If the specified length is smaller or larger than the required length, an error is generated. Unused bytes in a request are not required to be zero. Major opcodes 128 through 255 are reserved for extensions. Extensions are intended to contain multiple requests, so extension requests typically have an additional minor opcode encoded in the second data byte in the request header. However, the placement and interpretation of this minor opcode and of all other fields in extension requests are not defined by the core protocol. Every request on a given connection is implicitly assigned a sequence number, starting with one, that is used in replies, errors, and events.

### Reply Format

Every reply contains a 32-bit length field expressed in units of four bytes. Every reply consists of 32 bytes followed by zero or more additional bytes of data, as specified in the length field. Unused bytes within a reply are not guaranteed to be zero. Every reply also contains the least significant 16 bits of the sequence number of the corresponding request.

### Error Format

Error reports are 32 bytes long. Every error includes an 8-bit error code. Error codes 128 through 255 are reserved for extensions. Every error also includes the major and minor opcodes of the failed request and the least significant 16 bits of the sequence number of the request. For the following errors (see section 4), the failing resource ID is also returned: **Colormap**, **Cursor**, **Drawable**, **Font**, **GContext**, **IDChoice**, **Pixmap**, and **Window**. For **Atom** errors, the failing atom is returned. For **Value** errors, the failing value is returned. Other core errors return no additional data. Unused bytes within an error are not guaranteed to be zero.

### Event Format

Events are 32 bytes long. Unused bytes within an event are not guaranteed to be zero. Every event contains an 8-bit type code. The most significant bit in this code is set if the event was generated from a **SendEvent** request. Event codes 64 through 127 are reserved for extensions, although the core protocol does not define a mechanism for selecting interest in such events. Every core event (with the exception of **KeymapNotify**) also contains the least significant 16 bits of the sequence number of the last request issued by the client that was (or is currently being) processed by the server.

## 2. Syntactic Conventions

The rest of this document uses the following syntactic conventions.

- The syntax {...} encloses a set of alternatives.
- The syntax [...] encloses a set of structure components.
- In general, TYPEs are in uppercase and **AlternativeValues** are capitalized.
- Requests in section 9 are described in the following format:

#### **RequestName**

*arg1*: type1

...

*argN*: typeN

→

result1: type1  
 ...  
 resultM: typeM

Errors: kind1, ..., kindK

Description.

If no  $\rightarrow$  is present in the description, then the request has no reply (it is asynchronous), although errors may still be reported. If  $\rightarrow+$  is used, then one or more replies can be generated for a single request.

- Events in section 11 are described in the following format:

**EventName**

*value1*: type1  
 ...  
*valueN*: typeN

Description.

### 3. Common Types

Name	Value
LISTofFOO	A type name of the form LISTofFOO means a counted list of elements of type FOO. The size of the length field may vary (it is not necessarily the same size as a FOO), and in some cases, it may be implicit. It is fully specified in Appendix B. Except where explicitly noted, zero-length lists are legal.
BITMASK LISTofVALUE	The types BITMASK and LISTofVALUE are somewhat special. Various requests contain arguments of the form: <i>value-mask</i> : BITMASK <i>value-list</i> : LISTofVALUE These are used to allow the client to specify a subset of a heterogeneous collection of optional arguments. The value-mask specifies which arguments are to be provided; each such argument is assigned a unique bit position. The representation of the BITMASK will typically contain more bits than there are defined arguments. The unused bits in the value-mask must be zero (or the server generates a <b>Value</b> error). The value-list contains one value for each bit set to 1 in the mask, from least significant to most significant bit in the mask. Each value is represented with four bytes, but the actual value occupies only the least significant bytes as required. The values of the unused bytes do not matter.
OR	A type of the form “T1 or ... or Tn” means the union of the indicated types. A single-element type is given as the element without enclosing braces.
WINDOW	32-bit value (top three bits guaranteed to be zero)
PIXMAP	32-bit value (top three bits guaranteed to be zero)
CURSOR	32-bit value (top three bits guaranteed to be zero)
FONT	32-bit value (top three bits guaranteed to be zero)
GCONTEXT	32-bit value (top three bits guaranteed to be zero)
COLORMAP	32-bit value (top three bits guaranteed to be zero)
DRAWABLE	WINDOW or PIXMAP

Name	Value
FONTABLE	FONT or GCONTEXT
ATOM	32-bit value (top three bits guaranteed to be zero)
VISUALID	32-bit value (top three bits guaranteed to be zero)
VALUE	32-bit quantity (used only in LISTofVALUE)
BYTE	8-bit value
INT8	8-bit signed integer
INT16	16-bit signed integer
INT32	32-bit signed integer
CARD8	8-bit unsigned integer
CARD16	16-bit unsigned integer
CARD32	32-bit unsigned integer
TIMESTAMP	CARD32
BITGRAVITY	{ <b>Forget</b> , <b>Static</b> , <b>NorthWest</b> , <b>North</b> , <b>NorthEast</b> , <b>West</b> , <b>Center</b> , <b>East</b> , <b>SouthWest</b> , <b>South</b> , <b>SouthEast</b> }
WINGRAVITY	{ <b>Unmap</b> , <b>Static</b> , <b>NorthWest</b> , <b>North</b> , <b>NorthEast</b> , <b>West</b> , <b>Center</b> , <b>East</b> , <b>SouthWest</b> , <b>South</b> , <b>SouthEast</b> }
BOOL	{ <b>True</b> , <b>False</b> }
EVENT	{ <b>KeyPress</b> , <b>KeyRelease</b> , <b>OwnerGrabButton</b> , <b>ButtonPress</b> , <b>ButtonRelease</b> , <b>EnterWindow</b> , <b>LeaveWindow</b> , <b>PointerMotion</b> , <b>PointerMotionHint</b> , <b>Button1Motion</b> , <b>Button2Motion</b> , <b>Button3Motion</b> , <b>Button4Motion</b> , <b>Button5Motion</b> , <b>ButtonMotion</b> , <b>Exposure</b> , <b>VisibilityChange</b> , <b>StructureNotify</b> , <b>ResizeRedirect</b> , <b>SubstructureNotify</b> , <b>SubstructureRedirect</b> , <b>FocusChange</b> , <b>PropertyChange</b> , <b>ColormapChange</b> , <b>KeymapState</b> }
POINTEREVENT	{ <b>ButtonPress</b> , <b>ButtonRelease</b> , <b>EnterWindow</b> , <b>LeaveWindow</b> , <b>PointerMotion</b> , <b>PointerMotionHint</b> , <b>Button1Motion</b> , <b>Button2Motion</b> , <b>Button3Motion</b> , <b>Button4Motion</b> , <b>Button5Motion</b> , <b>ButtonMotion</b> , <b>KeymapState</b> }
DEVICEEVENT	{ <b>KeyPress</b> , <b>KeyRelease</b> , <b>ButtonPress</b> , <b>ButtonRelease</b> , <b>PointerMotion</b> , <b>Button1Motion</b> , <b>Button2Motion</b> , <b>Button3Motion</b> , <b>Button4Motion</b> , <b>Button5Motion</b> , <b>ButtonMotion</b> }
KEYSYM	32-bit value (top three bits guaranteed to be zero)
KEYCODE	CARD8
BUTTON	CARD8
KEYMASK	{ <b>Shift</b> , <b>Lock</b> , <b>Control</b> , <b>Mod1</b> , <b>Mod2</b> , <b>Mod3</b> , <b>Mod4</b> , <b>Mod5</b> }
BUTMASK	{ <b>Button1</b> , <b>Button2</b> , <b>Button3</b> , <b>Button4</b> , <b>Button5</b> }
KEYBUTMASK	KEYMASK or BUTMASK
STRING8	LISTofCARD8
STRING16	LISTofCHAR2B
CHAR2B	[byte1, byte2: CARD8]
POINT	[x, y: INT16]
RECTANGLE	[x, y: INT16, width, height: CARD16]
ARC	[x, y: INT16, width, height: CARD16, angle1, angle2: INT16]
HOST	[family: { <b>Internet</b> , <b>InternetV6</b> , <b>ServerInterpreted</b> , <b>DECnet</b> , <b>Chaos</b> } address: LISTofBYTE]

The [x,y] coordinates of a RECTANGLE specify the upper-left corner.

The primary interpretation of large characters in a STRING16 is that they are composed of two bytes used to index a two-dimensional matrix, hence, the use of CHAR2B rather than CARD16.

This corresponds to the JIS/ISO method of indexing 2-byte characters. It is expected that most large fonts will be defined with 2-byte matrix indexing. For large fonts constructed with linear indexing, a CHAR2B can be interpreted as a 16-bit number by treating byte1 as the most significant byte. This means that clients should always transmit such 16-bit character values most significant byte first, as the server will never byte-swap CHAR2B quantities.

The length, format, and interpretation of a HOST address are specific to the family (see **ChangeHosts** request).

#### 4. Errors

In general, when a request terminates with an error, the request has no side effects (that is, there is no partial execution). The only requests for which this is not true are **ChangeWindowAttributes**, **ChangeGC**, **PolyText8**, **PolyText16**, **FreeColors**, **StoreColors**, and **ChangeKeyboardControl**.

The following error codes result from various requests as follows:

Error	Description
<b>Access</b>	<p>An attempt is made to grab a key/button combination already grabbed by another client.</p> <p>An attempt is made to free a colormap entry not allocated by the client or to free an entry in a colormap that was created with all entries writable.</p> <p>An attempt is made to store into a read-only or an unallocated colormap entry.</p> <p>An attempt is made to modify the access control list from other than the local host (or otherwise authorized client).</p> <p>An attempt is made to select an event type that only one client can select at a time when another client has already selected it.</p>
<b>Alloc</b>	<p>The server failed to allocate the requested resource. Note that the explicit listing of <b>Alloc</b> errors in request only covers allocation errors at a very coarse level and is not intended to cover all cases of a server running out of allocation space in the middle of service. The semantics when a server runs out of allocation space are left unspecified, but a server may generate an <b>Alloc</b> error on any request for this reason, and clients should be prepared to receive such errors and handle or discard them.</p>
<b>Atom</b>	<p>A value for an ATOM argument does not name a defined ATOM.</p>
<b>Colormap</b>	<p>A value for a COLORMAP argument does not name a defined COLORMAP.</p>
<b>Cursor</b>	<p>A value for a CURSOR argument does not name a defined CURSOR.</p>
<b>Drawable</b>	<p>A value for a DRAWABLE argument does not name a defined WINDOW or PIXMAP.</p>
<b>Font</b>	<p>A value for a FONT argument does not name a defined FONT.</p> <p>A value for a FONTABLE argument does not name a defined FONT or a defined GCONTEXT.</p>

<b>Error</b>	<b>Description</b>
<b>GContext</b>	A value for a GCONTEXT argument does not name a defined GCONTEXT.
<b>IDChoice</b>	The value chosen for a resource identifier either is not included in the range assigned to the client or is already in use.
<b>Implementation</b>	The server does not implement some aspect of the request. A server that generates this error for a core request is deficient. As such, this error is not listed for any of the requests, but clients should be prepared to receive such errors and handle or discard them.
<b>Length</b>	The length of a request is shorter or longer than that required to minimally contain the arguments. The length of a request exceeds the maximum length accepted by the server.
<b>Match</b>	An <b>InputOnly</b> window is used as a DRAWABLE. In a graphics request, the GCONTEXT argument does not have the same root and depth as the destination DRAWABLE argument. Some argument (or pair of arguments) has the correct type and range, but it fails to match in some other way required by the request.
<b>Name</b>	A font or color of the specified name does not exist.
<b>Pixmap</b>	A value for a PIXMAP argument does not name a defined PIXMAP.
<b>Request</b>	The major or minor opcode does not specify a valid request.
<b>Value</b>	Some numeric value falls outside the range of values accepted by the request. Unless a specific range is specified for an argument, the full range defined by the argument's type is accepted. Any argument defined as a set of alternatives typically can generate this error (due to the encoding).
<b>Window</b>	A value for a WINDOW argument does not name a defined WINDOW.

#### Note

The **Atom**, **Colormap**, **Cursor**, **Drawable**, **Font**, **GContext**, **Pixmap**, and **Window** errors are also used when the argument type is extended by union with a set of fixed alternatives, for example, <WINDOW or **PointerRoot** or **None**>.

## 5. Keyboards

A KEYCODE represents a physical (or logical) key. Keycodes lie in the inclusive range [8,255]. A keycode value carries no intrinsic information, although server implementors may attempt to encode geometry information (for example, matrix) to be interpreted in a server-dependent fashion. The mapping between keys and keycodes cannot be changed using the protocol.

A KEYSYM is an encoding of a symbol on the cap of a key. The set of defined KEYSYMs include the character sets Latin-1, Latin-2, Latin-3, Latin-4, Kana, Arabic, Cyrillic, Greek, Tech, Special, Publish, APL, Hebrew, Thai, and Korean as well as a set of symbols common on keyboards (Return, Help, Tab, and so on). KEYSYMs with the most significant bit (of the 29 bits) set are reserved as vendor-specific.

A list of KEYSYMs is associated with each KEYCODE. The list is intended to convey the set of symbols on the corresponding key. If the list (ignoring trailing **NoSymbol** entries) is a single KEYSYM “K”, then the list is treated as if it were the list “K NoSymbol K NoSymbol”. If the list (ignoring trailing NoSymbol entries) is a pair of KEYSYMs “K1 K2”, then the list is treated as if it were the list “K1 K2 K1 K2”. If the list (ignoring trailing **NoSymbol** entries) is a triple of KEYSYMs “K1 K2 K3”, then the list is treated as if it were the list “K1 K2 K3 NoSymbol”.

When an explicit “void” element is desired in the list, the value **VoidSymbol** can be used.

The first four elements of the list are split into two groups of KEYSYMs. Group 1 contains the first and second KEYSYMs, Group 2 contains the third and fourth KEYSYMs. Within each group, if the second element of the group is **NoSymbol**, then the group should be treated as if the second element were the same as the first element, except when the first element is an alphabetic KEYSYM “K” for which both lowercase and uppercase forms are defined. In that case, the group should be treated as if the first element were the lowercase form of “K” and the second element were the uppercase form of “K”.

The standard rules for obtaining a KEYSYM from a **KeyPress** event make use of only the Group 1 and Group 2 KEYSYMs; no interpretation of other KEYSYMs in the list is defined. The modifier state determines which group to use. Switching between groups is controlled by the KEYSYM named MODE SWITCH, by attaching that KEYSYM to some KEYCODE and attaching that KEYCODE to any one of the modifiers **Mod1** through **Mod5**. This modifier is called the “group modifier”. For any KEYCODE, Group 1 is used when the group modifier is off, and Group 2 is used when the group modifier is on.

The **Lock** modifier is interpreted as CapsLock when the KEYSYM named CAPS LOCK is attached to some KEYCODE and that KEYCODE is attached to the **Lock** modifier. The **Lock** modifier is interpreted as ShiftLock when the KEYSYM named SHIFT LOCK is attached to some KEYCODE and that KEYCODE is attached to the **Lock** modifier. If the **Lock** modifier could be interpreted as both CapsLock and ShiftLock, the CapsLock interpretation is used.

The operation of “keypad” keys is controlled by the KEYSYM named NUM LOCK, by attaching that KEYSYM to some KEYCODE and attaching that KEYCODE to any one of the modifiers **Mod1** through **Mod5**. This modifier is called the “numlock modifier”. The standard KEYSYMs with the prefix KEYPAD in their name are called “keypad” KEYSYMs; these are KEYSYMS with numeric value in the hexadecimal range #xFF80 to #xFFBD inclusive. In addition, vendor-specific KEYSYMS in the hexadecimal range #x11000000 to #x1100FFFF are also keypad KEYSYMs.

Within a group, the choice of KEYSYM is determined by applying the first rule that is satisfied from the following list:

- The numlock modifier is on and the second KEYSYM is a keypad KEYSYM. In this case, if the **Shift** modifier is on, or if the **Lock** modifier is on and is interpreted as ShiftLock, then the first KEYSYM is used; otherwise, the second KEYSYM is used.
- The **Shift** and **Lock** modifiers are both off. In this case, the first KEYSYM is used.
- The **Shift** modifier is off, and the **Lock** modifier is on and is interpreted as CapsLock. In this case, the first KEYSYM is used, but if that KEYSYM is lowercase alphabetic, then the corresponding uppercase KEYSYM is used instead.
- The **Shift** modifier is on, and the **Lock** modifier is on and is interpreted as CapsLock. In this case, the second KEYSYM is used, but if that KEYSYM is lowercase alphabetic, then the corresponding uppercase KEYSYM is used instead.
- The **Shift** modifier is on, or the **Lock** modifier is on and is interpreted as ShiftLock, or both. In this case, the second KEYSYM is used.

The mapping between KEYCODEs and KEYSYMs is not used directly by the server; it is merely stored for reading and writing by clients.

## 6. Pointers

Buttons are always numbered starting with one.

## 7. Predefined Atoms

Predefined atoms are not strictly necessary and may not be useful in all environments, but they will eliminate many **InternAtom** requests in most applications. Note that they are predefined only in the sense of having numeric values, not in the sense of having required semantics. The core protocol imposes no semantics on these names, but semantics are specified in other X Window System standards, such as the *Inter-Client Communication Conventions Manual* and the *X Logical Font Description Conventions*.

The following names have predefined atom values. Note that uppercase and lowercase matter.

ARC	ITALIC_ANGLE	STRING
ATOM	MAX_SPACE	SUBSCRIPT_X
BITMAP	MIN_SPACE	SUBSCRIPT_Y
CAP_HEIGHT	NORM_SPACE	SUPERSCRIPT_X
CARDINAL	NOTICE	SUPERSCRIPT_Y
COLORMAP	PIXMAP	UNDERLINE_POSITION
COPYRIGHT	POINT	UNDERLINE_THICKNESS
CURSOR	POINT_SIZE	VISUALID
CUT_BUFFER0	PRIMARY	WEIGHT
CUT_BUFFER1	QUAD_WIDTH	WINDOW
CUT_BUFFER2	RECTANGLE	WM_CLASS
CUT_BUFFER3	RESOLUTION	WM_CLIENT_MACHINE
CUT_BUFFER4	RESOURCE_MANAGER	WM_COMMAND
CUT_BUFFER5	RGB_BEST_MAP	WM_HINTS
CUT_BUFFER6	RGB_BLUE_MAP	WM_ICON_NAME
CUT_BUFFER7	RGB_COLOR_MAP	WM_ICON_SIZE
DRAWABLE	RGB_DEFAULT_MAP	WM_NAME
END_SPACE	RGB_GRAY_MAP	WM_NORMAL_HINTS
FAMILY_NAME	RGB_GREEN_MAP	WM_SIZE_HINTS
FONT	RGB_RED_MAP	WM_TRANSIENT_FOR
FONT_NAME	SECONDARY	WM_ZOOM_HINTS
FULL_NAME	STRIKEOUT_ASCENT	X_HEIGHT
INTEGER		STRIKEOUT_DESCENT

To avoid conflicts with possible future names for which semantics might be imposed (either at the protocol level or in terms of higher level user interface models), names beginning with an underscore should be used for atoms that are private to a particular vendor or organization. To guarantee no conflicts between vendors and organizations, additional prefixes need to be used. However, the protocol does not define the mechanism for choosing such prefixes. For names private to a single application or end user but stored in globally accessible locations, it is suggested that two leading underscores be used to avoid conflicts with other names.

## 8. Connection Setup

For remote clients, the X protocol can be built on top of any reliable byte stream.

### Connection Initiation

The client must send an initial byte of data to identify the byte order to be employed. The value of the byte must be octal 102 or 154. The value 102 (ASCII uppercase B) means values are transmitted most significant byte first, and value 154 (ASCII lowercase l) means values are transmitted least significant byte first. Except where explicitly noted in the protocol, all 16-bit and 32-bit quantities sent by the client must be transmitted with this byte order, and all 16-bit and 32-bit quantities returned by the server will be transmitted with this byte order.

Following the byte-order byte, the client sends the following information at connection setup:

```
protocol-major-version: CARD16
protocol-minor-version: CARD16
authorization-protocol-name: STRING8
authorization-protocol-data: STRING8
```

The version numbers indicate what version of the protocol the client expects the server to implement.

The authorization name indicates what authorization (and authentication) protocol the client expects the server to use, and the data is specific to that protocol. Specification of valid authorization mechanisms is not part of the core X protocol. A server that does not implement the protocol the client expects or that only implements the host-based mechanism may simply ignore this information. If both name and data strings are empty, this is to be interpreted as “no explicit authorization.”

### Server Response

The client receives the following information at connection setup:

```
success: { Failed, Success, Authenticate }
```

The client receives the following additional data if the returned success value is **Failed**, and the connection is not successfully established:

```
protocol-major-version: CARD16
protocol-minor-version: CARD16
reason: STRING8
```

The client receives the following additional data if the returned success value is **Authenticate**, and further authentication negotiation is required:

```
reason: STRING8
```

The contents of the reason string are specific to the authorization protocol in use. The semantics of this authentication negotiation are not constrained, except that the negotiation must eventually terminate with a reply from the server containing a success value of **Failed** or **Success**.

The client receives the following additional data if the returned success value is **Success**, and the connection is successfully established:

```
protocol-major-version: CARD16
protocol-minor-version: CARD16
vendor: STRING8
release-number: CARD32
resource-id-base, resource-id-mask: CARD32
image-byte-order: { LSBFirst, MSBFirst }
bitmap-scanline-unit: { 8, 16, 32 }
bitmap-scanline-pad: { 8, 16, 32 }
bitmap-bit-order: { LeastSignificant, MostSignificant }
pixmap-formats: LISTofFORMAT
roots: LISTofSCREEN
motion-buffer-size: CARD32
maximum-request-length: CARD16
min-keycode, max-keycode: KEYCODE
```

where:

```
FORMAT: [depth: CARD8,
         bits-per-pixel: { 1, 4, 8, 16, 24, 32 }
         scanline-pad: { 8, 16, 32 }]
```

SCREEN: [root: WINDOW  
width-in-pixels, height-in-pixels: CARD16  
width-in-millimeters, height-in-millimeters: CARD16  
allowed-depths: LISTofDEPTH  
root-depth: CARD8  
root-visual: VISUALID  
default-colormap: COLORMAP  
white-pixel, black-pixel: CARD32  
min-installed-maps, max-installed-maps: CARD16  
backing-stores: { **Never**, **WhenMapped**, **Always** }  
save-unders: BOOL  
current-input-masks: SETofEVENT]

DEPTH: [depth: CARD8  
visuals: LISTofVISUALTYPE]

VISUALTYPE: [visual-id: VISUALID  
class: { **StaticGray**, **StaticColor**, **TrueColor**, **GrayScale**,  
**PseudoColor**, **DirectColor** }  
red-mask, green-mask, blue-mask: CARD32  
bits-per-rgb-value: CARD8  
colormap-entries: CARD16]

### Server Information

The information that is global to the server is:

The protocol version numbers are an escape hatch in case future revisions of the protocol are necessary. In general, the major version would increment for incompatible changes, and the minor version would increment for small upward compatible changes. Barring changes, the major version will be 11, and the minor version will be 0. The protocol version numbers returned indicate the protocol the server actually supports. This might not equal the version sent by the client. The server can (but need not) refuse connections from clients that offer a different version than the server supports. A server can (but need not) support more than one version simultaneously.

The vendor string gives some identification of the owner of the server implementation. The vendor controls the semantics of the release number.

The resource-id-mask contains a single contiguous set of bits (at least 18). The client allocates resource IDs for types WINDOW, PIXMAP, CURSOR, FONT, GCONTEXT, and COLORMAP by choosing a value with only some subset of these bits set and ORing it with resource-id-base. Only values constructed in this way can be used to name newly created resources over this connection. Resource IDs never have the top three bits set. The client is not restricted to linear or contiguous allocation of resource IDs. Once an ID has been freed, it can be reused. An ID must be unique with respect to the IDs of all other resources, not just other resources of the same type. However, note that the value spaces of resource identifiers, atoms, visualids, and keysyms are distinguished by context, and as such, are not required to be disjoint; for example, a given numeric value might be both a valid window ID, a valid atom, and a valid keysym.

Although the server is in general responsible for byte-swapping data to match the client, images are always transmitted and received in formats (including byte order) specified by the server. The byte order for images is given by image-byte-order and applies to each scanline unit in XY format (bitmap format) and to each pixel value in Z format.

A bitmap is represented in scanline order. Each scanline is padded to a multiple of bits as given by bitmap-scanline-pad. The pad bits are of arbitrary value. The scanline is quantized in multiples of bits as given by bitmap-scanline-unit. The bitmap-scanline-unit is always less than or equal to the bitmap-scanline-pad. Within each unit, the leftmost bit in the bitmap is either the

least significant or most significant bit in the unit, as given by `bitmap-bit-order`. If a pixmap is represented in `XY` format, each plane is represented as a bitmap, and the planes appear from most significant to least significant in bit order with no padding between planes.

`Pixmap-formats` contains one entry for each depth value. The entry describes the `Z` format used to represent images of that depth. An entry for a depth is included if any screen supports that depth, and all screens supporting that depth must support only that `Z` format for that depth. In `Z` format, the pixels are in scanline order, left to right within a scanline. The number of bits used to hold each pixel is given by `bits-per-pixel`. `Bits-per-pixel` may be larger than strictly required by the depth, in which case the least significant bits are used to hold the pixmap data, and the values of the unused high-order bits are undefined. When the `bits-per-pixel` is 4, the order of nibbles in the byte is the same as the image byte-order. When the `bits-per-pixel` is 1, the format is identical for bitmap format. Each scanline is padded to a multiple of bits as given by `scanline-pad`. When `bits-per-pixel` is 1, this will be identical to `bitmap-scanline-pad`.

How a pointing device roams the screens is up to the server implementation and is transparent to the protocol. No geometry is defined among screens.

The server may retain the recent history of pointer motion and do so to a finer granularity than is reported by **MotionNotify** events. The **GetMotionEvents** request makes such history available. The `motion-buffer-size` gives the approximate maximum number of elements in the history buffer.

`Maximum-request-length` specifies the maximum length of a request accepted by the server, in 4-byte units. That is, length is the maximum value that can appear in the length field of a request. Requests larger than this maximum generate a **Length** error, and the server will read and simply discard the entire request. `Maximum-request-length` will always be at least 4096 (that is, requests of length up to and including 16384 bytes will be accepted by all servers).

`Min-keycode` and `max-keycode` specify the smallest and largest keycode values transmitted by the server. `Min-keycode` is never less than 8, and `max-keycode` is never greater than 255. Not all keycodes in this range are required to have corresponding keys.

## Screen Information

The information that applies per screen is:

`The-allowed-depths` specifies what pixmap and window depths are supported. Pixmapes are supported for each depth listed, and windows of that depth are supported if at least one visual type is listed for the depth. A pixmap depth of one is always supported and listed, but windows of depth one might not be supported. A depth of zero is never listed, but zero-depth **InputOnly** windows are always supported.

`Root-depth` and `root-visual` specify the depth and visual type of the root window. `Width-in-pixels` and `height-in-pixels` specify the size of the root window (which cannot be changed). The class of the root window is always **InputOutput**. `Width-in-millimeters` and `height-in-millimeters` can be used to determine the physical size and the aspect ratio.

`The-default-colormap` is the one initially associated with the root window. Clients with minimal color requirements creating windows of the same depth as the root may want to allocate from this map by default.

`Black-pixel` and `white-pixel` can be used in implementing a monochrome application. These pixel values are for permanently allocated entries in the default colormap. The actual RGB values may be settable on some screens and, in any case, may not actually be black and white. The names are intended to convey the expected relative intensity of the colors.

The border of the root window is initially a pixmap filled with the `black-pixel`. The initial background of the root window is a pixmap filled with some unspecified two-color pattern using `black-pixel` and `white-pixel`.

`Min-installed-maps` specifies the number of maps that can be guaranteed to be installed simultaneously (with **InstallColormap**), regardless of the number of entries allocated in each map.

`Max-installed-maps` specifies the maximum number of maps that might possibly be installed

simultaneously, depending on their allocations. Multiple static-visual colormaps with identical contents but differing in resource ID should be considered as a single map for the purposes of this number. For the typical case of a single hardware colormap, both values will be 1.

Backing-stores indicates when the server supports backing stores for this screen, although it may be storage limited in the number of windows it can support at once. If save-unders is **True**, the server can support the save-under mode in **CreateWindow** and **ChangeWindowAttributes**, although again it may be storage limited.

The current-input-events is what **GetWindowAttributes** would return for the all-event-masks for the root window.

### Visual Information

The information that applies per visual-type is:

A given visual type might be listed for more than one depth or for more than one screen.

For **PseudoColor**, a pixel value indexes a colormap to produce independent RGB values; the RGB values can be changed dynamically. **GrayScale** is treated in the same way as **PseudoColor** except which primary drives the screen is undefined; thus, the client should always store the same value for red, green, and blue in colormaps. For **DirectColor**, a pixel value is decomposed into separate RGB subfields, and each subfield separately indexes the colormap for the corresponding value. The RGB values can be changed dynamically. **TrueColor** is treated in the same way as **DirectColor** except the colormap has predefined read-only RGB values. These values are server-dependent but provide linear or near-linear increasing ramps in each primary. **StaticColor** is treated in the same way as **PseudoColor** except the colormap has predefined read-only RGB values, which are server-dependent. **StaticGray** is treated in the same way as **StaticColor** except the red, green, and blue values are equal for any single pixel value, resulting in shades of gray. **StaticGray** with a two-entry colormap can be thought of as monochrome.

The red-mask, green-mask, and blue-mask are only defined for **DirectColor** and **TrueColor**. Each has one contiguous set of bits set to 1 with no intersections. Usually each mask has the same number of bits set to 1.

The bits-per-rgb-value specifies the log base 2 of the number of distinct color intensity values (individually) of red, green, and blue. This number need not bear any relation to the number of colormap entries. Actual RGB values are always passed in the protocol within a 16-bit spectrum, with 0 being minimum intensity and 65535 being the maximum intensity. On hardware that provides a linear zero-based intensity ramp, the following relationship exists:

$$\text{hw-intensity} = \text{protocol-intensity} / (65536 / \text{total-hw-intensities})$$

Colormap entries are indexed from 0. The colormap-entries defines the number of available colormap entries in a newly created colormap. For **DirectColor** and **TrueColor**, this will usually be 2 to the power of the maximum number of bits set to 1 in red-mask, green-mask, and blue-mask.

## 9. Requests

**CreateWindow**

*wid, parent*: WINDOW  
*class*: { **InputOutput**, **InputOnly**, **CopyFromParent** }  
*depth*: CARD8  
*visual*: VISUALID or **CopyFromParent**  
*x, y*: INT16  
*width, height, border-width*: CARD16  
*value-mask*: BITMASK  
*value-list*: LISTofVALUE

Errors: **Alloc**, **Colormap**, **Cursor**, **IDChoice**, **Match**, **Pixmap**, **Value**, **Window**

This request creates an unmapped window and assigns the identifier *wid* to it.

A class of **CopyFromParent** means the class is taken from the parent. A depth of zero for class **InputOutput** or **CopyFromParent** means the depth is taken from the parent. A visual of **CopyFromParent** means the visual type is taken from the parent. For class **InputOutput**, the visual type and depth must be a combination supported for the screen (or a **Match** error results). The depth need not be the same as the parent, but the parent must not be of class **InputOnly** (or a **Match** error results). For class **InputOnly**, the depth must be zero (or a **Match** error results), and the visual must be one supported for the screen (or a **Match** error results). However, the parent can have any depth and class.

The server essentially acts as if **InputOnly** windows do not exist for the purposes of graphics requests, exposure processing, and **VisibilityNotify** events. An **InputOnly** window cannot be used as a drawable (as a source or destination for graphics requests). **InputOnly** and **InputOutput** windows act identically in other respects—properties, grabs, input control, and so on.

The coordinate system has the X axis horizontal and the Y axis vertical with the origin [0, 0] at the upper-left corner. Coordinates are integral, in terms of pixels, and coincide with pixel centers. Each window and pixmap has its own coordinate system. For a window, the origin is inside the border at the inside, upper-left corner.

The *x* and *y* coordinates for the window are relative to the parent's origin and specify the position of the upper-left outer corner of the window (not the origin). The width and height specify the inside size (not including the border) and must be nonzero (or a **Value** error results). The border-width for an **InputOnly** window must be zero (or a **Match** error results).

The window is placed on top in the stacking order with respect to siblings.

The value-mask and value-list specify attributes of the window that are to be explicitly initialized. The possible values are:

Attribute	Type
background-pixmap	PIXMAP or <b>None</b> or <b>ParentRelative</b>
background-pixel	CARD32
border-pixmap	PIXMAP or <b>CopyFromParent</b>
border-pixel	CARD32
bit-gravity	BITGRAVITY
win-gravity	WINGRAVITY
backing-store	{ <b>NotUseful</b> , <b>WhenMapped</b> , <b>Always</b> }
backing-planes	CARD32
backing-pixel	CARD32
save-under	BOOL
event-mask	SETofEVENT
do-not-propagate-mask	SETofDEVICEEVENT

Attribute	Type
override-redirect	BOOL
colormap	COLORMAP or <b>CopyFromParent</b>
cursor	CURSOR or <b>None</b>

The default values when attributes are not explicitly initialized are:

Attribute	Default
background-pixmap	<b>None</b>
border-pixmap	<b>CopyFromParent</b>
bit-gravity	<b>Forget</b>
win-gravity	<b>NorthWest</b>
backing-store	<b>NotUseful</b>
backing-planes	all ones
backing-pixel	zero
save-under	<b>False</b>
event-mask	{ } (empty set)
do-not-propagate-mask	{ } (empty set)
override-redirect	<b>False</b>
colormap	<b>CopyFromParent</b>
cursor	<b>None</b>

Only the following attributes are defined for **InputOnly** windows:

- win-gravity
- event-mask
- do-not-propagate-mask
- override-redirect
- cursor

It is a **Match** error to specify any other attributes for **InputOnly** windows.

If background-pixmap is given, it overrides the default background-pixmap. The background pixmap and the window must have the same root and the same depth (or a **Match** error results). Any size pixmap can be used, although some sizes may be faster than others. If background **None** is specified, the window has no defined background. If background **ParentRelative** is specified, the parent's background is used, but the window must have the same depth as the parent (or a **Match** error results). If the parent has background **None**, then the window will also have background **None**. A copy of the parent's background is not made. The parent's background is reexamined each time the window background is required. If background-pixel is given, it overrides the default background-pixmap and any background-pixmap given explicitly, and a pixmap of undefined size filled with background-pixel is used for the background. Range checking is not performed on the background-pixel value; it is simply truncated to the appropriate number of bits. For a **ParentRelative** background, the background tile origin always aligns with the parent's background tile origin. Otherwise, the background tile origin is always the window origin.

When no valid contents are available for regions of a window and the regions are either visible or the server is maintaining backing store, the server automatically tiles the regions with the window's background unless the window has a background of **None**. If the background is **None**, the previous screen contents from other windows of the same depth as the window are simply left in place if the contents come from the parent of the window or an inferior of the parent; otherwise, the initial contents of the exposed regions are undefined. Exposure events are then generated for the regions, even if the background is **None**.

The border tile origin is always the same as the background tile origin. If `border-pixmap` is given, it overrides the default `border-pixmap`. The border pixmap and the window must have the same root and the same depth (or a **Match** error results). Any size pixmap can be used, although some sizes may be faster than others. If **CopyFromParent** is given, the parent's border pixmap is copied (subsequent changes to the parent's border attribute do not affect the child), but the window must have the same depth as the parent (or a **Match** error results). The pixmap might be copied by sharing the same pixmap object between the child and parent or by making a complete copy of the pixmap contents. If `border-pixel` is given, it overrides the default `border-pixmap` and any `border-pixmap` given explicitly, and a pixmap of undefined size filled with `border-pixel` is used for the border. Range checking is not performed on the `border-pixel` value; it is simply truncated to the appropriate number of bits.

Output to a window is always clipped to the inside of the window, so that the border is never affected.

The `bit-gravity` defines which region of the window should be retained if the window is resized, and `win-gravity` defines how the window should be repositioned if the parent is resized (see **ConfigureWindow** request).

A backing-store of **WhenMapped** advises the server that maintaining contents of obscured regions when the window is mapped would be beneficial. A backing-store of **Always** advises the server that maintaining contents even when the window is unmapped would be beneficial. In this case, the server may generate an exposure event when the window is created. A value of **NotUseful** advises the server that maintaining contents is unnecessary, although a server may still choose to maintain contents while the window is mapped. Note that if the server maintains contents, then the server should maintain complete contents not just the region within the parent boundaries, even if the window is larger than its parent. While the server maintains contents, exposure events will not normally be generated, but the server may stop maintaining contents at any time.

If `save-under` is **True**, the server is advised that when this window is mapped, saving the contents of windows it obscures would be beneficial.

When the contents of obscured regions of a window are being maintained, regions obscured by noninferior windows are included in the destination (and source, when the window is the source) of graphics requests, but regions obscured by inferior windows are not included.

The `backing-planes` indicates (with bits set to 1) which bit planes of the window hold dynamic data that must be preserved in backing-stores and during save-under. The `backing-pixel` specifies what value to use in planes not covered by backing-planes. The server is free to save only the specified bit planes in the backing-store or save-under and regenerate the remaining planes with the specified pixel value. Any bits beyond the specified depth of the window in these values are simply ignored.

The `event-mask` defines which events the client is interested in for this window (or for some event types, inferiors of the window). The `do-not-propagate-mask` defines which events should not be propagated to ancestor windows when no client has the event type selected in this window.

The `override-redirect` specifies whether map and configure requests on this window should override a **SubstructureRedirect** on the parent, typically to inform a window manager not to tamper with the window.

The `colormap` specifies the colormap that best reflects the true colors of the window. Servers capable of supporting multiple hardware colormaps may use this information, and window managers may use it for **InstallColormap** requests. The colormap must have the same visual type and root as the window (or a **Match** error results). If **CopyFromParent** is specified, the parent's colormap is copied (subsequent changes to the parent's colormap attribute do not affect the child). However, the window must have the same visual type as the parent (or a **Match** error results), and the parent must not have a colormap of **None** (or a **Match** error results). For an explanation of **None**, see **FreeColormap** request. The colormap is copied by sharing the colormap object between the child and the parent, not by making a complete copy of the colormap contents.

If a cursor is specified, it will be used whenever the pointer is in the window. If **None** is specified, the parent's cursor will be used when the pointer is in the window, and any change in the parent's cursor will cause an immediate change in the displayed cursor.

This request generates a **CreateNotify** event.

The background and border pixmaps and the cursor may be freed immediately if no further explicit references to them are to be made.

Subsequent drawing into the background or border pixmap has an undefined effect on the window state. The server might or might not make a copy of the pixmap.

### ChangeWindowAttributes

*window*: WINDOW

*value-mask*: BITMASK

*value-list*: LISTofVALUE

Errors: **Access**, **Colormap**, **Cursor**, **Match**, **Pixmap**, **Value**, **Window**

The value-mask and value-list specify which attributes are to be changed. The values and restrictions are the same as for **CreateWindow**.

Setting a new background, whether by background-pixmap or background-pixel, overrides any previous background. Setting a new border, whether by border-pixel or border-pixmap, overrides any previous border.

Changing the background does not cause the window contents to be changed. Setting the border or changing the background such that the border tile origin changes causes the border to be repainted. Changing the background of a root window to **None** or **ParentRelative** restores the default background pixmap. Changing the border of a root window to **CopyFromParent** restores the default border pixmap.

Changing the win-gravity does not affect the current position of the window.

Changing the backing-store of an obscured window to **WhenMapped** or **Always** or changing the backing-planes, backing-pixel, or save-under of a mapped window may have no immediate effect.

Multiple clients can select input on the same window; their event-masks are disjoint. When an event is generated, it will be reported to all interested clients. However, only one client at a time can select for **SubstructureRedirect**, only one client at a time can select for **ResizeRedirect**, and only one client at a time can select for **ButtonPress**. An attempt to violate these restrictions results in an **Access** error.

There is only one do-not-propagate-mask for a window, not one per client.

Changing the colormap of a window (by defining a new map, not by changing the contents of the existing map) generates a **ColormapNotify** event. Changing the colormap of a visible window might have no immediate effect on the screen (see **InstallColormap** request).

Changing the cursor of a root window to **None** restores the default cursor.

The order in which attributes are verified and altered is server-dependent. If an error is generated, a subset of the attributes may have been altered.

**GetWindowAttributes***window*: WINDOW

→

visual: VISUALID  
 class: { **InputOutput**, **InputOnly** }  
 bit-gravity: BITGRAVITY  
 win-gravity: WINGRAVITY  
 backing-store: { **NotUseful**, **WhenMapped**, **Always** }  
 backing-planes: CARD32  
 backing-pixel: CARD32  
 save-under: BOOL  
 colormap: COLORMAP or **None**  
 map-is-installed: BOOL  
 map-state: { **Unmapped**, **Unviewable**, **Viewable** }  
 all-event-masks, your-event-mask: SETofEVENT  
 do-not-propagate-mask: SETofDEVICEEVENT  
 override-redirect: BOOL

Errors: **Window**

This request returns the current attributes of the window. A window is **Unviewable** if it is mapped but some ancestor is unmapped. All-event-masks is the inclusive-OR of all event masks selected on the window by clients. Your-event-mask is the event mask selected by the querying client.

**DestroyWindow***window*: WINDOWErrors: **Window**

If the argument window is mapped, an **UnmapWindow** request is performed automatically. The window and all inferiors are then destroyed, and a **DestroyNotify** event is generated for each window. The ordering of the **DestroyNotify** events is such that for any given window, **DestroyNotify** is generated on all inferiors of the window before being generated on the window itself. The ordering among siblings and across subhierarchies is not otherwise constrained.

Normal exposure processing on formerly obscured windows is performed.

If the window is a root window, this request has no effect.

**DestroySubwindows***window*: WINDOWErrors: **Window**

This request performs a **DestroyWindow** request on all children of the window, in bottom-to-top stacking order.

**ChangeSaveSet**

*window*: WINDOW  
*mode*: { **Insert**, **Delete** }

Errors:

**Match**, **Value**, **Window**

This request adds or removes the specified window from the client's save-set. The window must have been created by some other client (or a **Match** error results). For further information about the use of the save-set, see section 10.

When windows are destroyed, the server automatically removes them from the save-set.

**ReparentWindow**

*window, parent*: WINDOW  
*x, y*: INT16

Errors: **Match**, **Window**

If the window is mapped, an **UnmapWindow** request is performed automatically first. The window is then removed from its current position in the hierarchy and is inserted as a child of the specified parent. The x and y coordinates are relative to the parent's origin and specify the new position of the upper-left outer corner of the window. The window is placed on top in the stacking order with respect to siblings. A **ReparentNotify** event is then generated. The **override-redirect** attribute of the window is passed on in this event; a value of **True** indicates that a window manager should not tamper with this window. Finally, if the window was originally mapped, a **MapWindow** request is performed automatically.

Normal exposure processing on formerly obscured windows is performed. The server might not generate exposure events for regions from the initial unmap that are immediately obscured by the final map.

A **Match** error is generated if:

- The new parent is not on the same screen as the old parent.
- The new parent is the window itself or an inferior of the window.
- The new parent is **InputOnly**, and the window is not.
- The window has a **ParentRelative** background, and the new parent is not the same depth as the window.

**MapWindow**

*window*: WINDOW

Errors: **Window**

If the window is already mapped, this request has no effect.

If the **override-redirect** attribute of the window is **False** and some other client has selected **SubstructureRedirect** on the parent, then a **MapRequest** event is generated, but the window remains unmapped. Otherwise, the window is mapped, and a **MapNotify** event is generated.

If the window is now viewable and its contents have been discarded, the window is tiled with its background (if no background is defined, the existing screen contents are not altered), and zero or more exposure events are generated. If a backing-store has been maintained while the window

was unmapped, no exposure events are generated. If a backing-store will now be maintained, a full-window exposure is always generated. Otherwise, only visible regions may be reported. Similar tiling and exposure take place for any newly viewable inferiors.

**MapSubwindows**

*window*: WINDOW

Errors: **Window**

This request performs a **MapWindow** request on all unmapped children of the window, in top-to-bottom stacking order.

**UnmapWindow**

*window*: WINDOW

Errors: **Window**

If the window is already unmapped, this request has no effect. Otherwise, the window is unmapped, and an **UnmapNotify** event is generated. Normal exposure processing on formerly obscured windows is performed.

**UnmapSubwindows**

*window*: WINDOW

Errors: **Window**

This request performs an **UnmapWindow** request on all mapped children of the window, in bottom-to-top stacking order.

**ConfigureWindow**

*window*: WINDOW

*value-mask*: BITMASK

*value-list*: LISTofVALUE

Errors: **Match, Value, Window**

This request changes the configuration of the window. The value-mask and value-list specify which values are to be given. The possible values are:

Attribute	Type
x	INT16
y	INT16
width	CARD16
height	CARD16
border-width	CARD16
sibling	WINDOW
stack-mode	{ <b>Above, Below, TopIf, BottomIf, Opposite</b> }

The x and y coordinates are relative to the parent's origin and specify the position of the upper-left outer corner of the window. The width and height specify the inside size, not including the border, and must be nonzero (or a **Value** error results). Those values not specified are taken from the existing geometry of the window. Note that changing just the border-width leaves the outer-left corner of the window in a fixed position but moves the absolute position of the window's origin. It is a **Match** error to attempt to make the border-width of an **InputOnly** window nonzero.

If the override-redirect attribute of the window is **False** and some other client has selected **SubstructureRedirect** on the parent, a **ConfigureRequest** event is generated, and no further processing is performed. Otherwise, the following is performed:

If some other client has selected **ResizeRedirect** on the window and the inside width or height of the window is being changed, a **ResizeRequest** event is generated, and the current inside width and height are used instead. Note that the override-redirect attribute of the window has no effect on **ResizeRedirect** and that **SubstructureRedirect** on the parent has precedence over **ResizeRedirect** on the window.

The geometry of the window is changed as specified, the window is restacked among siblings, and a **ConfigureNotify** event is generated if the state of the window actually changes. If the inside width or height of the window has actually changed, then children of the window are affected, according to their win-gravity. Exposure processing is performed on formerly obscured windows (including the window itself and its inferiors if regions of them were obscured but now are not). Exposure processing is also performed on any new regions of the window (as a result of increasing the width or height) and on any regions where window contents are lost.

If the inside width or height of a window is not changed but the window is moved or its border is changed, then the contents of the window are not lost but move with the window. Changing the inside width or height of the window causes its contents to be moved or lost, depending on the bit-gravity of the window. It also causes children to be reconfigured, depending on their win-gravity. For a change of width and height of W and H, we define the [x, y] pairs as:

Direction	Deltas
<b>NorthWest</b>	[0, 0]
<b>North</b>	[W/2, 0]
<b>NorthEast</b>	[W, 0]
<b>West</b>	[0, H/2]
<b>Center</b>	[W/2, H/2]
<b>East</b>	[W, H/2]
<b>SouthWest</b>	[0, H]
<b>South</b>	[W/2, H]
<b>SouthEast</b>	[W, H]

When a window with one of these bit-gravities is resized, the corresponding pair defines the change in position of each pixel in the window. When a window with one of these win-gravities has its parent window resized, the corresponding pair defines the change in position of the window within the parent. This repositioning generates a **GravityNotify** event. **GravityNotify** events are generated after the **ConfigureNotify** event is generated.

A gravity of **Static** indicates that the contents or origin should not move relative to the origin of the root window. If the change in size of the window is coupled with a change in position of [X, Y], then for bit-gravity the change in position of each pixel is [-X, -Y] and for win-gravity the change in position of a child when its parent is so resized is [-X, -Y]. Note that **Static** gravity still only takes effect when the width or height of the window is changed, not when the window is simply moved.

A bit-gravity of **Forget** indicates that the window contents are always discarded after a size change, even if backing-store or save-under has been requested. The window is tiled with its

background (except, if no background is defined, the existing screen contents are not altered) and zero or more exposure events are generated.

The contents and borders of inferiors are not affected by their parent's bit-gravity. A server is permitted to ignore the specified bit-gravity and use **Forget** instead.

A win-gravity of **Unmap** is like **NorthWest**, but the child is also unmapped when the parent is resized, and an **UnmapNotify** event is generated. **UnmapNotify** events are generated after the **ConfigureNotify** event is generated.

If a sibling and a stack-mode are specified, the window is restacked as follows:

<b>Above</b>	The window is placed just above the sibling.
<b>Below</b>	The window is placed just below the sibling.
<b>TopIf</b>	If the sibling occludes the window, then the window is placed at the top of the stack.
<b>BottomIf</b>	If the window occludes the sibling, then the window is placed at the bottom of the stack.
<b>Opposite</b>	If the sibling occludes the window, then the window is placed at the top of the stack. Otherwise, if the window occludes the sibling, then the window is placed at the bottom of the stack.

If a stack-mode is specified but no sibling is specified, the window is restacked as follows:

<b>Above</b>	The window is placed at the top of the stack.
<b>Below</b>	The window is placed at the bottom of the stack.
<b>TopIf</b>	If any sibling occludes the window, then the window is placed at the top of the stack.
<b>BottomIf</b>	If the window occludes any sibling, then the window is placed at the bottom of the stack.
<b>Opposite</b>	If any sibling occludes the window, then the window is placed at the top of the stack. Otherwise, if the window occludes any sibling, then the window is placed at the bottom of the stack.

It is a **Match** error if a sibling is specified without a stack-mode or if the window is not actually a sibling.

Note that the computations for **BottomIf**, **TopIf**, and **Opposite** are performed with respect to the window's final geometry (as controlled by the other arguments to the request), not to its initial geometry.

Attempts to configure a root window have no effect.

### **CirculateWindow**

*window*: WINDOW

*direction*: { **RaiseLowest**, **LowerHighest** }

Errors: **Value**, **Window**

If some other client has selected **SubstructureRedirect** on the window, then a **CirculateRequest** event is generated, and no further processing is performed. Otherwise, the following is performed, and then a **CirculateNotify** event is generated if the window is actually restacked.

For **RaiseLowest**, **CirculateWindow** raises the lowest mapped child (if any) that is occluded by another child to the top of the stack. For **LowerHighest**, **CirculateWindow** lowers the highest

mapped child (if any) that occludes another child to the bottom of the stack. Exposure processing is performed on formerly obscured windows.

### GetGeometry

*drawable*: DRAWABLE

→

root: WINDOW

depth: CARD8

x, y: INT16

width, height, border-width: CARD16

Errors: **Drawable**

This request returns the root and current geometry of the drawable. The depth is the number of bits per pixel for the object. The x, y, and border-width will always be zero for pixmaps. For a window, the x and y coordinates specify the upper-left outer corner of the window relative to its parent's origin, and the width and height specify the inside size, not including the border.

It is legal to pass an **InputOnly** window as a drawable to this request.

### QueryTree

*window*: WINDOW

→

root: WINDOW

parent: WINDOW or **None**

children: LISTofWINDOW

Errors: **Window**

This request returns the root, the parent, and the children of the window. The children are listed in bottom-to-top stacking order.

### InternAtom

*name*: STRING8

*only-if-exists*: BOOL

→

atom: ATOM or **None**

Errors: **Alloc, Value**

This request returns the atom for the given name. If only-if-exists is **False**, then the atom is created if it does not exist. The string should use the ISO Latin-1 encoding. Uppercase and lowercase matter.

The lifetime of an atom is not tied to the interning client. Atoms remain defined until server reset (see section 10).

**GetAtomName***atom*: ATOM

→

name: STRING8

Errors: **Atom**

This request returns the name for the given atom.

**ChangeProperty***window*: WINDOW*property, type*: ATOM*format*: {8, 16, 32}*mode*: { **Replace**, **Prepend**, **Append** }*data*: LISTofINT8 or LISTofINT16 or LISTofINT32Errors: **Alloc**, **Atom**, **Match**, **Value**, **Window**

This request alters the property for the specified window. The type is uninterpreted by the server. The format specifies whether the data should be viewed as a list of 8-bit, 16-bit, or 32-bit quantities so that the server can correctly byte-swap as necessary.

If the mode is **Replace**, the previous property value is discarded. If the mode is **Prepend** or **Append**, then the type and format must match the existing property value (or a **Match** error results). If the property is undefined, it is treated as defined with the correct type and format with zero-length data. For **Prepend**, the data is tacked on to the beginning of the existing data, and for **Append**, it is tacked on to the end of the existing data.

This request generates a **PropertyNotify** event on the window.

The lifetime of a property is not tied to the storing client. Properties remain until explicitly deleted, until the window is destroyed, or until server reset (see section 10).

The maximum size of a property is server-dependent and may vary dynamically.

**DeleteProperty***window*: WINDOW*property*: ATOMErrors: **Atom**, **Window**

This request deletes the property from the specified window if the property exists and generates a **PropertyNotify** event on the window unless the property does not exist.

**GetProperty**

*window*: WINDOW  
*property*: ATOM  
*type*: ATOM or **AnyPropertyType**  
*long-offset, long-length*: CARD32  
*delete*: BOOL

→

type: ATOM or **None**  
format: {0, 8, 16, 32}  
bytes-after: CARD32  
value: LISTofINT8 or LISTofINT16 or LISTofINT32

Errors: **Atom, Value, Window**

If the specified property does not exist for the specified window, then the return type is **None**, the format and bytes-after are zero, and the value is empty. The delete argument is ignored in this case. If the specified property exists but its type does not match the specified type, then the return type is the actual type of the property, the format is the actual format of the property (never zero), the bytes-after is the length of the property in bytes (even if the format is 16 or 32), and the value is empty. The delete argument is ignored in this case. If the specified property exists and either **AnyPropertyType** is specified or the specified type matches the actual type of the property, then the return type is the actual type of the property, the format is the actual format of the property (never zero), and the bytes-after and value are as follows, given:

$N$  = actual length of the stored property in bytes  
(even if the format is 16 or 32)  
 $I = 4 * \text{long-offset}$   
 $T = N - I$   
 $L = \text{MINIMUM}(T, 4 * \text{long-length})$   
 $A = N - (I + L)$

The returned value starts at byte index  $I$  in the property (indexing from 0), and its length in bytes is  $L$ . However, it is a **Value** error if long-offset is given such that  $L$  is negative. The value of bytes-after is  $A$ , giving the number of trailing unread bytes in the stored property. If delete is **True** and the bytes-after is zero, the property is also deleted from the window, and a **PropertyNotify** event is generated on the window.

**RotateProperties**

*window*: WINDOW  
*delta*: INT16  
*properties*: LISTofATOM

Errors: **Atom, Match, Window**

If the property names in the list are viewed as being numbered starting from zero, and there are  $N$  property names in the list, then the value associated with property name  $I$  becomes the value associated with property name  $(I + \text{delta}) \bmod N$ , for all  $I$  from zero to  $N - 1$ . The effect is to rotate the states by delta places around the virtual ring of property names (right for positive delta, left for negative delta).

If  $\text{delta} \bmod N$  is nonzero, a **PropertyNotify** event is generated for each property in the order listed.

If an atom occurs more than once in the list or no property with that name is defined for the window, a **Match** error is generated. If an **Atom** or **Match** error is generated, no properties are changed.

### ListProperties

*window*: WINDOW

→

atoms: LISTofATOM

Errors: **Window**

This request returns the atoms of properties currently defined on the window.

### SetSelectionOwner

*selection*: ATOM

*owner*: WINDOW or **None**

*time*: TIMESTAMP or **CurrentTime**

Errors: **Atom**, **Window**

This request changes the owner, owner window, and last-change time of the specified selection. This request has no effect if the specified time is earlier than the current last-change time of the specified selection or is later than the current server time. Otherwise, the last-change time is set to the specified time with **CurrentTime** replaced by the current server time. If the owner window is specified as **None**, then the owner of the selection becomes **None** (that is, no owner). Otherwise, the owner of the selection becomes the client executing the request. If the new owner (whether a client or **None**) is not the same as the current owner and the current owner is not **None**, then the current owner is sent a **SelectionClear** event.

If the client that is the owner of a selection is later terminated (that is, its connection is closed) or if the owner window it has specified in the request is later destroyed, then the owner of the selection automatically reverts to **None**, but the last-change time is not affected.

The selection atom is uninterpreted by the server. The owner window is returned by the **GetSelectionOwner** request and is reported in **SelectionRequest** and **SelectionClear** events.

Selections are global to the server.

### GetSelectionOwner

*selection*: ATOM

→

owner: WINDOW or **None**

Errors: **Atom**

This request returns the current owner window of the specified selection, if any. If **None** is returned, then there is no owner for the selection.

**ConvertSelection**

*selection, target*: ATOM  
*property*: ATOM or **None**  
*requestor*: WINDOW  
*time*: TIMESTAMP or **CurrentTime**

Errors: **Atom**, **Window**

If the specified selection has an owner, the server sends a **SelectionRequest** event to that owner. If no owner for the specified selection exists, the server generates a **SelectionNotify** event to the requestor with property **None**. The arguments are passed on unchanged in either of the events.

**SendEvent**

*destination*: WINDOW or **PointerWindow** or **InputFocus**  
*propagate*: BOOL  
*event-mask*: SETofEVENT  
*event*: <normal-event-format>

Errors: **Value**, **Window**

If **PointerWindow** is specified, destination is replaced with the window that the pointer is in. If **InputFocus** is specified and the focus window contains the pointer, destination is replaced with the window that the pointer is in. Otherwise, destination is replaced with the focus window.

If the event-mask is the empty set, then the event is sent to the client that created the destination window. If that client no longer exists, no event is sent.

If propagate is **False**, then the event is sent to every client selecting on destination any of the event types in event-mask.

If propagate is **True** and no clients have selected on destination any of the event types in event-mask, then destination is replaced with the closest ancestor of destination for which some client has selected a type in event-mask and no intervening window has that type in its do-not-propagate-mask. If no such window exists or if the window is an ancestor of the focus window and **InputFocus** was originally specified as the destination, then the event is not sent to any clients. Otherwise, the event is reported to every client selecting on the final destination any of the types specified in event-mask.

The event code must be one of the core events or one of the events defined by an extension (or a **Value** error results) so that the server can correctly byte-swap the contents as necessary. The contents of the event are otherwise unaltered and unchecked by the server except to force on the most significant bit of the event code and to set the sequence number in the event correctly.

Active grabs are ignored for this request.

**GrabPointer**

*grab-window*: WINDOW  
*owner-events*: BOOL  
*event-mask*: SETofPOINTEREVENT  
*pointer-mode, keyboard-mode*: { **Synchronous**, **Asynchronous** }  
*confine-to*: WINDOW or **None**  
*cursor*: CURSOR or **None**  
*time*: TIMESTAMP or **CurrentTime**

→

status: { **Success**, **AlreadyGrabbed**, **Frozen**, **InvalidTime**, **NotViewable** }

Errors: **Cursor**, **Value**, **Window**

This request actively grabs control of the pointer. Further pointer events are only reported to the grabbing client. The request overrides any active pointer grab by this client.

If *owner-events* is **False**, all generated pointer events are reported with respect to *grab-window* and are only reported if selected by *event-mask*. If *owner-events* is **True** and a generated pointer event would normally be reported to this client, it is reported normally. Otherwise, the event is reported with respect to the *grab-window* and is only reported if selected by *event-mask*. For either value of *owner-events*, unreported events are simply discarded.

If *pointer-mode* is **Asynchronous**, pointer event processing continues normally. If the pointer is currently frozen by this client, then processing of pointer events is resumed. If *pointer-mode* is **Synchronous**, the state of the pointer (as seen by means of the protocol) appears to freeze, and no further pointer events are generated by the server until the grabbing client issues a releasing **AllowEvents** request or until the pointer grab is released. Actual pointer changes are not lost while the pointer is frozen. They are simply queued for later processing.

If *keyboard-mode* is **Asynchronous**, keyboard event processing is unaffected by activation of the grab. If *keyboard-mode* is **Synchronous**, the state of the keyboard (as seen by means of the protocol) appears to freeze, and no further keyboard events are generated by the server until the grabbing client issues a releasing **AllowEvents** request or until the pointer grab is released. Actual keyboard changes are not lost while the keyboard is frozen. They are simply queued for later processing.

If a *cursor* is specified, then it is displayed regardless of what window the pointer is in. If no *cursor* is specified, then when the pointer is in *grab-window* or one of its subwindows, the normal cursor for that window is displayed. Otherwise, the cursor for *grab-window* is displayed.

If a *confine-to* window is specified, then the pointer will be restricted to stay contained in that window. The *confine-to* window need have no relationship to the *grab-window*. If the pointer is not initially in the *confine-to* window, then it is warped automatically to the closest edge (and enter/leave events are generated normally) just before the grab activates. If the *confine-to* window is subsequently reconfigured, the pointer will be warped automatically as necessary to keep it contained in the window.

This request generates **EnterNotify** and **LeaveNotify** events.

The request fails with status **AlreadyGrabbed** if the pointer is actively grabbed by some other client. The request fails with status **Frozen** if the pointer is frozen by an active grab of another client. The request fails with status **NotViewable** if *grab-window* or *confine-to* window is not viewable or if the *confine-to* window lies completely outside the boundaries of the root window. The request fails with status **InvalidTime** if the specified *time* is earlier than the last-pointer-grab time or later than the current server time. Otherwise, the last-pointer-grab time is set to the specified time, with **CurrentTime** replaced by the current server time.

**UngrabPointer**

*time*: `TIMESTAMP` or **CurrentTime**

This request releases the pointer if this client has it actively grabbed (from either **GrabPointer** or **GrabButton** or from a normal button press) and releases any queued events. The request has no effect if the specified time is earlier than the last-pointer-grab time or is later than the current server time.

This request generates **EnterNotify** and **LeaveNotify** events.

An **UngrabPointer** request is performed automatically if the event window or confine-to window for an active pointer grab becomes not viewable or if window reconfiguration causes the confine-to window to lie completely outside the boundaries of the root window.

**GrabButton**

*modifiers*: `SETofKEYMASK` or **AnyModifier**

*button*: `BUTTON` or **AnyButton**

*grab-window*: `WINDOW`

*owner-events*: `BOOL`

*event-mask*: `SETofPOINTEREVENT`

*pointer-mode, keyboard-mode*: { **Synchronous**, **Asynchronous** }

*confine-to*: `WINDOW` or **None**

*cursor*: `CURSOR` or **None**

Errors: **Access**, **Cursor**, **Value**, **Window**

This request establishes a passive grab. In the future, the pointer is actively grabbed as described in **GrabPointer**, the last-pointer-grab time is set to the time at which the button was pressed (as transmitted in the **ButtonPress** event), and the **ButtonPress** event is reported if all of the following conditions are true:

- The pointer is not grabbed and the specified button is logically pressed when the specified modifier keys are logically down, and no other buttons or modifier keys are logically down.
- The grab-window contains the pointer.
- The confine-to window (if any) is viewable.
- A passive grab on the same button/key combination does not exist on any ancestor of grab-window.

The interpretation of the remaining arguments is the same as for **GrabPointer**. The active grab is terminated automatically when the logical state of the pointer has all buttons released, independent of the logical state of modifier keys. Note that the logical state of a device (as seen by means of the protocol) may lag the physical state if device event processing is frozen.

This request overrides all previous passive grabs by the same client on the same button/key combinations on the same window. A modifier of **AnyModifier** is equivalent to issuing the request for all possible modifier combinations (including the combination of no modifiers). It is not required that all specified modifiers have currently assigned keycodes. A button of **AnyButton** is equivalent to issuing the request for all possible buttons. Otherwise, it is not required that the button specified currently be assigned to a physical button.

An **Access** error is generated if some other client has already issued a **GrabButton** request with the same button/key combination on the same window. When using **AnyModifier** or **AnyButton**, the request fails completely (no grabs are established), and an **Access** error is generated if there is a conflicting grab for any combination. The request has no effect on an active grab.

**UngrabButton***modifiers*: SETofKEYMASK or **AnyModifier***button*: BUTTON or **AnyButton***grab-window*: WINDOWErrors: **Value, Window**

This request releases the passive button/key combination on the specified window if it was grabbed by this client. A modifiers argument of **AnyModifier** is equivalent to issuing the request for all possible modifier combinations (including the combination of no modifiers). A button of **AnyButton** is equivalent to issuing the request for all possible buttons. The request has no effect on an active grab.

**ChangeActivePointerGrab***event-mask*: SETofPOINTEREVENT*cursor*: CURSOR or **None***time*: TIMESTAMP or **CurrentTime**Errors: **Cursor, Value**

This request changes the specified dynamic parameters if the pointer is actively grabbed by the client and the specified time is no earlier than the last-pointer-grab time and no later than the current server time. The interpretation of event-mask and cursor are the same as in **GrabPointer**. This request has no effect on the parameters of any passive grabs established with **GrabButton**.

**GrabKeyboard***grab-window*: WINDOW*owner-events*: BOOL*pointer-mode, keyboard-mode*: { **Synchronous, Asynchronous** }*time*: TIMESTAMP or **CurrentTime**

→

status: { **Success, AlreadyGrabbed, Frozen, InvalidTime, NotViewable** }Errors: **Value, Window**

This request actively grabs control of the keyboard. Further key events are reported only to the grabbing client. This request overrides any active keyboard grab by this client.

If owner-events is **False**, all generated key events are reported with respect to grab-window. If owner-events is **True** and if a generated key event would normally be reported to this client, it is reported normally. Otherwise, the event is reported with respect to the grab-window. Both **KeyPress** and **KeyRelease** events are always reported, independent of any event selection made by the client.

If keyboard-mode is **Asynchronous**, keyboard event processing continues normally. If the keyboard is currently frozen by this client, then processing of keyboard events is resumed. If keyboard-mode is **Synchronous**, the state of the keyboard (as seen by means of the protocol) appears to freeze. No further keyboard events are generated by the server until the grabbing client issues a releasing **AllowEvents** request or until the keyboard grab is released. Actual keyboard changes are not lost while the keyboard is frozen. They are simply queued for later processing.

If pointer-mode is **Asynchronous**, pointer event processing is unaffected by activation of the grab. If pointer-mode is **Synchronous**, the state of the pointer (as seen by means of the protocol)

appears to freeze. No further pointer events are generated by the server until the grabbing client issues a releasing **AllowEvents** request or until the keyboard grab is released. Actual pointer changes are not lost while the pointer is frozen. They are simply queued for later processing.

This request generates **FocusIn** and **FocusOut** events.

The request fails with status **AlreadyGrabbed** if the keyboard is actively grabbed by some other client. The request fails with status **Frozen** if the keyboard is frozen by an active grab of another client. The request fails with status **NotViewable** if grab-window is not viewable. The request fails with status **InvalidTime** if the specified time is earlier than the last-keyboard-grab time or later than the current server time. Otherwise, the last-keyboard-grab time is set to the specified time with **CurrentTime** replaced by the current server time.

### UngrabKeyboard

*time*: **TIMESTAMP** or **CurrentTime**

This request releases the keyboard if this client has it actively grabbed (as a result of either **GrabKeyboard** or **GrabKey**) and releases any queued events. The request has no effect if the specified time is earlier than the last-keyboard-grab time or is later than the current server time.

This request generates **FocusIn** and **FocusOut** events.

An **UngrabKeyboard** is performed automatically if the event window for an active keyboard grab becomes not viewable.

### GrabKey

*key*: **KEYCODE** or **AnyKey**

*modifiers*: **SETofKEYMASK** or **AnyModifier**

*grab-window*: **WINDOW**

*owner-events*: **BOOL**

*pointer-mode, keyboard-mode*: { **Synchronous**, **Asynchronous** }

Errors: **Access**, **Value**, **Window**

This request establishes a passive grab on the keyboard. In the future, the keyboard is actively grabbed as described in **GrabKeyboard**, the last-keyboard-grab time is set to the time at which the key was pressed (as transmitted in the **KeyPress** event), and the **KeyPress** event is reported if all of the following conditions are true:

- The keyboard is not grabbed and the specified key (which can itself be a modifier key) is logically pressed when the specified modifier keys are logically down, and no other modifier keys are logically down.
- Either the grab-window is an ancestor of (or is) the focus window, or the grab-window is a descendent of the focus window and contains the pointer.
- A passive grab on the same key combination does not exist on any ancestor of grab-window.

The interpretation of the remaining arguments is the same as for **GrabKeyboard**. The active grab is terminated automatically when the logical state of the keyboard has the specified key released, independent of the logical state of modifier keys. Note that the logical state of a device (as seen by means of the protocol) may lag the physical state if device event processing is frozen.

This request overrides all previous passive grabs by the same client on the same key combinations on the same window. A modifier of **AnyModifier** is equivalent to issuing the request for all possible modifier combinations (including the combination of no modifiers). It is not required that all modifiers specified have currently assigned keycodes. A key of **AnyKey** is equivalent to

issuing the request for all possible keycodes. Otherwise, the key must be in the range specified by min-keycode and max-keycode in the connection setup (or a **Value** error results).

An **Access** error is generated if some other client has issued a **GrabKey** with the same key combination on the same window. When using **AnyModifier** or **AnyKey**, the request fails completely (no grabs are established), and an **Access** error is generated if there is a conflicting grab for any combination.

### UngrabKey

*key*: KEYCODE or **AnyKey**  
*modifiers*: SETofKEYMASK or **AnyModifier**  
*grab-window*: WINDOW  
 Errors: **Value**, **Window**

This request releases the key combination on the specified window if it was grabbed by this client. A modifiers argument of **AnyModifier** is equivalent to issuing the request for all possible modifier combinations (including the combination of no modifiers). A key of **AnyKey** is equivalent to issuing the request for all possible keycodes. This request has no effect on an active grab.

### AllowEvents

*mode*: { **AsyncPointer**, **SyncPointer**, **ReplayPointer**, **AsyncKeyboard**,  
**SyncKeyboard**, **ReplayKeyboard**, **AsyncBoth**, **SyncBoth** }  
*time*: TIMESTAMP or **CurrentTime**  
 Errors: **Value**

This request releases some queued events if the client has caused a device to freeze. The request has no effect if the specified time is earlier than the last-grab time of the most recent active grab for the client or if the specified time is later than the current server time.

For **AsyncPointer**, if the pointer is frozen by the client, pointer event processing continues normally. If the pointer is frozen twice by the client on behalf of two separate grabs, **AsyncPointer** thaws for both. **AsyncPointer** has no effect if the pointer is not frozen by the client, but the pointer need not be grabbed by the client.

For **SyncPointer**, if the pointer is frozen and actively grabbed by the client, pointer event processing continues normally until the next **ButtonPress** or **ButtonRelease** event is reported to the client, at which time the pointer again appears to freeze. However, if the reported event causes the pointer grab to be released, then the pointer does not freeze. **SyncPointer** has no effect if the pointer is not frozen by the client or if the pointer is not grabbed by the client.

For **ReplayPointer**, if the pointer is actively grabbed by the client and is frozen as the result of an event having been sent to the client (either from the activation of a **GrabButton** or from a previous **AllowEvents** with mode **SyncPointer** but not from a **GrabPointer**), then the pointer grab is released and that event is completely reprocessed, this time ignoring any passive grabs at or above (towards the root) the grab-window of the grab just released. The request has no effect if the pointer is not grabbed by the client or if the pointer is not frozen as the result of an event.

For **AsyncKeyboard**, if the keyboard is frozen by the client, keyboard event processing continues normally. If the keyboard is frozen twice by the client on behalf of two separate grabs, **AsyncKeyboard** thaws for both. **AsyncKeyboard** has no effect if the keyboard is not frozen by the client, but the keyboard need not be grabbed by the client.

For **SyncKeyboard**, if the keyboard is frozen and actively grabbed by the client, keyboard event processing continues normally until the next **KeyPress** or **KeyRelease** event is reported to the

client, at which time the keyboard again appears to freeze. However, if the reported event causes the keyboard grab to be released, then the keyboard does not freeze. **SyncKeyboard** has no effect if the keyboard is not frozen by the client or if the keyboard is not grabbed by the client.

For **ReplayKeyboard**, if the keyboard is actively grabbed by the client and is frozen as the result of an event having been sent to the client (either from the activation of a **GrabKey** or from a previous **AllowEvents** with mode **SyncKeyboard** but not from a **GrabKeyboard**), then the keyboard grab is released and that event is completely reprocessed, this time ignoring any passive grabs at or above (towards the root) the grab-window of the grab just released. The request has no effect if the keyboard is not grabbed by the client or if the keyboard is not frozen as the result of an event.

For **SyncBoth**, if both pointer and keyboard are frozen by the client, event processing (for both devices) continues normally until the next **ButtonPress**, **ButtonRelease**, **KeyPress**, or **KeyRelease** event is reported to the client for a grabbed device (button event for the pointer, key event for the keyboard), at which time the devices again appear to freeze. However, if the reported event causes the grab to be released, then the devices do not freeze (but if the other device is still grabbed, then a subsequent event for it will still cause both devices to freeze). **SyncBoth** has no effect unless both pointer and keyboard are frozen by the client. If the pointer or keyboard is frozen twice by the client on behalf of two separate grabs, **SyncBoth** thaws for both (but a subsequent freeze for **SyncBoth** will only freeze each device once).

For **AsyncBoth**, if the pointer and the keyboard are frozen by the client, event processing for both devices continues normally. If a device is frozen twice by the client on behalf of two separate grabs, **AsyncBoth** thaws for both. **AsyncBoth** has no effect unless both pointer and keyboard are frozen by the client.

**AsyncPointer**, **SyncPointer**, and **ReplayPointer** have no effect on processing of keyboard events. **AsyncKeyboard**, **SyncKeyboard**, and **ReplayKeyboard** have no effect on processing of pointer events.

It is possible for both a pointer grab and a keyboard grab to be active simultaneously (by the same or different clients). When a device is frozen on behalf of either grab, no event processing is performed for the device. It is possible for a single device to be frozen because of both grabs. In this case, the freeze must be released on behalf of both grabs before events can again be processed. If a device is frozen twice by a single client, then a single **AllowEvents** releases both.

## GrabServer

This request disables processing of requests and close-downs on all connections other than the one this request arrived on.

## UngrabServer

This request restarts processing of requests and close-downs on other connections.

**QueryPointer***window*: WINDOW

→

root: WINDOW

child: WINDOW or **None**

same-screen: BOOL

root-x, root-y, win-x, win-y: INT16

mask: SETofKEYBUTMASK

Errors: **Window**

The root window the pointer is logically on and the pointer coordinates relative to the root's origin are returned. If same-screen is **False**, then the pointer is not on the same screen as the argument window, child is **None**, and win-x and win-y are zero. If same-screen is **True**, then win-x and win-y are the pointer coordinates relative to the argument window's origin, and child is the child containing the pointer, if any. The current logical state of the modifier keys and the buttons are also returned. Note that the logical state of a device (as seen by means of the protocol) may lag the physical state if device event processing is frozen.

**GetMotionEvents***start, stop*: TIMESTAMP or **CurrentTime***window*: WINDOW

→

events: LISTofTIMECOORD

where:

TIMECOORD: [x, y: INT16  
time: TIMESTAMP]

Errors: **Window**

This request returns all events in the motion history buffer that fall between the specified start and stop times (inclusive) and that have coordinates that lie within (including borders) the specified window at its present placement. The x and y coordinates are reported relative to the origin of the window.

If the start time is later than the stop time or if the start time is in the future, no events are returned. If the stop time is in the future, it is equivalent to specifying **CurrentTime**.

**TranslateCoordinates***src-window, dst-window*: WINDOW*src-x, src-y*: INT16

→

same-screen: BOOL

child: WINDOW or **None**

dst-x, dst-y: INT16

Errors: **Window**

The *src-x* and *src-y* coordinates are taken relative to *src-window*'s origin and are returned as *dst-x* and *dst-y* coordinates relative to *dst-window*'s origin. If *same-screen* is **False**, then *src-window* and *dst-window* are on different screens, and *dst-x* and *dst-y* are zero. If the coordinates are contained in a mapped child of *dst-window*, then that child is returned.

### WarpPointer

*src-window*: WINDOW or **None**

*dst-window*: WINDOW or **None**

*src-x, src-y*: INT16

*src-width, src-height*: CARD16

*dst-x, dst-y*: INT16

Errors: **Window**

If *dst-window* is **None**, this request moves the pointer by offsets [*dst-x*, *dst-y*] relative to the current position of the pointer. If *dst-window* is a window, this request moves the pointer to [*dst-x*, *dst-y*] relative to *dst-window*'s origin. However, if *src-window* is not **None**, the move only takes place if *src-window* contains the pointer and the pointer is contained in the specified rectangle of *src-window*.

The *src-x* and *src-y* coordinates are relative to *src-window*'s origin. If *src-height* is zero, it is replaced with the current height of *src-window* minus *src-y*. If *src-width* is zero, it is replaced with the current width of *src-window* minus *src-x*.

This request cannot be used to move the pointer outside the confine-to window of an active pointer grab. An attempt will only move the pointer as far as the closest edge of the confine-to window.

This request will generate events just as if the user had instantaneously moved the pointer.

### SetInputFocus

*focus*: WINDOW or **PointerRoot** or **None**

*revert-to*: { **Parent**, **PointerRoot**, **None** }

*time*: TIMESTAMP or **CurrentTime**

Errors: **Match**, **Value**, **Window**

This request changes the input focus and the last-focus-change time. The request has no effect if the specified time is earlier than the current last-focus-change time or is later than the current server time. Otherwise, the last-focus-change time is set to the specified time with **CurrentTime** replaced by the current server time.

If **None** is specified as the focus, all keyboard events are discarded until a new focus window is set. In this case, the *revert-to* argument is ignored.

If a window is specified as the focus, it becomes the keyboard's focus window. If a generated keyboard event would normally be reported to this window or one of its inferiors, the event is reported normally. Otherwise, the event is reported with respect to the focus window.

If **PointerRoot** is specified as the focus, the focus window is dynamically taken to be the root window of whatever screen the pointer is on at each keyboard event. In this case, the *revert-to* argument is ignored.

This request generates **FocusIn** and **FocusOut** events.

The specified focus window must be viewable at the time of the request (or a **Match** error results). If the focus window later becomes not viewable, the new focus window depends on the *revert-to* argument. If *revert-to* is **Parent**, the focus reverts to the parent (or the closest viewable

ancestor) and the new revert-to value is taken to be **None**. If revert-to is **PointerRoot** or **None**, the focus reverts to that value. When the focus reverts, **FocusIn** and **FocusOut** events are generated, but the last-focus-change time is not affected.

### GetInputFocus

→

focus: WINDOW or **PointerRoot** or **None**  
 revert-to: { **Parent**, **PointerRoot**, **None** }

This request returns the current focus state.

### QueryKeymap

→

keys: LISTofCARD8

This request returns a bit vector for the logical state of the keyboard. Each bit set to 1 indicates that the corresponding key is currently pressed. The vector is represented as 32 bytes. Byte N (from 0) contains the bits for keys 8N to 8N + 7 with the least significant bit in the byte representing key 8N. Note that the logical state of a device (as seen by means of the protocol) may lag the physical state if device event processing is frozen.

### OpenFont

*fid*: FONT  
*name*: STRING8

Errors: **Alloc**, **IDChoice**, **Name**

This request loads the specified font, if necessary, and associates identifier *fid* with it. The font name should use the ISO Latin-1 encoding, and uppercase and lowercase do not matter. When the characters “?” and “\*” are used in a font name, a pattern match is performed and any matching font is used. In the pattern, the “?” character (octal value 77) will match any single character, and the “\*” character (octal value 52) will match any number of characters. A structured format for font names is specified in the X.Org standard *X Logical Font Description Conventions*.

Fonts are not associated with a particular screen and can be stored as a component of any graphics context.

### CloseFont

*font*: FONT

Errors: **Font**

This request deletes the association between the resource ID and the font. The font itself will be freed when no other resource references it.

**QueryFont***font*: FONTABLE

→

font-info: FONTINFO

char-infos: LISTofCHARINFO

where:

FONTINFO: [draw-direction: { **LeftToRight**, **RightToLeft** }  
 min-char-or-byte2, max-char-or-byte2: CARD16  
 min-byte1, max-byte1: CARD8  
 all-chars-exist: BOOL  
 default-char: CARD16  
 min-bounds: CHARINFO  
 max-bounds: CHARINFO  
 font-ascent: INT16  
 font-descent: INT16  
 properties: LISTofFONTPROP]

FONTPROP: [name: ATOM  
 value: <32-bit-value>]

CHARINFO: [left-side-bearing: INT16  
 right-side-bearing: INT16  
 character-width: INT16  
 ascent: INT16  
 descent: INT16  
 attributes: CARD16]

**Errors: Font**

This request returns logical information about a font. If a gcontext is given for font, the currently contained font is used.

The draw-direction is just a hint and indicates whether most char-infos have a positive, **LeftToRight**, or a negative, **RightToLeft**, character-width metric. The core protocol defines no support for vertical text.

If min-byte1 and max-byte1 are both zero, then min-char-or-byte2 specifies the linear character index corresponding to the first element of char-infos, and max-char-or-byte2 specifies the linear character index of the last element. If either min-byte1 or max-byte1 are nonzero, then both min-char-or-byte2 and max-char-or-byte2 will be less than 256, and the 2-byte character index values corresponding to char-infos element N (counting from 0) are:

$$\text{byte1} = N/D + \text{min-byte1}$$

$$\text{byte2} = N \backslash D + \text{min-char-or-byte2}$$

where:

$$D = \text{max-char-or-byte2} - \text{min-char-or-byte2} + 1$$

/ = integer division  
 \ = integer modulus

If char-infos has length zero, then min-bounds and max-bounds will be identical, and the effective char-infos is one filled with this char-info, of length:

$$L = D * (\text{max-byte1} - \text{min-byte1} + 1)$$

That is, all glyphs in the specified linear or matrix range have the same information, as given by min-bounds (and max-bounds). If all-chars-exist is **True**, then all characters in char-infos have nonzero bounding boxes.

The default-char specifies the character that will be used when an undefined or nonexistent character is used. Note that default-char is a CARD16, not CHAR2B. For a font using 2-byte matrix format, the default-char has byte1 in the most significant byte and byte2 in the least significant byte. If the default-char itself specifies an undefined or nonexistent character, then no printing is performed for an undefined or nonexistent character.

The min-bounds and max-bounds contain the minimum and maximum values of each individual CHARINFO component over all char-infos (ignoring nonexistent characters). The bounding box of the font (that is, the smallest rectangle enclosing the shape obtained by superimposing all characters at the same origin [x,y]) has its upper-left coordinate at:

$$[x + \text{min-bounds.left-side-bearing}, y - \text{max-bounds.ascent}]$$

with a width of:

$$\text{max-bounds.right-side-bearing} - \text{min-bounds.left-side-bearing}$$

and a height of:

$$\text{max-bounds.ascent} + \text{max-bounds.descent}$$

The font-ascent is the logical extent of the font above the baseline and is used for determining line spacing. Specific characters may extend beyond this. The font-descent is the logical extent of the font at or below the baseline and is used for determining line spacing. Specific characters may extend beyond this. If the baseline is at Y-coordinate y, then the logical extent of the font is inclusive between the Y-coordinate values (y - font-ascent) and (y + font-descent - 1).

A font is not guaranteed to have any properties. The interpretation of the property value (for example, INT32, CARD32) must be derived from *a priori* knowledge of the property. A basic set of font properties is specified in the X.Org standard *X Logical Font Description Conventions*.

For a character origin at [x,y], the bounding box of a character (that is, the smallest rectangle enclosing the character's shape), described in terms of CHARINFO components, is a rectangle with its upper-left corner at:

$$[x + \text{left-side-bearing}, y - \text{ascent}]$$

with a width of:

$$\text{right-side-bearing} - \text{left-side-bearing}$$

and a height of:

$$\text{ascent} + \text{descent}$$

and the origin for the next character is defined to be:

$$[x + \text{character-width}, y]$$

Note that the baseline is logically viewed as being just below nondescending characters (when descent is zero, only pixels with Y-coordinates less than y are drawn) and that the origin is logically viewed as being coincident with the left edge of a nonkerned character (when left-side-bearing is zero, no pixels with X-coordinate less than x are drawn).

Note that CHARINFO metric values can be negative.

A nonexistent character is represented with all CHARINFO components zero.

The interpretation of the per-character attributes field is server-dependent.

**QueryTextExtents**

*font*: FONTABLE  
*string*: STRING16

→

draw-direction: { **LeftToRight**, **RightToLeft** }  
font-ascent: INT16  
font-descent: INT16  
overall-ascent: INT16  
overall-descent: INT16  
overall-width: INT32  
overall-left: INT32  
overall-right: INT32

Errors: **Font**

This request returns the logical extents of the specified string of characters in the specified font. If a gcontext is given for font, the currently contained font is used. The draw-direction, font-ascent, and font-descent are the same as described in **QueryFont**. The overall-ascent is the maximum of the ascent metrics of all characters in the string, and the overall-descent is the maximum of the descent metrics. The overall-width is the sum of the character-width metrics of all characters in the string. For each character in the string, let W be the sum of the character-width metrics of all characters preceding it in the string, let L be the left-side-bearing metric of the character plus W, and let R be the right-side-bearing metric of the character plus W. The overall-left is the minimum L of all characters in the string, and the overall-right is the maximum R.

For fonts defined with linear indexing rather than 2-byte matrix indexing, the server will interpret each CHAR2B as a 16-bit number that has been transmitted most significant byte first (that is, byte1 of the CHAR2B is taken as the most significant byte).

Characters with all zero metrics are ignored. If the font has no defined default-char, then undefined characters in the string are also ignored.

**ListFonts**

*pattern*: STRING8  
*max-names*: CARD16

→

names: LISTofSTRING8

This request returns a list of available font names (as controlled by the font search path; see **SetFontPath** request) that match the pattern. At most, max-names names will be returned. The pattern should use the ISO Latin-1 encoding, and uppercase and lowercase do not matter. In the pattern, the “?” character (octal value 77) will match any single character, and the “\*” character (octal value 52) will match any number of characters. The returned names are in lowercase.

**ListFontsWithInfo**

*pattern*: STRING8  
*max-names*: CARD16

→

name: STRING8  
 info FONTINFO  
 replies-hint: CARD32  
 where:

FONTINFO: <same type definition as in **QueryFont**>

This request is similar to **ListFonts**, but it also returns information about each font. The information returned for each font is identical to what **QueryFont** would return except that the per-character metrics are not returned. Note that this request can generate multiple replies. With each reply, replies-hint may provide an indication of how many more fonts will be returned. This number is a hint only and may be larger or smaller than the number of fonts actually returned. A zero value does not guarantee that no more fonts will be returned. After the font replies, a reply with a zero-length name is sent to indicate the end of the reply sequence.

**SetFontPath**

*path*: LISTofSTRING8

Errors: **Value**

This request defines the search path for font lookup. There is only one search path per server, not one per client. The interpretation of the strings is operating-system-dependent, but the strings are intended to specify directories to be searched in the order listed.

Setting the path to the empty list restores the default path defined for the server.

As a side effect of executing this request, the server is guaranteed to flush all cached information about fonts for which there currently are no explicit resource IDs allocated.

The meaning of an error from this request is system specific.

**GetFontPath**

→

path: LISTofSTRING8

This request returns the current search path for fonts.

**CreatePixmap**

*pid*: PIXMAP  
*drawable*: DRAWABLE  
*depth*: CARD8  
*width, height*: CARD16

Errors: **Alloc, Drawable, IDChoice, Value**

This request creates a pixmap and assigns the identifier pid to it. The width and height must be nonzero (or a **Value** error results). The depth must be one of the depths supported by the root of the specified drawable (or a **Value** error results). The initial contents of the pixmap are undefined.

It is legal to pass an **InputOnly** window as a drawable to this request.

### FreePixmap

*pixmap*: PIXMAP

Errors: **Pixmap**

This request deletes the association between the resource ID and the pixmap. The pixmap storage will be freed when no other resource references it.

### CreateGC

*cid*: GCONTEXT

*drawable*: DRAWABLE

*value-mask*: BITMASK

*value-list*: LISTofVALUE

Errors: **Alloc, Drawable, Font, IDChoice, Match, Pixmap, Value**

This request creates a graphics context and assigns the identifier cid to it. The gcontext can be used with any destination drawable having the same root and depth as the specified drawable; use with other drawables results in a **Match** error.

The value-mask and value-list specify which components are to be explicitly initialized. The context components are:

Component	Type
function	{ <b>Clear, And, AndReverse, Copy, AndInverted, NoOp, Xor, Or, Nor, Equiv, Invert, OrReverse, CopyInverted, OrInverted, Nand, Set</b> }
plane-mask	CARD32
foreground	CARD32
background	CARD32
line-width	CARD16
line-style	{ <b>Solid, OnOffDash, DoubleDash</b> }
cap-style	{ <b>NotLast, Butt, Round, Projecting</b> }
join-style	{ <b>Miter, Round, Bevel</b> }
fill-style	{ <b>Solid, Tiled, OpaqueStippled, Stippled</b> }
fill-rule	{ <b>EvenOdd, Winding</b> }
arc-mode	{ <b>Chord, PieSlice</b> }
tile	PIXMAP
stipple	PIXMAP
tile-stipple-x-origin	INT16
tile-stipple-y-origin	INT16
font	FONT
subwindow-mode	{ <b>ClipByChildren, IncludeInferiors</b> }
graphics-exposures	BOOL

Component	Type
clip-x-origin	INT16
clip-y-origin	INT16
clip-mask	PIXMAP or <b>None</b>
dash-offset	CARD16
dashes	CARD8

In graphics operations, given a source and destination pixel, the result is computed bitwise on corresponding bits of the pixels; that is, a Boolean operation is performed in each bit plane. The plane-mask restricts the operation to a subset of planes, so the result is:

$$((\text{src FUNC dst}) \text{ AND plane-mask}) \text{ OR } (\text{dst AND (NOT plane-mask)})$$

Range checking is not performed on the values for foreground, background, or plane-mask. They are simply truncated to the appropriate number of bits.

The meanings of the functions are:

Function	Operation
<b>Clear</b>	0
<b>And</b>	src AND dst
<b>AndReverse</b>	src AND (NOT dst)
<b>Copy</b>	src
<b>AndInverted</b>	(NOT src) AND dst
<b>NoOp</b>	dst
<b>Xor</b>	src XOR dst
<b>Or</b>	src OR dst
<b>Nor</b>	(NOT src) AND (NOT dst)
<b>Equiv</b>	(NOT src) XOR dst
<b>Invert</b>	NOT dst
<b>OrReverse</b>	src OR (NOT dst)
<b>CopyInverted</b>	NOT src
<b>OrInverted</b>	(NOT src) OR dst
<b>Nand</b>	(NOT src) OR (NOT dst)
<b>Set</b>	1

The line-width is measured in pixels and can be greater than or equal to one, a wide line, or the special value zero, a thin line.

Wide lines are drawn centered on the path described by the graphics request. Unless otherwise specified by the join or cap style, the bounding box of a wide line with endpoints  $[x1, y1]$ ,  $[x2, y2]$  and width  $w$  is a rectangle with vertices at the following real coordinates:

$$[x1 - (w * \text{sn} / 2), y1 + (w * \text{cs} / 2)], [x1 + (w * \text{sn} / 2), y1 - (w * \text{cs} / 2)], \\ [x2 - (w * \text{sn} / 2), y2 + (w * \text{cs} / 2)], [x2 + (w * \text{sn} / 2), y2 - (w * \text{cs} / 2)]$$

The  $\text{sn}$  is the sine of the angle of the line and  $\text{cs}$  is the cosine of the angle of the line. A pixel is part of the line (and hence drawn) if the center of the pixel is fully inside the bounding box, which is viewed as having infinitely thin edges. If the center of the pixel is exactly on the bounding box, it is part of the line if and only if the interior is immediately to its right (x increasing direction). Pixels with centers on a horizontal edge are a special case and are part of the line if and only if the interior or the boundary is immediately below (y increasing direction) and if the interior or the boundary is immediately to the right (x increasing direction). Note that this description is a mathematical model describing the pixels that are drawn for a wide line and does not imply that

trigonometry is required to implement such a model. Real or fixed point arithmetic is recommended for computing the corners of the line endpoints for lines greater than one pixel in width.

Thin lines (zero line-width) are nominally one pixel wide lines drawn using an unspecified, device-dependent algorithm. There are only two constraints on this algorithm. First, if a line is drawn unclipped from  $[x_1, y_1]$  to  $[x_2, y_2]$  and another line is drawn unclipped from  $[x_1+dx, y_1+dy]$  to  $[x_2+dx, y_2+dy]$ , then a point  $[x, y]$  is touched by drawing the first line if and only if the point  $[x+dx, y+dy]$  is touched by drawing the second line. Second, the effective set of points comprising a line cannot be affected by clipping. Thus, a point is touched in a clipped line if and only if the point lies inside the clipping region and the point would be touched by the line when drawn unclipped.

Note that a wide line drawn from  $[x_1, y_1]$  to  $[x_2, y_2]$  always draws the same pixels as a wide line drawn from  $[x_2, y_2]$  to  $[x_1, y_1]$ , not counting cap-style and join-style. Implementors are encouraged to make this property true for thin lines, but it is not required. A line-width of zero may differ from a line-width of one in which pixels are drawn. In general, drawing a thin line will be faster than drawing a wide line of width one, but thin lines may not mix well aesthetically with wide lines because of the different drawing algorithms. If it is desirable to obtain precise and uniform results across all displays, a client should always use a line-width of one, rather than a line-width of zero.

The line-style defines which sections of a line are drawn:

<b>Solid</b>	The full path of the line is drawn.
<b>DoubleDash</b>	The full path of the line is drawn, but the even dashes are filled differently than the odd dashes (see fill-style), with <b>Butt</b> cap-style used where even and odd dashes meet.
<b>OnOffDash</b>	Only the even dashes are drawn, and cap-style applies to all internal ends of the individual dashes (except <b>NotLast</b> is treated as <b>Butt</b> ).

The cap-style defines how the endpoints of a path are drawn:

<b>NotLast</b>	The result is equivalent to <b>Butt</b> , except that for a line-width of zero the final endpoint is not drawn.
<b>Butt</b>	The result is square at the endpoint (perpendicular to the slope of the line) with no projection beyond.
<b>Round</b>	The result is a circular arc with its diameter equal to the line-width, centered on the endpoint; it is equivalent to <b>Butt</b> for line-width zero.
<b>Projecting</b>	The result is square at the end, but the path continues beyond the endpoint for a distance equal to half the line-width; it is equivalent to <b>Butt</b> for line-width zero.

The join-style defines how corners are drawn for wide lines:

<b>Miter</b>	The outer edges of the two lines extend to meet at an angle. However, if the angle is less than 11 degrees, a <b>Bevel</b> join-style is used instead.
<b>Round</b>	The result is a circular arc with a diameter equal to the line-width, centered on the joinpoint.
<b>Bevel</b>	The result is <b>Butt</b> endpoint styles, and then the triangular notch is filled.

For a line with coincident endpoints ( $x_1=x_2, y_1=y_2$ ), when the cap-style is applied to both endpoints, the semantics depends on the line-width and the cap-style:

<b>NotLast</b>	thin	This is device-dependent, but the desired effect is that nothing is drawn.
----------------	------	--

<b>Butt</b>	thin	This is device-dependent, but the desired effect is that a single pixel is drawn.
<b>Round</b>	thin	This is the same as <b>Butt</b> /thin.
<b>Projecting</b>	thin	This is the same as <b>Butt</b> /thin.
<b>Butt</b>	wide	Nothing is drawn.
<b>Round</b>	wide	The closed path is a circle, centered at the endpoint and with a diameter equal to the line-width.
<b>Projecting</b>	wide	The closed path is a square, aligned with the coordinate axes, centered at the endpoint and with sides equal to the line-width.

For a line with coincident endpoints ( $x_1=x_2$ ,  $y_1=y_2$ ), when the join-style is applied at one or both endpoints, the effect is as if the line was removed from the overall path. However, if the total path consists of (or is reduced to) a single point joined with itself, the effect is the same as when the cap-style is applied at both endpoints.

The tile/stipple represents an infinite two-dimensional plane with the tile/stipple replicated in all dimensions. When that plane is superimposed on the drawable for use in a graphics operation, the upper-left corner of some instance of the tile/stipple is at the coordinates within the drawable specified by the tile/stipple origin. The tile/stipple and clip origins are interpreted relative to the origin of whatever destination drawable is specified in a graphics request.

The tile pixmap must have the same root and depth as the `gcontext` (or a **Match** error results). The stipple pixmap must have depth one and must have the same root as the `gcontext` (or a **Match** error results). For fill-style **Stippled** (but not fill-style **OpaqueStippled**), the stipple pattern is tiled in a single plane and acts as an additional clip mask to be ANDed with the clip-mask. Any size pixmap can be used for tiling or stippling, although some sizes may be faster to use than others.

The fill-style defines the contents of the source for line, text, and fill requests. For all text and fill requests (for example, **PolyText8**, **PolyText16**, **PolyFillRectangle**, **FillPoly**, and **PolyFillArc**) as well as for line requests with line-style **Solid**, (for example, **PolyLine**, **PolySegment**, **PolyRectangle**, **PolyArc**) and for the even dashes for line requests with line-style **OnOffDash** or **DoubleDash**:

<b>Solid</b>	Foreground
<b>Tiled</b>	Tile
<b>OpaqueStippled</b>	A tile with the same width and height as stipple but with background everywhere stipple has a zero and with foreground everywhere stipple has a one
<b>Stippled</b>	Foreground masked by stipple

For the odd dashes for line requests with line-style **DoubleDash**:

<b>Solid</b>	Background
<b>Tiled</b>	Same as for even dashes
<b>OpaqueStippled</b>	Same as for even dashes
<b>Stippled</b>	Background masked by stipple

The dashes value allowed here is actually a simplified form of the more general patterns that can be set with **SetDashes**. Specifying a value of N here is equivalent to specifying the two element list [N, N] in **SetDashes**. The value must be nonzero (or a **Value** error results). The meaning of dash-offset and dashes are explained in the **SetDashes** request.

The clip-mask restricts writes to the destination drawable. Only pixels where the clip-mask has bits set to 1 are drawn. Pixels are not drawn outside the area covered by the clip-mask or where the clip-mask has bits set to 0. The clip-mask affects all graphics requests, but it does not clip sources. The clip-mask origin is interpreted relative to the origin of whatever destination drawable is specified in a graphics request. If a pixmap is specified as the clip-mask, it must have depth 1 and have the same root as the gcontext (or a **Match** error results). If clip-mask is **None**, then pixels are always drawn, regardless of the clip origin. The clip-mask can also be set with the **SetClipRectangles** request.

For **ClipByChildren**, both source and destination windows are additionally clipped by all viewable **InputOutput** children. For **IncludeInferiors**, neither source nor destination window is clipped by inferiors. This will result in including subwindow contents in the source and drawing through subwindow boundaries of the destination. The use of **IncludeInferiors** with a source or destination window of one depth with mapped inferiors of differing depth is not illegal, but the semantics is undefined by the core protocol.

The fill-rule defines what pixels are inside (that is, are drawn) for paths given in **FillPoly** requests. **EvenOdd** means a point is inside if an infinite ray with the point as origin crosses the path an odd number of times. For **Winding**, a point is inside if an infinite ray with the point as origin crosses an unequal number of clockwise and counterclockwise directed path segments. A clockwise directed path segment is one that crosses the ray from left to right as observed from the point. A counter-clockwise segment is one that crosses the ray from right to left as observed from the point. The case where a directed line segment is coincident with the ray is uninteresting because one can simply choose a different ray that is not coincident with a segment.

For both fill rules, a point is infinitely small and the path is an infinitely thin line. A pixel is inside if the center point of the pixel is inside and the center point is not on the boundary. If the center point is on the boundary, the pixel is inside if and only if the polygon interior is immediately to its right (x increasing direction). Pixels with centers along a horizontal edge are a special case and are inside if and only if the polygon interior is immediately below (y increasing direction).

The arc-mode controls filling in the **PolyFillArc** request.

The graphics-exposures flag controls **GraphicsExposure** event generation for **CopyArea** and **CopyPlane** requests (and any similar requests defined by extensions).

The default component values are:

Component	Default
function	<b>Copy</b>
plane-mask	all ones
foreground	0
background	1
line-width	0
line-style	<b>Solid</b>
cap-style	<b>Butt</b>
join-style	<b>Miter</b>
fill-style	<b>Solid</b>
fill-rule	<b>EvenOdd</b>
arc-mode	<b>PieSlice</b>
tile	Pixmap of unspecified size filled with foreground pixel (that is, client specified pixel if any, else 0) (subsequent changes to foreground do not affect this pixmap)
stipple	Pixmap of unspecified size filled with ones
tile-stipple-x-origin	0
tile-stipple-y-origin	0

Component	Default
font	<server-dependent-font>
subwindow-mode	<b>ClipByChildren</b>
graphics-exposures	<b>True</b>
clip-x-origin	0
clip-y-origin	0
clip-mask	<b>None</b>
dash-offset	0
dashes	4 (that is, the list [4, 4])

Storing a pixmap in a gcontext might or might not result in a copy being made. If the pixmap is later used as the destination for a graphics request, the change might or might not be reflected in the gcontext. If the pixmap is used simultaneously in a graphics request as both a destination and as a tile or stipple, the results are not defined.

It is quite likely that some amount of gcontext information will be cached in display hardware and that such hardware can only cache a small number of gcontexts. Given the number and complexity of components, clients should view switching between gcontexts with nearly identical state as significantly more expensive than making minor changes to a single gcontext.

### ChangeGC

*gc*: GCONTEXT  
*value-mask*: BITMASK  
*value-list*: LISTofVALUE

Errors: **Alloc, Font, GContext, Match, Pixmap, Value**

This request changes components in *gc*. The *value-mask* and *value-list* specify which components are to be changed. The values and restrictions are the same as for **CreateGC**.

Changing the clip-mask also overrides any previous **SetClipRectangles** request on the context. Changing dash-offset or dashes overrides any previous **SetDashes** request on the context.

The order in which components are verified and altered is server-dependent. If an error is generated, a subset of the components may have been altered.

### CopyGC

*src-gc, dst-gc*: GCONTEXT  
*value-mask*: BITMASK

Errors: **Alloc, GContext, Match, Value**

This request copies components from *src-gc* to *dst-gc*. The *value-mask* specifies which components to copy, as for **CreateGC**. The two gcontexts must have the same root and the same depth (or a **Match** error results).

**SetDashes**

*gc*: GCONTEXT  
*dash-offset*: CARD16  
*dashes*: LISTofCARD8

Errors: **Alloc**, **GContext**, **Value**

This request sets dash-offset and dashes in *gc* for dashed line styles. Dashes cannot be empty (or a **Value** error results). Specifying an odd-length list is equivalent to specifying the same list concatenated with itself to produce an even-length list. The initial and alternating elements of dashes are the even dashes; the others are the odd dashes. Each element specifies a dash length in pixels. All of the elements must be nonzero (or a **Value** error results). The dash-offset defines the phase of the pattern, specifying how many pixels into dashes the pattern should actually begin in any single graphics request. Dashing is continuous through path elements combined with a join-style but is reset to the dash-offset between each sequence of joined lines.

The unit of measure for dashes is the same as in the ordinary coordinate system. Ideally, a dash length is measured along the slope of the line, but implementations are only required to match this ideal for horizontal and vertical lines. Failing the ideal semantics, it is suggested that the length be measured along the major axis of the line. The major axis is defined as the x axis for lines drawn at an angle of between  $-45$  and  $+45$  degrees or between  $135$  and  $225$  degrees from the x axis. For all other lines, the major axis is the y axis.

For any graphics primitive, the computation of the endpoint of an individual dash only depends on the geometry of the primitive, the start position of the dash, the direction of the dash, and the dash length.

For any graphics primitive, the total set of pixels used to render the primitive (both even and odd numbered dash elements) with **DoubleDash** line-style is the same as the set of pixels used to render the primitive with **Solid** line-style.

For any graphics primitive, if the primitive is drawn with **OnOffDash** or **DoubleDash** line-style unclipped at position  $[x,y]$  and again at position  $[x+dx,y+dy]$ , then a point  $[x_1,y_1]$  is included in a dash in the first instance if and only if the point  $[x_1+dx,y_1+dy]$  is included in the dash in the second instance. In addition, the effective set of points comprising a dash cannot be affected by clipping. A point is included in a clipped dash if and only if the point lies inside the clipping region and the point would be included in the dash when drawn unclipped.

**SetClipRectangles**

*gc*: GCONTEXT  
*clip-x-origin*, *clip-y-origin*: INT16  
*rectangles*: LISTofRECTANGLE  
*ordering*: { **UnSorted**, **YSorted**, **YXSorted**, **YXBanded** }

Errors: **Alloc**, **GContext**, **Match**, **Value**

This request changes clip-mask in *gc* to the specified list of rectangles and sets the clip origin. Output will be clipped to remain contained within the rectangles. The clip origin is interpreted relative to the origin of whatever destination drawable is specified in a graphics request. The rectangle coordinates are interpreted relative to the clip origin. The rectangles should be nonintersecting, or graphics results will be undefined. Note that the list of rectangles can be empty, which effectively disables output. This is the opposite of passing **None** as the clip-mask in **CreateGC** and **ChangeGC**.

If known by the client, ordering relations on the rectangles can be specified with the ordering argument. This may provide faster operation by the server. If an incorrect ordering is specified,

the server may generate a **Match** error, but it is not required to do so. If no error is generated, the graphics results are undefined. **UnSorted** means that the rectangles are in arbitrary order.

**YSorted** means that the rectangles are nondecreasing in their Y origin. **YXSorted** additionally constrains **YSorted** order in that all rectangles with an equal Y origin are nondecreasing in their X origin. **YXBanded** additionally constrains **YXSorted** by requiring that, for every possible Y scanline, all rectangles that include that scanline have identical Y origins and Y extents.

### FreeGC

*gc*: GCONTEXT

Errors: **GContext**

This request deletes the association between the resource ID and the gcontext and destroys the gcontext.

### ClearArea

*window*: WINDOW

*x, y*: INT16

*width, height*: CARD16

*exposures*: BOOL

Errors: **Match, Value, Window**

The x and y coordinates are relative to the window's origin and specify the upper-left corner of the rectangle. If width is zero, it is replaced with the current width of the window minus x. If height is zero, it is replaced with the current height of the window minus y. If the window has a defined background tile, the rectangle is tiled with a plane-mask of all ones and function of **Copy** and a subwindow-mode of **ClipByChildren**. If the window has background **None**, the contents of the window are not changed. In either case, if exposures is **True**, then one or more exposure events are generated for regions of the rectangle that are either visible or are being retained in a backing store.

It is a **Match** error to use an **InputOnly** window in this request.

### CopyArea

*src-drawable, dst-drawable*: DRAWABLE

*gc*: GCONTEXT

*src-x, src-y*: INT16

*width, height*: CARD16

*dst-x, dst-y*: INT16

Errors: **Drawable, GContext, Match**

This request combines the specified rectangle of src-drawable with the specified rectangle of dst-drawable. The src-x and src-y coordinates are relative to src-drawable's origin. The dst-x and dst-y are relative to dst-drawable's origin, each pair specifying the upper-left corner of the rectangle. The src-drawable must have the same root and the same depth as dst-drawable (or a **Match** error results).

If regions of the source rectangle are obscured and have not been retained in backing store or if regions outside the boundaries of the source drawable are specified, then those regions are not copied, but the following occurs on all corresponding destination regions that are either visible or

are retained in backing-store. If the *dst-drawable* is a window with a background other than **None**, these corresponding destination regions are tiled (with plane-mask of all ones and function **Copy**) with that background. Regardless of tiling and whether the destination is a window or a pixmap, if *graphics-exposures* in *gc* is **True**, then **GraphicsExposure** events for all corresponding destination regions are generated.

If *graphics-exposures* is **True** but no **GraphicsExposure** events are generated, then a **NoExposure** event is generated.

GC components: function, plane-mask, subwindow-mode, *graphics-exposures*, clip-x-origin, clip-y-origin, clip-mask

### CopyPlane

*src-drawable, dst-drawable*: DRAWABLE  
*gc*: GCONTEXT  
*src-x, src-y*: INT16  
*width, height*: CARD16  
*dst-x, dst-y*: INT16  
*bit-plane*: CARD32

Errors: **Drawable, GContext, Match, Value**

The *src-drawable* must have the same root as *dst-drawable* (or a **Match** error results), but it need not have the same depth. The *bit-plane* must have exactly one bit set to 1 and the value of *bit-plane* must be less than  $2^n$  where  $n$  is the depth of *src-drawable* (or a **Value** error results). Effectively, a pixmap of the same depth as *dst-drawable* and with size specified by the source region is formed using the foreground/background pixels in *gc* (foreground everywhere the *bit-plane* in *src-drawable* contains a bit set to 1, background everywhere the *bit-plane* contains a bit set to 0), and the equivalent of a **CopyArea** is performed, with all the same exposure semantics. This can also be thought of as using the specified region of the source *bit-plane* as a stipple with a fill-style of **OpaqueStippled** for filling a rectangular area of the destination.

GC components: function, plane-mask, foreground, background, subwindow-mode, *graphics-exposures*, clip-x-origin, clip-y-origin, clip-mask

### PolyPoint

*drawable*: DRAWABLE  
*gc*: GCONTEXT  
*coordinate-mode*: { **Origin, Previous** }  
*points*: LISTofPOINT

Errors: **Drawable, GContext, Match, Value**

This request combines the foreground pixel in *gc* with the pixel at each point in the *drawable*. The points are drawn in the order listed.

The first point is always relative to the *drawable*'s origin. The rest are relative either to that origin or the previous point, depending on the *coordinate-mode*.

GC components: function, plane-mask, foreground, subwindow-mode, clip-x-origin, clip-y-origin, clip-mask

**PolyLine**

*drawable*: DRAWABLE  
*gc*: GCONTEXT  
*coordinate-mode*: { **Origin**, **Previous** }  
*points*: LISTofPOINT

Errors: **Drawable**, **GContext**, **Match**, **Value**

This request draws lines between each pair of points (point[i], point[i+1]). The lines are drawn in the order listed. The lines join correctly at all intermediate points, and if the first and last points coincide, the first and last lines also join correctly.

For any given line, no pixel is drawn more than once. If thin (zero line-width) lines intersect, the intersecting pixels are drawn multiple times. If wide lines intersect, the intersecting pixels are drawn only once, as though the entire **PolyLine** were a single filled shape.

The first point is always relative to the drawable's origin. The rest are relative either to that origin or the previous point, depending on the coordinate-mode.

When either of the two lines involved in a **Bevel** join is neither vertical nor horizontal, then the slope and position of the line segment defining the bevel join edge is implementation dependent. However, the computation of the slope and distance (relative to the join point) only depends on the line width and the slopes of the two lines.

GC components: function, plane-mask, line-width, line-style, cap-style, join-style, fill-style, subwindow-mode, clip-x-origin, clip-y-origin, clip-mask

GC mode-dependent components: foreground, background, tile, stipple, tile-stipple-x-origin, tile-stipple-y-origin, dash-offset, dashes

**PolySegment**

*drawable*: DRAWABLE  
*gc*: GCONTEXT  
*segments*: LISTofSEGMENT

where:

SEGMENT: [x1, y1, x2, y2: INT16]

Errors: **Drawable**, **GContext**, **Match**

For each segment, this request draws a line between [x1, y1] and [x2, y2]. The lines are drawn in the order listed. No joining is performed at coincident endpoints. For any given line, no pixel is drawn more than once. If lines intersect, the intersecting pixels are drawn multiple times.

GC components: function, plane-mask, line-width, line-style, cap-style, fill-style, subwindow-mode, clip-x-origin, clip-y-origin, clip-mask

GC mode-dependent components: foreground, background, tile, stipple, tile-stipple-x-origin, tile-stipple-y-origin, dash-offset, dashes

**PolyRectangle**

*drawable*: DRAWABLE  
*gc*: GCONTEXT  
*rectangles*: LISTofRECTANGLE

Errors: **Drawable**, **GContext**, **Match**

This request draws the outlines of the specified rectangles, as if a five-point **PolyLine** were specified for each rectangle:

$[x,y] [x+width,y] [x+width,y+height] [x,y+height] [x,y]$

The x and y coordinates of each rectangle are relative to the drawable's origin and define the upper-left corner of the rectangle.

The rectangles are drawn in the order listed. For any given rectangle, no pixel is drawn more than once. If rectangles intersect, the intersecting pixels are drawn multiple times.

GC components: function, plane-mask, line-width, line-style, cap-style, join-style, fill-style, sub-window-mode, clip-x-origin, clip-y-origin, clip-mask

GC mode-dependent components: foreground, background, tile, stipple, tile-stipple-x-origin, tile-stipple-y-origin, dash-offset, dashes

**PolyArc**

*drawable*: DRAWABLE  
*gc*: GCONTEXT  
*arcs*: LISTofARC

Errors: **Drawable**, **GContext**, **Match**

This request draws circular or elliptical arcs. Each arc is specified by a rectangle and two angles. The angles are signed integers in degrees scaled by 64, with positive indicating counterclockwise motion and negative indicating clockwise motion. The start of the arc is specified by angle1 relative to the three-o'clock position from the center of the rectangle, and the path and extent of the arc is specified by angle2 relative to the start of the arc. If the magnitude of angle2 is greater than 360 degrees, it is truncated to 360 degrees. The x and y coordinates of the rectangle are relative to the origin of the drawable. For an arc specified as  $[x,y,w,h,a1,a2]$ , the origin of the major and minor axes is at  $[x+(w/2),y+(h/2)]$ , and the infinitely thin path describing the entire circle/ellipse intersects the horizontal axis at  $[x,y+(h/2)]$  and  $[x+w,y+(h/2)]$  and intersects the vertical axis at  $[x+(w/2),y]$  and  $[x+(w/2),y+h]$ . These coordinates are not necessarily integral; that is, they are not truncated to discrete coordinates.

For a wide line with line-width  $lw$ , the ideal bounding outlines for filling are given by the two infinitely thin paths consisting of all points whose perpendicular distance from a tangent to the path of the circle/ellipse is equal to  $lw/2$  (which may be a fractional value). When the width and height of the arc are not equal and both are nonzero, then the actual bounding outlines are implementation dependent. However, the computation of the shape and position of the bounding outlines (relative to the center of the arc) only depends on the width and height of the arc and the line-width.

The cap-style is applied the same as for a line corresponding to the tangent of the circle/ellipse at the endpoint. When the angle of an arc face is not an integral multiple of 90 degrees, and the width and height of the arc are both nonzero, then the shape and position of the cap at that face is implementation dependent. However, for a **Butt** cap, the face is defined by a straight line, and the computation of the position (relative to the center of the arc) and the slope of the line only

depends on the width and height of the arc and the angle of the arc face. For other cap styles, the computation of the position (relative to the center of the arc) and the shape of the cap only depends on the width and height of the arc, the line-width, the angle of the arc face, and the direction (clockwise or counter clockwise) of the arc from the endpoint.

The join-style is applied the same as for two lines corresponding to the tangents of the circles/ellipses at the join point. When the width and height of both arcs are nonzero, and the angle of either arc face is not an integral multiple of 90 degrees, then the shape of the join is implementation dependent. However, the computation of the shape only depends on the width and height of each arc, the line-width, the angles of the two arc faces, the direction (clockwise or counter clockwise) of the arcs from the join point, and the relative orientation of the two arc center points.

For an arc specified as [x,y,w,h,a1,a2], the angles must be specified in the effectively skewed coordinate system of the ellipse (for a circle, the angles and coordinate systems are identical). The relationship between these angles and angles expressed in the normal coordinate system of the screen (as measured with a protractor) is as follows:

$$\text{skewed-angle} = \text{atan}(\tan(\text{normal-angle}) * w/h) + \text{adjust}$$

The skewed-angle and normal-angle are expressed in radians (rather than in degrees scaled by 64) in the range [0,2\*PI]. The atan returns a value in the range [-PI/2,PI/2]. The adjust is:

0	for normal-angle in the range [0,PI/2)
PI	for normal-angle in the range [PI/2,(3*PI)/2)
2*PI	for normal-angle in the range [(3*PI)/2,2*PI)

The arcs are drawn in the order listed. If the last point in one arc coincides with the first point in the following arc, the two arcs will join correctly. If the first point in the first arc coincides with the last point in the last arc, the two arcs will join correctly. For any given arc, no pixel is drawn more than once. If two arcs join correctly and the line-width is greater than zero and the arcs intersect, no pixel is drawn more than once. Otherwise, the intersecting pixels of intersecting arcs are drawn multiple times. Specifying an arc with one endpoint and a clockwise extent draws the same pixels as specifying the other endpoint and an equivalent counterclockwise extent, except as it affects joins.

By specifying one axis to be zero, a horizontal or vertical line can be drawn.

Angles are computed based solely on the coordinate system, ignoring the aspect ratio.

GC components: function, plane-mask, line-width, line-style, cap-style, join-style, fill-style, sub-window-mode, clip-x-origin, clip-y-origin, clip-mask

GC mode-dependent components: foreground, background, tile, stipple, tile-stipple-x-origin, tile-stipple-y-origin, dash-offset, dashes

## FillPoly

*drawable*: DRAWABLE  
*gc*: GCONTEXT  
*shape*: { **Complex**, **Nonconvex**, **Convex** }  
*coordinate-mode*: { **Origin**, **Previous** }  
*points*: LISTofPOINT

Errors: **Drawable**, **GContext**, **Match**, **Value**

This request fills the region closed by the specified path. The path is closed automatically if the last point in the list does not coincide with the first point. No pixel of the region is drawn more than once.

The first point is always relative to the drawable's origin. The rest are relative either to that origin or the previous point, depending on the coordinate-mode.

The shape parameter may be used by the server to improve performance. **Complex** means the path may self-intersect. Contiguous coincident points in the path are not treated as self-intersection.

**Nonconvex** means the path does not self-intersect, but the shape is not wholly convex. If known by the client, specifying **Nonconvex** over **Complex** may improve performance. If **Nonconvex** is specified for a self-intersecting path, the graphics results are undefined.

**Convex** means that for every pair of points inside the polygon, the line segment connecting them does not intersect the path. If known by the client, specifying **Convex** can improve performance. If **Convex** is specified for a path that is not convex, the graphics results are undefined.

GC components: function, plane-mask, fill-style, fill-rule, subwindow-mode, clip-x-origin, clip-y-origin, clip-mask

GC mode-dependent components: foreground, background, tile, stipple, tile-stipple-x-origin, tile-stipple-y-origin

### PolyFillRectangle

*drawable*: DRAWABLE  
*gc*: GCONTEXT  
*rectangles*: LISTofRECTANGLE

Errors: **Drawable**, **GContext**, **Match**

This request fills the specified rectangles, as if a four-point **FillPoly** were specified for each rectangle:

[x,y] [x+width,y] [x+width,y+height] [x,y+height]

The x and y coordinates of each rectangle are relative to the drawable's origin and define the upper-left corner of the rectangle.

The rectangles are drawn in the order listed. For any given rectangle, no pixel is drawn more than once. If rectangles intersect, the intersecting pixels are drawn multiple times.

GC components: function, plane-mask, fill-style, subwindow-mode, clip-x-origin, clip-y-origin, clip-mask

GC mode-dependent components: foreground, background, tile, stipple, tile-stipple-x-origin, tile-stipple-y-origin

### PolyFillArc

*drawable*: DRAWABLE  
*gc*: GCONTEXT  
*arcs*: LISTofARC

Errors: **Drawable**, **GContext**, **Match**

For each arc, this request fills the region closed by the infinitely thin path described by the specified arc and one or two line segments, depending on the arc-mode. For **Chord**, the single line segment joining the endpoints of the arc is used. For **PieSlice**, the two line segments joining the endpoints of the arc with the center point are used.

For an arc specified as [x,y,w,h,a1,a2], the origin of the major and minor axes is at [x+(w/2),y+(h/2)], and the infinitely thin path describing the entire circle/ellipse intersects the horizontal axis at [x,y+(h/2)] and [x+w,y+(h/2)] and intersects the vertical axis at [x+(w/2),y] and [x+(w/2),y+h]. These coordinates are not necessarily integral; that is, they are not truncated to

discrete coordinates.

The arc angles are interpreted as specified in the **PolyArc** request. When the angle of an arc face is not an integral multiple of 90 degrees, then the precise endpoint on the arc is implementation dependent. However, for **Chord** arc-mode, the computation of the pair of endpoints (relative to the center of the arc) only depends on the width and height of the arc and the angles of the two arc faces. For **PieSlice** arc-mode, the computation of an endpoint only depends on the angle of the arc face for that endpoint and the ratio of the arc width to arc height.

The arcs are filled in the order listed. For any given arc, no pixel is drawn more than once. If regions intersect, the intersecting pixels are drawn multiple times.

GC components: function, plane-mask, fill-style, arc-mode, subwindow-mode, clip-x-origin, clip-y-origin, clip-mask

GC mode-dependent components: foreground, background, tile, stipple, tile-stipple-x-origin, tile-stipple-y-origin

### PutImage

*drawable*: DRAWABLE  
*gc*: GCONTEXT  
*depth*: CARD8  
*width, height*: CARD16  
*dst-x, dst-y*: INT16  
*left-pad*: CARD8  
*format*: { **Bitmap**, **XYPixmap**, **ZPixmap** }  
*data*: LISTofBYTE

Errors: **Drawable**, **GContext**, **Match**, **Value**

This request combines an image with a rectangle of the drawable. The *dst-x* and *dst-y* coordinates are relative to the drawable's origin.

If **Bitmap** format is used, then *depth* must be one (or a **Match** error results), and the image must be in XY format. The foreground pixel in *gc* defines the source for bits set to 1 in the image, and the background pixel defines the source for the bits set to 0.

For **XYPixmap** and **ZPixmap**, the *depth* must match the depth of the drawable (or a **Match** error results). For **XYPixmap**, the image must be sent in XY format. For **ZPixmap**, the image must be sent in the Z format defined for the given depth.

The *left-pad* must be zero for **ZPixmap** format (or a **Match** error results). For **Bitmap** and **XYPixmap** format, *left-pad* must be less than *bitmap-scanline-pad* as given in the server connection setup information (or a **Match** error results). The first *left-pad* bits in every scanline are to be ignored by the server. The actual image begins that many bits into the data. The *width* argument defines the width of the actual image and does not include *left-pad*.

GC components: function, plane-mask, subwindow-mode, clip-x-origin, clip-y-origin, clip-mask

GC mode-dependent components: foreground, background

**GetImage**

*drawable*: DRAWABLE  
*x, y*: INT16  
*width, height*: CARD16  
*plane-mask*: CARD32  
*format*: { **XYPixmap**, **ZPixmap** }

→

depth: CARD8  
visual: VISUALID or **None**  
data: LISTofBYTE

Errors: **Drawable**, **Match**, **Value**

This request returns the contents of the given rectangle of the drawable in the given format. The x and y coordinates are relative to the drawable's origin and define the upper-left corner of the rectangle. If **XYPixmap** is specified, only the bit planes specified in plane-mask are transmitted, with the planes appearing from most significant to least significant in bit order. If **ZPixmap** is specified, then bits in all planes not specified in plane-mask are transmitted as zero. Range checking is not performed on plane-mask; extraneous bits are simply ignored. The returned depth is as specified when the drawable was created and is the same as a depth component in a FORMAT structure (in the connection setup), not a bits-per-pixel component. If the drawable is a window, its visual type is returned. If the drawable is a pixmap, the visual is **None**.

If the drawable is a pixmap, then the given rectangle must be wholly contained within the pixmap (or a **Match** error results). If the drawable is a window, the window must be viewable, and it must be the case that, if there were no inferiors or overlapping windows, the specified rectangle of the window would be fully visible on the screen and wholly contained within the outside edges of the window (or a **Match** error results). Note that the borders of the window can be included and read with this request. If the window has a backing store, then the backing-store contents are returned for regions of the window that are obscured by noninferior windows; otherwise, the returned contents of such obscured regions are undefined. Also undefined are the returned contents of visible regions of inferiors of different depth than the specified window. The pointer cursor image is not included in the contents returned.

This request is not general-purpose in the same sense as other graphics-related requests. It is intended specifically for rudimentary hardcopy support.

**PolyText8**

*drawable*: DRAWABLE  
*gc*: GCONTEXT  
*x, y*: INT16  
*items*: LISTofTEXTITEM8

where:

TEXTITEM8: TEXTELT8 or FONT  
TEXTELT8: [delta: INT8  
string: STRING8]

Errors: **Drawable**, **Font**, **GContext**, **Match**

The x and y coordinates are relative to the drawable's origin and specify the baseline starting position (the initial character origin). Each text item is processed in turn. A font item causes the font to be stored in gc and to be used for subsequent text. Switching among fonts does not affect

the next character origin. A text element delta specifies an additional change in the position along the x axis before the string is drawn; the delta is always added to the character origin. Each character image, as defined by the font in *gc*, is treated as an additional mask for a fill operation on the drawable.

All contained FONTS are always transmitted most significant byte first.

If a **Font** error is generated for an item, the previous items may have been drawn.

For fonts defined with 2-byte matrix indexing, each STRING8 byte is interpreted as a byte2 value of a CHAR2B with a byte1 value of zero.

GC components: function, plane-mask, fill-style, font, subwindow-mode, clip-x-origin, clip-y-origin, clip-mask

GC mode-dependent components: foreground, background, tile, stipple, tile-stipple-x-origin, tile-stipple-y-origin

### PolyText16

*drawable*: DRAWABLE

*gc*: GCONTEXT

*x, y*: INT16

*items*: LISTofTEXTITEM16

where:

TEXTITEM16: TEXTELT16 or FONT

TEXTELT16: [delta: INT8  
string: STRING16]

Errors: **Drawable**, **Font**, **GContext**, **Match**

This request is similar to **PolyText8**, except 2-byte (or 16-bit) characters are used. For fonts defined with linear indexing rather than 2-byte matrix indexing, the server will interpret each CHAR2B as a 16-bit number that has been transmitted most significant byte first (that is, byte1 of the CHAR2B is taken as the most significant byte).

### ImageText8

*drawable*: DRAWABLE

*gc*: GCONTEXT

*x, y*: INT16

*string*: STRING8

Errors: **Drawable**, **GContext**, **Match**

The x and y coordinates are relative to the drawable's origin and specify the baseline starting position (the initial character origin). The effect is first to fill a destination rectangle with the background pixel defined in *gc* and then to paint the text with the foreground pixel. The upper-left corner of the filled rectangle is at:

[x, y – font-ascent]

the width is:

overall-width

and the height is:

font-ascent + font-descent

The overall-width, font-ascent, and font-descent are as they would be returned by a **QueryTextExtents** call using *gc* and *string*.

The function and fill-style defined in *gc* are ignored for this request. The effective function is **Copy**, and the effective fill-style **Solid**.

For fonts defined with 2-byte matrix indexing, each STRING8 byte is interpreted as a byte2 value of a CHAR2B with a byte1 value of zero.

GC components: plane-mask, foreground, background, font, subwindow-mode, clip-x-origin, clip-y-origin, clip-mask

### ImageText16

*drawable*: DRAWABLE

*gc*: GCONTEXT

*x, y*: INT16

*string*: STRING16

Errors: **Drawable**, **GContext**, **Match**

This request is similar to **ImageText8**, except 2-byte (or 16-bit) characters are used. For fonts defined with linear indexing rather than 2-byte matrix indexing, the server will interpret each CHAR2B as a 16-bit number that has been transmitted most significant byte first (that is, byte1 of the CHAR2B is taken as the most significant byte).

### CreateColormap

*mid*: COLORMAP

*visual*: VISUALID

*window*: WINDOW

*alloc*: { **None**, **All** }

Errors: **Alloc**, **IDChoice**, **Match**, **Value**, **Window**

This request creates a colormap of the specified visual type for the screen on which the window resides and associates the identifier *mid* with it. The visual type must be one supported by the screen (or a **Match** error results). The initial values of the colormap entries are undefined for classes **GrayScale**, **PseudoColor**, and **DirectColor**. For **StaticGray**, **StaticColor**, and **TrueColor**, the entries will have defined values, but those values are specific to the visual and are not defined by the core protocol. For **StaticGray**, **StaticColor**, and **TrueColor**, *alloc* must be specified as **None** (or a **Match** error results). For the other classes, if *alloc* is **None**, the colormap initially has no allocated entries, and clients can allocate entries.

If *alloc* is **All**, then the entire colormap is allocated writable. The initial values of all allocated entries are undefined. For **GrayScale** and **PseudoColor**, the effect is as if an **AllocColorCells** request returned all pixel values from zero to  $N - 1$ , where  $N$  is the colormap-entries value in the specified visual. For **DirectColor**, the effect is as if an **AllocColorPlanes** request returned a pixel value of zero and red-mask, green-mask, and blue-mask values containing the same bits as the corresponding masks in the specified visual. However, in all cases, none of these entries can be freed with **FreeColors**.

**FreeColormap***cmap*: COLORMAPErrors: **Colormap**

This request deletes the association between the resource ID and the colormap and frees the colormap storage. If the colormap is an installed map for a screen, it is uninstalled (see **UninstallColormap** request). If the colormap is defined as the colormap for a window (by means of **CreateWindow** or **ChangeWindowAttributes**), the colormap for the window is changed to **None**, and a **ColormapNotify** event is generated. The protocol does not define the colors displayed for a window with a colormap of **None**.

This request has no effect on a default colormap for a screen.

**CopyColormapAndFree***mid, src-cmap*: COLORMAPErrors: **Alloc, Colormap, IDChoice**

This request creates a colormap of the same visual type and for the same screen as *src-cmap*, and it associates identifier *mid* with it. It also moves all of the client's existing allocations from *src-cmap* to the new colormap with their color values intact and their read-only or writable characteristics intact, and it frees those entries in *src-cmap*. Color values in other entries in the new colormap are undefined. If *src-cmap* was created by the client with alloc **All** (see **CreateColormap** request), then the new colormap is also created with alloc **All**, all color values for all entries are copied from *src-cmap*, and then all entries in *src-cmap* are freed. If *src-cmap* was not created by the client with alloc **All**, then the allocations to be moved are all those pixels and planes that have been allocated by the client using either **AllocColor**, **AllocNamedColor**, **AllocColorCells**, or **AllocColorPlanes** and that have not been freed since they were allocated.

**InstallColormap***cmap*: COLORMAPErrors: **Colormap**

This request makes this colormap an installed map for its screen. All windows associated with this colormap immediately display with true colors. As a side effect, additional colormaps might be implicitly installed or uninstalled by the server. Which other colormaps get installed or uninstalled is server-dependent except that the required list must remain installed.

If *cmap* is not already an installed map, a **ColormapNotify** event is generated on every window having *cmap* as an attribute. In addition, for every other colormap that is installed or uninstalled as a result of the request, a **ColormapNotify** event is generated on every window having that colormap as an attribute.

At any time, there is a subset of the installed maps that are viewed as an ordered list and are called the required list. The length of the required list is at most *M*, where *M* is the min-installed-maps specified for the screen in the connection setup. The required list is maintained as follows. When a colormap is an explicit argument to **InstallColormap**, it is added to the head of the list; the list is truncated at the tail, if necessary, to keep the length of the list to at most *M*. When a colormap is an explicit argument to **UninstallColormap** and it is in the required list, it is removed from the list. A colormap is not added to the required list when it is installed implicitly by the server, and the server cannot implicitly uninstall a colormap that is in the required list.

Initially the default colormap for a screen is installed (but is not in the required list).

### UninstallColormap

*cmap*: COLORMAP

Errors: **Colormap**

If *cmap* is on the required list for its screen (see **InstallColormap** request), it is removed from the list. As a side effect, *cmap* might be uninstalled, and additional colormaps might be implicitly installed or uninstalled. Which colormaps get installed or uninstalled is server-dependent except that the required list must remain installed.

If *cmap* becomes uninstalled, a **ColormapNotify** event is generated on every window having *cmap* as an attribute. In addition, for every other colormap that is installed or uninstalled as a result of the request, a **ColormapNotify** event is generated on every window having that colormap as an attribute.

### ListInstalledColormaps

*window*: WINDOW

→

*cmaps*: LISTofCOLORMAP

Errors: **Window**

This request returns a list of the currently installed colormaps for the screen of the specified window. The order of colormaps is not significant, and there is no explicit indication of the required list (see **InstallColormap** request).

### AllocColor

*cmap*: COLORMAP

*red, green, blue*: CARD16

→

*pixel*: CARD32

*red, green, blue*: CARD16

Errors: **Alloc, Colormap**

This request allocates a read-only colormap entry corresponding to the closest RGB values provided by the hardware. It also returns the pixel and the RGB values actually used. Multiple clients requesting the same effective RGB values can be assigned the same read-only entry, allowing entries to be shared.

**AllocNamedColor***cmap*: COLORMAP*name*: STRING8

→

pixel: CARD32

exact-red, exact-green, exact-blue: CARD16

visual-red, visual-green, visual-blue: CARD16

Errors: **Alloc**, **Colormap**, **Name**

This request looks up the named color with respect to the screen associated with the colormap. Then, it does an **AllocColor** on *cmap*. The name should use the ISO Latin-1 encoding, and uppercase and lowercase do not matter. The exact RGB values specify the true values for the color, and the visual values specify the values actually used in the colormap.

**AllocColorCells***cmap*: COLORMAP*colors, planes*: CARD16*contiguous*: BOOL

→

pixels, masks: LISTofCARD32

Errors: **Alloc**, **Colormap**, **Value**

The number of colors must be positive, and the number of planes must be nonnegative (or a **Value** error results). If C colors and P planes are requested, then C pixels and P masks are returned. No mask will have any bits in common with any other mask or with any of the pixels. By ORing together masks and pixels,  $C \cdot 2^P$  distinct pixels can be produced; all of these are allocated writable by the request. For **GrayScale** or **PseudoColor**, each mask will have exactly one bit set to 1; for **DirectColor**, each will have exactly three bits set to 1. If *contiguous* is **True** and if all masks are ORed together, a single contiguous set of bits will be formed for **GrayScale** or **PseudoColor**, and three contiguous sets of bits (one within each pixel subfield) for **DirectColor**. The RGB values of the allocated entries are undefined.

**AllocColorPlanes***cmap*: COLORMAP*colors, reds, greens, blues*: CARD16*contiguous*: BOOL

→

pixels: LISTofCARD32

red-mask, green-mask, blue-mask: CARD32

Errors: **Alloc**, **Colormap**, **Value**

The number of colors must be positive, and the reds, greens, and blues must be nonnegative (or a **Value** error results). If C colors, R reds, G greens, and B blues are requested, then C pixels are returned, and the masks have R, G, and B bits set, respectively. If *contiguous* is **True**, then each mask will have a contiguous set of bits. No mask will have any bits in common with any other mask or with any of the pixels. For **DirectColor**, each mask will lie within the corresponding

pixel subfield. By ORing together subsets of masks with pixels,  $C*2_{R+G+B}$  distinct pixels can be produced; all of these are allocated writable by the request. The initial RGB values of the allocated entries are undefined. In the colormap, there are only  $C*2_R$  independent red entries,  $C*2_G$  independent green entries, and  $C*2_B$  independent blue entries. This is true even for **Pseudo-Color**. When the colormap entry for a pixel value is changed using **StoreColors** or **StoreNamedColor**, the pixel is decomposed according to the masks and the corresponding independent entries are updated.

### FreeColors

*cmap*: COLORMAP  
*pixels*: LISTofCARD32  
*plane-mask*: CARD32

Errors: **Access**, **Colormap**, **Value**

The plane-mask should not have any bits in common with any of the pixels. The set of all pixels is produced by ORing together subsets of plane-mask with the pixels. The request frees all of these pixels that were allocated by the client (using **AllocColor**, **AllocNamedColor**, **AllocColorCells**, and **AllocColorPlanes**). Note that freeing an individual pixel obtained from **AllocColorPlanes** may not actually allow it to be reused until all of its related pixels are also freed. Similarly, a read-only entry is not actually freed until it has been freed by all clients, and if a client allocates the same read-only entry multiple times, it must free the entry that many times before the entry is actually freed.

All specified pixels that are allocated by the client in *cmap* are freed, even if one or more pixels produce an error. A **Value** error is generated if a specified pixel is not a valid index into *cmap*. An **Access** error is generated if a specified pixel is not allocated by the client (that is, is unallocated or is only allocated by another client) or if the colormap was created with all entries writable (using an alloc value of **All** in **CreateColormap**). If more than one pixel is in error, it is arbitrary as to which pixel is reported.

### StoreColors

*cmap*: COLORMAP  
*items*: LISTofCOLORITEM

where:

COLORITEM: [pixel: CARD32  
do-red, do-green, do-blue: BOOL  
red, green, blue: CARD16]

Errors: **Access**, **Colormap**, **Value**

This request changes the colormap entries of the specified pixels. The do-red, do-green, and do-blue fields indicate which components should actually be changed. If the colormap is an installed map for its screen, the changes are visible immediately.

All specified pixels that are allocated writable in *cmap* (by any client) are changed, even if one or more pixels produce an error. A **Value** error is generated if a specified pixel is not a valid index into *cmap*, and an **Access** error is generated if a specified pixel is unallocated or is allocated read-only. If more than one pixel is in error, it is arbitrary as to which pixel is reported.

**StoreNamedColor**

*cmap*: COLORMAP  
*pixel*: CARD32  
*name*: STRING8  
*do-red, do-green, do-blue*: BOOL

Errors: **Access, Colormap, Name, Value**

This request looks up the named color with respect to the screen associated with *cmap* and then does a **StoreColors** in *cmap*. The name should use the ISO Latin-1 encoding, and uppercase and lowercase do not matter. The **Access** and **Value** errors are the same as in **StoreColors**.

**QueryColors**

*cmap*: COLORMAP  
*pixels*: LISTofCARD32

→

*colors*: LISTofRGB

where:

RGB: [red, green, blue: CARD16]

Errors: **Colormap, Value**

This request returns the hardware-specific color values stored in *cmap* for the specified pixels. The values returned for an unallocated entry are undefined. A **Value** error is generated if a pixel is not a valid index into *cmap*. If more than one pixel is in error, it is arbitrary as to which pixel is reported.

**LookupColor**

*cmap*: COLORMAP  
*name*: STRING8

→

*exact-red, exact-green, exact-blue*: CARD16

*visual-red, visual-green, visual-blue*: CARD16

Errors: **Colormap, Name**

This request looks up the string name of a color with respect to the screen associated with *cmap* and returns both the exact color values and the closest values provided by the hardware with respect to the visual type of *cmap*. The name should use the ISO Latin-1 encoding, and uppercase and lowercase do not matter.

**CreateCursor**

*cid*: CURSOR  
*source*: PIXMAP  
*mask*: PIXMAP or **None**  
*fore-red, fore-green, fore-blue*: CARD16  
*back-red, back-green, back-blue*: CARD16  
*x, y*: CARD16

Errors: **Alloc, IDChoice, Match, Pixmap**

This request creates a cursor and associates identifier *cid* with it. The foreground and background RGB values must be specified, even if the server only has a **StaticGray** or **GrayScale** screen. The foreground is used for the bits set to 1 in the source, and the background is used for the bits set to 0. Both source and mask (if specified) must have depth one (or a **Match** error results), but they can have any root. The mask pixmap defines the shape of the cursor. That is, the bits set to 1 in the mask define which source pixels will be displayed, and where the mask has bits set to 0, the corresponding bits of the source pixmap are ignored. If no mask is given, all pixels of the source are displayed. The mask, if present, must be the same size as the source (or a **Match** error results). The *x* and *y* coordinates define the hotspot relative to the source's origin and must be a point within the source (or a **Match** error results).

The components of the cursor may be transformed arbitrarily to meet display limitations.

The pixmaps can be freed immediately if no further explicit references to them are to be made.

Subsequent drawing in the source or mask pixmap has an undefined effect on the cursor. The server might or might not make a copy of the pixmap.

**CreateGlyphCursor**

*cid*: CURSOR  
*source-font*: FONT  
*mask-font*: FONT or **None**  
*source-char, mask-char*: CARD16  
*fore-red, fore-green, fore-blue*: CARD16  
*back-red, back-green, back-blue*: CARD16

Errors: **Alloc, Font, IDChoice, Value**

This request is similar to **CreateCursor**, except the source and mask bitmaps are obtained from the specified font glyphs. The *source-char* must be a defined glyph in *source-font*, and if *mask-font* is given, *mask-char* must be a defined glyph in *mask-font* (or a **Value** error results). The mask font and character are optional. The origins of the source and mask (if it is defined) glyphs are positioned coincidentally and define the hotspot. The source and mask need not have the same bounding box metrics, and there is no restriction on the placement of the hotspot relative to the bounding boxes. If no mask is given, all pixels of the source are displayed. Note that *source-char* and *mask-char* are CARD16, not CHAR2B. For 2-byte matrix fonts, the 16-bit value should be formed with *byte1* in the most significant byte and *byte2* in the least significant byte.

The components of the cursor may be transformed arbitrarily to meet display limitations.

The fonts can be freed immediately if no further explicit references to them are to be made.

**FreeCursor***cursor*: CURSORErrors: **Cursor**

This request deletes the association between the resource ID and the cursor. The cursor storage will be freed when no other resource references it.

**RecolorCursor***cursor*: CURSOR*fore-red, fore-green, fore-blue*: CARD16*back-red, back-green, back-blue*: CARD16Errors: **Cursor**

This request changes the color of a cursor. If the cursor is being displayed on a screen, the change is visible immediately.

**QueryBestSize***class*: { **Cursor**, **Tile**, **Stipple** }*drawable*: DRAWABLE*width, height*: CARD16

→

width, height: CARD16

Errors: **Drawable**, **Match**, **Value**

This request returns the best size that is closest to the argument size. For **Cursor**, this is the largest size that can be fully displayed. For **Tile**, this is the size that can be tiled fastest. For **Stipple**, this is the size that can be stippled fastest.

For **Cursor**, the drawable indicates the desired screen. For **Tile** and **Stipple**, the drawable indicates the screen and also possibly the window class and depth. An **InputOnly** window cannot be used as the drawable for **Tile** or **Stipple** (or a **Match** error results).

**QueryExtension***name*: STRING8

→

present: BOOL

major-opcode: CARD8

first-event: CARD8

first-error: CARD8

This request determines if the named extension is present. If so, the major opcode for the extension is returned, if it has one. Otherwise, zero is returned. Any minor opcode and the request formats are specific to the extension. If the extension involves additional event types, the base event type code is returned. Otherwise, zero is returned. The format of the events is specific to the extension. If the extension involves additional error codes, the base error code is returned. Otherwise, zero is returned. The format of additional data in the errors is specific to the extension.

The extension name should use the ISO Latin-1 encoding, and uppercase and lowercase matter.

### ListExtensions

→

names: LISTofSTRING8

This request returns a list of all extensions supported by the server.

### SetModifierMapping

*keycodes-per-modifier*: CARD8

*keycodes*: LISTofKEYCODE

→

status: { **Success**, **Busy**, **Failed** }

Errors: **Alloc**, **Value**

This request specifies the keycodes (if any) of the keys to be used as modifiers. The number of keycodes in the list must be 8\*keycodes-per-modifier (or a **Length** error results). The keycodes are divided into eight sets, with each set containing keycodes-per-modifier elements. The sets are assigned to the modifiers **Shift**, **Lock**, **Control**, **Mod1**, **Mod2**, **Mod3**, **Mod4**, and **Mod5**, in order. Only nonzero keycode values are used within each set; zero values are ignored. All of the nonzero keycodes must be in the range specified by min-keycode and max-keycode in the connection setup (or a **Value** error results). The order of keycodes within a set does not matter. If no nonzero values are specified in a set, the use of the corresponding modifier is disabled, and the modifier bit will always be zero. Otherwise, the modifier bit will be one whenever at least one of the keys in the corresponding set is in the down position.

A server can impose restrictions on how modifiers can be changed (for example, if certain keys do not generate up transitions in hardware, if auto-repeat cannot be disabled on certain keys, or if multiple keys per modifier are not supported). The status reply is **Failed** if some such restriction is violated, and none of the modifiers is changed.

If the new nonzero keycodes specified for a modifier differ from those currently defined and any (current or new) keys for that modifier are logically in the down state, then the status reply is **Busy**, and none of the modifiers is changed.

This request generates a **MappingNotify** event on a **Success** status.

### GetModifierMapping

→

*keycodes-per-modifier*: CARD8

*keycodes*: LISTofKEYCODE

This request returns the keycodes of the keys being used as modifiers. The number of keycodes in the list is 8\*keycodes-per-modifier. The keycodes are divided into eight sets, with each set containing keycodes-per-modifier elements. The sets are assigned to the modifiers **Shift**, **Lock**, **Control**, **Mod1**, **Mod2**, **Mod3**, **Mod4**, and **Mod5**, in order. The keycodes-per-modifier value is chosen arbitrarily by the server; zeroes are used to fill in unused elements within each set. If only zero values are given in a set, the use of the corresponding modifier has been disabled. The order of keycodes within each set is chosen arbitrarily by the server.

**ChangeKeyboardMapping**

*first-keycode*: KEYCODE  
*keysyms-per-keycode*: CARD8  
*keysyms*: LISTofKEYSYM

Errors: **Alloc**, **Value**

This request defines the symbols for the specified number of keycodes, starting with the specified keycode. The symbols for keycodes outside this range remained unchanged. The number of elements in the keysyms list must be a multiple of keysyms-per-keycode (or a **Length** error results). The first-keycode must be greater than or equal to min-keycode as returned in the connection setup (or a **Value** error results) and:

$$\text{first-keycode} + (\text{keysyms-length} / \text{keysyms-per-keycode}) - 1$$

must be less than or equal to max-keycode as returned in the connection setup (or a **Value** error results). KEYSYM number N (counting from zero) for keycode K has an index (counting from zero) of:

$$(\text{K} - \text{first-keycode}) * \text{keysyms-per-keycode} + \text{N}$$

in keysyms. The keysyms-per-keycode can be chosen arbitrarily by the client to be large enough to hold all desired symbols. A special KEYSYM value of **NoSymbol** should be used to fill in unused elements for individual keycodes. It is legal for **NoSymbol** to appear in nontrailing positions of the effective list for a keycode.

This request generates a **MappingNotify** event.

There is no requirement that the server interpret this mapping; it is merely stored for reading and writing by clients (see section 5).

**GetKeyboardMapping**

*first-keycode*: KEYCODE  
*count*: CARD8

→

keysyms-per-keycode: CARD8  
 keysyms: LISTofKEYSYM

Errors: **Value**

This request returns the symbols for the specified number of keycodes, starting with the specified keycode. The first-keycode must be greater than or equal to min-keycode as returned in the connection setup (or a **Value** error results), and:

$$\text{first-keycode} + \text{count} - 1$$

must be less than or equal to max-keycode as returned in the connection setup (or a **Value** error results). The number of elements in the keysyms list is:

$$\text{count} * \text{keysyms-per-keycode}$$

and KEYSYM number N (counting from zero) for keycode K has an index (counting from zero) of:

$$(\text{K} - \text{first-keycode}) * \text{keysyms-per-keycode} + \text{N}$$

in keysyms. The keysyms-per-keycode value is chosen arbitrarily by the server to be large enough to report all requested symbols. A special KEYSYM value of **NoSymbol** is used to fill in unused elements for individual keycodes.

### ChangeKeyboardControl

*value-mask*: BITMASK

*value-list*: LISTofVALUE

Errors: **Match**, **Value**

This request controls various aspects of the keyboard. The value-mask and value-list specify which controls are to be changed. The possible values are:

Control	Type
key-click-percent	INT8
bell-percent	INT8
bell-pitch	INT16
bell-duration	INT16
led	CARD8
led-mode	{ <b>On</b> , <b>Off</b> }
key	KEYCODE
auto-repeat-mode	{ <b>On</b> , <b>Off</b> , <b>Default</b> }

The key-click-percent sets the volume for key clicks between 0 (off) and 100 (loud) inclusive, if possible. Setting to -1 restores the default. Other negative values generate a **Value** error.

The bell-percent sets the base volume for the bell between 0 (off) and 100 (loud) inclusive, if possible. Setting to -1 restores the default. Other negative values generate a **Value** error.

The bell-pitch sets the pitch (specified in Hz) of the bell, if possible. Setting to -1 restores the default. Other negative values generate a **Value** error.

The bell-duration sets the duration of the bell (specified in milliseconds), if possible. Setting to -1 restores the default. Other negative values generate a **Value** error.

If both led-mode and led are specified, then the state of that LED is changed, if possible. If only led-mode is specified, then the state of all LEDs are changed, if possible. At most 32 LEDs, numbered from one, are supported. No standard interpretation of LEDs is defined. It is a **Match** error if an led is specified without an led-mode.

If both auto-repeat-mode and key are specified, then the auto-repeat mode of that key is changed, if possible. If only auto-repeat-mode is specified, then the global auto-repeat mode for the entire keyboard is changed, if possible, without affecting the per-key settings. It is a **Match** error if a key is specified without an auto-repeat-mode. Each key has an individual mode of whether or not it should auto-repeat and a default setting for that mode. In addition, there is a global mode of whether auto-repeat should be enabled or not and a default setting for that mode. When the global mode is **On**, keys should obey their individual auto-repeat modes. When the global mode is **Off**, no keys should auto-repeat. An auto-repeating key generates alternating **KeyPress** and **KeyRelease** events. When a key is used as a modifier, it is desirable for the key not to auto-repeat, regardless of the auto-repeat setting for that key.

A bell generator connected with the console but not directly on the keyboard is treated as if it were part of the keyboard.

The order in which controls are verified and altered is server-dependent. If an error is generated, a subset of the controls may have been altered.

**GetKeyboardControl**

→

key-click-percent: CARD8  
 bell-percent: CARD8  
 bell-pitch: CARD16  
 bell-duration: CARD16  
 led-mask: CARD32  
 global-auto-repeat: { **On**, **Off** }  
 auto-repeats: LISTofCARD8

This request returns the current control values for the keyboard. For the LEDs, the least significant bit of led-mask corresponds to LED one, and each one bit in led-mask indicates an LED that is lit. The auto-repeats is a bit vector; each one bit indicates that auto-repeat is enabled for the corresponding key. The vector is represented as 32 bytes. Byte N (from 0) contains the bits for keys 8N to 8N + 7, with the least significant bit in the byte representing key 8N.

**Bell**

*percent*: INT8  
 Errors: **Value**

This request rings the bell on the keyboard at a volume relative to the base volume for the keyboard, if possible. Percent can range from -100 to 100 inclusive (or a **Value** error results). The volume at which the bell is rung when percent is nonnegative is:

$$\text{base} - [(\text{base} * \text{percent}) / 100] + \text{percent}$$

When percent is negative, it is:

$$\text{base} + [(\text{base} * \text{percent}) / 100]$$

**SetPointerMapping**

*map*: LISTofCARD8  
 →  
 status: { **Success**, **Busy** }  
 Errors: **Value**

This request sets the mapping of the pointer. Elements of the list are indexed starting from one. The length of the list must be the same as **GetPointerMapping** would return (or a **Value** error results). The index is a core button number, and the element of the list defines the effective number.

A zero element disables a button. Elements are not restricted in value by the number of physical buttons, but no two elements can have the same nonzero value (or a **Value** error results).

If any of the buttons to be altered are logically in the down state, the status reply is **Busy**, and the mapping is not changed.

This request generates a **MappingNotify** event on a **Success** status.

**GetPointerMapping**

→

map: LISTofCARD8

This request returns the current mapping of the pointer. Elements of the list are indexed starting from one. The length of the list indicates the number of physical buttons.

The nominal mapping for a pointer is the identity mapping: map[i]=i.

**ChangePointerControl***do-acceleration, do-threshold*: BOOL*acceleration-numerator, acceleration-denominator*: INT16*threshold*: INT16Errors: **Value**

This request defines how the pointer moves. The acceleration is a multiplier for movement expressed as a fraction. For example, specifying 3/1 means the pointer moves three times as fast as normal. The fraction can be rounded arbitrarily by the server. Acceleration only takes effect if the pointer moves more than threshold number of pixels at once and only applies to the amount beyond the threshold. Setting a value to -1 restores the default. Other negative values generate a **Value** error, as does a zero value for acceleration-denominator.

**GetPointerControl**

→

acceleration-numerator, acceleration-denominator: CARD16

threshold: CARD16

This request returns the current acceleration and threshold for the pointer.

**SetScreenSaver***timeout, interval*: INT16*prefer-blanking*: { **Yes**, **No**, **Default** }*allow-exposures*: { **Yes**, **No**, **Default** }Errors: **Value**

The timeout and interval are specified in seconds; setting a value to -1 restores the default. Other negative values generate a **Value** error. If the timeout value is zero, screen-saver is disabled (but an activated screen-saver is not deactivated). If the timeout value is nonzero, screen-saver is enabled. Once screen-saver is enabled, if no input from the keyboard or pointer is generated for timeout seconds, screen-saver is activated. For each screen, if blanking is preferred and the hardware supports video blanking, the screen will simply go blank. Otherwise, if either exposures are allowed or the screen can be regenerated without sending exposure events to clients, the screen is changed in a server-dependent fashion to avoid phosphor burn. Otherwise, the state of the screens does not change, and screen-saver is not activated. At the next keyboard or pointer input or at the next **ForceScreenSaver** with mode **Reset**, screen-saver is deactivated, and all screen states are restored.

If the server-dependent screen-saver method is amenable to periodic change, interval serves as a hint about how long the change period should be, with zero hinting that no periodic change should be made. Examples of ways to change the screen include scrambling the color map periodically, moving an icon image about the screen periodically, or tiling the screen with the root window background tile, randomly reoriginated periodically.

### GetScreenSaver

→

timeout, interval: CARD16  
 prefer-blanking: { **Yes**, **No** }  
 allow-exposures: { **Yes**, **No** }

This request returns the current screen-saver control values.

### ForceScreenSaver

*mode*: { **Activate**, **Reset** }

Errors: **Value**

If the mode is **Activate** and screen-saver is currently deactivated, then screen-saver is activated (even if screen-saver has been disabled with a timeout value of zero). If the mode is **Reset** and screen-saver is currently enabled, then screen-saver is deactivated (if it was activated), and the activation timer is reset to its initial state as if device input had just been received.

### ChangeHosts

*mode*: { **Insert**, **Delete** }

*host*: HOST

Errors: **Access**, **Value**

This request adds or removes the specified host from the access control list. When the access control mechanism is enabled and a client attempts to establish a connection to the server, the host on which the client resides must be in the access control list, or the client must have been granted permission by a server-dependent method, or the server will refuse the connection.

The client must reside on the same host as the server and/or have been granted permission by a server-dependent method to execute this request (or an **Access** error results).

An initial access control list can usually be specified, typically by naming a file that the server reads at startup and reset.

The following address families are defined. A server is not required to support these families and may support families not listed here. Use of an unsupported family, an improper address format, or an improper address length within a supported family results in a **Value** error.

For the Internet family, the address must be four bytes long. The address bytes are in standard IP order; the server performs no automatic swapping on the address bytes. The Internet family supports IP version 4 addresses only.

For the InternetV6 family, the address must be sixteen bytes long. The address bytes are in standard IP order; the server performs no automatic swapping on the address bytes. The InternetV6 family supports IP version 6 addresses only.

For the DECnet family, the server performs no automatic swapping on the address bytes. A Phase IV address is two bytes long: the first byte contains the least significant eight bits of the node number, and the second byte contains the most significant two bits of the node number in the least significant two bits of the byte and the area in the most significant six bits of the byte.

For the Chaos family, the address must be two bytes long. The host number is always the first byte in the address, and the subnet number is always the second byte. The server performs no automatic swapping on the address bytes.

For the ServerInterpreted family, the address may be of any length up to 65535 bytes. The address consists of two strings of ASCII characters, separated by a byte with a value of 0. The first string represents the type of address, and the second string contains the address value. Address types and the syntax for their associated values will be registered via the X.Org Registry. Implementors who wish to add implementation specific types may register a unique prefix with the X.Org registry to prevent namespace collisions.

Use of a host address in the ChangeHosts request is deprecated. It is only useful when a host has a unique, constant address, a requirement that is increasingly unmet as sites adopt dynamically assigned addresses, network address translation gateways, IPv6 link local addresses, and various other technologies. It also assumes all users of a host share equivalent access rights, and as such has never been suitable for many multi-user machine environments. Instead, more secure forms of authentication, such as those based on shared secrets or public key encryption, are recommended.

### ListHosts

→

mode: { **Enabled**, **Disabled** }  
hosts: LISTofHOST

This request returns the hosts on the access control list and whether use of the list at connection setup is currently enabled or disabled.

Each HOST is padded to a multiple of four bytes.

### SetAccessControl

mode: { **Enable**, **Disable** }  
Errors: **Access**, **Value**

This request enables or disables the use of the access control list at connection setups.

The client must reside on the same host as the server and/or have been granted permission by a server-dependent method to execute this request (or an **Access** error results).

### SetCloseDownMode

mode: { **Destroy**, **RetainPermanent**, **RetainTemporary** }  
Errors: **Value**

This request defines what will happen to the client's resources at connection close. A connection starts in **Destroy** mode. The meaning of the close-down mode is described in section 10.

**KillClient***resource*: CARD32 or **AllTemporary**Errors: **Value**

If a valid resource is specified, **KillClient** forces a close-down of the client that created the resource. If the client has already terminated in either **RetainPermanent** or **RetainTemporary** mode, all of the client's resources are destroyed (see section 10). If **AllTemporary** is specified, then the resources of all clients that have terminated in **RetainTemporary** are destroyed.

**NoOperation**

This request has no arguments and no results, but the request length field allows the request to be any multiple of four bytes in length. The bytes contained in the request are uninterpreted by the server.

This request can be used in its minimum four byte form as padding where necessary by client libraries that find it convenient to force requests to begin on 64-bit boundaries.

**10. Connection Close**

At connection close, all event selections made by the client are discarded. If the client has the pointer actively grabbed, an **UngrabPointer** is performed. If the client has the keyboard actively grabbed, an **UngrabKeyboard** is performed. All passive grabs by the client are released. If the client has the server grabbed, an **UngrabServer** is performed. All selections (see **SetSelectionOwner** request) owned by the client are disowned. If close-down mode (see **SetCloseDownMode** request) is **RetainPermanent** or **RetainTemporary**, then all resources (including colormap entries) allocated by the client are marked as permanent or temporary, respectively (but this does not prevent other clients from explicitly destroying them). If the mode is **Destroy**, all of the client's resources are destroyed.

When a client's resources are destroyed, for each window in the client's save-set, if the window is an inferior of a window created by the client, the save-set window is reparented to the closest ancestor such that the save-set window is not an inferior of a window created by the client. If the save-set window is unmapped, a **MapWindow** request is performed on it (even if it was not an inferior of a window created by the client). The reparenting leaves unchanged the absolute coordinates (with respect to the root window) of the upper-left outer corner of the save-set window. After save-set processing, all windows created by the client are destroyed. For each nonwindow resource created by the client, the appropriate **Free** request is performed. All colors and colormap entries allocated by the client are freed.

A server goes through a cycle of having no connections and having some connections. At every transition to the state of having no connections as a result of a connection closing with a **Destroy** close-down mode, the server resets its state as if it had just been started. This starts by destroying all lingering resources from clients that have terminated in **RetainPermanent** or **RetainTemporary** mode. It additionally includes deleting all but the predefined atom identifiers, deleting all properties on all root windows, resetting all device maps and attributes (key click, bell volume, acceleration), resetting the access control list, restoring the standard root tiles and cursors, restoring the default font path, and restoring the input focus to state **PointerRoot**.

Note that closing a connection with a close-down mode of **RetainPermanent** or **RetainTemporary** will not cause the server to reset.

## 11. Events

When a button press is processed with the pointer in some window *W* and no active pointer grab is in progress, the ancestors of *W* are searched from the root down, looking for a passive grab to activate. If no matching passive grab on the button exists, then an active grab is started automatically for the client receiving the event, and the last-pointer-grab time is set to the current server time. The effect is essentially equivalent to a **GrabButton** with arguments:

Argument	Value
event-window	Event window
event-mask	Client's selected pointer events on the event window
pointer-mode and keyboard-mode	<b>Asynchronous</b>
owner-events	<b>True</b> if the client has <b>OwnerGrabButton</b> selected on the event window, otherwise <b>False</b>
confine-to	<b>None</b>
cursor	<b>None</b>

The grab is terminated automatically when the logical state of the pointer has all buttons released. **UngrabPointer** and **ChangeActivePointerGrab** can both be used to modify the active grab.

**KeyPress**  
**KeyRelease**  
**ButtonPress**  
**ButtonRelease**  
**MotionNotify**

*root, event*: WINDOW  
*child*: WINDOW or **None**  
*same-screen*: BOOL  
*root-x, root-y, event-x, event-y*: INT16  
*detail*: <see below>  
*state*: SETofKEYBUTMASK  
*time*: TIMESTAMP

These events are generated either when a key or button logically changes state or when the pointer logically moves. The generation of these logical changes may lag the physical changes if device event processing is frozen. Note that **KeyPress** and **KeyRelease** are generated for all keys, even those mapped to modifier bits. The source of the event is the window the pointer is in. The window the event is reported with respect to is called the event window. The event window is found by starting with the source window and looking up the hierarchy for the first window on which any client has selected interest in the event (provided no intervening window prohibits event generation by including the event type in its do-not-propagate-mask). The actual window used for reporting can be modified by active grabs and, in the case of keyboard events, can be modified by the focus window.

The root is the root window of the source window, and root-x and root-y are the pointer coordinates relative to root's origin at the time of the event. Event is the event window. If the event window is on the same screen as root, then event-x and event-y are the pointer coordinates relative to the event window's origin. Otherwise, event-x and event-y are zero. If the source window is an inferior of the event window, then child is set to the child of the event window that is an ancestor of (or is) the source window. Otherwise, it is set to **None**. The state component gives the logical state of the buttons and modifier keys just before the event. The detail component type varies with the event type:

Event	Component
<b>KeyPress</b> , <b>KeyRelease</b>	KEYCODE
<b>ButtonPress</b> , <b>ButtonRelease</b>	BUTTON
<b>MotionNotify</b>	{ <b>Normal</b> , <b>Hint</b> }

**MotionNotify** events are only generated when the motion begins and ends in the window. The granularity of motion events is not guaranteed, but a client selecting for motion events is guaranteed to get at least one event when the pointer moves and comes to rest. Selecting **PointerMotion** receives events independent of the state of the pointer buttons. By selecting some subset of **Button[1-5]Motion** instead, **MotionNotify** events will only be received when one or more of the specified buttons are pressed. By selecting **ButtonMotion**, **MotionNotify** events will be received only when at least one button is pressed. The events are always of type **MotionNotify**, independent of the selection. If **PointerMotionHint** is selected, the server is free to send only one **MotionNotify** event (with detail **Hint**) to the client for the event window until either the key or button state changes, the pointer leaves the event window, or the client issues a **QueryPointer** or **GetMotionEvents** request.

### **EnterNotify** **LeaveNotify**

*root, event*: WINDOW  
*child*: WINDOW or **None**  
*same-screen*: BOOL  
*root-x, root-y, event-x, event-y*: INT16  
*mode*: { **Normal**, **Grab**, **Ungrab** }  
*detail*: { **Ancestor**, **Virtual**, **Inferior**, **Nonlinear**, **NonlinearVirtual** }  
*focus*: BOOL  
*state*: SETofKEYBUTMASK  
*time*: TIMESTAMP

If pointer motion or window hierarchy change causes the pointer to be in a different window than before, **EnterNotify** and **LeaveNotify** events are generated instead of a **MotionNotify** event. Only clients selecting **EnterWindow** on a window receive **EnterNotify** events, and only clients selecting **LeaveWindow** receive **LeaveNotify** events. The pointer position reported in the event is always the final position, not the initial position of the pointer. The root is the root window for this position, and root-x and root-y are the pointer coordinates relative to root's origin at the time of the event. Event is the event window. If the event window is on the same screen as root, then event-x and event-y are the pointer coordinates relative to the event window's origin. Otherwise, event-x and event-y are zero. In a **LeaveNotify** event, if a child of the event window contains the initial position of the pointer, then the child component is set to that child. Otherwise, it is **None**. For an **EnterNotify** event, if a child of the event window contains the final pointer position, then the child component is set to that child. Otherwise, it is **None**. If the event window is the focus window or an inferior of the focus window, then focus is **True**. Otherwise, focus is **False**.

Normal pointer motion events have mode **Normal**. Pseudo-motion events when a grab activates have mode **Grab**, and pseudo-motion events when a grab deactivates have mode **Ungrab**.

All **EnterNotify** and **LeaveNotify** events caused by a hierarchy change are generated after any hierarchy event caused by that change (that is, **UnmapNotify**, **MapNotify**, **ConfigureNotify**, **GravityNotify**, **CirculateNotify**), but the ordering of **EnterNotify** and **LeaveNotify** events with respect to **FocusOut**, **VisibilityNotify**, and **Expose** events is not constrained.

Normal events are generated as follows:

When the pointer moves from window A to window B and A is an inferior of B:

- **LeaveNotify** with detail **Ancestor** is generated on A.
- **LeaveNotify** with detail **Virtual** is generated on each window between A and B exclusive (in that order).
- **EnterNotify** with detail **Inferior** is generated on B.

When the pointer moves from window A to window B and B is an inferior of A:

- **LeaveNotify** with detail **Inferior** is generated on A.
- **EnterNotify** with detail **Virtual** is generated on each window between A and B exclusive (in that order).
- **EnterNotify** with detail **Ancestor** is generated on B.

When the pointer moves from window A to window B and window C is their least common ancestor:

- **LeaveNotify** with detail **Nonlinear** is generated on A.
- **LeaveNotify** with detail **NonlinearVirtual** is generated on each window between A and C exclusive (in that order).
- **EnterNotify** with detail **NonlinearVirtual** is generated on each window between C and B exclusive (in that order).
- **EnterNotify** with detail **Nonlinear** is generated on B.

When the pointer moves from window A to window B on different screens:

- **LeaveNotify** with detail **Nonlinear** is generated on A.
- If A is not a root window, **LeaveNotify** with detail **NonlinearVirtual** is generated on each window above A up to and including its root (in order).
- If B is not a root window, **EnterNotify** with detail **NonlinearVirtual** is generated on each window from B's root down to but not including B (in order).
- **EnterNotify** with detail **Nonlinear** is generated on B.

When a pointer grab activates (but after any initial warp into a confine-to window and before generating any actual **ButtonPress** event that activates the grab), G is the grab-window for the grab, and P is the window the pointer is in:

- **EnterNotify** and **LeaveNotify** events with mode **Grab** are generated (as for **Normal** above) as if the pointer were to suddenly warp from its current position in P to some position in G. However, the pointer does not warp, and the pointer position is used as both the initial and final positions for the events.

When a pointer grab deactivates (but after generating any actual **ButtonRelease** event that deactivates the grab), G is the grab-window for the grab, and P is the window the pointer is in:

- **EnterNotify** and **LeaveNotify** events with mode **Ungrab** are generated (as for **Normal** above) as if the pointer were to suddenly warp from some position in G to its current position in P. However, the pointer does not warp, and the current pointer position is used as both the initial and final positions for the events.

## FocusIn FocusOut

*event*: WINDOW

*mode*: { **Normal**, **WhileGrabbed**, **Grab**, **Ungrab** }

*detail*: { **Ancestor**, **Virtual**, **Inferior**, **Nonlinear**, **NonlinearVirtual**, **Pointer**,  
**PointerRoot**, **None** }

These events are generated when the input focus changes and are reported to clients selecting **FocusChange** on the window. Events generated by **SetInputFocus** when the keyboard is not grabbed have mode **Normal**. Events generated by **SetInputFocus** when the keyboard is grabbed have mode **WhileGrabbed**. Events generated when a keyboard grab activates have mode **Grab**, and events generated when a keyboard grab deactivates have mode **Ungrab**.

All **FocusOut** events caused by a window unmap are generated after any **UnmapNotify** event, but the ordering of **FocusOut** with respect to generated **EnterNotify**, **LeaveNotify**, **VisibilityNotify**, and **Expose** events is not constrained.

**Normal** and **WhileGrabbed** events are generated as follows:

When the focus moves from window A to window B, A is an inferior of B, and the pointer is in window P:

- **FocusOut** with detail **Ancestor** is generated on A.
- **FocusOut** with detail **Virtual** is generated on each window between A and B exclusive (in order).
- **FocusIn** with detail **Inferior** is generated on B.
- If P is an inferior of B but P is not A or an inferior of A or an ancestor of A, **FocusIn** with detail **Pointer** is generated on each window below B down to and including P (in order).

When the focus moves from window A to window B, B is an inferior of A, and the pointer is in window P:

- If P is an inferior of A but P is not an inferior of B or an ancestor of B, **FocusOut** with detail **Pointer** is generated on each window from P up to but not including A (in order).
- **FocusOut** with detail **Inferior** is generated on A.
- **FocusIn** with detail **Virtual** is generated on each window between A and B exclusive (in order).
- **FocusIn** with detail **Ancestor** is generated on B.

When the focus moves from window A to window B, window C is their least common ancestor, and the pointer is in window P:

- If P is an inferior of A, **FocusOut** with detail **Pointer** is generated on each window from P up to but not including A (in order).
- **FocusOut** with detail **Nonlinear** is generated on A.
- **FocusOut** with detail **NonlinearVirtual** is generated on each window between A and C exclusive (in order).
- **FocusIn** with detail **NonlinearVirtual** is generated on each window between C and B exclusive (in order).
- **FocusIn** with detail **Nonlinear** is generated on B.
- If P is an inferior of B, **FocusIn** with detail **Pointer** is generated on each window below B down to and including P (in order).

When the focus moves from window A to window B on different screens and the pointer is in window P:

- If P is an inferior of A, **FocusOut** with detail **Pointer** is generated on each window from P up to but not including A (in order).
- **FocusOut** with detail **Nonlinear** is generated on A.
- If A is not a root window, **FocusOut** with detail **NonlinearVirtual** is generated on each window above A up to and including its root (in order).
- If B is not a root window, **FocusIn** with detail **NonlinearVirtual** is generated on each window from B's root down to but not including B (in order).

- **FocusIn** with detail **Nonlinear** is generated on B.
- If P is an inferior of B, **FocusIn** with detail **Pointer** is generated on each window below B down to and including P (in order).

When the focus moves from window A to **PointerRoot** (or **None**) and the pointer is in window P:

- If P is an inferior of A, **FocusOut** with detail **Pointer** is generated on each window from P up to but not including A (in order).
- **FocusOut** with detail **Nonlinear** is generated on A.
- If A is not a root window, **FocusOut** with detail **NonlinearVirtual** is generated on each window above A up to and including its root (in order).
- **FocusIn** with detail **PointerRoot** (or **None**) is generated on all root windows.
- If the new focus is **PointerRoot**, **FocusIn** with detail **Pointer** is generated on each window from P's root down to and including P (in order).

When the focus moves from **PointerRoot** (or **None**) to window A and the pointer is in window P:

- If the old focus is **PointerRoot**, **FocusOut** with detail **Pointer** is generated on each window from P up to and including P's root (in order).
- **FocusOut** with detail **PointerRoot** (or **None**) is generated on all root windows.
- If A is not a root window, **FocusIn** with detail **NonlinearVirtual** is generated on each window from A's root down to but not including A (in order).
- **FocusIn** with detail **Nonlinear** is generated on A.
- If P is an inferior of A, **FocusIn** with detail **Pointer** is generated on each window below A down to and including P (in order).

When the focus moves from **PointerRoot** to **None** (or vice versa) and the pointer is in window P:

- If the old focus is **PointerRoot**, **FocusOut** with detail **Pointer** is generated on each window from P up to and including P's root (in order).
- **FocusOut** with detail **PointerRoot** (or **None**) is generated on all root windows.
- **FocusIn** with detail **None** (or **PointerRoot**) is generated on all root windows.
- If the new focus is **PointerRoot**, **FocusIn** with detail **Pointer** is generated on each window from P's root down to and including P (in order).

When a keyboard grab activates (but before generating any actual **KeyPress** event that activates the grab), G is the grab-window for the grab, and F is the current focus:

- **FocusIn** and **FocusOut** events with mode **Grab** are generated (as for **Normal** above) as if the focus were to change from F to G.

When a keyboard grab deactivates (but after generating any actual **KeyRelease** event that deactivates the grab), G is the grab-window for the grab, and F is the current focus:

- **FocusIn** and **FocusOut** events with mode **Ungrab** are generated (as for **Normal** above) as if the focus were to change from G to F.

## KeymapNotify

*keys*: LISTofCARD8

The value is a bit vector as described in **QueryKeymap**. This event is reported to clients selecting **KeymapState** on a window and is generated immediately after every **EnterNotify** and **FocusIn**.

**Expose**

*window*: WINDOW  
*x, y, width, height*: CARD16  
*count*: CARD16

This event is reported to clients selecting **Exposure** on the window. It is generated when no valid contents are available for regions of a window, and either the regions are visible, the regions are viewable and the server is (perhaps newly) maintaining backing store on the window, or the window is not viewable but the server is (perhaps newly) honoring window's backing-store attribute of **Always** or **WhenMapped**. The regions are decomposed into an arbitrary set of rectangles, and an **Expose** event is generated for each rectangle.

For a given action causing exposure events, the set of events for a given window are guaranteed to be reported contiguously. If count is zero, then no more **Expose** events for this window follow. If count is nonzero, then at least that many more **Expose** events for this window follow (and possibly more).

The x and y coordinates are relative to window's origin and specify the upper-left corner of a rectangle. The width and height specify the extent of the rectangle.

**Expose** events are never generated on **InputOnly** windows.

All **Expose** events caused by a hierarchy change are generated after any hierarchy event caused by that change (for example, **UnmapNotify**, **MapNotify**, **ConfigureNotify**, **GravityNotify**, **CirculateNotify**). All **Expose** events on a given window are generated after any **VisibilityNotify** event on that window, but it is not required that all **Expose** events on all windows be generated after all **Visibility** events on all windows. The ordering of **Expose** events with respect to **FocusOut**, **EnterNotify**, and **LeaveNotify** events is not constrained.

**GraphicsExposure**

*drawable*: DRAWABLE  
*x, y, width, height*: CARD16  
*count*: CARD16  
*major-opcode*: CARD8  
*minor-opcode*: CARD16

This event is reported to a client using a graphics context with graphics-exposures selected and is generated when a destination region could not be computed due to an obscured or out-of-bounds source region. All of the regions exposed by a given graphics request are guaranteed to be reported contiguously. If count is zero then no more **GraphicsExposure** events for this window follow. If count is nonzero, then at least that many more **GraphicsExposure** events for this window follow (and possibly more).

The x and y coordinates are relative to drawable's origin and specify the upper-left corner of a rectangle. The width and height specify the extent of the rectangle.

The major and minor opcodes identify the graphics request used. For the core protocol, major-opcode is always **CopyArea** or **CopyPlane**, and minor-opcode is always zero.

**NoExposure**

*drawable*: DRAWABLE  
*major-opcode*: CARD8  
*minor-opcode*: CARD16

This event is reported to a client using a graphics context with graphics-exposures selected and is generated when a graphics request that might produce **GraphicsExposure** events does not produce any. The drawable specifies the destination used for the graphics request.

The major and minor opcodes identify the graphics request used. For the core protocol, major-opcode is always **CopyArea** or **CopyPlane**, and the minor-opcode is always zero.

**VisibilityNotify**

*window*: WINDOW  
*state*: { **Unobscured**, **PartiallyObscured**, **FullyObscured** }

This event is reported to clients selecting **VisibilityChange** on the window. In the following, the state of the window is calculated ignoring all of the window's subwindows. When a window changes state from partially or fully obscured or not viewable to viewable and completely unobscured, an event with **Unobscured** is generated. When a window changes state from viewable and completely unobscured, from viewable and completely obscured, or from not viewable, to viewable and partially obscured, an event with **PartiallyObscured** is generated. When a window changes state from viewable and completely unobscured, from viewable and partially obscured, or from not viewable to viewable and fully obscured, an event with **FullyObscured** is generated.

**VisibilityNotify** events are never generated on **InputOnly** windows.

All **VisibilityNotify** events caused by a hierarchy change are generated after any hierarchy event caused by that change (for example, **UnmapNotify**, **MapNotify**, **ConfigureNotify**, **GravityNotify**, **CirculateNotify**). Any **VisibilityNotify** event on a given window is generated before any **Expose** events on that window, but it is not required that all **VisibilityNotify** events on all windows be generated before all **Expose** events on all windows. The ordering of **VisibilityNotify** events with respect to **FocusOut**, **EnterNotify**, and **LeaveNotify** events is not constrained.

**CreateNotify**

*parent, window*: WINDOW  
*x, y*: INT16  
*width, height, border-width*: CARD16  
*override-redirect*: BOOL

This event is reported to clients selecting **SubstructureNotify** on the parent and is generated when the window is created. The arguments are as in the **CreateWindow** request.

**DestroyNotify**

*event, window*: WINDOW

This event is reported to clients selecting **StructureNotify** on the window and to clients selecting **SubstructureNotify** on the parent. It is generated when the window is destroyed. The event is the window on which the event was generated, and the window is the window that is destroyed.

The ordering of the **DestroyNotify** events is such that for any given window, **DestroyNotify** is generated on all inferiors of the window before being generated on the window itself. The ordering among siblings and across subhierarchies is not otherwise constrained.

### UnmapNotify

*event, window*: WINDOW  
*from-configure*: BOOL

This event is reported to clients selecting **StructureNotify** on the window and to clients selecting **SubstructureNotify** on the parent. It is generated when the window changes state from mapped to unmapped. The event is the window on which the event was generated, and the window is the window that is unmapped. The from-configure flag is **True** if the event was generated as a result of the window's parent being resized when the window itself had a win-gravity of **Unmap**.

### MapNotify

*event, window*: WINDOW  
*override-redirect*: BOOL

This event is reported to clients selecting **StructureNotify** on the window and to clients selecting **SubstructureNotify** on the parent. It is generated when the window changes state from unmapped to mapped. The event is the window on which the event was generated, and the window is the window that is mapped. The override-redirect flag is from the window's attribute.

### MapRequest

*parent, window*: WINDOW

This event is reported to the client selecting **SubstructureRedirect** on the parent and is generated when a **MapWindow** request is issued on an unmapped window with an override-redirect attribute of **False**.

### ReparentNotify

*event, window, parent*: WINDOW  
*x, y*: INT16  
*override-redirect*: BOOL

This event is reported to clients selecting **SubstructureNotify** on either the old or the new parent and to clients selecting **StructureNotify** on the window. It is generated when the window is reparented. The event is the window on which the event was generated. The window is the window that has been rerooted. The parent specifies the new parent. The x and y coordinates are relative to the new parent's origin and specify the position of the upper-left outer corner of the window. The override-redirect flag is from the window's attribute.

**ConfigureNotify**

*event, window*: WINDOW  
*x, y*: INT16  
*width, height, border-width*: CARD16  
*above-sibling*: WINDOW or **None**  
*override-redirect*: BOOL

This event is reported to clients selecting **StructureNotify** on the window and to clients selecting **SubstructureNotify** on the parent. It is generated when a **ConfigureWindow** request actually changes the state of the window. The event is the window on which the event was generated, and the window is the window that is changed. The x and y coordinates are relative to the new parent's origin and specify the position of the upper-left outer corner of the window. The width and height specify the inside size, not including the border. If above-sibling is **None**, then the window is on the bottom of the stack with respect to siblings. Otherwise, the window is immediately on top of the specified sibling. The override-redirect flag is from the window's attribute.

**GravityNotify**

*event, window*: WINDOW  
*x, y*: INT16

This event is reported to clients selecting **SubstructureNotify** on the parent and to clients selecting **StructureNotify** on the window. It is generated when a window is moved because of a change in size of the parent. The event is the window on which the event was generated, and the window is the window that is moved. The x and y coordinates are relative to the new parent's origin and specify the position of the upper-left outer corner of the window.

**ResizeRequest**

*window*: WINDOW  
*width, height*: CARD16

This event is reported to the client selecting **ResizeRedirect** on the window and is generated when a **ConfigureWindow** request by some other client on the window attempts to change the size of the window. The width and height are the requested inside size, not including the border.

**ConfigureRequest**

*parent, window*: WINDOW  
*x, y*: INT16  
*width, height, border-width*: CARD16  
*sibling*: WINDOW or **None**  
*stack-mode*: { **Above**, **Below**, **TopIf**, **BottomIf**, **Opposite** }  
*value-mask*: BITMASK

This event is reported to the client selecting **SubstructureRedirect** on the parent and is generated when a **ConfigureWindow** request is issued on the window by some other client. The value-mask indicates which components were specified in the request. The value-mask and the corresponding values are reported as given in the request. The remaining values are filled in from the current geometry of the window, except in the case of sibling and stack-mode, which are

reported as **None** and **Above** (respectively) if not given in the request.

### CirculateNotify

*event, window:* WINDOW  
*place:* { **Top**, **Bottom** }

This event is reported to clients selecting **StructureNotify** on the window and to clients selecting **SubstructureNotify** on the parent. It is generated when the window is actually restacked from a **CirculateWindow** request. The event is the window on which the event was generated, and the window is the window that is restacked. If place is **Top**, the window is now on top of all siblings. Otherwise, it is below all siblings.

### CirculateRequest

*parent, window:* WINDOW  
*place:* { **Top**, **Bottom** }

This event is reported to the client selecting **SubstructureRedirect** on the parent and is generated when a **CirculateWindow** request is issued on the parent and a window actually needs to be restacked. The window specifies the window to be restacked, and the place specifies what the new position in the stacking order should be.

### PropertyNotify

*window:* WINDOW  
*atom:* ATOM  
*state:* { **NewValue**, **Deleted** }  
*time:* TIMESTAMP

This event is reported to clients selecting **PropertyChange** on the window and is generated with state **NewValue** when a property of the window is changed using **ChangeProperty** or **RotateProperties**, even when adding zero-length data using **ChangeProperty** and when replacing all or part of a property with identical data using **ChangeProperty** or **RotateProperties**. It is generated with state **Deleted** when a property of the window is deleted using request **DeleteProperty** or **GetProperty**. The timestamp indicates the server time when the property was changed.

### SelectionClear

*owner:* WINDOW  
*selection:* ATOM  
*time:* TIMESTAMP

This event is reported to the current owner of a selection and is generated when a new owner is being defined by means of **SetSelectionOwner**. The timestamp is the last-change time recorded for the selection. The owner argument is the window that was specified by the current owner in its **SetSelectionOwner** request.

**SelectionRequest**

*owner*: WINDOW  
*selection*: ATOM  
*target*: ATOM  
*property*: ATOM or **None**  
*requestor*: WINDOW  
*time*: TIMESTAMP or **CurrentTime**

This event is reported to the owner of a selection and is generated when a client issues a **ConvertSelection** request. The owner argument is the window that was specified in the **SetSelectionOwner** request. The remaining arguments are as in the **ConvertSelection** request.

The owner should convert the selection based on the specified target type and send a **SelectionNotify** back to the requestor. A complete specification for using selections is given in the X.Org standard *Inter-Client Communication Conventions Manual*.

**SelectionNotify**

*requestor*: WINDOW  
*selection, target*: ATOM  
*property*: ATOM or **None**  
*time*: TIMESTAMP or **CurrentTime**

This event is generated by the server in response to a **ConvertSelection** request when there is no owner for the selection. When there is an owner, it should be generated by the owner using **SendEvent**. The owner of a selection should send this event to a requestor either when a selection has been converted and stored as a property or when a selection conversion could not be performed (indicated with property **None**).

**ColormapNotify**

*window*: WINDOW  
*colormap*: COLORMAP or **None**  
*new*: BOOL  
*state*: { **Installed**, **Uninstalled** }

This event is reported to clients selecting **ColormapChange** on the window. It is generated with value **True** for new when the colormap attribute of the window is changed and is generated with value **False** for new when the colormap of a window is installed or uninstalled. In either case, the state indicates whether the colormap is currently installed.

**MappingNotify**

*request*: { **Modifier**, **Keyboard**, **Pointer** }  
*first-keycode, count*: CARD8

This event is sent to all clients. There is no mechanism to express disinterest in this event. The detail indicates the kind of change that occurred: **Modifiers** for a successful **SetModifierMapping**, **Keyboard** for a successful **ChangeKeyboardMapping**, and **Pointer** for a successful **SetPointerMapping**. If the detail is **Keyboard**, then first-keycode and count indicate the range of altered keycodes.

**ClientMessage***window*: WINDOW*type*: ATOM*format*: {8, 16, 32}*data*: LISTofINT8 or LISTofINT16 or LISTofINT32

This event is only generated by clients using **SendEvent**. The type specifies how the data is to be interpreted by the receiving client; the server places no interpretation on the type or the data. The format specifies whether the data should be viewed as a list of 8-bit, 16-bit, or 32-bit quantities, so that the server can correctly byte-swap, as necessary. The data always consists of either 20 8-bit values or 10 16-bit values or 5 32-bit values, although particular message types might not make use of all of these values.

**12. Flow Control and Concurrency**

Whenever the server is writing to a given connection, it is permissible for the server to stop reading from that connection (but if the writing would block, it must continue to service other connections). The server is not required to buffer more than a single request per connection at one time. For a given connection to the server, a client can block while reading from the connection but should undertake to read (events and errors) when writing would block. Failure on the part of a client to obey this rule could result in a deadlocked connection, although deadlock is probably unlikely unless either the transport layer has very little buffering or the client attempts to send large numbers of requests without ever reading replies or checking for errors and events.

Whether or not a server is implemented with internal concurrency, the overall effect must be as if individual requests are executed to completion in some serial order, and requests from a given connection must be executed in delivery order (that is, the total execution order is a shuffle of the individual streams). The execution of a request includes validating all arguments, collecting all data for any reply, and generating and queueing all required events. However, it does not include the actual transmission of the reply and the events. In addition, the effect of any other cause that can generate multiple events (for example, activation of a grab or pointer motion) must effectively generate and queue all required events indivisibly with respect to all other causes and requests. For a request from a given client, any events destined for that client that are caused by executing the request must be sent to the client before any reply or error is sent.

## Appendix A

### KEYSYM Encoding

KEYSYM values are 32-bit integers that encode the symbols on the keycaps of a keyboard. The three most significant bits are always zero, which leaves a 29-bit number space. For convenience, KEYSYM values can be viewed as split into four bytes:

- Byte 1 is the most significant eight bits (three zero bits and the most-significant five bits of the 29-bit effective value)
- Byte 2 is the next most-significant eight bits
- Byte 3 is the next most-significant eight bits
- Byte 4 is the least-significant eight bits

There are six categories of KEYSYM values.

#### A.1 Special KEYSYMs

There are two special values: **NoSymbol** and **VoidSymbol**. They are used to indicate the absence of symbols (see section 5).

Byte 1	Byte 2	Byte 3	Byte 4	Hex. value	Name
0	0	0	0	#x00000000	<b>NoSymbol</b>
0	255	255	255	#x00FFFFFF	<b>VoidSymbol</b>

#### A.2 Latin-1 KEYSYMs

The Latin-1 KEYSYMs occupy the range #x0020 to #x007E and #x00A0 to #00FF and represent the ISO 10646 / Unicode characters U+0020 to U+007E and U+00A0 to U+00FF, respectively.

#### A.3 Unicode KEYSYMs

These occupy the range #x01000100 to #x0110FFFF and represent the ISO 10646 / Unicode characters U+0100 to U+10FFFF, respectively. The numeric value of a Unicode KEYSYM is the Unicode position of the corresponding character plus #x01000000. In the interest of backwards compatibility, clients should be able to process both the Unicode KEYSYM and the Legacy KEYSYM for those characters where both exist.

Dead keys, which place an accent on the next character entered, shall be encoded as Function KEYSYMs, and not as the Unicode KEYSYM corresponding to an equivalent combining character. Where a keycap indicates a specific function with a graphical symbol that is also available in Unicode (e.g., an upwards arrow for the cursor up function), the appropriate Function KEYSYM should be used, and not the Unicode KEYSYM corresponding to the depicted symbol.

#### A.4 Function KEYSYMs

These represent keycap symbols that do not directly represent elements of a coded character set. Instead, they typically identify a software function, mode, or operation (e.g., cursor up, caps lock, insert) that can be activated using a dedicated key. Function KEYSYMs have zero values for bytes 1 and 2. Byte 3 distinguishes between several 8-bit sets within which byte 4 identifies the individual function key.

---

**Byte 3    Byte 4**

---

255	Keyboard
254	Keyboard (XKB) Extension
253	3270

---

Within a national market, keyboards tend to be comparatively standard with respect to the character keys, but they can differ significantly on the miscellaneous function keys. Some have function keys left over from early timesharing days, others were designed for a specific application, such as text processing, web browsing, or accessing audiovisual data. The symbols on the keycaps can differ significantly between manufacturers and national markets, even where they denote the same software function (e.g., Ctrl in the U.S. versus Strg in Germany)

There are two ways of thinking about how to define KEYSYMs for such a world:

- The Engraving approach
- The Common approach

The Engraving approach is to create a KEYSYM for every unique key engraving. This is effectively taking the union of all key engravings on all keyboards. For example, some keyboards label function keys across the top as F1 through Fn, and others label them as PF1 through PFn. These would be different keys under the Engraving approach. Likewise, Lock would differ from Shift Lock, which is different from the up-arrow symbol that has the effect of changing lowercase to uppercase. There are lots of other aliases such as Del, DEL, Delete, Remove, and so forth. The Engraving approach makes it easy to decide if a new entry should be added to the KEYSYM set: if it does not exactly match an existing one, then a new one is created.

The Common approach tries to capture all of the keys present on an interesting number of keyboards, folding likely aliases into the same KEYSYM. For example, Del, DEL, and Delete are all merged into a single KEYSYM. Vendors can augment the KEYSYM set (using the vendor-specific encoding space) to include all of their unique keys that were not included in the standard set. Each vendor decides which of its keys map into the standard KEYSYMs, which presumably can be overridden by a user. It is more difficult to implement this approach, because judgment is required about when a sufficient set of keyboards implements an engraving to justify making it a KEYSYM in the standard set and about which engravings should be merged into a single KEYSYM.

Although neither scheme is perfect or elegant, the Common approach has been selected because it makes it easier to write a portable application. Having the Delete functionality merged into a single KEYSYM allows an application to implement a deletion function and expect reasonable bindings on a wide set of workstations. Under the Common approach, application writers are still free to look for and interpret vendor-specific KEYSYMs, but because they are in the extended set, the application developer is more conscious that they are writing the application in a nonportable fashion.

The Keyboard set is a miscellaneous collection of commonly occurring keys on keyboards. Within this set, the numeric keypad symbols are generally duplicates of symbols found on keys on the main part of the keyboard, but they are distinguished here because they often have a distinguishable semantics associated with them.

---

<b>KEYSYM value</b>	<b>Name</b>	<b>Set</b>
#xFF08	BACKSPACE, BACK SPACE, BACK CHAR	Keyboard
#xFF09	TAB	Keyboard
#xFF0A	LINEFEED, LF	Keyboard
#xFF0B	CLEAR	Keyboard
#xFF0D	RETURN, ENTER	Keyboard
#xFF13	PAUSE, HOLD	Keyboard
#xFF14	SCROLL LOCK	Keyboard
#xFF15	SYS REQ, SYSTEM REQUEST	Keyboard

KEYSYM value	Name	Set
#xFF1B	ESCAPE	Keyboard
#xFF20	MULTI-KEY CHARACTER PREFACE	Keyboard
#xFF21	KANJI, KANJI CONVERT	Keyboard
#xFF22	MUHENKAN	Keyboard
#xFF23	HENKAN MODE	Keyboard
#xFF24	ROMAJI	Keyboard
#xFF25	HIRAGANA	Keyboard
#xFF26	KATAKANA	Keyboard
#xFF27	HIRAGANA/KATAKANA TOGGLE	Keyboard
#xFF28	ZENKAKU	Keyboard
#xFF29	HANKAKU	Keyboard
#xFF2A	ZENKAKU/HANKAKU TOGGLE	Keyboard
#xFF2B	TOUROKU	Keyboard
#xFF2C	MASSYO	Keyboard
#xFF2D	KANA LOCK	Keyboard
#xFF2E	KANA SHIFT	Keyboard
#xFF2F	EISU SHIFT	Keyboard
#xFF30	EISU TOGGLE	Keyboard
#xFF31	HANGUL START/STOP (TOGGLE)	Keyboard
#xFF32	HANGUL START	Keyboard
#xFF33	HANGUL END, ENGLISH START	Keyboard
#xFF34	START HANGUL/HANJA CONVERSION	Keyboard
#xFF35	HANGUL JAMO MODE	Keyboard
#xFF36	HANGUL ROMAJA MODE	Keyboard
#xFF37	HANGUL CODE INPUT	Keyboard
#xFF38	HANGUL JEONJA MODE	Keyboard
#xFF39	HANGUL BANJA MODE	Keyboard
#xFF3A	HANGUL PREHANJA CONVERSION	Keyboard
#xFF3B	HANGUL POSTHANJA CONVERSION	Keyboard
#xFF3C	HANGUL SINGLE CANDIDATE	Keyboard
#xFF3D	HANGUL MULTIPLE CANDIDATE	Keyboard
#xFF3E	HANGUL PREVIOUS CANDIDATE	Keyboard
#xFF3F	HANGUL SPECIAL SYMBOLS	Keyboard
#xFF50	HOME	Keyboard
#xFF51	LEFT, MOVE LEFT, LEFT ARROW	Keyboard
#xFF52	UP, MOVE UP, UP ARROW	Keyboard
#xFF53	RIGHT, MOVE RIGHT, RIGHT ARROW	Keyboard
#xFF54	DOWN, MOVE DOWN, DOWN ARROW	Keyboard
#xFF55	PRIOR, PREVIOUS, PAGE UP	Keyboard
#xFF56	NEXT, PAGE DOWN	Keyboard
#xFF57	END, EOL	Keyboard
#xFF58	BEGIN, BOL	Keyboard
#xFF60	SELECT, MARK	Keyboard
#xFF61	PRINT	Keyboard
#xFF62	EXECUTE, RUN, DO	Keyboard
#xFF63	INSERT, INSERT HERE	Keyboard
#xFF65	UNDO, OOPS	Keyboard
#xFF66	REDO, AGAIN	Keyboard
#xFF67	MENU	Keyboard
#xFF68	FIND, SEARCH	Keyboard
#xFF69	CANCEL, STOP, ABORT, EXIT	Keyboard
#xFF6A	HELP	Keyboard
#xFF6B	BREAK	Keyboard
#xFF7E	MODE SWITCH, SCRIPT SWITCH, CHARACTER SET SWITCH	Keyboard
#xFF7F	NUM LOCK	Keyboard
#xFF80	KEYPAD SPACE	Keyboard
#xFF89	KEYPAD TAB	Keyboard
#xFF8D	KEYPAD ENTER	Keyboard
#xFF91	KEYPAD F1, PF1, A	Keyboard
#xFF92	KEYPAD F2, PF2, B	Keyboard
#xFF93	KEYPAD F3, PF3, C	Keyboard

KEYSYM value	Name	Set
#xFF94	KEYPAD F4, PF4, D	Keyboard
#xFF95	KEYPAD HOME	Keyboard
#xFF96	KEYPAD LEFT	Keyboard
#xFF97	KEYPAD UP	Keyboard
#xFF98	KEYPAD RIGHT	Keyboard
#xFF99	KEYPAD DOWN	Keyboard
#xFF9A	KEYPAD PRIOR, PAGE UP	Keyboard
#xFF9B	KEYPAD NEXT, PAGE DOWN	Keyboard
#xFF9C	KEYPAD END	Keyboard
#xFF9D	KEYPAD BEGIN	Keyboard
#xFF9E	KEYPAD INSERT	Keyboard
#xFF9F	KEYPAD DELETE	Keyboard
#xFFAA	KEYPAD MULTIPLICATION SIGN, ASTERISK	Keyboard
#xFFAB	KEYPAD PLUS SIGN	Keyboard
#xFFAC	KEYPAD SEPARATOR, COMMA	Keyboard
#xFFAD	KEYPAD MINUS SIGN, HYPHEN	Keyboard
#xFFAE	KEYPAD DECIMAL POINT, FULL STOP	Keyboard
#xFFAF	KEYPAD DIVISION SIGN, SOLIDUS	Keyboard
#xFFB0	KEYPAD DIGIT ZERO	Keyboard
#xFFB1	KEYPAD DIGIT ONE	Keyboard
#xFFB2	KEYPAD DIGIT TWO	Keyboard
#xFFB3	KEYPAD DIGIT THREE	Keyboard
#xFFB4	KEYPAD DIGIT FOUR	Keyboard
#xFFB5	KEYPAD DIGIT FIVE	Keyboard
#xFFB6	KEYPAD DIGIT SIX	Keyboard
#xFFB7	KEYPAD DIGIT SEVEN	Keyboard
#xFFB8	KEYPAD DIGIT EIGHT	Keyboard
#xFFB9	KEYPAD DIGIT NINE	Keyboard
#xFFBD	KEYPAD EQUALS SIGN	Keyboard
#xFFBE	F1	Keyboard
#xFFBF	F2	Keyboard
#xFFC0	F3	Keyboard
#xFFC1	F4	Keyboard
#xFFC2	F5	Keyboard
#xFFC3	F6	Keyboard
#xFFC4	F7	Keyboard
#xFFC5	F8	Keyboard
#xFFC6	F9	Keyboard
#xFFC7	F10	Keyboard
#xFFC8	F11, L1	Keyboard
#xFFC9	F12, L2	Keyboard
#xFFCA	F13, L3	Keyboard
#xFFCB	F14, L4	Keyboard
#xFFCC	F15, L5	Keyboard
#xFFCD	F16, L6	Keyboard
#xFFCE	F17, L7	Keyboard
#xFFCF	F18, L8	Keyboard
#xFFD0	F19, L9	Keyboard
#xFFD1	F20, L10	Keyboard
#xFFD2	F21, R1	Keyboard
#xFFD3	F22, R2	Keyboard
#xFFD4	F23, R3	Keyboard
#xFFD5	F24, R4	Keyboard
#xFFD6	F25, R5	Keyboard
#xFFD7	F26, R6	Keyboard
#xFFD8	F27, R7	Keyboard
#xFFD9	F28, R8	Keyboard
#xFFDA	F29, R9	Keyboard
#xFFDB	F30, R10	Keyboard
#xFFDC	F31, R11	Keyboard
#xFFDD	F32, R12	Keyboard

KEYSYM value	Name	Set
#xFFDE	F33, R13	Keyboard
#xFFDF	F34, R14	Keyboard
#xFFE0	F35, R15	Keyboard
#xFFE1	LEFT SHIFT	Keyboard
#xFFE2	RIGHT SHIFT	Keyboard
#xFFE3	LEFT CONTROL	Keyboard
#xFFE4	RIGHT CONTROL	Keyboard
#xFFE5	CAPS LOCK	Keyboard
#xFFE6	SHIFT LOCK	Keyboard
#xFFE7	LEFT META	Keyboard
#xFFE8	RIGHT META	Keyboard
#xFFE9	LEFT ALT	Keyboard
#xFFEA	RIGHT ALT	Keyboard
#xFFEB	LEFT SUPER	Keyboard
#xFFEC	RIGHT SUPER	Keyboard
#xFFED	LEFT HYPER	Keyboard
#xFFEE	RIGHT HYPER	Keyboard
#xFFFF	DELETE, RUBOUT	Keyboard

The Keyboard (XKB) Extension set, which provides among other things a range of dead keys, is defined in “The X Keyboard Extension: Protocol Specification”, Appendix C.

The 3270 set defines additional keys that are specific to IBM 3270 terminals.

KEYSYM value	Name	Set
#xFD01	3270 DUPLICATE	3270
#xFD02	3270 FIELDMARK	3270
#xFD03	3270 RIGHT2	3270
#xFD04	3270 LEFT2	3270
#xFD05	3270 BACKTAB	3270
#xFD06	3270 ERASEEOF	3270
#xFD07	3270 ERASEINPUT	3270
#xFD08	3270 RESET	3270
#xFD09	3270 QUIT	3270
#xFD0A	3270 PA1	3270
#xFD0B	3270 PA2	3270
#xFD0C	3270 PA3	3270
#xFD0D	3270 TEST	3270
#xFD0E	3270 ATTN	3270
#xFD0F	3270 CURSORBLINK	3270
#xFD10	3270 ALTCURSOR	3270
#xFD11	3270 KEYCLICK	3270
#xFD12	3270 JUMP	3270
#xFD13	3270 IDENT	3270
#xFD14	3270 RULE	3270
#xFD15	3270 COPY	3270
#xFD16	3270 PLAY	3270
#xFD17	3270 SETUP	3270
#xFD18	3270 RECORD	3270
#xFD19	3270 CHANGESCREEN	3270
#xFD1A	3270 DELETEWORD	3270
#xFD1B	3270 EXSELECT	3270
#xFD1C	3270 CURSORSELECT	3270
#xFD1D	3270 PRINTSCREEN	3270
#xFD1E	3270 ENTER	3270

### A.5 Vendor KEYSYMs

The KEYSYM number range #x10000000 to #x1FFFFFFF is available for vendor-specific extensions. Among these, the range #x11000000 to #x1100FFFF is designated for keypad KEYSYMs.

### A.6 Legacy KEYSYMs

These date from the time before ISO 10646 / Unicode was available. They represent characters from a number of different older 8-bit coded character sets and have zero values for bytes 1 and 2. Byte 3 indicates a coded character set and byte 4 is the 8-bit value of the particular character within that set.

Byte 3	Byte 4	Byte 3	Byte 4
1	Latin-2	11	APL
2	Latin-3	12	Hebrew
3	Latin-4	13	Thai
4	Kana	14	Korean
5	Arabic	15	Latin-5
6	Cyrillic	16	Latin-6
7	Greek	17	Latin-7
8	Technical	18	Latin-8
9	Special	19	Latin-9
10	Publishing	32	Currency

Each character set contains gaps where codes have been removed that were duplicates with codes in previous character sets (that is, character sets with lesser byte 3 value).

The Latin, Arabic, Cyrillic, Greek, Hebrew, and Thai sets were taken from the early drafts of the relevant ISO 8859 parts available at the time. However, in the case of the Cyrillic and Greek sets, these turned out differently in the final versions of the ISO standard. The Technical, Special, and Publishing sets are based on Digital Equipment Corporation standards, as no equivalent international standards were available at the time.

The table below lists all standardized Legacy KEYSYMs, along with the name used in the source document. Where there exists an unambiguous equivalent in Unicode, as it is the case with all ISO 8859 characters, it is given in the second column as a cross reference. Where there is no Unicode number provided, the exact semantics of the KEYSYM may have been lost and a Unicode KEYSYM should be used instead, if available.

As support of Unicode KEYSYMs increases, some or all of the Legacy KEYSYMs may be phased out and withdrawn in future versions of this standard. Most KEYSYMs in the sets Technical, Special, Publishing, APL and Currency (with the exception of #x20AC) were probably never used in practice, and were not supported by pre-Unicode fonts. In particular, the Currency set, which was copied from Unicode, has already been deprecated by the introduction of the Unicode KEYSYMs.

KEYSYM value	Unicode value	Name	Set
#x01A1	U+0104	LATIN CAPITAL LETTER A WITH OGONEK	Latin-2
#x01A2	U+02D8	BREVE	Latin-2
#x01A3	U+0141	LATIN CAPITAL LETTER L WITH STROKE	Latin-2
#x01A5	U+013D	LATIN CAPITAL LETTER L WITH CARON	Latin-2
#x01A6	U+015A	LATIN CAPITAL LETTER S WITH ACUTE	Latin-2
#x01A9	U+0160	LATIN CAPITAL LETTER S WITH CARON	Latin-2
#x01AA	U+015E	LATIN CAPITAL LETTER S WITH CEDILLA	Latin-2
#x01AB	U+0164	LATIN CAPITAL LETTER T WITH CARON	Latin-2
#x01AC	U+0179	LATIN CAPITAL LETTER Z WITH ACUTE	Latin-2

KEYSYM value	Unicode value	Name	Set
#x01AE	U+017D	LATIN CAPITAL LETTER Z WITH CARON	Latin-2
#x01AF	U+017B	LATIN CAPITAL LETTER Z WITH DOT ABOVE	Latin-2
#x01B1	U+0105	LATIN SMALL LETTER A WITH OGONEK	Latin-2
#x01B2	U+02DB	OGONEK	Latin-2
#x01B3	U+0142	LATIN SMALL LETTER L WITH STROKE	Latin-2
#x01B5	U+013E	LATIN SMALL LETTER L WITH CARON	Latin-2
#x01B6	U+015B	LATIN SMALL LETTER S WITH ACUTE	Latin-2
#x01B7	U+02C7	CARON	Latin-2
#x01B9	U+0161	LATIN SMALL LETTER S WITH CARON	Latin-2
#x01BA	U+015F	LATIN SMALL LETTER S WITH CEDILLA	Latin-2
#x01BB	U+0165	LATIN SMALL LETTER T WITH CARON	Latin-2
#x01BC	U+017A	LATIN SMALL LETTER Z WITH ACUTE	Latin-2
#x01BD	U+02DD	DOUBLE ACUTE ACCENT	Latin-2
#x01BE	U+017E	LATIN SMALL LETTER Z WITH CARON	Latin-2
#x01BF	U+017C	LATIN SMALL LETTER Z WITH DOT ABOVE	Latin-2
#x01C0	U+0154	LATIN CAPITAL LETTER R WITH ACUTE	Latin-2
#x01C3	U+0102	LATIN CAPITAL LETTER A WITH BREVE	Latin-2
#x01C5	U+0139	LATIN CAPITAL LETTER L WITH ACUTE	Latin-2
#x01C6	U+0106	LATIN CAPITAL LETTER C WITH ACUTE	Latin-2
#x01C8	U+010C	LATIN CAPITAL LETTER C WITH CARON	Latin-2
#x01CA	U+0118	LATIN CAPITAL LETTER E WITH OGONEK	Latin-2
#x01CC	U+011A	LATIN CAPITAL LETTER E WITH CARON	Latin-2
#x01CF	U+010E	LATIN CAPITAL LETTER D WITH CARON	Latin-2
#x01D0	U+0110	LATIN CAPITAL LETTER D WITH STROKE	Latin-2
#x01D1	U+0143	LATIN CAPITAL LETTER N WITH ACUTE	Latin-2
#x01D2	U+0147	LATIN CAPITAL LETTER N WITH CARON	Latin-2
#x01D5	U+0150	LATIN CAPITAL LETTER O WITH DOUBLE ACUTE	Latin-2
#x01D8	U+0158	LATIN CAPITAL LETTER R WITH CARON	Latin-2
#x01D9	U+016E	LATIN CAPITAL LETTER U WITH RING ABOVE	Latin-2
#x01DB	U+0170	LATIN CAPITAL LETTER U WITH DOUBLE ACUTE	Latin-2
#x01DE	U+0162	LATIN CAPITAL LETTER T WITH CEDILLA	Latin-2
#x01E0	U+0155	LATIN SMALL LETTER R WITH ACUTE	Latin-2
#x01E3	U+0103	LATIN SMALL LETTER A WITH BREVE	Latin-2
#x01E5	U+013A	LATIN SMALL LETTER L WITH ACUTE	Latin-2
#x01E6	U+0107	LATIN SMALL LETTER C WITH ACUTE	Latin-2
#x01E8	U+010D	LATIN SMALL LETTER C WITH CARON	Latin-2
#x01EA	U+0119	LATIN SMALL LETTER E WITH OGONEK	Latin-2
#x01EC	U+011B	LATIN SMALL LETTER E WITH CARON	Latin-2
#x01EF	U+010F	LATIN SMALL LETTER D WITH CARON	Latin-2
#x01F0	U+0111	LATIN SMALL LETTER D WITH STROKE	Latin-2
#x01F1	U+0144	LATIN SMALL LETTER N WITH ACUTE	Latin-2
#x01F2	U+0148	LATIN SMALL LETTER N WITH CARON	Latin-2
#x01F5	U+0151	LATIN SMALL LETTER O WITH DOUBLE ACUTE	Latin-2
#x01F8	U+0159	LATIN SMALL LETTER R WITH CARON	Latin-2
#x01F9	U+016F	LATIN SMALL LETTER U WITH RING ABOVE	Latin-2
#x01FB	U+0171	LATIN SMALL LETTER U WITH DOUBLE ACUTE	Latin-2
#x01FE	U+0163	LATIN SMALL LETTER T WITH CEDILLA	Latin-2
#x01FF	U+02D9	DOT ABOVE	Latin-2
#x02A1	U+0126	LATIN CAPITAL LETTER H WITH STROKE	Latin-3
#x02A6	U+0124	LATIN CAPITAL LETTER H WITH CIRCUMFLEX	Latin-3
#x02A9	U+0130	LATIN CAPITAL LETTER I WITH DOT ABOVE	Latin-3
#x02AB	U+011E	LATIN CAPITAL LETTER G WITH BREVE	Latin-3
#x02AC	U+0134	LATIN CAPITAL LETTER J WITH CIRCUMFLEX	Latin-3
#x02B1	U+0127	LATIN SMALL LETTER H WITH STROKE	Latin-3
#x02B6	U+0125	LATIN SMALL LETTER H WITH CIRCUMFLEX	Latin-3
#x02B9	U+0131	LATIN SMALL LETTER DOTLESS I	Latin-3
#x02BB	U+011F	LATIN SMALL LETTER G WITH BREVE	Latin-3
#x02BC	U+0135	LATIN SMALL LETTER J WITH CIRCUMFLEX	Latin-3
#x02C5	U+010A	LATIN CAPITAL LETTER C WITH DOT ABOVE	Latin-3

KEYSYM value	Unicode value	Name	Set
#x02C6	U+0108	LATIN CAPITAL LETTER C WITH CIRCUMFLEX	Latin-3
#x02D5	U+0120	LATIN CAPITAL LETTER G WITH DOT ABOVE	Latin-3
#x02D8	U+011C	LATIN CAPITAL LETTER G WITH CIRCUMFLEX	Latin-3
#x02DD	U+016C	LATIN CAPITAL LETTER U WITH BREVE	Latin-3
#x02DE	U+015C	LATIN CAPITAL LETTER S WITH CIRCUMFLEX	Latin-3
#x02E5	U+010B	LATIN SMALL LETTER C WITH DOT ABOVE	Latin-3
#x02E6	U+0109	LATIN SMALL LETTER C WITH CIRCUMFLEX	Latin-3
#x02F5	U+0121	LATIN SMALL LETTER G WITH DOT ABOVE	Latin-3
#x02F8	U+011D	LATIN SMALL LETTER G WITH CIRCUMFLEX	Latin-3
#x02FD	U+016D	LATIN SMALL LETTER U WITH BREVE	Latin-3
#x02FE	U+015D	LATIN SMALL LETTER S WITH CIRCUMFLEX	Latin-3
#x03A2	U+0138	LATIN SMALL LETTER KRA	Latin-4
#x03A3	U+0156	LATIN CAPITAL LETTER R WITH CEDILLA	Latin-4
#x03A5	U+0128	LATIN CAPITAL LETTER I WITH TILDE	Latin-4
#x03A6	U+013B	LATIN CAPITAL LETTER L WITH CEDILLA	Latin-4
#x03AA	U+0112	LATIN CAPITAL LETTER E WITH MACRON	Latin-4
#x03AB	U+0122	LATIN CAPITAL LETTER G WITH CEDILLA	Latin-4
#x03AC	U+0166	LATIN CAPITAL LETTER T WITH STROKE	Latin-4
#x03B3	U+0157	LATIN SMALL LETTER R WITH CEDILLA	Latin-4
#x03B5	U+0129	LATIN SMALL LETTER I WITH TILDE	Latin-4
#x03B6	U+013C	LATIN SMALL LETTER L WITH CEDILLA	Latin-4
#x03BA	U+0113	LATIN SMALL LETTER E WITH MACRON	Latin-4
#x03BB	U+0123	LATIN SMALL LETTER G WITH CEDILLA	Latin-4
#x03BC	U+0167	LATIN SMALL LETTER T WITH STROKE	Latin-4
#x03BD	U+014A	LATIN CAPITAL LETTER ENG	Latin-4
#x03BF	U+014B	LATIN SMALL LETTER ENG	Latin-4
#x03C0	U+0100	LATIN CAPITAL LETTER A WITH MACRON	Latin-4
#x03C7	U+012E	LATIN CAPITAL LETTER I WITH OGONEK	Latin-4
#x03CC	U+0116	LATIN CAPITAL LETTER E WITH DOT ABOVE	Latin-4
#x03CF	U+012A	LATIN CAPITAL LETTER I WITH MACRON	Latin-4
#x03D1	U+0145	LATIN CAPITAL LETTER N WITH CEDILLA	Latin-4
#x03D2	U+014C	LATIN CAPITAL LETTER O WITH MACRON	Latin-4
#x03D3	U+0136	LATIN CAPITAL LETTER K WITH CEDILLA	Latin-4
#x03D9	U+0172	LATIN CAPITAL LETTER U WITH OGONEK	Latin-4
#x03DD	U+0168	LATIN CAPITAL LETTER U WITH TILDE	Latin-4
#x03DE	U+016A	LATIN CAPITAL LETTER U WITH MACRON	Latin-4
#x03E0	U+0101	LATIN SMALL LETTER A WITH MACRON	Latin-4
#x03E7	U+012F	LATIN SMALL LETTER I WITH OGONEK	Latin-4
#x03EC	U+0117	LATIN SMALL LETTER E WITH DOT ABOVE	Latin-4
#x03EF	U+012B	LATIN SMALL LETTER I WITH MACRON	Latin-4
#x03F1	U+0146	LATIN SMALL LETTER N WITH CEDILLA	Latin-4
#x03F2	U+014D	LATIN SMALL LETTER O WITH MACRON	Latin-4
#x03F3	U+0137	LATIN SMALL LETTER K WITH CEDILLA	Latin-4
#x03F9	U+0173	LATIN SMALL LETTER U WITH OGONEK	Latin-4
#x03FD	U+0169	LATIN SMALL LETTER U WITH TILDE	Latin-4
#x03FE	U+016B	LATIN SMALL LETTER U WITH MACRON	Latin-4
#x047E	U+203E	OVERLINE	Kana
#x04A1	U+3002	KANA FULL STOP	Kana
#x04A2	U+300C	KANA OPENING BRACKET	Kana
#x04A3	U+300D	KANA CLOSING BRACKET	Kana
#x04A4	U+3001	KANA COMMA	Kana
#x04A5	U+30FB	KANA CONJUNCTIVE	Kana
#x04A6	U+30F2	KANA LETTER WO	Kana
#x04A7	U+30A1	KANA LETTER SMALL A	Kana
#x04A8	U+30A3	KANA LETTER SMALL I	Kana
#x04A9	U+30A5	KANA LETTER SMALL U	Kana
#x04AA	U+30A7	KANA LETTER SMALL E	Kana

KEYSYM value	Unicode value	Name	Set
#x04AB	U+30A9	KANA LETTER SMALL O	Kana
#x04AC	U+30E3	KANA LETTER SMALL YA	Kana
#x04AD	U+30E5	KANA LETTER SMALL YU	Kana
#x04AE	U+30E7	KANA LETTER SMALL YO	Kana
#x04AF	U+30C3	KANA LETTER SMALL TSU	Kana
#x04B0	U+30FC	PROLONGED SOUND SYMBOL	Kana
#x04B1	U+30A2	KANA LETTER A	Kana
#x04B2	U+30A4	KANA LETTER I	Kana
#x04B3	U+30A6	KANA LETTER U	Kana
#x04B4	U+30A8	KANA LETTER E	Kana
#x04B5	U+30AA	KANA LETTER O	Kana
#x04B6	U+30AB	KANA LETTER KA	Kana
#x04B7	U+30AD	KANA LETTER KI	Kana
#x04B8	U+30AF	KANA LETTER KU	Kana
#x04B9	U+30B1	KANA LETTER KE	Kana
#x04BA	U+30B3	KANA LETTER KO	Kana
#x04BB	U+30B5	KANA LETTER SA	Kana
#x04BC	U+30B7	KANA LETTER SHI	Kana
#x04BD	U+30B9	KANA LETTER SU	Kana
#x04BE	U+30BB	KANA LETTER SE	Kana
#x04BF	U+30BD	KANA LETTER SO	Kana
#x04C0	U+30BF	KANA LETTER TA	Kana
#x04C1	U+30C1	KANA LETTER CHI	Kana
#x04C2	U+30C4	KANA LETTER TSU	Kana
#x04C3	U+30C6	KANA LETTER TE	Kana
#x04C4	U+30C8	KANA LETTER TO	Kana
#x04C5	U+30CA	KANA LETTER NA	Kana
#x04C6	U+30CB	KANA LETTER NI	Kana
#x04C7	U+30CC	KANA LETTER NU	Kana
#x04C8	U+30CD	KANA LETTER NE	Kana
#x04C9	U+30CE	KANA LETTER NO	Kana
#x04CA	U+30CF	KANA LETTER HA	Kana
#x04CB	U+30D2	KANA LETTER HI	Kana
#x04CC	U+30D5	KANA LETTER FU	Kana
#x04CD	U+30D8	KANA LETTER HE	Kana
#x04CE	U+30DB	KANA LETTER HO	Kana
#x04CF	U+30DE	KANA LETTER MA	Kana
#x04D0	U+30DF	KANA LETTER MI	Kana
#x04D1	U+30E0	KANA LETTER MU	Kana
#x04D2	U+30E1	KANA LETTER ME	Kana
#x04D3	U+30E2	KANA LETTER MO	Kana
#x04D4	U+30E4	KANA LETTER YA	Kana
#x04D5	U+30E6	KANA LETTER YU	Kana
#x04D6	U+30E8	KANA LETTER YO	Kana
#x04D7	U+30E9	KANA LETTER RA	Kana
#x04D8	U+30EA	KANA LETTER RI	Kana
#x04D9	U+30EB	KANA LETTER RU	Kana
#x04DA	U+30EC	KANA LETTER RE	Kana
#x04DB	U+30ED	KANA LETTER RO	Kana
#x04DC	U+30EF	KANA LETTER WA	Kana
#x04DD	U+30F3	KANA LETTER N	Kana
#x04DE	U+309B	VOICED SOUND SYMBOL	Kana
#x04DF	U+309C	SEMIVOICED SOUND SYMBOL	Kana
#x05AC	U+060C	ARABIC COMMA	Arabic
#x05BB	U+061B	ARABIC SEMICOLON	Arabic
#x05BF	U+061F	ARABIC QUESTION MARK	Arabic
#x05C1	U+0621	ARABIC LETTER HAMZA	Arabic
#x05C2	U+0622	ARABIC LETTER ALEF WITH MADDA ABOVE	Arabic
#x05C3	U+0623	ARABIC LETTER ALEF WITH HAMZA ABOVE	Arabic

KEYSYM value	Unicode value	Name	Set
#x05C4	U+0624	ARABIC LETTER WAW WITH HAMZA ABOVE	Arabic
#x05C5	U+0625	ARABIC LETTER ALEF WITH HAMZA BELOW	Arabic
#x05C6	U+0626	ARABIC LETTER YEH WITH HAMZA ABOVE	Arabic
#x05C7	U+0627	ARABIC LETTER ALEF	Arabic
#x05C8	U+0628	ARABIC LETTER BEH	Arabic
#x05C9	U+0629	ARABIC LETTER TEH MARBUTA	Arabic
#x05CA	U+062A	ARABIC LETTER TEH	Arabic
#x05CB	U+062B	ARABIC LETTER THEH	Arabic
#x05CC	U+062C	ARABIC LETTER JEEM	Arabic
#x05CD	U+062D	ARABIC LETTER HAH	Arabic
#x05CE	U+062E	ARABIC LETTER KHAH	Arabic
#x05CF	U+062F	ARABIC LETTER DAL	Arabic
#x05D0	U+0630	ARABIC LETTER THAL	Arabic
#x05D1	U+0631	ARABIC LETTER REH	Arabic
#x05D2	U+0632	ARABIC LETTER ZAIN	Arabic
#x05D3	U+0633	ARABIC LETTER SEEN	Arabic
#x05D4	U+0634	ARABIC LETTER SHEEN	Arabic
#x05D5	U+0635	ARABIC LETTER SAD	Arabic
#x05D6	U+0636	ARABIC LETTER DAD	Arabic
#x05D7	U+0637	ARABIC LETTER TAH	Arabic
#x05D8	U+0638	ARABIC LETTER ZAH	Arabic
#x05D9	U+0639	ARABIC LETTER AIN	Arabic
#x05DA	U+063A	ARABIC LETTER GHAIN	Arabic
#x05E0	U+0640	ARABIC TATWEEL	Arabic
#x05E1	U+0641	ARABIC LETTER FEH	Arabic
#x05E2	U+0642	ARABIC LETTER QAF	Arabic
#x05E3	U+0643	ARABIC LETTER KAF	Arabic
#x05E4	U+0644	ARABIC LETTER LAM	Arabic
#x05E5	U+0645	ARABIC LETTER MEEM	Arabic
#x05E6	U+0646	ARABIC LETTER NOON	Arabic
#x05E7	U+0647	ARABIC LETTER HEH	Arabic
#x05E8	U+0648	ARABIC LETTER WAW	Arabic
#x05E9	U+0649	ARABIC LETTER ALEF MAKSURA	Arabic
#x05EA	U+064A	ARABIC LETTER YEH	Arabic
#x05EB	U+064B	ARABIC FATHATAN	Arabic
#x05EC	U+064C	ARABIC DAMMATAN	Arabic
#x05ED	U+064D	ARABIC KASRATAN	Arabic
#x05EE	U+064E	ARABIC FATHA	Arabic
#x05EF	U+064F	ARABIC DAMMA	Arabic
#x05F0	U+0650	ARABIC KASRA	Arabic
#x05F1	U+0651	ARABIC SHADDA	Arabic
#x05F2	U+0652	ARABIC SUKUN	Arabic
#x06A1	U+0452	CYRILLIC SMALL LETTER DJE	Cyrillic
#x06A2	U+0453	CYRILLIC SMALL LETTER GJE	Cyrillic
#x06A3	U+0451	CYRILLIC SMALL LETTER IO	Cyrillic
#x06A4	U+0454	CYRILLIC SMALL LETTER UKRAINIAN IE	Cyrillic
#x06A5	U+0455	CYRILLIC SMALL LETTER DZE	Cyrillic
#x06A6	U+0456	CYRILLIC SMALL LETTER BYELORUSSIAN-UKRAINIAN I	Cyrillic
#x06A7	U+0457	CYRILLIC SMALL LETTER YI	Cyrillic
#x06A8	U+0458	CYRILLIC SMALL LETTER JE	Cyrillic
#x06A9	U+0459	CYRILLIC SMALL LETTER LJE	Cyrillic
#x06AA	U+045A	CYRILLIC SMALL LETTER NJE	Cyrillic
#x06AB	U+045B	CYRILLIC SMALL LETTER TSHE	Cyrillic
#x06AC	U+045C	CYRILLIC SMALL LETTER KJE	Cyrillic
#x06AD	U+0491	CYRILLIC SMALL LETTER GHE WITH UPTURN	Cyrillic
#x06AE	U+045E	CYRILLIC SMALL LETTER SHORT U	Cyrillic
#x06AF	U+045F	CYRILLIC SMALL LETTER DZHE	Cyrillic
#x06B0	U+2116	NUMERO SIGN	Cyrillic
#x06B1	U+0402	CYRILLIC CAPITAL LETTER DJE	Cyrillic

KEYSYM value	Unicode value	Name	Set
#x06B2	U+0403	CYRILLIC CAPITAL LETTER GJE	Cyrillic
#x06B3	U+0401	CYRILLIC CAPITAL LETTER IO	Cyrillic
#x06B4	U+0404	CYRILLIC CAPITAL LETTER UKRAINIAN IE	Cyrillic
#x06B5	U+0405	CYRILLIC CAPITAL LETTER DZE	Cyrillic
#x06B6	U+0406	CYRILLIC CAPITAL LETTER BYELORUSSIAN-UKRAINIAN I	Cyrillic
#x06B7	U+0407	CYRILLIC CAPITAL LETTER YI	Cyrillic
#x06B8	U+0408	CYRILLIC CAPITAL LETTER JE	Cyrillic
#x06B9	U+0409	CYRILLIC CAPITAL LETTER LJE	Cyrillic
#x06BA	U+040A	CYRILLIC CAPITAL LETTER NJE	Cyrillic
#x06BB	U+040B	CYRILLIC CAPITAL LETTER TSHE	Cyrillic
#x06BC	U+040C	CYRILLIC CAPITAL LETTER KJE	Cyrillic
#x06BD	U+0490	CYRILLIC CAPITAL LETTER GHE WITH UPTURN	Cyrillic
#x06BE	U+040E	CYRILLIC CAPITAL LETTER SHORT U	Cyrillic
#x06BF	U+040F	CYRILLIC CAPITAL LETTER DZHE	Cyrillic
#x06C0	U+044E	CYRILLIC SMALL LETTER YU	Cyrillic
#x06C1	U+0430	CYRILLIC SMALL LETTER A	Cyrillic
#x06C2	U+0431	CYRILLIC SMALL LETTER BE	Cyrillic
#x06C3	U+0446	CYRILLIC SMALL LETTER TSE	Cyrillic
#x06C4	U+0434	CYRILLIC SMALL LETTER DE	Cyrillic
#x06C5	U+0435	CYRILLIC SMALL LETTER IE	Cyrillic
#x06C6	U+0444	CYRILLIC SMALL LETTER EF	Cyrillic
#x06C7	U+0433	CYRILLIC SMALL LETTER GHE	Cyrillic
#x06C8	U+0445	CYRILLIC SMALL LETTER HA	Cyrillic
#x06C9	U+0438	CYRILLIC SMALL LETTER I	Cyrillic
#x06CA	U+0439	CYRILLIC SMALL LETTER SHORT I	Cyrillic
#x06CB	U+043A	CYRILLIC SMALL LETTER KA	Cyrillic
#x06CC	U+043B	CYRILLIC SMALL LETTER EL	Cyrillic
#x06CD	U+043C	CYRILLIC SMALL LETTER EM	Cyrillic
#x06CE	U+043D	CYRILLIC SMALL LETTER EN	Cyrillic
#x06CF	U+043E	CYRILLIC SMALL LETTER O	Cyrillic
#x06D0	U+043F	CYRILLIC SMALL LETTER PE	Cyrillic
#x06D1	U+044F	CYRILLIC SMALL LETTER YA	Cyrillic
#x06D2	U+0440	CYRILLIC SMALL LETTER ER	Cyrillic
#x06D3	U+0441	CYRILLIC SMALL LETTER ES	Cyrillic
#x06D4	U+0442	CYRILLIC SMALL LETTER TE	Cyrillic
#x06D5	U+0443	CYRILLIC SMALL LETTER U	Cyrillic
#x06D6	U+0436	CYRILLIC SMALL LETTER ZHE	Cyrillic
#x06D7	U+0432	CYRILLIC SMALL LETTER VE	Cyrillic
#x06D8	U+044C	CYRILLIC SMALL LETTER SOFT SIGN	Cyrillic
#x06D9	U+044B	CYRILLIC SMALL LETTER YERU	Cyrillic
#x06DA	U+0437	CYRILLIC SMALL LETTER ZE	Cyrillic
#x06DB	U+0448	CYRILLIC SMALL LETTER SHA	Cyrillic
#x06DC	U+044D	CYRILLIC SMALL LETTER E	Cyrillic
#x06DD	U+0449	CYRILLIC SMALL LETTER SHCHA	Cyrillic
#x06DE	U+0447	CYRILLIC SMALL LETTER CHE	Cyrillic
#x06DF	U+044A	CYRILLIC SMALL LETTER HARD SIGN	Cyrillic
#x06E0	U+042E	CYRILLIC CAPITAL LETTER YU	Cyrillic
#x06E1	U+0410	CYRILLIC CAPITAL LETTER A	Cyrillic
#x06E2	U+0411	CYRILLIC CAPITAL LETTER BE	Cyrillic
#x06E3	U+0426	CYRILLIC CAPITAL LETTER TSE	Cyrillic
#x06E4	U+0414	CYRILLIC CAPITAL LETTER DE	Cyrillic
#x06E5	U+0415	CYRILLIC CAPITAL LETTER IE	Cyrillic
#x06E6	U+0424	CYRILLIC CAPITAL LETTER EF	Cyrillic
#x06E7	U+0413	CYRILLIC CAPITAL LETTER GHE	Cyrillic
#x06E8	U+0425	CYRILLIC CAPITAL LETTER HA	Cyrillic
#x06E9	U+0418	CYRILLIC CAPITAL LETTER I	Cyrillic
#x06EA	U+0419	CYRILLIC CAPITAL LETTER SHORT I	Cyrillic
#x06EB	U+041A	CYRILLIC CAPITAL LETTER KA	Cyrillic
#x06EC	U+041B	CYRILLIC CAPITAL LETTER EL	Cyrillic
#x06ED	U+041C	CYRILLIC CAPITAL LETTER EM	Cyrillic
#x06EE	U+041D	CYRILLIC CAPITAL LETTER EN	Cyrillic

KEYSYM value	Unicode value	Name	Set
#x06EF	U+041E	CYRILLIC CAPITAL LETTER O	Cyrillic
#x06F0	U+041F	CYRILLIC CAPITAL LETTER PE	Cyrillic
#x06F1	U+042F	CYRILLIC CAPITAL LETTER YA	Cyrillic
#x06F2	U+0420	CYRILLIC CAPITAL LETTER ER	Cyrillic
#x06F3	U+0421	CYRILLIC CAPITAL LETTER ES	Cyrillic
#x06F4	U+0422	CYRILLIC CAPITAL LETTER TE	Cyrillic
#x06F5	U+0423	CYRILLIC CAPITAL LETTER U	Cyrillic
#x06F6	U+0416	CYRILLIC CAPITAL LETTER ZHE	Cyrillic
#x06F7	U+0412	CYRILLIC CAPITAL LETTER VE	Cyrillic
#x06F8	U+042C	CYRILLIC CAPITAL LETTER SOFT SIGN	Cyrillic
#x06F9	U+042B	CYRILLIC CAPITAL LETTER YERU	Cyrillic
#x06FA	U+0417	CYRILLIC CAPITAL LETTER ZE	Cyrillic
#x06FB	U+0428	CYRILLIC CAPITAL LETTER SHA	Cyrillic
#x06FC	U+042D	CYRILLIC CAPITAL LETTER E	Cyrillic
#x06FD	U+0429	CYRILLIC CAPITAL LETTER SHCHA	Cyrillic
#x06FE	U+0427	CYRILLIC CAPITAL LETTER CHE	Cyrillic
#x06FF	U+042A	CYRILLIC CAPITAL LETTER HARD SIGN	Cyrillic
#x07A1	U+0386	GREEK CAPITAL LETTER ALPHA WITH TONOS	Greek
#x07A2	U+0388	GREEK CAPITAL LETTER EPSILON WITH TONOS	Greek
#x07A3	U+0389	GREEK CAPITAL LETTER ETA WITH TONOS	Greek
#x07A4	U+038A	GREEK CAPITAL LETTER IOTA WITH TONOS	Greek
#x07A5	U+03AA	GREEK CAPITAL LETTER IOTA WITH DIALYTIKA	Greek
#x07A7	U+038C	GREEK CAPITAL LETTER OMICRON WITH TONOS	Greek
#x07A8	U+038E	GREEK CAPITAL LETTER UPSILON WITH TONOS	Greek
#x07A9	U+03AB	GREEK CAPITAL LETTER UPSILON WITH DIALYTIKA	Greek
#x07AB	U+038F	GREEK CAPITAL LETTER OMEGA WITH TONOS	Greek
#x07AE	U+0385	GREEK DIALYTIKA TONOS	Greek
#x07AF	U+2015	HORIZONTAL BAR	Greek
#x07B1	U+03AC	GREEK SMALL LETTER ALPHA WITH TONOS	Greek
#x07B2	U+03AD	GREEK SMALL LETTER EPSILON WITH TONOS	Greek
#x07B3	U+03AE	GREEK SMALL LETTER ETA WITH TONOS	Greek
#x07B4	U+03AF	GREEK SMALL LETTER IOTA WITH TONOS	Greek
#x07B5	U+03CA	GREEK SMALL LETTER IOTA WITH DIALYTIKA	Greek
#x07B6	U+0390	GREEK SMALL LETTER IOTA WITH DIALYTIKA AND TONOS	Greek
#x07B7	U+03CC	GREEK SMALL LETTER OMICRON WITH TONOS	Greek
#x07B8	U+03CD	GREEK SMALL LETTER UPSILON WITH TONOS	Greek
#x07B9	U+03CB	GREEK SMALL LETTER UPSILON WITH DIALYTIKA	Greek
#x07BA	U+03B0	GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND TONOS	Greek
#x07BB	U+03CE	GREEK SMALL LETTER OMEGA WITH TONOS	Greek
#x07C1	U+0391	GREEK CAPITAL LETTER ALPHA	Greek
#x07C2	U+0392	GREEK CAPITAL LETTER BETA	Greek
#x07C3	U+0393	GREEK CAPITAL LETTER GAMMA	Greek
#x07C4	U+0394	GREEK CAPITAL LETTER DELTA	Greek
#x07C5	U+0395	GREEK CAPITAL LETTER EPSILON	Greek
#x07C6	U+0396	GREEK CAPITAL LETTER ZETA	Greek
#x07C7	U+0397	GREEK CAPITAL LETTER ETA	Greek
#x07C8	U+0398	GREEK CAPITAL LETTER THETA	Greek
#x07C9	U+0399	GREEK CAPITAL LETTER IOTA	Greek
#x07CA	U+039A	GREEK CAPITAL LETTER KAPPA	Greek
#x07CB	U+039B	GREEK CAPITAL LETTER LAMDA	Greek
#x07CC	U+039C	GREEK CAPITAL LETTER MU	Greek
#x07CD	U+039D	GREEK CAPITAL LETTER NU	Greek
#x07CE	U+039E	GREEK CAPITAL LETTER XI	Greek
#x07CF	U+039F	GREEK CAPITAL LETTER OMICRON	Greek
#x07D0	U+03A0	GREEK CAPITAL LETTER PI	Greek
#x07D1	U+03A1	GREEK CAPITAL LETTER RHO	Greek
#x07D2	U+03A3	GREEK CAPITAL LETTER SIGMA	Greek
#x07D4	U+03A4	GREEK CAPITAL LETTER TAU	Greek
#x07D5	U+03A5	GREEK CAPITAL LETTER UPSILON	Greek

KEYSYM value	Unicode value	Name	Set
#x07D6	U+03A6	GREEK CAPITAL LETTER PHI	Greek
#x07D7	U+03A7	GREEK CAPITAL LETTER CHI	Greek
#x07D8	U+03A8	GREEK CAPITAL LETTER PSI	Greek
#x07D9	U+03A9	GREEK CAPITAL LETTER OMEGA	Greek
#x07E1	U+03B1	GREEK SMALL LETTER ALPHA	Greek
#x07E2	U+03B2	GREEK SMALL LETTER BETA	Greek
#x07E3	U+03B3	GREEK SMALL LETTER GAMMA	Greek
#x07E4	U+03B4	GREEK SMALL LETTER DELTA	Greek
#x07E5	U+03B5	GREEK SMALL LETTER EPSILON	Greek
#x07E6	U+03B6	GREEK SMALL LETTER ZETA	Greek
#x07E7	U+03B7	GREEK SMALL LETTER ETA	Greek
#x07E8	U+03B8	GREEK SMALL LETTER THETA	Greek
#x07E9	U+03B9	GREEK SMALL LETTER IOTA	Greek
#x07EA	U+03BA	GREEK SMALL LETTER KAPPA	Greek
#x07EB	U+03BB	GREEK SMALL LETTER LAMDA	Greek
#x07EC	U+03BC	GREEK SMALL LETTER MU	Greek
#x07ED	U+03BD	GREEK SMALL LETTER NU	Greek
#x07EE	U+03BE	GREEK SMALL LETTER XI	Greek
#x07EF	U+03BF	GREEK SMALL LETTER OMICRON	Greek
#x07F0	U+03C0	GREEK SMALL LETTER PI	Greek
#x07F1	U+03C1	GREEK SMALL LETTER RHO	Greek
#x07F2	U+03C3	GREEK SMALL LETTER SIGMA	Greek
#x07F3	U+03C2	GREEK SMALL LETTER FINAL SIGMA	Greek
#x07F4	U+03C4	GREEK SMALL LETTER TAU	Greek
#x07F5	U+03C5	GREEK SMALL LETTER UPSILON	Greek
#x07F6	U+03C6	GREEK SMALL LETTER PHI	Greek
#x07F7	U+03C7	GREEK SMALL LETTER CHI	Greek
#x07F8	U+03C8	GREEK SMALL LETTER PSI	Greek
#x07F9	U+03C9	GREEK SMALL LETTER OMEGA	Greek
#x08A1	U+23B7	LEFT RADICAL	Technical
#x08A2	-	TOP LEFT RADICAL	Technical
#x08A3	-	HORIZONTAL CONNECTOR	Technical
#x08A4	U+2320	TOP INTEGRAL	Technical
#x08A5	U+2321	BOTTOM INTEGRAL	Technical
#x08A6	-	VERTICAL CONNECTOR	Technical
#x08A7	U+23A1	TOP LEFT SQUARE BRACKET	Technical
#x08A8	U+23A3	BOTTOM LEFT SQUARE BRACKET	Technical
#x08A9	U+23A4	TOP RIGHT SQUARE BRACKET	Technical
#x08AA	U+23A6	BOTTOM RIGHT SQUARE BRACKET	Technical
#x08AB	U+239B	TOP LEFT PARENTHESIS	Technical
#x08AC	U+239D	BOTTOM LEFT PARENTHESIS	Technical
#x08AD	U+239E	TOP RIGHT PARENTHESIS	Technical
#x08AE	U+23A0	BOTTOM RIGHT PARENTHESIS	Technical
#x08AF	U+23A8	LEFT MIDDLE CURLY BRACE	Technical
#x08B0	U+23AC	RIGHT MIDDLE CURLY BRACE	Technical
#x08B1	-	TOP LEFT SUMMATION	Technical
#x08B2	-	BOTTOM LEFT SUMMATION	Technical
#x08B3	-	TOP VERTICAL SUMMATION CONNECTOR	Technical
#x08B4	-	BOTTOM VERTICAL SUMMATION CONNECTOR	Technical
#x08B5	-	TOP RIGHT SUMMATION	Technical
#x08B6	-	BOTTOM RIGHT SUMMATION	Technical
#x08B7	-	RIGHT MIDDLE SUMMATION	Technical
#x08BC	U+2264	LESS THAN OR EQUAL SIGN	Technical
#x08BD	U+2260	NOT EQUAL SIGN	Technical
#x08BE	U+2265	GREATER THAN OR EQUAL SIGN	Technical
#x08BF	U+222B	INTEGRAL	Technical
#x08C0	U+2234	THEREFORE	Technical
#x08C1	U+221D	VARIATION, PROPORTIONAL TO	Technical
#x08C2	U+221E	INFINITY	Technical

KEYSYM value	Unicode value	Name	Set
#x08C5	U+2207	NABLA, DEL	Technical
#x08C8	U+223C	IS APPROXIMATE TO	Technical
#x08C9	U+2243	SIMILAR OR EQUAL TO	Technical
#x08CD	U+21D4	IF AND ONLY IF	Technical
#x08CE	U+21D2	IMPLIES	Technical
#x08CF	U+2261	IDENTICAL TO	Technical
#x08D6	U+221A	RADICAL	Technical
#x08DA	U+2282	IS INCLUDED IN	Technical
#x08DB	U+2283	INCLUDES	Technical
#x08DC	U+2229	INTERSECTION	Technical
#x08DD	U+222A	UNION	Technical
#x08DE	U+2227	LOGICAL AND	Technical
#x08DF	U+2228	LOGICAL OR	Technical
#x08EF	U+2202	PARTIAL DERIVATIVE	Technical
#x08F6	U+0192	FUNCTION	Technical
#x08FB	U+2190	LEFT ARROW	Technical
#x08FC	U+2191	UPWARD ARROW	Technical
#x08FD	U+2192	RIGHT ARROW	Technical
#x08FE	U+2193	DOWNWARD ARROW	Technical
#x09DF	–	BLANK	Special
#x09E0	U+25C6	SOLID DIAMOND	Special
#x09E1	U+2592	CHECKERBOARD	Special
#x09E2	U+2409	“HT”	Special
#x09E3	U+240C	“FF”	Special
#x09E4	U+240D	“CR”	Special
#x09E5	U+240A	“LF”	Special
#x09E8	U+2424	“NL”	Special
#x09E9	U+240B	“VT”	Special
#x09EA	U+2518	LOWER-RIGHT CORNER	Special
#x09EB	U+2510	UPPER-RIGHT CORNER	Special
#x09EC	U+250C	UPPER-LEFT CORNER	Special
#x09ED	U+2514	LOWER-LEFT CORNER	Special
#x09EE	U+253C	CROSSING-LINES	Special
#x09EF	U+23BA	HORIZONTAL LINE, SCAN 1	Special
#x09F0	U+23BB	HORIZONTAL LINE, SCAN 3	Special
#x09F1	U+2500	HORIZONTAL LINE, SCAN 5	Special
#x09F2	U+23BC	HORIZONTAL LINE, SCAN 7	Special
#x09F3	U+23BD	HORIZONTAL LINE, SCAN 9	Special
#x09F4	U+251C	LEFT “T”	Special
#x09F5	U+2524	RIGHT “T”	Special
#x09F6	U+2534	BOTTOM “T”	Special
#x09F7	U+252C	TOP “T”	Special
#x09F8	U+2502	VERTICAL BAR	Special
#x0AA1	U+2003	EM SPACE	Publish
#x0AA2	U+2002	EN SPACE	Publish
#x0AA3	U+2004	3/EM SPACE	Publish
#x0AA4	U+2005	4/EM SPACE	Publish
#x0AA5	U+2007	DIGIT SPACE	Publish
#x0AA6	U+2008	PUNCTUATION SPACE	Publish
#x0AA7	U+2009	THIN SPACE	Publish
#x0AA8	U+200A	HAIR SPACE	Publish
#x0AA9	U+2014	EM DASH	Publish
#x0AAA	U+2013	EN DASH	Publish
#x0AAC	–	SIGNIFICANT BLANK SYMBOL	Publish
#x0AAE	U+2026	ELLIPSIS	Publish
#x0AAF	U+2025	DOUBLE BASELINE DOT	Publish
#x0AB0	U+2153	VULGAR FRACTION ONE THIRD	Publish

KEYSYM value	Unicode value	Name	Set
#x0AB1	U+2154	VULGAR FRACTION TWO THIRDS	Publish
#x0AB2	U+2155	VULGAR FRACTION ONE FIFTH	Publish
#x0AB3	U+2156	VULGAR FRACTION TWO FIFTHS	Publish
#x0AB4	U+2157	VULGAR FRACTION THREE FIFTHS	Publish
#x0AB5	U+2158	VULGAR FRACTION FOUR FIFTHS	Publish
#x0AB6	U+2159	VULGAR FRACTION ONE SIXTH	Publish
#x0AB7	U+215A	VULGAR FRACTION FIVE SIXTHS	Publish
#x0AB8	U+2105	CARE OF	Publish
#x0ABB	U+2012	FIGURE DASH	Publish
#x0ABC	–	LEFT ANGLE BRACKET	Publish
#x0ABD	–	DECIMAL POINT	Publish
#x0ABE	–	RIGHT ANGLE BRACKET	Publish
#x0ABF	–	MARKER	Publish
#x0AC3	U+215B	VULGAR FRACTION ONE EIGHTH	Publish
#x0AC4	U+215C	VULGAR FRACTION THREE EIGHTHS	Publish
#x0AC5	U+215D	VULGAR FRACTION FIVE EIGHTHS	Publish
#x0AC6	U+215E	VULGAR FRACTION SEVEN EIGHTHS	Publish
#x0AC9	U+2122	TRADEMARK SIGN	Publish
#x0ACA	–	SIGNATURE MARK	Publish
#x0ACB	–	TRADEMARK SIGN IN CIRCLE	Publish
#x0ACC	–	LEFT OPEN TRIANGLE	Publish
#x0ACD	–	RIGHT OPEN TRIANGLE	Publish
#x0ACE	–	EM OPEN CIRCLE	Publish
#x0ACF	–	EM OPEN RECTANGLE	Publish
#x0AD0	U+2018	LEFT SINGLE QUOTATION MARK	Publish
#x0AD1	U+2019	RIGHT SINGLE QUOTATION MARK	Publish
#x0AD2	U+201C	LEFT DOUBLE QUOTATION MARK	Publish
#x0AD3	U+201D	RIGHT DOUBLE QUOTATION MARK	Publish
#x0AD4	U+211E	PRESCRIPTION, TAKE, RECIPE	Publish
#x0AD6	U+2032	MINUTES	Publish
#x0AD7	U+2033	SECONDS	Publish
#x0AD9	U+271D	LATIN CROSS	Publish
#x0ADA	–	HEXAGRAM	Publish
#x0ADB	–	FILLED RECTANGLE BULLET	Publish
#x0ADC	–	FILLED LEFT TRIANGLE BULLET	Publish
#x0ADD	–	FILLED RIGHT TRIANGLE BULLET	Publish
#x0ADE	–	EM FILLED CIRCLE	Publish
#x0ADF	–	EM FILLED RECTANGLE	Publish
#x0AE0	–	EN OPEN CIRCLE BULLET	Publish
#x0AE1	–	EN OPEN SQUARE BULLET	Publish
#x0AE2	–	OPEN RECTANGULAR BULLET	Publish
#x0AE3	–	OPEN TRIANGULAR BULLET UP	Publish
#x0AE4	–	OPEN TRIANGULAR BULLET DOWN	Publish
#x0AE5	–	OPEN STAR	Publish
#x0AE6	–	EN FILLED CIRCLE BULLET	Publish
#x0AE7	–	EN FILLED SQUARE BULLET	Publish
#x0AE8	–	FILLED TRIANGULAR BULLET UP	Publish
#x0AE9	–	FILLED TRIANGULAR BULLET DOWN	Publish
#x0AEA	–	LEFT POINTER	Publish
#x0AEB	–	RIGHT POINTER	Publish
#x0AEC	U+2663	CLUB	Publish
#x0AED	U+2666	DIAMOND	Publish
#x0AEE	U+2665	HEART	Publish
#x0AF0	U+2720	MALTESE CROSS	Publish
#x0AF1	U+2020	DAGGER	Publish
#x0AF2	U+2021	DOUBLE DAGGER	Publish
#x0AF3	U+2713	CHECK MARK, TICK	Publish
#x0AF4	U+2717	BALLOT CROSS	Publish
#x0AF5	U+266F	MUSICAL SHARP	Publish
#x0AF6	U+266D	MUSICAL FLAT	Publish
#x0AF7	U+2642	MALE SYMBOL	Publish

KEYSYM value	Unicode value	Name	Set
#x0AF8	U+2640	FEMALE SYMBOL	Publish
#x0AF9	U+260E	TELEPHONE SYMBOL	Publish
#x0AFA	U+2315	TELEPHONE RECORDER SYMBOL	Publish
#x0AFB	U+2117	PHONOGRAPH COPYRIGHT SIGN	Publish
#x0AFC	U+2038	CARET	Publish
#x0AFD	U+201A	SINGLE LOW QUOTATION MARK	Publish
#x0AFE	U+201E	DOUBLE LOW QUOTATION MARK	Publish
#x0AFF	–	CURSOR	Publish
#x0BA3	–	LEFT CARET	APL
#x0BA6	–	RIGHT CARET	APL
#x0BA8	–	DOWN CARET	APL
#x0BA9	–	UP CARET	APL
#x0BC0	–	OVERBAR	APL
#x0BC2	U+22A5	DOWN TACK	APL
#x0BC3	–	UP SHOE (CAP)	APL
#x0BC4	U+230A	DOWN STILE	APL
#x0BC6	–	UNDERBAR	APL
#x0BCA	U+2218	JOT	APL
#x0BCC	U+2395	QUAD	APL
#x0BCE	U+22A4	UP TACK	APL
#x0BCF	U+25CB	CIRCLE	APL
#x0BD3	U+2308	UP STILE	APL
#x0BD6	–	DOWN SHOE (CUP)	APL
#x0BD8	–	RIGHT SHOE	APL
#x0BDA	–	LEFT SHOE	APL
#x0BDC	U+22A2	LEFT TACK	APL
#x0BFC	U+22A3	RIGHT TACK	APL
#x0CDF	U+2017	DOUBLE LOW LINE	Hebrew
#x0CE0	U+05D0	HEBREW LETTER ALEF	Hebrew
#x0CE1	U+05D1	HEBREW LETTER BET	Hebrew
#x0CE2	U+05D2	HEBREW LETTER GIMEL	Hebrew
#x0CE3	U+05D3	HEBREW LETTER DALET	Hebrew
#x0CE4	U+05D4	HEBREW LETTER HE	Hebrew
#x0CE5	U+05D5	HEBREW LETTER VAV	Hebrew
#x0CE6	U+05D6	HEBREW LETTER ZAYIN	Hebrew
#x0CE7	U+05D7	HEBREW LETTER HET	Hebrew
#x0CE8	U+05D8	HEBREW LETTER TET	Hebrew
#x0CE9	U+05D9	HEBREW LETTER YOD	Hebrew
#x0CEA	U+05DA	HEBREW LETTER FINAL KAF	Hebrew
#x0CEB	U+05DB	HEBREW LETTER KAF	Hebrew
#x0CEC	U+05DC	HEBREW LETTER LAMED	Hebrew
#x0CED	U+05DD	HEBREW LETTER FINAL MEM	Hebrew
#x0CEE	U+05DE	HEBREW LETTER MEM	Hebrew
#x0CEF	U+05DF	HEBREW LETTER FINAL NUN	Hebrew
#x0CF0	U+05E0	HEBREW LETTER NUN	Hebrew
#x0CF1	U+05E1	HEBREW LETTER SAMEKH	Hebrew
#x0CF2	U+05E2	HEBREW LETTER AYIN	Hebrew
#x0CF3	U+05E3	HEBREW LETTER FINAL PE	Hebrew
#x0CF4	U+05E4	HEBREW LETTER PE	Hebrew
#x0CF5	U+05E5	HEBREW LETTER FINAL TSADI	Hebrew
#x0CF6	U+05E6	HEBREW LETTER TSADI	Hebrew
#x0CF7	U+05E7	HEBREW LETTER QOF	Hebrew
#x0CF8	U+05E8	HEBREW LETTER RESH	Hebrew
#x0CF9	U+05E9	HEBREW LETTER SHIN	Hebrew
#x0CFA	U+05EA	HEBREW LETTER TAV	Hebrew

KEYSYM value	Unicode value	Name	Set
#x0DA1	U+0E01	THAI CHARACTER KO KAI	Thai
#x0DA2	U+0E02	THAI CHARACTER KHO KHAI	Thai
#x0DA3	U+0E03	THAI CHARACTER KHO KHUAT	Thai
#x0DA4	U+0E04	THAI CHARACTER KHO KHWAI	Thai
#x0DA5	U+0E05	THAI CHARACTER KHO KHON	Thai
#x0DA6	U+0E06	THAI CHARACTER KHO RAKHANG	Thai
#x0DA7	U+0E07	THAI CHARACTER NGO NGU	Thai
#x0DA8	U+0E08	THAI CHARACTER CHO CHAN	Thai
#x0DA9	U+0E09	THAI CHARACTER CHO CHING	Thai
#x0DAA	U+0E0A	THAI CHARACTER CHO CHANG	Thai
#x0DAB	U+0E0B	THAI CHARACTER SO SO	Thai
#x0DAC	U+0E0C	THAI CHARACTER CHO CHOE	Thai
#x0DAD	U+0E0D	THAI CHARACTER YO YING	Thai
#x0DAE	U+0E0E	THAI CHARACTER DO CHADA	Thai
#x0DAF	U+0E0F	THAI CHARACTER TO PATAK	Thai
#x0DB0	U+0E10	THAI CHARACTER THO THAN	Thai
#x0DB1	U+0E11	THAI CHARACTER THO NANGMONTHO	Thai
#x0DB2	U+0E12	THAI CHARACTER THO PHUTHAO	Thai
#x0DB3	U+0E13	THAI CHARACTER NO NEN	Thai
#x0DB4	U+0E14	THAI CHARACTER DO DEK	Thai
#x0DB5	U+0E15	THAI CHARACTER TO TAO	Thai
#x0DB6	U+0E16	THAI CHARACTER THO THUNG	Thai
#x0DB7	U+0E17	THAI CHARACTER THO THAHAN	Thai
#x0DB8	U+0E18	THAI CHARACTER THO THONG	Thai
#x0DB9	U+0E19	THAI CHARACTER NO NU	Thai
#x0DBA	U+0E1A	THAI CHARACTER BO BAIMAI	Thai
#x0DBB	U+0E1B	THAI CHARACTER PO PLA	Thai
#x0DBC	U+0E1C	THAI CHARACTER PHO PHUNG	Thai
#x0DBD	U+0E1D	THAI CHARACTER FO FA	Thai
#x0DBE	U+0E1E	THAI CHARACTER PHO PHAN	Thai
#x0DBF	U+0E1F	THAI CHARACTER FO FAN	Thai
#x0DC0	U+0E20	THAI CHARACTER PHO SAMPHAO	Thai
#x0DC1	U+0E21	THAI CHARACTER MO MA	Thai
#x0DC2	U+0E22	THAI CHARACTER YO YAK	Thai
#x0DC3	U+0E23	THAI CHARACTER RO RUA	Thai
#x0DC4	U+0E24	THAI CHARACTER RU	Thai
#x0DC5	U+0E25	THAI CHARACTER LO LING	Thai
#x0DC6	U+0E26	THAI CHARACTER LU	Thai
#x0DC7	U+0E27	THAI CHARACTER WO WAEN	Thai
#x0DC8	U+0E28	THAI CHARACTER SO SALA	Thai
#x0DC9	U+0E29	THAI CHARACTER SO RUSI	Thai
#x0DCA	U+0E2A	THAI CHARACTER SO SUA	Thai
#x0DCB	U+0E2B	THAI CHARACTER HO HIP	Thai
#x0DCC	U+0E2C	THAI CHARACTER LO CHULA	Thai
#x0DCD	U+0E2D	THAI CHARACTER O ANG	Thai
#x0DCE	U+0E2E	THAI CHARACTER HO NOKHUK	Thai
#x0DCF	U+0E2F	THAI CHARACTER PAIYANNOI	Thai
#x0DD0	U+0E30	THAI CHARACTER SARA A	Thai
#x0DD1	U+0E31	THAI CHARACTER MAI HAN-AKAT	Thai
#x0DD2	U+0E32	THAI CHARACTER SARA AA	Thai
#x0DD3	U+0E33	THAI CHARACTER SARA AM	Thai
#x0DD4	U+0E34	THAI CHARACTER SARA I	Thai
#x0DD5	U+0E35	THAI CHARACTER SARA II	Thai
#x0DD6	U+0E36	THAI CHARACTER SARA UE	Thai
#x0DD7	U+0E37	THAI CHARACTER SARA UEE	Thai
#x0DD8	U+0E38	THAI CHARACTER SARA U	Thai
#x0DD9	U+0E39	THAI CHARACTER SARA UU	Thai
#x0DDA	U+0E3A	THAI CHARACTER PHINTHU	Thai
#x0DDF	U+0E3F	THAI CURRENCY SYMBOL BAHT	Thai
#x0DE0	U+0E40	THAI CHARACTER SARA E	Thai
#x0DE1	U+0E41	THAI CHARACTER SARA AE	Thai

KEYSYM value	Unicode value	Name	Set
#x0DE2	U+0E42	THAI CHARACTER SARA O	Thai
#x0DE3	U+0E43	THAI CHARACTER SARA AI MAIMUAN	Thai
#x0DE4	U+0E44	THAI CHARACTER SARA AI MAIMALAI	Thai
#x0DE5	U+0E45	THAI CHARACTER LAKKHANGYAO	Thai
#x0DE6	U+0E46	THAI CHARACTER MAIYAMOK	Thai
#x0DE7	U+0E47	THAI CHARACTER MAITAIKHU	Thai
#x0DE8	U+0E48	THAI CHARACTER MAI EK	Thai
#x0DE9	U+0E49	THAI CHARACTER MAI THO	Thai
#x0DEA	U+0E4A	THAI CHARACTER MAI TRI	Thai
#x0DEB	U+0E4B	THAI CHARACTER MAI CHATTAWA	Thai
#x0DEC	U+0E4C	THAI CHARACTER THANTHAKHAT	Thai
#x0DED	U+0E4D	THAI CHARACTER NIKHAHIT	Thai
#x0DF0	U+0E50	THAI DIGIT ZERO	Thai
#x0DF1	U+0E51	THAI DIGIT ONE	Thai
#x0DF2	U+0E52	THAI DIGIT TWO	Thai
#x0DF3	U+0E53	THAI DIGIT THREE	Thai
#x0DF4	U+0E54	THAI DIGIT FOUR	Thai
#x0DF5	U+0E55	THAI DIGIT FIVE	Thai
#x0DF6	U+0E56	THAI DIGIT SIX	Thai
#x0DF7	U+0E57	THAI DIGIT SEVEN	Thai
#x0DF8	U+0E58	THAI DIGIT EIGHT	Thai
#x0DF9	U+0E59	THAI DIGIT NINE	Thai
#x0EA1	–	HANGUL KIYEOG	Korean
#x0EA2	–	HANGUL SSANG KIYEOG	Korean
#x0EA3	–	HANGUL KIYEOG SIOS	Korean
#x0EA4	–	HANGUL NIEUN	Korean
#x0EA5	–	HANGUL NIEUN JIEUJ	Korean
#x0EA6	–	HANGUL NIEUN HIEUH	Korean
#x0EA7	–	HANGUL DIKEUD	Korean
#x0EA8	–	HANGUL SSANG DIKEUD	Korean
#x0EA9	–	HANGUL RIEUL	Korean
#x0EAA	–	HANGUL RIEUL KIYEOG	Korean
#x0EAB	–	HANGUL RIEUL MIEUM	Korean
#x0EAC	–	HANGUL RIEUL PIEUB	Korean
#x0EAD	–	HANGUL RIEUL SIOS	Korean
#x0EAE	–	HANGUL RIEUL TIEUT	Korean
#x0EAF	–	HANGUL RIEUL PHIEUF	Korean
#x0EB0	–	HANGUL RIEUL HIEUH	Korean
#x0EB1	–	HANGUL MIEUM	Korean
#x0EB2	–	HANGUL PIEUB	Korean
#x0EB3	–	HANGUL SSANG PIEUB	Korean
#x0EB4	–	HANGUL PIEUB SIOS	Korean
#x0EB5	–	HANGUL SIOS	Korean
#x0EB6	–	HANGUL SSANG SIOS	Korean
#x0EB7	–	HANGUL IEUNG	Korean
#x0EB8	–	HANGUL JIEUJ	Korean
#x0EB9	–	HANGUL SSANG JIEUJ	Korean
#x0EBA	–	HANGUL CIEUC	Korean
#x0EBB	–	HANGUL KHIEUQ	Korean
#x0EBC	–	HANGUL TIEUT	Korean
#x0EBD	–	HANGUL PHIEUF	Korean
#x0EBE	–	HANGUL HIEUH	Korean
#x0EBF	–	HANGUL A	Korean
#x0EC0	–	HANGUL AE	Korean
#x0EC1	–	HANGUL YA	Korean
#x0EC2	–	HANGUL YAE	Korean
#x0EC3	–	HANGUL EO	Korean
#x0EC4	–	HANGUL E	Korean
#x0EC5	–	HANGUL YEO	Korean

KEYSYM value	Unicode value	Name	Set
#x0EC6	–	HANGUL YE	Korean
#x0EC7	–	HANGUL O	Korean
#x0EC8	–	HANGUL WA	Korean
#x0EC9	–	HANGUL WAE	Korean
#x0ECA	–	HANGUL OE	Korean
#x0ECB	–	HANGUL YO	Korean
#x0ECC	–	HANGUL U	Korean
#x0ECD	–	HANGUL WEO	Korean
#x0ECE	–	HANGUL WE	Korean
#x0ECF	–	HANGUL WI	Korean
#x0ED0	–	HANGUL YU	Korean
#x0ED1	–	HANGUL EU	Korean
#x0ED2	–	HANGUL YI	Korean
#x0ED3	–	HANGUL I	Korean
#x0ED4	–	HANGUL JONG SEONG KIYEOG	Korean
#x0ED5	–	HANGUL JONG SEONG SSANG KIYEOG	Korean
#x0ED6	–	HANGUL JONG SEONG KIYEOG SIOS	Korean
#x0ED7	–	HANGUL JONG SEONG NIEUN	Korean
#x0ED8	–	HANGUL JONG SEONG NIEUN JIEUJ	Korean
#x0ED9	–	HANGUL JONG SEONG NIEUN HIEUH	Korean
#x0EDA	–	HANGUL JONG SEONG DIKEUD	Korean
#x0EDB	–	HANGUL JONG SEONG RIEUL	Korean
#x0EDC	–	HANGUL JONG SEONG RIEUL KIYEOG	Korean
#x0EDD	–	HANGUL JONG SEONG RIEUL MIEUM	Korean
#x0EDE	–	HANGUL JONG SEONG RIEUL PIEUB	Korean
#x0EDF	–	HANGUL JONG SEONG RIEUL SIOS	Korean
#x0EE0	–	HANGUL JONG SEONG RIEUL TIEUT	Korean
#x0EE1	–	HANGUL JONG SEONG RIEUL PHIEUF	Korean
#x0EE2	–	HANGUL JONG SEONG RIEUL HIEUH	Korean
#x0EE3	–	HANGUL JONG SEONG MIEUM	Korean
#x0EE4	–	HANGUL JONG SEONG PIEUB	Korean
#x0EE5	–	HANGUL JONG SEONG PIEUB SIOS	Korean
#x0EE6	–	HANGUL JONG SEONG SIOS	Korean
#x0EE7	–	HANGUL JONG SEONG SSANG SIOS	Korean
#x0EE8	–	HANGUL JONG SEONG IEUNG	Korean
#x0EE9	–	HANGUL JONG SEONG JIEUJ	Korean
#x0EEA	–	HANGUL JONG SEONG CIEUC	Korean
#x0EEB	–	HANGUL JONG SEONG KHIEUQ	Korean
#x0EEC	–	HANGUL JONG SEONG TIEUT	Korean
#x0EED	–	HANGUL JONG SEONG PHIEUF	Korean
#x0EEE	–	HANGUL JONG SEONG HIEUH	Korean
#x0EEF	–	HANGUL RIEUL YEORIN HIEUH	Korean
#x0EF0	–	HANGUL SUNKYEONGEUM MIEUM	Korean
#x0EF1	–	HANGUL SUNKYEONGEUM PIEUB	Korean
#x0EF2	–	HANGUL PAN SIOS	Korean
#x0EF3	–	HANGUL KkogJI DALRIN IEUNG	Korean
#x0EF4	–	HANGUL SUNKYEONGEUM PHIEUF	Korean
#x0EF5	–	HANGUL YEORIN HIEUH	Korean
#x0EF6	–	HANGUL ARAE A	Korean
#x0EF7	–	HANGUL ARAE AE	Korean
#x0EF8	–	HANGUL JONG SEONG PAN SIOS	Korean
#x0EF9	–	HANGUL JONG SEONG KkogJI DALRIN IEUNG	Korean
#x0EFA	–	HANGUL JONG SEONG YEORIN HIEUH	Korean
#x0EFF	–	KOREAN WON	Korean
#x13BC	U+0152	LATIN CAPITAL LIGATURE OE	Latin-9
#x13BD	U+0153	LATIN SMALL LIGATURE OE	Latin-9
#x13BE	U+0178	LATIN CAPITAL LETTER Y WITH DIAERESIS	Latin-9

<b>KEYSYM value</b>	<b>Unicode value</b>	<b>Name</b>	<b>Set</b>
#x20A0	–	CURRENCY ECU SIGN	Currency
#x20A1	–	CURRENCY COLON SIGN	Currency
#x20A2	–	CURRENCY CRUZEIRO SIGN	Currency
#x20A3	–	CURRENCY FRENCH FRANC SIGN	Currency
#x20A4	–	CURRENCY LIRA SIGN	Currency
#x20A5	–	CURRENCY MILL SIGN	Currency
#x20A6	–	CURRENCY NAIRA SIGN	Currency
#x20A7	–	CURRENCY PESETA SIGN	Currency
#x20A8	–	CURRENCY RUPEE SIGN	Currency
#x20A9	–	CURRENCY WON SIGN	Currency
#x20AA	–	CURRENCY NEW SHEQEL SIGN	Currency
#x20AB	–	CURRENCY DONG SIGN	Currency
#x20AC	U+20AC	CURRENCY EURO SIGN	Currency

## Appendix B

### Protocol Encoding

#### Syntactic Conventions

All numbers are in decimal, unless prefixed with #x, in which case they are in hexadecimal (base 16).

The general syntax used to describe requests, replies, errors, events, and compound types is:

```

NameofThing
  encode-form
  ...
  encode-form

```

Each encode-form describes a single component.

For components described in the protocol as:

```
name: TYPE
```

the encode-form is:

```
N          TYPE  name
```

N is the number of bytes occupied in the data stream, and TYPE is the interpretation of those bytes. For example,

```
depth: CARD8
```

becomes:

```
1          CARD8  depth
```

For components with a static numeric value the encode-form is:

```
N          value  name
```

The value is always interpreted as an N-byte unsigned integer. For example, the first two bytes of a **Window** error are always zero (indicating an error in general) and three (indicating the **Window** error in particular):

```
1          0      Error
1          3      code
```

For components described in the protocol as:

```
name: { Name1,..., NameI }
```

the encode-form is:

```

N          name
          value1 Name1
          ...
          valueI NameI

```

The value is always interpreted as an N-byte unsigned integer. Note that the size of N is sometimes larger than that strictly required to encode the values. For example:

```
class: { InputOutput, InputOnly, CopyFromParent }
```

becomes:

```

2          class
          0      CopyFromParent

```

1	InputOutput
2	InputOnly

For components described in the protocol as:

NAME: TYPE or **Alternative1**...or **AlternativeI**

the encode-form is:

N	TYPE	NAME
	value1	Alternative1
	...	
	valueI	AlternativeI

The alternative values are guaranteed not to conflict with the encoding of TYPE. For example:

destination: WINDOW or **PointerWindow** or **InputFocus**

becomes:

4	WINDOW	destination
	0	PointerWindow
	1	InputFocus

For components described in the protocol as:

value-mask: BITMASK

the encode-form is:

N	BITMASK	value-mask
	mask1	mask-name1
	...	
	maskI	mask-nameI

The individual bits in the mask are specified and named, and N is 2 or 4. The most-significant bit in a BITMASK is reserved for use in defining chained (multiword) bitmasks, as extensions augment existing core requests. The precise interpretation of this bit is not yet defined here, although a probable mechanism is that a 1-bit indicates that another N bytes of bitmask follows, with bits within the overall mask still interpreted from least-significant to most-significant with an N-byte unit, with N-byte units interpreted in stream order, and with the overall mask being byte-swapped in individual N-byte units.

For LISTofVALUE encodings, the request is followed by a section of the form:

```

VALUEs
encode-form
...
encode-form

```

listing an encode-form for each VALUE. The NAME in each encode-form keys to the corresponding BITMASK bit. The encoding of a VALUE always occupies four bytes, but the number of bytes specified in the encoding-form indicates how many of the least-significant bytes are actually used; the remaining bytes are unused and their values do not matter.

In various cases, the number of bytes occupied by a component will be specified by a lowercase single-letter variable name instead of a specific numeric value, and often some other component will have its value specified as a simple numeric expression involving these variables. Components specified with such expressions are always interpreted as unsigned integers. The scope of such variables is always just the enclosing request, reply, error, event, or compound type structure. For example:

2	3+n	request length
4n	LISTofPOINT	points

For unused bytes (the values of the bytes are undefined and do no matter), the encode-form is:

N	unused
---	--------

If the number of unused bytes is variable, the encode-form typically is:

$$p \qquad \text{unused, } p=\text{pad}(E)$$

where E is some expression, and pad(E) is the number of bytes needed to round E up to a multiple of four.

$$\text{pad}(E) = (4 - (E \bmod 4)) \bmod 4$$

**Common Types**

LISTofFOO

In this document the LISTof notation strictly means some number of repetitions of the FOO encoding; the actual length of the list is encoded elsewhere.

SETofFOO

A set is always represented by a bitmask, with a 1-bit indicating presence in the set.

BITMASK: CARD32

WINDOW: CARD32

PIXMAP: CARD32

CURSOR: CARD32

FONT: CARD32

GCONTEXT: CARD32

COLORMAP: CARD32

DRAWABLE: CARD32

FONTABLE: CARD32

ATOM: CARD32

VISUALID: CARD32

BYTE: 8-bit value

INT8: 8-bit signed integer

INT16: 16-bit signed integer

INT32: 32-bit signed integer

CARD8: 8-bit unsigned integer

CARD16: 16-bit unsigned integer

CARD32: 32-bit unsigned integer

TIMESTAMP: CARD32

BITGRAVITY

0	Forget
1	NorthWest
2	North
3	NorthEast
4	West
5	Center
6	East
7	SouthWest
8	South
9	SouthEast
10	Static

WINGRAVITY

0	Unmap
1	NorthWest
2	North
3	NorthEast
4	West
5	Center
6	East

	7	SouthWest
	8	South
	9	SouthEast
	10	Static

BOOL

	0	False
	1	True

SETofEVENT

	#x00000001	KeyPress
	#x00000002	KeyRelease
	#x00000004	ButtonPress
	#x00000008	ButtonRelease
	#x00000010	EnterWindow
	#x00000020	LeaveWindow
	#x00000040	PointerMotion
	#x00000080	PointerMotionHint
	#x00000100	Button1Motion
	#x00000200	Button2Motion
	#x00000400	Button3Motion
	#x00000800	Button4Motion
	#x00001000	Button5Motion
	#x00002000	ButtonMotion
	#x00004000	KeymapState
	#x00008000	Exposure
	#x00010000	VisibilityChange
	#x00020000	StructureNotify
	#x00040000	ResizeRedirect
	#x00080000	SubstructureNotify
	#x00100000	SubstructureRedirect
	#x00200000	FocusChange
	#x00400000	PropertyChange
	#x00800000	ColormapChange
	#x01000000	OwnerGrabButton
	#xFE000000	unused but must be zero

SETofPOINTEREVENT

encodings are the same as for SETofEVENT, except with

	#xFFFF8003	unused but must be zero
--	------------	-------------------------

SETofDEVICEEVENT

encodings are the same as for SETofEVENT, except with

	#xFFFFC0B0	unused but must be zero
--	------------	-------------------------

KEYSYM: CARD32

KEYCODE: CARD8

BUTTON: CARD8

SETofKEYBUTMASK

	#x0001	Shift
	#x0002	Lock
	#x0004	Control
	#x0008	Mod1
	#x0010	Mod2
	#x0020	Mod3
	#x0040	Mod4
	#x0080	Mod5
	#x0100	Button1
	#x0200	Button2
	#x0400	Button3
	#x0800	Button4
	#x1000	Button5

#xE000 unused but must be zero

**SETofKEYMASK**

encodings are the same as for SETofKEYBUTMASK, except with  
#xFF00 unused but must be zero

STRING8: LISTofCARD8

STRING16: LISTofCHAR2B

**CHAR2B**

1	CARD8	byte1
1	CARD8	byte2

**POINT**

2	INT16	x
2	INT16	y

**RECTANGLE**

2	INT16	x
2	INT16	y
2	CARD16	width
2	CARD16	height

**ARC**

2	INT16	x
2	INT16	y
2	CARD16	width
2	CARD16	height
2	INT16	angle1
2	INT16	angle2

**HOST**

1		family
	0	Internet
	1	DECnet
	2	Chaos
	5	ServerInterpreted
	6	InternetV6
1		unused
2	n	length of address
n	LISTofBYTE	address
p		unused, p=pad(n)

**STR**

1	n	length of name in bytes
n	STRING8	name

**Errors**

**Request**

1	0	Error
1	1	code
2	CARD16	sequence number
4		unused
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused

**Value**

1	0	Error
1	2	code

2	CARD16	sequence number
4	<32-bits>	bad value
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused

**Window**

1	0	Error
1	3	code
2	CARD16	sequence number
4	CARD32	bad resource id
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused

**Pixmap**

1	0	Error
1	4	code
2	CARD16	sequence number
4	CARD32	bad resource id
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused

**Atom**

1	0	Error
1	5	code
2	CARD16	sequence number
4	CARD32	bad atom id
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused

**Cursor**

1	0	Error
1	6	code
2	CARD16	sequence number
4	CARD32	bad resource id
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused

**Font**

1	0	Error
1	7	code
2	CARD16	sequence number
4	CARD32	bad resource id
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused

**Match**

1	0	Error
1	8	code
2	CARD16	sequence number
4		unused
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused

**Drawable**

1	0	Error
1	9	code
2	CARD16	sequence number
4	CARD32	bad resource id
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused
<b>Access</b>		
1	0	Error
1	10	code
2	CARD16	sequence number
4		unused
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused
<b>Alloc</b>		
1	0	Error
1	11	code
2	CARD16	sequence number
4		unused
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused
<b>Colormap</b>		
1	0	Error
1	12	code
2	CARD16	sequence number
4	CARD32	bad resource id
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused
<b>GContext</b>		
1	0	Error
1	13	code
2	CARD16	sequence number
4	CARD32	bad resource id
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused
<b>IDChoice</b>		
1	0	Error
1	14	code
2	CARD16	sequence number
4	CARD32	bad resource id
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused
<b>Name</b>		
1	0	Error
1	15	code
2	CARD16	sequence number
4		unused
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused

**Length**

1	0	Error
1	16	code
2	CARD16	sequence number
4		unused
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused

**Implementation**

1	0	Error
1	17	code
2	CARD16	sequence number
4		unused
2	CARD16	minor opcode
1	CARD8	major opcode
21		unused

**Keyboards**

KEYCODE values are always greater than 7 (and less than 256).

KEYSYM values with the bit #x10000000 set are reserved as vendor-specific.

The names and encodings of the standard KEYSYM values are contained in Appendix A, Keysym Encoding.

**Pointers**

BUTTON values are numbered starting with one.

**Predefined Atoms**

PRIMARY	1	WM_NORMAL_HINTS	40
SECONDARY	2	WM_SIZE_HINTS	41
ARC	3	WM_ZOOM_HINTS	42
ATOM	4	MIN_SPACE	43
BITMAP	5	NORM_SPACE	44
CARDINAL	6	MAX_SPACE	45
COLORMAP	7	END_SPACE	46
CURSOR	8	SUPERSCRIPT_X	47
CUT_BUFFER0	9	SUPERSCRIPT_Y	48
CUT_BUFFER1	10	SUBSCRIPT_X	49
CUT_BUFFER2	11	SUBSCRIPT_Y	50
CUT_BUFFER3	12	UNDERLINE_POSITION	51
CUT_BUFFER4	13	UNDERLINE_THICKNESS	52
CUT_BUFFER5	14	STRIKEOUT_ASCENT	53
CUT_BUFFER6	15	STRIKEOUT_DESCENT	54
CUT_BUFFER7	16	ITALIC_ANGLE	55
DRAWABLE	17	X_HEIGHT	56
FONT	18	QUAD_WIDTH	57
INTEGER	19	WEIGHT	58
PIXMAP	20	POINT_SIZE	59
POINT	21	RESOLUTION	60
RECTANGLE	22	COPYRIGHT	61
RESOURCE_MANAGER	23	NOTICE	62
RGB_COLOR_MAP	24	FONT_NAME	63
RGB_BEST_MAP	25	FAMILY_NAME	64
RGB_BLUE_MAP	26	FULL_NAME	65
RGB_DEFAULT_MAP	27	CAP_HEIGHT	66
RGB_GRAY_MAP	28	WM_CLASS	67
RGB_GREEN_MAP	29	WM_TRANSIENT_FOR	68
RGB_RED_MAP	30		
STRING	31		
VISUALID	32		
WINDOW	33		
WM_COMMAND	34		

WM_HINTS	35
WM_CLIENT_MACHINE	36
WM_ICON_NAME	37
WM_ICON_SIZE	38
WM_NAME	39

### Connection Setup

For TCP connections, displays on a given host are numbered starting from 0, and the server for display N listens and accepts connections on port 6000 + N. For DECnet connections, displays on a given host are numbered starting from 0, and the server for display N listens and accepts connections on the object name obtained by concatenating “X\$X” with the decimal representation of N, for example, X\$X0 and X\$X1.

Information sent by the client at connection setup:

1			byte-order
	#x42	MSB first	
	#x6C	LSB first	
1			unused
2	CARD16		protocol-major-version
2	CARD16		protocol-minor-version
2	n		length of authorization-protocol-name
2	d		length of authorization-protocol-data
2			unused
n	STRING8		authorization-protocol-name
p			unused, p=pad(n)
d	STRING8		authorization-protocol-data
q			unused, q=pad(d)

Except where explicitly noted in the protocol, all 16-bit and 32-bit quantities sent by the client must be transmitted with the specified byte order, and all 16-bit and 32-bit quantities returned by the server will be transmitted with this byte order.

Information received by the client if the connection is refused:

1	0		Failed
1	n		length of reason in bytes
2	CARD16		protocol-major-version
2	CARD16		protocol-minor-version
2	(n+p)/4		length in 4-byte units of “additional data”
n	STRING8		reason
p			unused, p=pad(n)

Information received by the client if further authentication is required:

1	2		Authenticate
5			unused
2	(n+p)/4		length in 4-byte units of “additional data”
n	STRING8		reason
p			unused, p=pad(n)

Information received by the client if the connection is accepted:

1	1		Success
1			unused
2	CARD16		protocol-major-version
2	CARD16		protocol-minor-version
2	8+2n+(v+p+m)/4		length in 4-byte units of “additional data”
4	CARD32		release-number
4	CARD32		resource-id-base
4	CARD32		resource-id-mask
4	CARD32		motion-buffer-size
2	v		length of vendor
2	CARD16		maximum-request-length
1	CARD8		number of SCREENs in roots
1	n		number for FORMATs in pixmap-formats

1			image-byte-order
	0	LSBFirst	
	1	MSBFirst	
1			bitmap-format-bit-order
	0	LeastSignificant	
	1	MostSignificant	
1	CARD8		bitmap-format-scanline-unit
1	CARD8		bitmap-format-scanline-pad
1	KEYCODE		min-keycode
1	KEYCODE		max-keycode
4			unused
v	STRING8		vendor
p			unused, p=pad(v)
8n	LISTofFORMAT		pixmap-formats
m	LISTofSCREEN		roots (m is always a multiple of 4)
FORMAT			
1	CARD8		depth
1	CARD8		bits-per-pixel
1	CARD8		scanline-pad
5			unused
SCREEN			
4	WINDOW		root
4	COLORMAP		default-colormap
4	CARD32		white-pixel
4	CARD32		black-pixel
4	SETofEVENT		current-input-masks
2	CARD16		width-in-pixels
2	CARD16		height-in-pixels
2	CARD16		width-in-millimeters
2	CARD16		height-in-millimeters
2	CARD16		min-installed-maps
2	CARD16		max-installed-maps
4	VISUALID		root-visual
1			backing-stores
	0	Never	
	1	WhenMapped	
	2	Always	
1	BOOL		save-unders
1	CARD8		root-depth
1	CARD8		number of DEPTHS in allowed-depths
n	LISTofDEPTH		allowed-depths (n is always a multiple of 4)
DEPTH			
1	CARD8		depth
1			unused
2	n		number of VISUALTYPES in visuals
4			unused
24n	LISTofVISUALTYPE		visuals
VISUALTYPE			
4	VISUALID		visual-id
1			class
	0	StaticGray	
	1	GrayScale	
	2	StaticColor	
	3	PseudoColor	
	4	TrueColor	
	5	DirectColor	
1	CARD8		bits-per-rgb-value
2	CARD16		colormap-entries
4	CARD32		red-mask

4	CARD32	green-mask
4	CARD32	blue-mask
4		unused

## Requests

### CreateWindow

1	1		opcode
1	CARD8		depth
2	8+n		request length
4	WINDOW		wid
4	WINDOW		parent
2	INT16		x
2	INT16		y
2	CARD16		width
2	CARD16		height
2	CARD16		border-width
2			class
	0	CopyFromParent	
	1	InputOutput	
	2	InputOnly	
4	VISUALID		visual
	0	CopyFromParent	
4	BITMASK		value-mask (has n bits set to 1)
	#x00000001	background-pixmap	
	#x00000002	background-pixel	
	#x00000004	border-pixmap	
	#x00000008	border-pixel	
	#x00000010	bit-gravity	
	#x00000020	win-gravity	
	#x00000040	backing-store	
	#x00000080	backing-planes	
	#x00000100	backing-pixel	
	#x00000200	override-redirect	
	#x00000400	save-under	
	#x00000800	event-mask	
	#x00001000	do-not-propagate-mask	
	#x00002000	colormap	
	#x00004000	cursor	
4n	LISTofVALUE		value-list

### VALUES

4	PIXMAP		background-pixmap
	0	None	
	1	ParentRelative	
4	CARD32		background-pixel
4	PIXMAP		border-pixmap
	0	CopyFromParent	
4	CARD32		border-pixel
1	BITGRAVITY		bit-gravity
1	WINGRAVITY		win-gravity
1			backing-store
	0	NotUseful	
	1	WhenMapped	
	2	Always	
4	CARD32		backing-planes
4	CARD32		backing-pixel
1	BOOL		override-redirect
1	BOOL		save-under
4	SETofEVENT		event-mask
4	SETofDEVICEEVENT		do-not-propagate-mask
4	COLORMAP		colormap
	0	CopyFromParent	
4	CURSORS		cursor
	0	None	

**ChangeWindowAttributes**

1	2		opcode
1			unused
2	3+n		request length
4	WINDOW		window
4	BITMASK		value-mask (has n bits set to 1)
			encodings are the same as for CreateWindow
4n	LISTofVALUE		value-list
			encodings are the same as for CreateWindow

**GetWindowAttributes**

1	3		opcode
1			unused
2	2		request length
4	WINDOW		window
→			
1	1		Reply
1			backing-store
	0	NotUseful	
	1	WhenMapped	
	2	Always	
2	CARD16		sequence number
4	3		reply length
4	VISUALID		visual
2			class
	1	InputOutput	
	2	InputOnly	
1	BITGRAVITY		bit-gravity
1	WINGRAVITY		win-gravity
4	CARD32		backing-planes
4	CARD32		backing-pixel
1	BOOL		save-under
1	BOOL		map-is-installed
1			map-state
	0	Unmapped	
	1	Unviewable	
	2	Viewable	
1	BOOL		override-redirect
4	COLORMAP		colormap
	0	None	
4	SETofEVENT		all-event-masks
4	SETofEVENT		your-event-mask
2	SETofDEVICEEVENT		do-not-propagate-mask
2			unused

**DestroyWindow**

1	4		opcode
1			unused
2	2		request length
4	WINDOW		window

**DestroySubwindows**

1	5		opcode
1			unused
2	2		request length
4	WINDOW		window

**ChangeSaveSet**

1	6		opcode
1			mode
	0	Insert	
	1	Delete	

2	2		request length
4	WINDOW		window
<b>ReparentWindow</b>			
1	7		opcode
1			unused
2	4		request length
4	WINDOW		window
4	WINDOW		parent
2	INT16		x
2	INT16		y
<b>MapWindow</b>			
1	8		opcode
1			unused
2	2		request length
4	WINDOW		window
<b>MapSubwindows</b>			
1	9		opcode
1			unused
2	2		request length
4	WINDOW		window
<b>UnmapWindow</b>			
1	10		opcode
1			unused
2	2		request length
4	WINDOW		window
<b>UnmapSubwindows</b>			
1	11		opcode
1			unused
2	2		request length
4	WINDOW		window
<b>ConfigureWindow</b>			
1	12		opcode
1			unused
2	3+n		request length
4	WINDOW		window
2	BITMASK		value-mask (has n bits set to 1)
	#x0001	x	
	#x0002	y	
	#x0004	width	
	#x0008	height	
	#x0010	border-width	
	#x0020	sibling	
	#x0040	stack-mode	
2			unused
4n	LISTofVALUE		value-list
<b>VALUES</b>			
2	INT16		x
2	INT16		y
2	CARD16		width
2	CARD16		height
2	CARD16		border-width
4	WINDOW		sibling
1			stack-mode
	0	Above	
	1	Below	

	2	TopIf	
	3	BottomIf	
	4	Opposite	
<b>CirculateWindow</b>			
	1	13	opcode
	1		direction
		0	RaiseLowest
		1	LowerHighest
	2	2	request length
	4	WINDOW	window
<b>GetGeometry</b>			
	1	14	opcode
	1		unused
	2	2	request length
	4	DRAWABLE	drawable
→			
	1	1	Reply
	1	CARD8	depth
	2	CARD16	sequence number
	4	0	reply length
	4	WINDOW	root
	2	INT16	x
	2	INT16	y
	2	CARD16	width
	2	CARD16	height
	2	CARD16	border-width
	10		unused
<b>QueryTree</b>			
	1	15	opcode
	1		unused
	2	2	request length
	4	WINDOW	window
→			
	1	1	Reply
	1		unused
	2	CARD16	sequence number
	4	n	reply length
	4	WINDOW	root
	4	WINDOW	parent
		0	None
	2	n	number of WINDOWs in children
	14		unused
	4n	LISTofWINDOW	children
<b>InternAtom</b>			
	1	16	opcode
	1	BOOL	only-if-exists
	2	2+(n+p)/4	request length
	2	n	length of name
	2		unused
	n	STRING8	name
	p		unused, p=pad(n)
→			
	1	1	Reply
	1		unused
	2	CARD16	sequence number

4	0		reply length
4	ATOM		atom
20	0	None	unused
<b>GetAtomName</b>			
1	17		opcode
1			unused
2	2		request length
4	ATOM		atom
→			
1	1		Reply
1			unused
2	CARD16		sequence number
4	(n+p)/4		reply length
2	n		length of name
22			unused
n	STRING8		name
p			unused, p=pad(n)
<b>ChangeProperty</b>			
1	18		opcode
1			mode
	0	Replace	
	1	Prepend	
	2	Append	
2	6+(n+p)/4		request length
4	WINDOW		window
4	ATOM		property
4	ATOM		type
1	CARD8		format
3			unused
4	CARD32		length of data in format units (= n for format = 8) (= n/2 for format = 16) (= n/4 for format = 32)
n	LISTofBYTE		data (n is a multiple of 2 for format = 16) (n is a multiple of 4 for format = 32)
p			unused, p=pad(n)
<b>DeleteProperty</b>			
1	19		opcode
1			unused
2	3		request length
4	WINDOW		window
4	ATOM		property
<b>GetProperty</b>			
1	20		opcode
1	BOOL		delete
2	6		request length
4	WINDOW		window
4	ATOM		property
4	ATOM		type
	0	AnyPropertyType	
4	CARD32		long-offset
4	CARD32		long-length
→			
1	1		Reply
1	CARD8		format

2	CARD16		sequence number
4	(n+p)/4		reply length
4	ATOM		type
	0	None	
4	CARD32		bytes-after
4	CARD32		length of value in format units (= 0 for format = 0) (= n for format = 8) (= n/2 for format = 16) (= n/4 for format = 32)
12			unused
n	LISTofBYTE		value (n is zero for format = 0) (n is a multiple of 2 for format = 16) (n is a multiple of 4 for format = 32)
p			unused, p=pad(n)

**ListProperties**

1	21		opcode
1			unused
2	2		request length
4	WINDOW		window
→			
1	1		Reply
1			unused
2	CARD16		sequence number
4	n		reply length
2	n		number of ATOMs in atoms
22			unused
4n	LISTofATOM		atoms

**SetSelectionOwner**

1	22		opcode
1			unused
2	4		request length
4	WINDOW		owner
	0	None	
4	ATOM		selection
4	TIMESTAMP		time
	0	CurrentTime	

**GetSelectionOwner**

1	23		opcode
1			unused
2	2		request length
4	ATOM		selection
→			
1	1		Reply
1			unused
2	CARD16		sequence number
4	0		reply length
4	WINDOW		owner
	0	None	
20			unused

**ConvertSelection**

1	24		opcode
1			unused
2	6		request length
4	WINDOW		requestor
4	ATOM		selection

4	ATOM		target
4	ATOM		property
	0	None	
4	TIMESTAMP		time
	0	CurrentTime	

**SendEvent**

1	25		opcode
1	BOOL		propagate
2	11		request length
4	WINDOW		destination
	0	PointerWindow	
	1	InputFocus	
4	SETofEVENT		event-mask
32			event
			standard event format (see the Events section)

**GrabPointer**

1	26		opcode
1	BOOL		owner-events
2	6		request length
4	WINDOW		grab-window
2	SETofPOINTEREVENT		event-mask
1			pointer-mode
	0	Synchronous	
	1	Asynchronous	
1			keyboard-mode
	0	Synchronous	
	1	Asynchronous	
4	WINDOW		confine-to
	0	None	
4	CURSOR		cursor
	0	None	
4	TIMESTAMP		time
	0	CurrentTime	

→

1	1		Reply
1			status
	0	Success	
	1	AlreadyGrabbed	
	2	InvalidTime	
	3	NotViewable	
	4	Frozen	
2	CARD16		sequence number
4	0		reply length
24			unused

**UngrabPointer**

1	27		opcode
1			unused
2	2		request length
4	TIMESTAMP		time
	0	CurrentTime	

**GrabButton**

1	28		opcode
1	BOOL		owner-events
2	6		request length
4	WINDOW		grab-window
2	SETofPOINTEREVENT		event-mask
1			pointer-mode
	0	Synchronous	

1	1	Asynchronous	
1	0	Synchronous	keyboard-mode
	1	Asynchronous	
4	WINDOW		confine-to
	0	None	
4	CURSOR		cursor
	0	None	
1	BUTTON		button
	0	AnyButton	
1			unused
2	SETOfKEYMASK		modifiers
	#x8000	AnyModifier	

**UngrabButton**

1	29		opcode
1	BUTTON		button
	0	AnyButton	
2	3		request length
4	WINDOW		grab-window
2	SETOfKEYMASK		modifiers
	#x8000	AnyModifier	
2			unused

**ChangeActivePointerGrab**

1	30		opcode
1			unused
2	4		request length
4	CURSOR		cursor
	0	None	
4	TIMESTAMP		time
	0	CurrentTime	
2	SETOfPOINTEREVENT		event-mask
2			unused

**GrabKeyboard**

1	31		opcode
1	BOOL		owner-events
2	4		request length
4	WINDOW		grab-window
4	TIMESTAMP		time
	0	CurrentTime	
1			pointer-mode
	0	Synchronous	
	1	Asynchronous	
1			keyboard-mode
	0	Synchronous	
	1	Asynchronous	
2			unused
→			
1	1		Reply
1			status
	0	Success	
	1	AlreadyGrabbed	
	2	InvalidTime	
	3	NotViewable	
	4	Frozen	
2	CARD16		sequence number
4	0		reply length
24			unused

**UngrabKeyboard**

1	32		opcode
1			unused
2	2		request length
4	TIMESTAMP		time
	0	CurrentTime	

**GrabKey**

1	33		opcode
1	BOOL		owner-events
2	4		request length
4	WINDOW		grab-window
2	SETofKEYMASK		modifiers
	#x8000	AnyModifier	
1	KEYCODE		key
	0	AnyKey	
1			pointer-mode
	0	Synchronous	
	1	Asynchronous	
1			keyboard-mode
	0	Synchronous	
	1	Asynchronous	
3			unused

**UngrabKey**

1	34		opcode
1	KEYCODE		key
	0	AnyKey	
2	3		request length
4	WINDOW		grab-window
2	SETofKEYMASK		modifiers
	#x8000	AnyModifier	
2			unused

**AllowEvents**

1	35		opcode
1			mode
	0	AsyncPointer	
	1	SyncPointer	
	2	ReplayPointer	
	3	AsyncKeyboard	
	4	SyncKeyboard	
	5	ReplayKeyboard	
	6	AsyncBoth	
	7	SyncBoth	
2	2		request length
4	TIMESTAMP		time
	0	CurrentTime	

**GrabServer**

1	36		opcode
1			unused
2	1		request length

**UngrabServer**

1	37		opcode
1			unused
2	1		request length

**QueryPointer**

1	38		opcode
1			unused

2	2		request length
4	WINDOW		window
→			
1	1		Reply
1	BOOL		same-screen
2	CARD16		sequence number
4	0		reply length
4	WINDOW		root
4	WINDOW		child
	0	None	
2	INT16		root-x
2	INT16		root-y
2	INT16		win-x
2	INT16		win-y
2	SETOfKEYBUTMASK		mask
6			unused
<b>GetMotionEvents</b>			
1	39		opcode
1			unused
2	4		request length
4	WINDOW		window
4	TIMESTAMP		start
	0	CurrentTime	
4	TIMESTAMP		stop
	0	CurrentTime	
→			
1	1		Reply
1			unused
2	CARD16		sequence number
4	2n		reply length
4	n		number of TIMECOORDs in events
20			unused
8n	LISTOfTIMECOORD		events
<b>TIMECOORD</b>			
4	TIMESTAMP		time
2	INT16		x
2	INT16		y
<b>TranslateCoordinates</b>			
1	40		opcode
1			unused
2	4		request length
4	WINDOW		src-window
4	WINDOW		dst-window
2	INT16		src-x
2	INT16		src-y
→			
1	1		Reply
1	BOOL		same-screen
2	CARD16		sequence number
4	0		reply length
4	WINDOW		child
	0	None	
2	INT16		dst-x
2	INT16		dst-y
16			unused

**WarpPointer**

1	41		opcode
1			unused
2	6		request length
4	WINDOW		src-window
	0	None	
4	WINDOW		dst-window
	0	None	
2	INT16		src-x
2	INT16		src-y
2	CARD16		src-width
2	CARD16		src-height
2	INT16		dst-x
2	INT16		dst-y

**SetInputFocus**

1	42		opcode
1			revert-to
	0	None	
	1	PointerRoot	
	2	Parent	
2	3		request length
4	WINDOW		focus
	0	None	
	1	PointerRoot	
4	TIMESTAMP		time
	0	CurrentTime	

**GetInputFocus**

1	43		opcode
1			unused
2	1		request length
→			
1	1		Reply
1			revert-to
	0	None	
	1	PointerRoot	
	2	Parent	
2	CARD16		sequence number
4	0		reply length
4	WINDOW		focus
	0	None	
	1	PointerRoot	
20			unused

**QueryKeymap**

1	44		opcode
1			unused
2	1		request length
→			
1	1		Reply
1			unused
2	CARD16		sequence number
4	2		reply length
32	LISTofCARD8		keys

**OpenFont**

1	45		opcode
1			unused
2	3+(n+p)/4		request length
4	FONT		fid

2	n		length of name
2			unused
n	STRING8		name
p			unused, p=pad(n)

**CloseFont**

1	46		opcode
1			unused
2	2		request length
4	FONT		font

**QueryFont**

1	47		opcode
1			unused
2	2		request length
4	FONTABLE		font

→

1	1		Reply
1			unused
2	CARD16		sequence number
4	7+2n+3m		reply length
12	CHARINFO		min-bounds
4			unused
12	CHARINFO		max-bounds
4			unused
2	CARD16		min-char-or-byte2
2	CARD16		max-char-or-byte2
2	CARD16		default-char
2	n		number of FONTPROPS in properties
1			draw-direction
	0	LeftToRight	
	1	RightToLeft	
1	CARD8		min-byte1
1	CARD8		max-byte1
1	BOOL		all-chars-exist
2	INT16		font-ascent
2	INT16		font-descent
4	m		number of CHARINFOS in char-infos
8n	LISTofFONTPROP		properties
12m	LISTofCHARINFO		char-infos

**FONTPROP**

4	ATOM		name
4	<32-bits>		value

**CHARINFO**

2	INT16		left-side-bearing
2	INT16		right-side-bearing
2	INT16		character-width
2	INT16		ascent
2	INT16		descent
2	CARD16		attributes

**QueryTextExtents**

1	48		opcode
1	BOOL		odd length, True if p = 2
2	2+(2n+p)/4		request length
4	FONTABLE		font
2n	STRING16		string
p			unused, p=pad(2n)

→			
1	1		Reply
1			draw-direction
	0	LeftToRight	
	1	RightToLeft	
2	CARD16		sequence number
4	0		reply length
2	INT16		font-ascent
2	INT16		font-descent
2	INT16		overall-ascent
2	INT16		overall-descent
4	INT32		overall-width
4	INT32		overall-left
4	INT32		overall-right
4			unused
<b>ListFonts</b>			
1	49		opcode
1			unused
2	$2+(n+p)/4$		request length
2	CARD16		max-names
2	n		length of pattern
n	STRING8		pattern
p			unused, p=pad(n)
→			
1	1		Reply
1			unused
2	CARD16		sequence number
4	$(n+p)/4$		reply length
2	CARD16		number of STRs in names
22			unused
n	LISTofSTR		names
p			unused, p=pad(n)
<b>ListFontsWithInfo</b>			
1	50		opcode
1			unused
2	$2+(n+p)/4$		request length
2	CARD16		max-names
2	n		length of pattern
n	STRING8		pattern
p			unused, p=pad(n)
→ (except for last in series)			
1	1		Reply
1	n		length of name in bytes
2	CARD16		sequence number
4	$7+2m+(n+p)/4$		reply length
12	CHARINFO		min-bounds
4			unused
12	CHARINFO		max-bounds
4			unused
2	CARD16		min-char-or-byte2
2	CARD16		max-char-or-byte2
2	CARD16		default-char
2	m		number of FONTPROPs in properties
1			draw-direction
	0	LeftToRight	
	1	RightToLeft	
1	CARD8		min-byte1
1	CARD8		max-byte1
1	BOOL		all-chars-exist
2	INT16		font-ascent

2	INT16	font-descent
4	CARD32	replies-hint
8m	LISTofFONTPROP	properties
n	STRING8	name
p		unused, p=pad(n)

**FONTPROP**  
encodings are the same as for QueryFont

**CHARINFO**  
encodings are the same as for QueryFont

→ (last in series)		
1	1	Reply
1	0	last-reply indicator
2	CARD16	sequence number
4	7	reply length
52		unused

**SetFontPath**

1	51	opcode
1		unused
2	2+(n+p)/4	request length
2	CARD16	number of STRs in path
2		unused
n	LISTofSTR	path
p		unused, p=pad(n)

**GetFontPath**

1	52	opcode
1		unused
2	1	request list

→		
1	1	Reply
1		unused
2	CARD16	sequence number
4	(n+p)/4	reply length
2	CARD16	number of STRs in path
22		unused
n	LISTofSTR	path
p		unused, p=pad(n)

**CreatePixmap**

1	53	opcode
1	CARD8	depth
2	4	request length
4	PIXMAP	pid
4	DRAWABLE	drawable
2	CARD16	width
2	CARD16	height

**FreePixmap**

1	54	opcode
1		unused
2	2	request length
4	PIXMAP	pixmap

**CreateGC**

1	55	opcode
1		unused
2	4+n	request length

4	GCONTEXT		cid
4	DRAWABLE		drawable
4	BITMASK		value-mask (has n bits set to 1)
	#x00000001	function	
	#x00000002	plane-mask	
	#x00000004	foreground	
	#x00000008	background	
	#x00000010	line-width	
	#x00000020	line-style	
	#x00000040	cap-style	
	#x00000080	join-style	
	#x00000100	fill-style	
	#x00000200	fill-rule	
	#x00000400	tile	
	#x00000800	stipple	
	#x00001000	tile-stipple-x-origin	
	#x00002000	tile-stipple-y-origin	
	#x00004000	font	
	#x00008000	subwindow-mode	
	#x00010000	graphics-exposures	
	#x00020000	clip-x-origin	
	#x00040000	clip-y-origin	
	#x00080000	clip-mask	
	#x00100000	dash-offset	
	#x00200000	dashes	
	#x00400000	arc-mode	
4n	LISTofVALUE		value-list

## VALUES

1			function
	0	Clear	
	1	And	
	2	AndReverse	
	3	Copy	
	4	AndInverted	
	5	NoOp	
	6	Xor	
	7	Or	
	8	Nor	
	9	Equiv	
	10	Invert	
	11	OrReverse	
	12	CopyInverted	
	13	OrInverted	
	14	Nand	
	15	Set	
4	CARD32		plane-mask
4	CARD32		foreground
4	CARD32		background
2	CARD16		line-width
1			line-style
	0	Solid	
	1	OnOffDash	
	2	DoubleDash	
1			cap-style
	0	NotLast	
	1	Butt	
	2	Round	
	3	Projecting	
1			join-style
	0	Miter	
	1	Round	
	2	Bevel	
1			fill-style
	0	Solid	

	1	Tiled	
	2	Stippled	
	3	OpaqueStippled	
1			fill-rule
	0	EvenOdd	
	1	Winding	
4	PIXMAP		tile
4	PIXMAP		stipple
2	INT16		tile-stipple-x-origin
2	INT16		tile-stipple-y-origin
4	FONT		font
1			subwindow-mode
	0	ClipByChildren	
	1	IncludeInferiors	
1	BOOL		graphics-exposures
2	INT16		clip-x-origin
2	INT16		clip-y-origin
4	PIXMAP		clip-mask
	0	None	
2	CARD16		dash-offset
1	CARD8		dashes
1			arc-mode
	0	Chord	
	1	PieSlice	

**ChangeGC**

1	56		opcode
1			unused
2	3+n		request length
4	GCONTEXT		gc
4	BITMASK		value-mask (has n bits set to 1)
		encodings are the same as for CreateGC	
4n	LISTofVALUE		value-list
		encodings are the same as for CreateGC	

**CopyGC**

1	57		opcode
1			unused
2	4		request length
4	GCONTEXT		src-gc
4	GCONTEXT		dst-gc
4	BITMASK		value-mask
		encodings are the same as for CreateGC	

**SetDashes**

1	58		opcode
1			unused
2	3+(n+p)/4		request length
4	GCONTEXT		gc
2	CARD16		dash-offset
2	n		length of dashes
n	LISTofCARD8		dashes
p			unused, p=pad(n)

**SetClipRectangles**

1	59		opcode
1			ordering
	0	UnSorted	
	1	YSorted	
	2	YXSorted	
	3	YXBanded	
2	3+2n		request length
4	GCONTEXT		gc

2	INT16		clip-x-origin
2	INT16		clip-y-origin
8n	LISTofRECTANGLE		rectangles

**FreeGC**

1	60		opcode
1			unused
2	2		request length
4	GCONTEXT		gc

**ClearArea**

1	61		opcode
1	BOOL		exposures
2	4		request length
4	WINDOW		window
2	INT16		x
2	INT16		y
2	CARD16		width
2	CARD16		height

**CopyArea**

1	62		opcode
1			unused
2	7		request length
4	DRAWABLE		src-drawable
4	DRAWABLE		dst-drawable
4	GCONTEXT		gc
2	INT16		src-x
2	INT16		src-y
2	INT16		dst-x
2	INT16		dst-y
2	CARD16		width
2	CARD16		height

**CopyPlane**

1	63		opcode
1			unused
2	8		request length
4	DRAWABLE		src-drawable
4	DRAWABLE		dst-drawable
4	GCONTEXT		gc
2	INT16		src-x
2	INT16		src-y
2	INT16		dst-x
2	INT16		dst-y
2	CARD16		width
2	CARD16		height
4	CARD32		bit-plane

**PolyPoint**

1	64		opcode
1			coordinate-mode
	0	Origin	
	1	Previous	
2	3+n		request length
4	DRAWABLE		drawable
4	GCONTEXT		gc
4n	LISTofPOINT		points

**PolyLine**

1	65		opcode
1			coordinate-mode

	0	Origin	
	1	Previous	
2	3+n		request length
4	DRAWABLE		drawable
4	GCONTEXT		gc
4n	LISTofPOINT		points
<b>PolySegment</b>			
1	66		opcode
1			unused
2	3+2n		request length
4	DRAWABLE		drawable
4	GCONTEXT		gc
8n	LISTofSEGMENT		segments
<b>SEGMENT</b>			
2	INT16		x1
2	INT16		y1
2	INT16		x2
2	INT16		y2
<b>PolyRectangle</b>			
1	67		opcode
1			unused
2	3+2n		request length
4	DRAWABLE		drawable
4	GCONTEXT		gc
8n	LISTofRECTANGLE		rectangles
<b>PolyArc</b>			
1	68		opcode
1			unused
2	3+3n		request length
4	DRAWABLE		drawable
4	GCONTEXT		gc
12n	LISTofARC		arcs
<b>FillPoly</b>			
1	69		opcode
1			unused
2	4+n		request length
4	DRAWABLE		drawable
4	GCONTEXT		gc
1			shape
	0	Complex	
	1	Nonconvex	
	2	Convex	
1			coordinate-mode
	0	Origin	
	1	Previous	
2			unused
4n	LISTofPOINT		points
<b>PolyFillRectangle</b>			
1	70		opcode
1			unused
2	3+2n		request length
4	DRAWABLE		drawable
4	GCONTEXT		gc
8n	LISTofRECTANGLE		rectangles

**PolyFillArc**

1	71		opcode
1			unused
2	3+3n		request length
4	DRAWABLE		drawable
4	GCONTEXT		gc
12n	LISTofARC		arcs

**PutImage**

1	72		opcode
1			format
	0	Bitmap	
	1	XYPixmap	
	2	ZPixmap	
2	6+(n+p)/4		request length
4	DRAWABLE		drawable
4	GCONTEXT		gc
2	CARD16		width
2	CARD16		height
2	INT16		dst-x
2	INT16		dst-y
1	CARD8		left-pad
1	CARD8		depth
2			unused
n	LISTofBYTE		data
p			unused, p=pad(n)

**GetImage**

1	73		opcode
1			format
	1	XYPixmap	
	2	ZPixmap	
2	5		request length
4	DRAWABLE		drawable
2	INT16		x
2	INT16		y
2	CARD16		width
2	CARD16		height
4	CARD32		plane-mask

→

1	1		Reply
1	CARD8		depth
2	CARD16		sequence number
4	(n+p)/4		reply length
4	VISUALID		visual
	0	None	
20			unused
n	LISTofBYTE		data
p			unused, p=pad(n)

**PolyText8**

1	74		opcode
1			unused
2	4+(n+p)/4		request length
4	DRAWABLE		drawable
4	GCONTEXT		gc
2	INT16		x
2	INT16		y
n	LISTofTEXTITEM8		items
p			unused, p=pad(n) (p is always 0 or 1)

TEXTITEM8

1	m		length of string (cannot be 255)
1	INT8		delta
m	STRING8		string
or			
1	255		font-shift indicator
1			font byte 3 (most-significant)
1			font byte 2
1			font byte 1
1			font byte 0 (least-significant)
<b>PolyText16</b>			
1	75		opcode
1			unused
2	$4+(n+p)/4$		request length
4	DRAWABLE		drawable
4	GCONTEXT		gc
2	INT16		x
2	INT16		y
n	LISTofTEXTITEM16		items
p			unused, p=pad(n) (p must be 0 or 1)
<b>TEXTITEM16</b>			
1	m		number of CHAR2Bs in string (cannot be 255)
1	INT8		delta
2m	STRING16		string
or			
1	255		font-shift indicator
1			font byte 3 (most-significant)
1			font byte 2
1			font byte 1
1			font byte 0 (least-significant)
<b>ImageText8</b>			
1	76		opcode
1	n		length of string
2	$4+(n+p)/4$		request length
4	DRAWABLE		drawable
4	GCONTEXT		gc
2	INT16		x
2	INT16		y
n	STRING8		string
p			unused, p=pad(n)
<b>ImageText16</b>			
1	77		opcode
1	n		number of CHAR2Bs in string
2	$4+(2n+p)/4$		request length
4	DRAWABLE		drawable
4	GCONTEXT		gc
2	INT16		x
2	INT16		y
2n	STRING16		string
p			unused, p=pad(2n)
<b>CreateColormap</b>			
1	78		opcode
1			alloc
	0	None	
	1	All	
2	4		request length
4	COLORMAP		mid
4	WINDOW		window
4	VISUALID		visual

**FreeColormap**

1	79	opcode
1		unused
2	2	request length
4	COLORMAP	cmap

**CopyColormapAndFree**

1	80	opcode
1		unused
2	3	request length
4	COLORMAP	mid
4	COLORMAP	src-cmap

**InstallColormap**

1	81	opcode
1		unused
2	2	request length
4	COLORMAP	cmap

**UninstallColormap**

1	82	opcode
1		unused
2	2	request length
4	COLORMAP	cmap

**ListInstalledColormaps**

1	83	opcode
1		unused
2	2	request length
4	WINDOW	window

→

1	1	Reply
1		unused
2	CARD16	sequence number
4	n	reply length
2	n	number of COLORMAPs in cmaps
22		unused
4n	LISTofCOLORMAP	cmaps

**AllocColor**

1	84	opcode
1		unused
2	4	request length
4	COLORMAP	cmap
2	CARD16	red
2	CARD16	green
2	CARD16	blue
2		unused

→

1	1	Reply
1		unused
2	CARD16	sequence number
4	0	reply length
2	CARD16	red
2	CARD16	green
2	CARD16	blue
2		unused
4	CARD32	pixel
12		unused

**AllocNamedColor**

1	85	opcode
1		unused
2	3+(n+p)/4	request length
4	COLORMAP	cmap
2	n	length of name
2		unused
n	STRING8	name
p		unused, p=pad(n)
→		
1	1	Reply
1		unused
2	CARD16	sequence number
4	0	reply length
4	CARD32	pixel
2	CARD16	exact-red
2	CARD16	exact-green
2	CARD16	exact-blue
2	CARD16	visual-red
2	CARD16	visual-green
2	CARD16	visual-blue
8		unused

**AllocColorCells**

1	86	opcode
1	BOOL	contiguous
2	3	request length
4	COLORMAP	cmap
2	CARD16	colors
2	CARD16	planes
→		
1	1	Reply
1		unused
2	CARD16	sequence number
4	n+m	reply length
2	n	number of CARD32s in pixels
2	m	number of CARD32s in masks
20		unused
4n	LISTofCARD32	pixels
4m	LISTofCARD32	masks

**AllocColorPlanes**

1	87	opcode
1	BOOL	contiguous
2	4	request length
4	COLORMAP	cmap
2	CARD16	colors
2	CARD16	reds
2	CARD16	greens
2	CARD16	blues
→		
1	1	Reply
1		unused
2	CARD16	sequence number
4	n	reply length
2	n	number of CARD32s in pixels
2		unused
4	CARD32	red-mask
4	CARD32	green-mask
4	CARD32	blue-mask
8		unused

4n	LISTofCARD32	pixels
<b>FreeColors</b>		
1	88	opcode
1		unused
2	3+n	request length
4	COLORMAP	cmap
4	CARD32	plane-mask
4n	LISTofCARD32	pixels
<b>StoreColors</b>		
1	89	opcode
1		unused
2	2+3n	request length
4	COLORMAP	cmap
12n	LISTofCOLORITEM	items
<b>COLORITEM</b>		
4	CARD32	pixel
2	CARD16	red
2	CARD16	green
2	CARD16	blue
1		do-red, do-green, do-blue
	#x01	do-red (1 is True, 0 is False)
	#x02	do-green (1 is True, 0 is False)
	#x04	do-blue (1 is True, 0 is False)
	#xF8	unused
1		unused
<b>StoreNamedColor</b>		
1	90	opcode
1		do-red, do-green, do-blue
	#x01	do-red (1 is True, 0 is False)
	#x02	do-green (1 is True, 0 is False)
	#x04	do-blue (1 is True, 0 is False)
	#xF8	unused
2	4+(n+p)/4	request length
4	COLORMAP	cmap
4	CARD32	pixel
2	n	length of name
2		unused
n	STRING8	name
p		unused, p=pad(n)
<b>QueryColors</b>		
1	91	opcode
1		unused
2	2+n	request length
4	COLORMAP	cmap
4n	LISTofCARD32	pixels
→		
1	1	Reply
1		unused
2	CARD16	sequence number
4	2n	reply length
2	n	number of RGBs in colors
22		unused
8n	LISTofRGB	colors
<b>RGB</b>		
2	CARD16	red

2	CARD16	green
2	CARD16	blue
2		unused

**LookupColor**

1	92	opcode
1		unused
2	3+(n+p)/4	request length
4	COLORMAP	cmap
2	n	length of name
2		unused
n	STRING8	name
p		unused, p=pad(n)

→

1	1	Reply
1		unused
2	CARD16	sequence number
4	0	reply length
2	CARD16	exact-red
2	CARD16	exact-green
2	CARD16	exact-blue
2	CARD16	visual-red
2	CARD16	visual-green
2	CARD16	visual-blue
12		unused

**CreateCursor**

1	93	opcode
1		unused
2	8	request length
4	CURSOR	cid
4	PIXMAP	source
4	PIXMAP	mask
	0	None
2	CARD16	fore-red
2	CARD16	fore-green
2	CARD16	fore-blue
2	CARD16	back-red
2	CARD16	back-green
2	CARD16	back-blue
2	CARD16	x
2	CARD16	y

**CreateGlyphCursor**

1	94	opcode
1		unused
2	8	request length
4	CURSOR	cid
4	FONT	source-font
4	FONT	mask-font
	0	None
2	CARD16	source-char
2	CARD16	mask-char
2	CARD16	fore-red
2	CARD16	fore-green
2	CARD16	fore-blue
2	CARD16	back-red
2	CARD16	back-green
2	CARD16	back-blue

**FreeCursor**

1	95	opcode
---	----	--------

1			unused
2	2		request length
4	CURSOR		cursor
<b>RecolorCursor</b>			
1	96		opcode
1			unused
2	5		request length
4	CURSOR		cursor
2	CARD16		fore-red
2	CARD16		fore-green
2	CARD16		fore-blue
2	CARD16		back-red
2	CARD16		back-green
2	CARD16		back-blue
<b>QueryBestSize</b>			
1	97		opcode
1			class
	0	Cursor	
	1	Tile	
	2	Stipple	
2	3		request length
4	DRAWABLE		drawable
2	CARD16		width
2	CARD16		height
→			
1	1		Reply
1			unused
2	CARD16		sequence number
4	0		reply length
2	CARD16		width
2	CARD16		height
20			unused
<b>QueryExtension</b>			
1	98		opcode
1			unused
2	$2+(n+p)/4$		request length
2	n		length of name
2			unused
n	STRING8		name
p			unused, $p=\text{pad}(n)$
→			
1	1		Reply
1			unused
2	CARD16		sequence number
4	0		reply length
1	BOOL		present
1	CARD8		major-opcode
1	CARD8		first-event
1	CARD8		first-error
20			unused
<b>ListExtensions</b>			
1	99		opcode
1			unused
2	1		request length
→			

1	1	Reply
1	CARD8	number of STRs in names
2	CARD16	sequence number
4	(n+p)/4	reply length
24		unused
n	LISTofSTR	names
p		unused, p=pad(n)

**ChangeKeyboardMapping**

1	100	opcode
1	n	keycode-count
2	2+nm	request length
1	KEYCODE	first-keycode
1	m	keysyms-per-keycode
2		unused
4nm	LISTofKEYSYM	keysyms

**GetKeyboardMapping**

1	101	opcode
1		unused
2	2	request length
1	KEYCODE	first-keycode
1	m	count
2		unused

→

1	1	Reply
1	n	keysyms-per-keycode
2	CARD16	sequence number
4	nm	reply length (m = count field from the request)
24		unused
4nm	LISTofKEYSYM	keysyms

**ChangeKeyboardControl**

1	102	opcode
1		unused
2	2+n	request length
4	BITMASK	value-mask (has n bits set to 1)
	#x0001	key-click-percent
	#x0002	bell-percent
	#x0004	bell-pitch
	#x0008	bell-duration
	#x0010	led
	#x0020	led-mode
	#x0040	key
	#x0080	auto-repeat-mode
4n	LISTofVALUE	value-list

**VALUES**

1	INT8	key-click-percent
1	INT8	bell-percent
2	INT16	bell-pitch
2	INT16	bell-duration
1	CARD8	led
1		led-mode
	0	Off
	1	On
1	KEYCODE	key
1		auto-repeat-mode
	0	Off
	1	On
	2	Default

**GetKeyboardControl**

1	103		opcode
1			unused
2	1		request length
→			
1	1		Reply
1			global-auto-repeat
	0	Off	
	1	On	
2	CARD16		sequence number
4	5		reply length
4	CARD32		led-mask
1	CARD8		key-click-percent
1	CARD8		bell-percent
2	CARD16		bell-pitch
2	CARD16		bell-duration
2			unused
32	LISTofCARD8		auto-repeats

**Bell**

1	104		opcode
1	INT8		percent
2	1		request length

**ChangePointerControl**

1	105		opcode
1			unused
2	3		request length
2	INT16		acceleration-numerator
2	INT16		acceleration-denominator
2	INT16		threshold
1	BOOL		do-acceleration
1	BOOL		do-threshold

**GetPointerControl**

1	106		opcode
1			unused
2	1		request length
→			
1	1		Reply
1			unused
2	CARD16		sequence number
4	0		reply length
2	CARD16		acceleration-numerator
2	CARD16		acceleration-denominator
2	CARD16		threshold
18			unused

**SetScreenSaver**

1	107		opcode
1			unused
2	3		request length
2	INT16		timeout
2	INT16		interval
1			prefer-blanking
	0	No	
	1	Yes	
	2	Default	
1			allow-exposures
	0	No	
	1	Yes	

	2		Default	
	2			unused
<b>GetScreenSaver</b>				
	1	108		opcode
	1			unused
	2	1		request length
→				
	1	1		Reply
	1			unused
	2	CARD16		sequence number
	4	0		reply length
	2	CARD16		timeout
	2	CARD16		interval
	1			prefer-blanking
		0	No	
		1	Yes	
	1			allow-exposures
		0	No	
		1	Yes	
	18			unused
<b>ChangeHosts</b>				
	1	109		opcode
	1			mode
		0	Insert	
		1	Delete	
	2	2+(n+p)/4		request length
	1			family
		0	Internet	
		1	DECnet	
		2	Chaos	
	1			unused
	2	n		length of address
	n	LISTofCARD8		address
	p			unused, p=pad(n)
<b>ListHosts</b>				
	1	110		opcode
	1			unused
	2	1		request length
→				
	1	1		Reply
	1			mode
		0	Disabled	
		1	Enabled	
	2	CARD16		sequence number
	4	n/4		reply length
	2	CARD16		number of HOSTs in hosts
	22			unused
	n	LISTofHOST		hosts (n always a multiple of 4)
<b>SetAccessControl</b>				
	1	111		opcode
	1			mode
		0	Disable	
		1	Enable	
	2	1		request length

**SetCloseDownMode**

1	112		opcode
1			mode
	0	Destroy	
	1	RetainPermanent	
	2	RetainTemporary	
2	1		request length
<b>KillClient</b>			
1	113		opcode
1			unused
2	2		request length
4	CARD32		resource
	0	AllTemporary	
<b>RotateProperties</b>			
1	114		opcode
1			unused
2	3+n		request length
4	WINDOW		window
2	n		number of properties
2	INT16		delta
4n	LISTofATOM		properties
<b>ForceScreenSaver</b>			
1	115		opcode
1			mode
	0	Reset	
	1	Activate	
2	1		request length
<b>SetPointerMapping</b>			
1	116		opcode
1	n		length of map
2	1+(n+p)/4		request length
n	LISTofCARD8		map
p			unused, p=pad(n)
→			
1	1		Reply
1			status
	0	Success	
	1	Busy	
2	CARD16		sequence number
4	0		reply length
24			unused
<b>GetPointerMapping</b>			
1	117		opcode
1			unused
2	1		request length
→			
1	1		Reply
1	n		length of map
2	CARD16		sequence number
4	(n+p)/4		reply length
24			unused
n	LISTofCARD8		map
p			unused, p=pad(n)
<b>SetModifierMapping</b>			
1	118		opcode

1	n		keycodes-per-modifier
2	1+2n		request length
8n	LISTofKEYCODE		keycodes
→			
1	1		Reply
1			status
	0	Success	
	1	Busy	
	2	Failed	
2	CARD16		sequence number
4	0		reply length
24			unused

**GetModifierMapping**

1	119		opcode
1			unused
2	1		request length
→			
1	1		Reply
1	n		keycodes-per-modifier
2	CARD16		sequence number
4	2n		reply length
24			unused
8n	LISTofKEYCODE		keycodes

**NoOperation**

1	127		opcode
1			unused
2	1+n		request length
4n			unused

**Events**

**KeyPress**

1	2		code
1	KEYCODE		detail
2	CARD16		sequence number
4	TIMESTAMP		time
4	WINDOW		root
4	WINDOW		event
4	WINDOW		child
	0	None	
2	INT16		root-x
2	INT16		root-y
2	INT16		event-x
2	INT16		event-y
2	SETofKEYBUTMASK		state
1	BOOL		same-screen
1			unused

**KeyRelease**

1	3		code
1	KEYCODE		detail
2	CARD16		sequence number
4	TIMESTAMP		time
4	WINDOW		root
4	WINDOW		event
4	WINDOW		child
	0	None	
2	INT16		root-x
2	INT16		root-y

2	INT16		event-x
2	INT16		event-y
2	SETofKEYBUTMASK		state
1	BOOL		same-screen
1			unused

**ButtonPress**

1	4		code
1	BUTTON		detail
2	CARD16		sequence number
4	TIMESTAMP		time
4	WINDOW		root
4	WINDOW		event
4	WINDOW		child
	0	None	
2	INT16		root-x
2	INT16		root-y
2	INT16		event-x
2	INT16		event-y
2	SETofKEYBUTMASK		state
1	BOOL		same-screen
1			unused

**ButtonRelease**

1	5		code
1	BUTTON		detail
2	CARD16		sequence number
4	TIMESTAMP		time
4	WINDOW		root
4	WINDOW		event
4	WINDOW		child
	0	None	
2	INT16		root-x
2	INT16		root-y
2	INT16		event-x
2	INT16		event-y
2	SETofKEYBUTMASK		state
1	BOOL		same-screen
1			unused

**MotionNotify**

1	6		code
1			detail
	0	Normal	
	1	Hint	
2	CARD16		sequence number
4	TIMESTAMP		time
4	WINDOW		root
4	WINDOW		event
4	WINDOW		child
	0	None	
2	INT16		root-x
2	INT16		root-y
2	INT16		event-x
2	INT16		event-y
2	SETofKEYBUTMASK		state
1	BOOL		same-screen
1			unused

**EnterNotify**

1	7		code
1			detail
	0	Ancestor	

1	Virtual	
2	Inferior	
3	Nonlinear	
4	NonlinearVirtual	
2	CARD16	sequence number
4	TIMESTAMP	time
4	WINDOW	root
4	WINDOW	event
4	WINDOW	child
0	None	
2	INT16	root-x
2	INT16	root-y
2	INT16	event-x
2	INT16	event-y
2	SETofKEYBUTMASK	state
1		mode
0	Normal	
1	Grab	
2	Ungrab	
1		same-screen, focus
#x01	focus (1 is True, 0 is False)	
#x02	same-screen (1 is True, 0 is False)	
#xFC	unused	

**LeaveNotify**

1	8	code
1		detail
0	Ancestor	
1	Virtual	
2	Inferior	
3	Nonlinear	
4	NonlinearVirtual	
2	CARD16	sequence number
4	TIMESTAMP	time
4	WINDOW	root
4	WINDOW	event
4	WINDOW	child
0	None	
2	INT16	root-x
2	INT16	root-y
2	INT16	event-x
2	INT16	event-y
2	SETofKEYBUTMASK	state
1		mode
0	Normal	
1	Grab	
2	Ungrab	
1		same-screen, focus
#x01	focus (1 is True, 0 is False)	
#x02	same-screen (1 is True, 0 is False)	
#xFC	unused	

**FocusIn**

1	9	code
1		detail
0	Ancestor	
1	Virtual	
2	Inferior	
3	Nonlinear	
4	NonlinearVirtual	
5	Pointer	
6	PointerRoot	
7	None	
2	CARD16	sequence number

4	WINDOW		event
1			mode
	0	Normal	
	1	Grab	
	2	Ungrab	
	3	WhileGrabbed	
23			unused
<b>FocusOut</b>			
1	10		code
1			detail
	0	Ancestor	
	1	Virtual	
	2	Inferior	
	3	Nonlinear	
	4	NonlinearVirtual	
	5	Pointer	
	6	PointerRoot	
	7	None	
2	CARD16		sequence number
4	WINDOW		event
1			mode
	0	Normal	
	1	Grab	
	2	Ungrab	
	3	WhileGrabbed	
23			unused
<b>KeymapNotify</b>			
1	11		code
31	LISTofCARD8		keys (byte for keycodes 0–7 is omitted)
<b>Expose</b>			
1	12		code
1			unused
2	CARD16		sequence number
4	WINDOW		window
2	CARD16		x
2	CARD16		y
2	CARD16		width
2	CARD16		height
2	CARD16		count
14			unused
<b>GraphicsExposure</b>			
1	13		code
1			unused
2	CARD16		sequence number
4	DRAWABLE		drawable
2	CARD16		x
2	CARD16		y
2	CARD16		width
2	CARD16		height
2	CARD16		minor-opcode
2	CARD16		count
1	CARD8		major-opcode
11			unused
<b>NoExposure</b>			
1	14		code
1			unused
2	CARD16		sequence number

4	DRAWABLE		drawable
2	CARD16		minor-opcode
1	CARD8		major-opcode
21			unused
<b>VisibilityNotify</b>			
1	15		code
1			unused
2	CARD16		sequence number
4	WINDOW		window
1			state
	0	Unobscured	
	1	PartiallyObscured	
	2	FullyObscured	
23			unused
<b>CreateNotify</b>			
1	16		code
1			unused
2	CARD16		sequence number
4	WINDOW		parent
4	WINDOW		window
2	INT16		x
2	INT16		y
2	CARD16		width
2	CARD16		height
2	CARD16		border-width
1	BOOL		override-redirect
9			unused
<b>DestroyNotify</b>			
1	17		code
1			unused
2	CARD16		sequence number
4	WINDOW		event
4	WINDOW		window
20			unused
<b>UnmapNotify</b>			
1	18		code
1			unused
2	CARD16		sequence number
4	WINDOW		event
4	WINDOW		window
1	BOOL		from-configure
19			unused
<b>MapNotify</b>			
1	19		code
1			unused
2	CARD16		sequence number
4	WINDOW		event
4	WINDOW		window
1	BOOL		override-redirect
19			unused
<b>MapRequest</b>			
1	20		code
1			unused
2	CARD16		sequence number
4	WINDOW		parent
4	WINDOW		window

20			unused
<b>ReparentNotify</b>			
1	21		code
1			unused
2	CARD16		sequence number
4	WINDOW		event
4	WINDOW		window
4	WINDOW		parent
2	INT16		x
2	INT16		y
1	BOOL		override-redirect
11			unused
<b>ConfigureNotify</b>			
1	22		code
1			unused
2	CARD16		sequence number
4	WINDOW		event
4	WINDOW		window
4	WINDOW		above-sibling
0		None	
2	INT16		x
2	INT16		y
2	CARD16		width
2	CARD16		height
2	CARD16		border-width
1	BOOL		override-redirect
5			unused
<b>ConfigureRequest</b>			
1	23		code
1			stack-mode
0		Above	
1		Below	
2		TopIf	
3		BottomIf	
4		Opposite	
2	CARD16		sequence number
4	WINDOW		parent
4	WINDOW		window
4	WINDOW		sibling
0		None	
2	INT16		x
2	INT16		y
2	CARD16		width
2	CARD16		height
2	CARD16		border-width
2	BITMASK		value-mask
#x0001		x	
#x0002		y	
#x0004		width	
#x0008		height	
#x0010		border-width	
#x0020		sibling	
#x0040		stack-mode	
4			unused
<b>GravityNotify</b>			
1	24		code
1			unused
2	CARD16		sequence number
4	WINDOW		event

4	WINDOW		window
2	INT16		x
2	INT16		y
16			unused
<b>ResizeRequest</b>			
1	25		code
1			unused
2	CARD16		sequence number
4	WINDOW		window
2	CARD16		width
2	CARD16		height
20			unused
<b>CirculateNotify</b>			
1	26		code
1			unused
2	CARD16		sequence number
4	WINDOW		event
4	WINDOW		window
4	WINDOW		unused
1			place
	0	Top	
	1	Bottom	
15			unused
<b>CirculateRequest</b>			
1	27		code
1			unused
2	CARD16		sequence number
4	WINDOW		parent
4	WINDOW		window
4			unused
1			place
	0	Top	
	1	Bottom	
15			unused
<b>PropertyNotify</b>			
1	28		code
1			unused
2	CARD16		sequence number
4	WINDOW		window
4	ATOM		atom
4	TIMESTAMP		time
1			state
	0	NewValue	
	1	Deleted	
15			unused
<b>SelectionClear</b>			
1	29		code
1			unused
2	CARD16		sequence number
4	TIMESTAMP		time
4	WINDOW		owner
4	ATOM		selection
16			unused
<b>SelectionRequest</b>			
1	30		code
1			unused

2	CARD16		sequence number
4	TIMESTAMP		time
0		CurrentTime	
4	WINDOW		owner
4	WINDOW		requestor
4	ATOM		selection
4	ATOM		target
4	ATOM		property
0		None	
4			unused
<b>SelectionNotify</b>			
1	31		code
1			unused
2	CARD16		sequence number
4	TIMESTAMP		time
0		CurrentTime	
4	WINDOW		requestor
4	ATOM		selection
4	ATOM		target
4	ATOM		property
0		None	
8			unused
<b>ColormapNotify</b>			
1	32		code
1			unused
2	CARD16		sequence number
4	WINDOW		window
4	COLORMAP		colormap
0		None	
1	BOOL		new
1			state
	0	Uninstalled	
	1	Installed	
18			unused
<b>ClientMessage</b>			
1	33		code
1	CARD8		format
2	CARD16		sequence number
4	WINDOW		window
4	ATOM		type
20			data
<b>MappingNotify</b>			
1	34		code
1			unused
2	CARD16		sequence number
1			request
	0	Modifier	
	1	Keyboard	
	2	Pointer	
1	KEYCODE		first-keycode
1	CARD8		count
25			unused

## Glossary

### Access control list

X maintains a list of hosts from which client programs can be run. By default, only programs on the local host and hosts specified in an initial list read by the server can use the display. Clients on the local host can change this access control list. Some server implementations can also implement other authorization mechanisms in addition to or in place of this mechanism. The action of this mechanism can be conditional based on the authorization protocol name and data received by the server at connection setup.

### Active grab

A grab is active when the pointer or keyboard is actually owned by the single grabbing client.

### Ancestors

If W is an inferior of A, then A is an ancestor of W.

### Atom

An atom is a unique ID corresponding to a string name. Atoms are used to identify properties, types, and selections.

### Background

An **InputOutput** window can have a background, which is defined as a pixmap. When regions of the window have their contents lost or invalidated, the server will automatically tile those regions with the background.

### Backing store

When a server maintains the contents of a window, the pixels saved off screen are known as a backing store.

### Bit gravity

When a window is resized, the contents of the window are not necessarily discarded. It is possible to request that the server relocate the previous contents to some region of the window (though no guarantees are made). This attraction of window contents for some location of a window is known as bit gravity.

### Bit plane

When a pixmap or window is thought of as a stack of bitmaps, each bitmap is called a bit plane or plane.

### Bitmap

A bitmap is a pixmap of depth one.

### Border

An **InputOutput** window can have a border of equal thickness on all four sides of the window. A pixmap defines the contents of the border, and the server automatically maintains the contents of the border. Exposure events are never generated for border regions.

### Button grabbing

Buttons on the pointer may be passively grabbed by a client. When the button is pressed, the pointer is then actively grabbed by the client.

### Byte order

For image (pixmap/bitmap) data, the server defines the byte order, and clients with different native byte ordering must swap bytes as necessary. For all other parts of the protocol, the client defines the byte order, and the server swaps bytes as necessary.

### Children

The children of a window are its first-level subwindows.

**Client**

An application program connects to the window system server by some interprocess communication path, such as a TCP connection or a shared memory buffer. This program is referred to as a client of the window system server. More precisely, the client is the communication path itself; a program with multiple paths open to the server is viewed as multiple clients by the protocol. Resource lifetimes are controlled by connection lifetimes, not by program lifetimes.

**Clipping region**

In a graphics context, a bitmap or list of rectangles can be specified to restrict output to a particular region of the window. The image defined by the bitmap or rectangles is called a clipping region.

**Colormap**

A colormap consists of a set of entries defining color values. The colormap associated with a window is used to display the contents of the window; each pixel value indexes the colormap to produce RGB values that drive the guns of a monitor. Depending on hardware limitations, one or more colormaps may be installed at one time, so that windows associated with those maps display with correct colors.

**Connection**

The interprocess communication path between the server and client program is known as a connection. A client program typically (but not necessarily) has one connection to the server over which requests and events are sent.

**Containment**

A window “contains” the pointer if the window is viewable and the hotspot of the cursor is within a visible region of the window or a visible region of one of its inferiors. The border of the window is included as part of the window for containment. The pointer is “in” a window if the window contains the pointer but no inferior contains the pointer.

**Coordinate system**

The coordinate system has the X axis horizontal and the Y axis vertical, with the origin [0, 0] at the upper left. Coordinates are integral, in terms of pixels, and coincide with pixel centers. Each window and pixmap has its own coordinate system. For a window, the origin is inside the border at the inside upper left.

**Cursor**

A cursor is the visible shape of the pointer on a screen. It consists of a hot spot, a source bitmap, a shape bitmap, and a pair of colors. The cursor defined for a window controls the visible appearance when the pointer is in that window.

**Depth**

The depth of a window or pixmap is the number of bits per pixel that it has. The depth of a graphics context is the depth of the drawables it can be used in conjunction with for graphics output.

**Device**

Keyboards, mice, tablets, track-balls, button boxes, and so on are all collectively known as input devices. The core protocol only deals with two devices, “the keyboard” and “the pointer.”

**DirectColor**

**DirectColor** is a class of colormap in which a pixel value is decomposed into three separate subfields for indexing. The first subfield indexes an array to produce red intensity values. The second subfield indexes a second array to produce blue intensity values. The third subfield indexes a third array to produce green intensity values. The RGB values can be changed dynamically.

**Display**

A server, together with its screens and input devices, is called a display.

**Drawable**

Both windows and pixmaps can be used as sources and destinations in graphics operations. These windows and pixmaps are collectively known as drawables. However, an **InputOnly** window cannot be used as a source or destination in a graphics operation.

**Event**

Clients are informed of information asynchronously by means of events. These events can be generated either asynchronously from devices or as side effects of client requests. Events are grouped into types. The server never sends events to a client unless the client has specifically asked to be informed of that type of event. However, other clients can force events to be sent to other clients. Events are typically reported relative to a window.

**Event mask**

Events are requested relative to a window. The set of event types that a client requests relative to a window is described by using an event mask.

**Event synchronization**

There are certain race conditions possible when demultiplexing device events to clients (in particular deciding where pointer and keyboard events should be sent when in the middle of window management operations). The event synchronization mechanism allows synchronous processing of device events.

**Event propagation**

Device-related events propagate from the source window to ancestor windows until some client has expressed interest in handling that type of event or until the event is discarded explicitly.

**Event source**

The window the pointer is in is the source of a device-related event.

**Exposure event**

Servers do not guarantee to preserve the contents of windows when windows are obscured or reconfigured. Exposure events are sent to clients to inform them when contents of regions of windows have been lost.

**Extension**

Named extensions to the core protocol can be defined to extend the system. Extension to output requests, resources, and event types are all possible and are expected.

**Focus window**

The focus window is another term for the input focus.

**Font**

A font is a matrix of glyphs (typically characters). The protocol does no translation or interpretation of character sets. The client simply indicates values used to index the glyph array. A font contains additional metric information to determine interglyph and interline spacing.

**GC, GContext**

GC and gcontext are abbreviations for graphics context.

**Glyph**

A glyph is an image, typically of a character, in a font.

**Grab**

Keyboard keys, the keyboard, pointer buttons, the pointer, and the server can be grabbed for exclusive use by a client. In general, these facilities are not intended to be used by normal applications but are intended for various input and window managers to implement various styles of user interfaces.

**Graphics context**

Various information for graphics output is stored in a graphics context such as foreground pixel, background pixel, line width, clipping region, and so on. A graphics context can only be used with drawables that have the same root and the same depth as the graphics context.

**Gravity**

See **bit gravity** and **window gravity**.

**GrayScale**

**GrayScale** can be viewed as a degenerate case of **PseudoColor**, in which the red, green, and blue values in any given colormap entry are equal, thus producing shades of gray. The gray values can be changed dynamically.

**Hotspot**

A cursor has an associated hotspot that defines the point in the cursor corresponding to the coordinates reported for the pointer.

**Identifier**

An identifier is a unique value associated with a resource that clients use to name that resource. The identifier can be used over any connection.

**Inferiors**

The inferiors of a window are all of the subwindows nested below it: the children, the children's children, and so on.

**Input focus**

The input focus is normally a window defining the scope for processing of keyboard input. If a generated keyboard event would normally be reported to this window or one of its inferiors, the event is reported normally. Otherwise, the event is reported with respect to the focus window. The input focus also can be set such that all keyboard events are discarded and such that the focus window is dynamically taken to be the root window of whatever screen the pointer is on at each keyboard event.

**Input manager**

Control over keyboard input is typically provided by an input manager client.

**InputOnly window**

An **InputOnly** window is a window that cannot be used for graphics requests. **InputOnly** windows are invisible and can be used to control such things as cursors, input event generation, and grabbing. **InputOnly** windows cannot have **InputOutput** windows as inferiors.

**InputOutput window**

An **InputOutput** window is the normal kind of opaque window, used for both input and output. **InputOutput** windows can have both **InputOutput** and **InputOnly** windows as inferiors.

**Key grabbing**

Keys on the keyboard can be passively grabbed by a client. When the key is pressed, the keyboard is then actively grabbed by the client.

**Keyboard grabbing**

A client can actively grab control of the keyboard, and key events will be sent to that client rather than the client the events would normally have been sent to.

**Keysym**

An encoding of a symbol on a keycap on a keyboard.

**Mapped**

A window is said to be mapped if a map call has been performed on it. Unmapped windows and their inferiors are never viewable or visible.

**Modifier keys**

Shift, Control, Meta, Super, Hyper, Alt, Compose, Apple, CapsLock, ShiftLock, and similar keys are called modifier keys.

**Monochrome**

Monochrome is a special case of **StaticGray** in which there are only two colormap entries.

**Obscure**

A window is obscured if some other window obscures it. Window A obscures window B if both are viewable **InputOutput** windows, A is higher in the global stacking order, and the rectangle defined by the outside edges of A intersects the rectangle defined by the outside edges of B. Note the distinction between obscure and occludes. Also note that window borders are included in the calculation and that a window can be obscured and yet still have visible regions.

**Occlude**

A window is occluded if some other window occludes it. Window A occludes window B if both are mapped, A is higher in the global stacking order, and the rectangle defined by the outside edges of A intersects the rectangle defined by the outside edges of B. Note the distinction between occludes and obscures. Also note that window borders are included in the calculation.

**Padding**

Some padding bytes are inserted in the data stream to maintain alignment of the protocol requests on natural boundaries. This increases ease of portability to some machine architectures.

**Parent window**

If C is a child of P, then P is the parent of C.

**Passive grab**

Grabbing a key or button is a passive grab. The grab activates when the key or button is actually pressed.

**Pixel value**

A pixel is an N-bit value, where N is the number of bit planes used in a particular window or pixmap (that is, N is the depth of the window or pixmap). For a window, a pixel value indexes a colormap to derive an actual color to be displayed.

**Pixmap**

A pixmap is a three-dimensional array of bits. A pixmap is normally thought of as a two-dimensional array of pixels, where each pixel can be a value from 0 to  $(2^N)-1$  and where N is the depth (z axis) of the pixmap. A pixmap can also be thought of as a stack of N bitmaps.

**Plane**

When a pixmap or window is thought of as a stack of bitmaps, each bitmap is called a plane or bit plane.

**Plane mask**

Graphics operations can be restricted to only affect a subset of bit planes of a destination. A plane mask is a bit mask describing which planes are to be modified. The plane mask is stored in a graphics context.

**Pointer**

The pointer is the pointing device attached to the cursor and tracked on the screens.

**Pointer grabbing**

A client can actively grab control of the pointer. Then button and motion events will be sent to that client rather than the client the events would normally have been sent to.

**Pointing device**

A pointing device is typically a mouse, tablet, or some other device with effective dimensional motion. There is only one visible cursor defined by the core protocol, and it tracks whatever pointing device is attached as the pointer.

**Property**

Windows may have associated properties, which consist of a name, a type, a data format, and some data. The protocol places no interpretation on properties. They are intended as a general-purpose naming mechanism for clients. For example, clients might use properties to share information such as resize hints, program names, and icon formats with a window manager.

**Property list**

The property list of a window is the list of properties that have been defined for the window.

**PseudoColor**

**PseudoColor** is a class of colormap in which a pixel value indexes the colormap to produce independent red, green, and blue values; that is, the colormap is viewed as an array of triples (RGB values). The RGB values can be changed dynamically.

**Redirecting control**

Window managers (or client programs) may want to enforce window layout policy in various ways. When a client attempts to change the size or position of a window, the operation may be redirected to a specified client rather than the operation actually being performed.

**Reply**

Information requested by a client program is sent back to the client with a reply. Both events and replies are multiplexed on the same connection. Most requests do not generate replies, although some requests generate multiple replies.

**Request**

A command to the server is called a request. It is a single block of data sent over a connection.

**Resource**

Windows, pixmaps, cursors, fonts, graphics contexts, and colormaps are known as resources. They all have unique identifiers associated with them for naming purposes. The lifetime of a resource usually is bounded by the lifetime of the connection over which the resource was created.

**RGB values**

Red, green, and blue (RGB) intensity values are used to define color. These values are always represented as 16-bit unsigned numbers, with 0 being the minimum intensity and 65535 being the maximum intensity. The server scales the values to match the display hardware.

**Root**

The root of a pixmap, colormap, or graphics context is the same as the root of whatever drawable was used when the pixmap, colormap, or graphics context was created. The root of a window is the root window under which the window was created.

**Root window**

Each screen has a root window covering it. It cannot be reconfigured or unmapped, but it otherwise acts as a full-fledged window. A root window has no parent.

**Save set**

The save set of a client is a list of other clients' windows that, if they are inferiors of one of the client's windows at connection close, should not be destroyed and that should be remapped if currently unmapped. Save sets are typically used by window managers to avoid lost windows if the manager terminates abnormally.

**Scanline**

A scanline is a list of pixel or bit values viewed as a horizontal row (all values having the same y coordinate) of an image, with the values ordered by increasing x coordinate.

**Scanline order**

An image represented in scanline order contains scanlines ordered by increasing y coordinate.

**Screen**

A server can provide several independent screens, which typically have physically independent monitors. This would be the expected configuration when there is only a single keyboard and pointer shared among the screens.

**Selection**

A selection can be thought of as an indirect property with dynamic type; that is, rather than having the property stored in the server, it is maintained by some client (the "owner"). A selection is global in nature and is thought of as belonging to the user (although maintained by clients), rather than as being private to a particular window subhierarchy or a particular set of clients. When a client asks for the contents of a selection, it specifies a selection "target type". This target type can be used to control the transmitted representation of the contents. For example, if the selection is "the last thing the user clicked on" and that is currently an image, then the target type might specify whether the contents of the image should be sent in XY format or Z format. The target type can also be used to control the class of contents transmitted; for example, asking for the "looks" (fonts, line spacing, indentation, and so on) of a paragraph selection rather than the text of the paragraph. The target type can also be used for other purposes. The protocol does not constrain the semantics.

**Server**

The server provides the basic windowing mechanism. It handles connections from clients, multiplexes graphics requests onto the screens, and demultiplexes input back to the appropriate clients.

**Server grabbing**

The server can be grabbed by a single client for exclusive use. This prevents processing of any requests from other client connections until the grab is completed. This is typically only a transient state for such things as rubber-banding, pop-up menus, or to execute requests indivisibly.

**Sibling**

Children of the same parent window are known as sibling windows.

**Stacking order**

Sibling windows may stack on top of each other. Windows above other windows both obscure and occlude those lower windows. This is similar to paper on a desk. The relationship between sibling windows is known as the stacking order.

**StaticColor**

**StaticColor** can be viewed as a degenerate case of **PseudoColor** in which the RGB values are predefined and read-only.

**StaticGray**

**StaticGray** can be viewed as a degenerate case of **GrayScale** in which the gray values are predefined and read-only. The values are typically linear or near-linear increasing ramps.

**Stipple**

A stipple pattern is a bitmap that is used to tile a region that will serve as an additional clip mask for a fill operation with the foreground color.

**String Equivalence**

Two ISO Latin-1 STRING8 values are considered equal if they are the same length and if corresponding bytes are either equal or are equivalent as follows: decimal values 65 to 90 inclusive (characters “A” to “Z”) are pairwise equivalent to decimal values 97 to 122 inclusive (characters “a” to “z”), decimal values 192 to 214 inclusive (characters “A grave” to “O diaeresis”) are pairwise equivalent to decimal values 224 to 246 inclusive (characters “a grave” to “o diaeresis”), and decimal values 216 to 222 inclusive (characters “O oblique” to “THORN”) are pairwise equivalent to decimal values 246 to 254 inclusive (characters “o oblique” to “thorn”).

**Tile**

A pixmap can be replicated in two dimensions to tile a region. The pixmap itself is also known as a tile.

**Timestamp**

A timestamp is a time value, expressed in milliseconds. It typically is the time since the last server reset. Timestamp values wrap around (after about 49.7 days). The server, given its current time is represented by timestamp T, always interprets timestamps from clients by treating half of the timestamp space as being earlier in time than T and half of the timestamp space as being later in time than T. One timestamp value (named **CurrentTime**) is never generated by the server. This value is reserved for use in requests to represent the current server time.

**TrueColor**

**TrueColor** can be viewed as a degenerate case of **DirectColor** in which the subfields in the pixel value directly encode the corresponding RGB values; that is, the colormap has predefined read-only RGB values. The values are typically linear or near-linear increasing ramps.

**Type**

A type is an arbitrary atom used to identify the interpretation of property data. Types are completely uninterpreted by the server and are solely for the benefit of clients.

**Viewable**

A window is viewable if it and all of its ancestors are mapped. This does not imply that any portion of the window is actually visible. Graphics requests can be performed on a window when it is not viewable, but output will not be retained unless the server is maintaining backing store.

**Visible**

A region of a window is visible if someone looking at the screen can actually see it; that is, the window is viewable and the region is not occluded by any other window.

**Window gravity**

When windows are resized, subwindows may be repositioned automatically relative to some position in the window. This attraction of a subwindow to some part of its parent is known as window gravity.

**Window manager**

Manipulation of windows on the screen and much of the user interface (policy) is typically provided by a window manager client.

**XYFormat**

The data for a pixmap is said to be in XY format if it is organized as a set of bitmaps representing individual bit planes, with the planes appearing from most-significant to least-significant in bit order.

**ZFormat**

The data for a pixmap is said to be in Z format if it is organized as a set of pixel values in scanline order.

**Table of Contents**

Acknowledgments .....	iii
1. Protocol Formats .....	1
2. Syntactic Conventions .....	1
3. Common Types .....	2
4. Errors .....	4
5. Keyboards .....	5
6. Pointers .....	7
7. Predefined Atoms .....	7
8. Connection Setup .....	7
9. Requests .....	11
10. Connection Close .....	70
11. Events .....	71
12. Flow Control and Concurrency .....	82
Appendix A – KEYSYM Encoding .....	83
Appendix B – Protocol Encoding .....	103
Glossary .....	150
Index .....	158