X Synchronization Extension Protocol X Consortium Standard

Tim Glauert, Olivetti Research Dave Carver Digital Equipment Corporation MIT/Project Athena Jim Gettys Digital Equipment Corporation Cambridge Research Laboratory David P. Wiggins X Consortium, Inc. James Jones NVIDIA Corporation

X Synchronization Extension Protocol: X Consortium Standard

by Tim Glauert Dave Carver Digital Equipment Corporation MIT/Project Athena Jim Gettys Digital Equipment Corporation Cambridge Research Laboratory David P. Wiggins X Consortium, Inc. James Jones NVIDIA Corporation

X Version 11, Release 7.7

Version 3.1

Copyright © 1991 Olivetti Research Limited, Cambridge England, Digital Equipment Corporation, Maynard, Massachusetts, X Consortium Copyright © 2010 NVIDIA Corporation

Permission to use, copy, modify, and distribute this documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies. Olivetti, Digital, MIT, the X Consortium, and NVIDIA make no representations about the suitability for any purpose of the information in this document. This documentation is provided as is without express or implied warranty.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

Table of Contents

. Synchronization Protocol 1
Description 1
Types 2
Errors 4
Requests 4
Events 10
. Encoding 12
Encoding New Types 12
Encoding Errors
Encoding Requests 13
Encoding Events 17

Chapter 1. Synchronization Protocol

The core X protocol makes no guarantees about the relative order of execution of requests for different clients. This means that any synchronization between clients must be done at the client level in an operating system-dependent and network-dependent manner. Even if there was an accepted standard for such synchronization, the use of a network introduces unpredictable delays between the synchronization of the clients and the delivery of the resulting requests to the X server.

The core X protocol also makes no guarantees about the time at which requests are executed, which means that all clients with real-time constraints must implement their timing on the host computer. Any such timings are subject to error introduced by delays within the operating system and network and are inefficient because of the need for round-trip requests that keep the client and server synchronized.

The synchronization extension provides primitives that allow synchronization between clients to take place entirely within the X server. This removes any error introduced by the network and makes it possible to synchronize clients on different hosts running different operating systems. This is important for multimedia applications, where audio, video, and graphics data streams are being synchronized. The extension also provides internal timers within the X server to which client requests can be synchronized. This allows simple animation applications to be implemented without any round-trip requests and makes best use of buffering within the client, network, and server.

Description

The mechanism used by this extension for synchronization within the X server is to block the processing of requests from a client until a specific synchronization condition occurs. When the condition occurs, the client is released and processing of requests continues. Multiple clients may block on the same condition to give inter-client synchronization. Alternatively, a single client may block on a condition such as an animation frame marker.

The extension adds Counter, Alarm, and Fence to the set of resources managed by the server. A counter has a 64-bit integer value that may be increased or decreased by client requests or by the server internally. A client can block by sending an Await request that waits until one of a set of synchronization conditions, called TRIGGERs, becomes TRUE. Alarms generate events when counter values go through a specified transition. A fence has two possible states: triggered and not triggered. Client requests can put the fence in either of these states. A client can block until one of a set of fences becomes triggered by sending an AwaitFence request. Fences are bound to a particular screen at creation time.

The CreateCounter request allows a client to create a Counter that can be changed by explicit SetCounter and ChangeCounter requests. These can be used to implement synchronization between different clients.

There are some counters, called System Counters, that are changed by the server internally rather than by client requests. The effect of any change to a system counter is not visible until the server has finished processing the current request. In other words, system counters are apparently updated in the gaps between the execution of requests rather than during the actual execution of a request. The extension provides a system counter that advances with the server time as defined by the core protocol, and it may also provide counters that advance with the real-world time or that change each time the CRT screen is refreshed. Other extensions may provide their own extension-specific system counters.

The extension provides an Alarm mechanism that allows clients to receive an event on a regular basis when a particular counter is changed.

The CreateFence request allows a client to create a Fence that can be triggered and reset using TriggerFence and ResetFence requests, respectively. CreateFence takes a drawable argument that implies which screen the fence should be created on. The TriggerFence request changes the fence's state only after all previous rendering commands affecting objects owned by the given fence's screen have completed. Note that while fence objects are bound to a screen and the simple trigger operation provided by this extension operates at screen granularity, other extensions may add more fine-grained trigger operations based on any number of events. The screen binding merely establishes an upper bound for the scope of fence operations.

Types

Please refer to the X11 Protocol specification as this document uses syntactic conventions established there and references types defined there.

The following new types are used by the extension.

```
INT64:
                         64-bit signed integer
COUNTER:
                         XID
VALUETYPE:
                         {Absolute, Relative};
TESTTYPE:
                         {PositiveTransition,NegativeTransition,
                          PositiveComparison, NegativeComparison}
TRIGGER:
                         [
                          counter:COUNTER,
                          value-type:VALUETYPE,
                          wait-value:INT64,
                          test-type:TESTTYPE
                         1
WAITCONDITION:
                         ſ
                          trigger: TRIGGER,
                          event-threshold:INT64
                         1
SYSTEMCOUNTER:
                         ſ
                          name:STRING8,
                          counter:COUNTER,
                          resolution: INT64
                         1
                         XID
ALARM:
ALARMSTATE:
                         {Active, Inactive, Destroyed}
FENCE:
                         XID
```

The COUNTER type defines the client-side handle on a server ${\tt Counter}.$ The value of a counter is an INT64.

The TRIGGER type defines a test on a counter that is either TRUE or FALSE. The value of the test is determined by the combination of a test value, the value of the counter, and the specified test-type.

The test value for a trigger is calculated using the value-type and wait-value fields when the trigger is initialized. If the value-type field is not one of the named VAL-UETYPE constants, the request that initialized the trigger will return a Value error. If the value-type field is Absolute, the test value is given by the wait-value field. If the value-type field is Relative, the test value is obtained by adding the wait-value field to the value of the counter. If the resulting test value would lie outside the range for an INT64, the request that initialized the trigger will return a Value error. If counter is None and the value-type is Relative, the request that initialized the trigger will return a Value avalue the trigger will return a Match error. If counter is not None and does not name a valid counter, a Counter error is generated.

If the test-type is PositiveTransition, the trigger is initialized to FALSE, and it will become TRUE when the counter changes from a value less than the test value to a value greater than or equal to the test value. If the test-type is NegativeTransition, the trigger is initialize to FALSE, and it will become TRUE when the counter changes from a value greater than the test value to a value less than or equal to the test value. If the test-type is TRUE if the counter changes from a value greater than the test value to a value less than or equal to the test value. If the test-type is PositiveComparison, the trigger is TRUE if the counter is greater than or equal to the test value and FALSE otherwise. If the test-type is NegativeComparison, the trigger is TRUE if the counter is less than or equal to the test value and FALSE otherwise. If the test-type is not one of the named TESTTYPE constants, the request that initialized the trigger will return a Value error. A trigger with a counter value of None and a valid test-type is always TRUE.

The WAITCONDITION type is simply a trigger with an associated event-threshold. The event threshold is used by the Await request to decide whether or not to generate an event to the client after the trigger has become TRUE. By setting the eventthreshold to an appropriate value, it is possible to detect the situation where an Await request was processed after the TRIGGER became TRUE, which usually indicates that the server is not processing requests as fast as the client expects.

The SYSTEMCOUNTER type provides the client with information about a System-Counter. The name field is the textual name of the counter that identifies the counter to the client. The counter field is the client-side handle that should be used in requests that require a counter. The resolution field gives the approximate step size of the system counter. This is a hint to the client that the extension may not be able to resolve two wait conditions with test values that differ by less than this step size. A microsecond clock, for example, may advance in steps of 64 microseconds, so a counter based on this clock would have a resolution of 64.

The only system counter that is guaranteed to be present is called SERVERTIME, which counts milliseconds from some arbitrary starting point. The least significant 32 bits of this counter track the value of Time used by the server in Events and Requests. Other system counters may be provided by different implementations of the extension. The X Consortium will maintain a registry of system counter names to avoid collisions in the name space.

An ALARM is the client-side handle on an Alarm resource.

The FENCE type defines the client-side handle on a server Fence. A fence can only be in one of two states, represented by a BOOL. If the value is TRUE, the fence is in the triggered state. Otherwise, the fence is in the not triggered state.

Errors

Counter	This error is generated if the value for a COUNTER argument in a request
	does not name a defined COUNTER.

- Alarm This error is generated if the value for an ALARM argument in a request does not name a defined ALARM.
- Fence This error is generated if the value for a FENCE argument in a request does not name a defined FENCE.

Requests

T '1' 1'	
Initialize	version-major,version-minor: CARD8 => version-major,version-minor: CARD8
	This request must be executed before any other requests for this extension. If a client violates this rule, the results of all SYNC requests that it issues are undefined. The request
	takes the version number of the extension that the client wishes to use and returns the actual version number being implemented by the extension for this client. The extension may return different version numbers to a client depending of the version number supplied by that client. This request should be executed only once for each client connection.
	Given two different versions of the SYNC protocol, v1 and v2, v1 is compatible with v2 if and only if v1.version_major = v2.version_major and v1.version_minor <= v2.version_minor. Compatible means that the function-ality is fully supported in an identical fashion in the two versions.
	This document describes major version 3, minor version 1 of the SYNC protocol.
ListSystemCounters	=> system-counters: LISTofSYSTEMCOUNTER Errors: Alloc
	This request returns a list of all the system counters that are available at the time the request is executed, which in- cludes the system counters that are maintained by other ex- tensions. The list returned by this request may change as counters are created and destroyed by other extensions.
CreateCounter	id: COUNTER initial-value: INT64

Errors: IDChoice, Alloc

This request creates a counter and assigns the specified id to it. The counter value is initialized to the specified initial-value and there are no clients waiting on the counter.

DestroyCounter

counter: COUNTER Errors: Counter,Access

This request destroys the given counter and sets the counter fields for all triggers that specify this counter to None. All clients waiting on the counter are released and a Counter-Notify event with the destroyed field set to TRUE is sent to each waiting client, regardless of the event-threshold. All alarms specifying the counter become Inactive and an AlarmNotify event with a state field of Inactive is generated. A counter is destroyed automatically when the connection to the creating client is closed down if the close-down mode is Destroy. An Access error is generated if counter is a system counter. A Counter error is generated if counter does not name a valid counter.

QueryCounter

counter: COUNTER
=>
value: INT64
Errors: Counter

This request returns the current value of the given counter or a generates Counter error if counter does not name a valid counter.

Await

wait-list: LISTofWAITCONDITION
Errors: Counter,Alloc,Value

When this request is executed, the triggers in the wait-list are initialized using the wait-value and value-type fields, as described in the definition of TRIGGER above. The processing of further requests for the client is blocked until one or more of the triggers becomes TRUE. This may happen immediately, as a result of the initialization, or at some later time, as a result of a subsequent SetCounter, ChangeCounter or DestroyCounter request.

A Value error is generated if wait-list is empty.

When the client becomes unblocked, each trigger is checked to determine whether a CounterNotify event should be generated. The difference between the counter and the test value is calculated by subtracting the test value from the value of the counter. If the test-type is PositiveTransition or PositiveComparison, a CounterNotify event is generated if the difference is at least event-threshold. If the test-type is NegativeTransition Or NegativeComparison, a CounterNotify event is generated if the difference is at most eventthreshold. If the difference lies outside the range for an INT64, an event is not generated.

This threshold check is made for each trigger in the list and a CounterNotify event is generated for every trigger for which the check succeeds. The check for CounterNotify events is performed even if one of the triggers is TRUE when the request is first executed. Note that a CounterNotify event may be generated for a trigger that is FALSE if there are multiple triggers in the request. A CounterNotify event with the destroyed flag set to TRUE is always generated if the counter for one of the triggers is destroyed.

ChangeCounter

counter: COUNTER amount: INT64 Errors: Counter,Access,Value

This request changes the given counter by adding amount to the current counter value. If the change to this counter satisfies a trigger for which a client is waiting, that client is unblocked and one or more CounterNotify events may be generated. If the change to the counter satisfies the trigger for an alarm, an AlarmNotify event is generated and the alarm is updated. An Access error is generated if counter is a system counter. A Counter error is generated if counter does not name a valid counter. If the resulting value for the counter would be outside the range for an INT64, a Value error is generated and the counter is not changed.

It should be noted that all the clients whose triggers are satisfied by this change are unblocked, so this request cannot be used to implement mutual exclusion.

SetCounter

counter: COUNTER
value: INT64
Errors: Counter,Access

This request sets the value of the given counter to value. The effect is equivalent to executing the appropriate Change-Counter request to change the counter value to value. An Access error is generated if counter names a system counter. A Counter error is generated if counter does not name a valid counter.

CreateAlarm

id: ALARM
values-mask: CARD32
values-list: LISTofVALUE
left">Errors: IDChoice,Counter,Match,Value,Alloc

This request creates an alarm and assigns the identifier id to it. The values-mask and values-list specify the attributes that

are to be explicitly initialized. The attributes for an Alarm and their defaults are:

Attribute	Туре	Default	
trigger	TRIGGER	counter	None
		value-type	Absolute
		value	0
		test-type	PositiveCompari-
			son
delta	INT64	1	
events	BOOL	TRUE	

The trigger is initialized as described in the definition of TRIGGER, with an error being generated if necessary.

If the counter is None, the state of the alarm is set to Inactive, else it is set to Active.

Whenever the trigger becomes TRUE, either as a result of this request or as the result of a SetCounter, Change-Counter, DestroyCounter, Or ChangeAlarm request, an AlarmNotify event is generated and the alarm is updated. The alarm is updated by repeatedly adding delta to the value of the trigger and reinitializing it until it becomes FALSE. If this update would cause value to fall outside the range for an INT64, or if the counter value is None, or if the delta is 0 and test-type is PositiveComparison Or NegativeComparison, no change is made to value and the alarm state is changed to Inactive before the event is generated. No further events are generated by an Inactive alarm until a ChangeAlarm or DestroyAlarm request is executed.

If the test-type is PositiveComparison or PositiveTransition and delta is less than zero, or if the test-type is NegativeComparison or NegativeTransition and delta is greater than zero, a Match error is generated.

The events value enables or disables delivery of AlarmNotify events to the requesting client. The alarm keeps a separate event flag for each client so that other clients may select to receive events from this alarm.

An AlarmNotify event is always generated at some time after the execution of a CreateAlarm request. This will happen immediately if the trigger is TRUE, or it will happen later when the trigger becomes TRUE or the Alarm is destroyed.

ChangeAlarm

id: ALARM
values-mask: CARD32
values-list: LISTofVALUE
Errors: Alarm,Counter,Value,Match

	This request changes the parameters of an Alarm. All of the parameters specified for the CreateAlarm request may be changed using this request. The trigger is reinitialized and an AlarmNotify event is generated if appropriate, as explained in the description of the CreateAlarm request.
	Changes to the events flag affect the event delivery to the requesting client only and may be used by a client to select or deselect event delivery from an alarm created by another client.
	The order in which attributes are verified and altered is serv- er-dependent. If an error is generated, a subset of the attrib- utes may have been altered.
DestroyAlarm	
Destroyrian	alarm: ALARM Errors: Alarm
	This request destroys an alarm. An alarm is automatically destroyed when the creating client is closed down if the close-down mode is Destroy. When an alarm is destroyed, an AlarmNotify event is generated with a state value of Destroyed.
QueryAlarm	
	alarm: ALARM
	=> trigger: TRIGGER delta: INT64 events: ALARMEVENTMASK state: ALARMSTATE Errors: Alarm
	This request retrieves the current parameters for an Alarm.
SetPriority	
Controlly	client-resource: XID priority: INT32 Errors: Match
	This request changes the scheduling priority of the client that created client-resource. If client-resource is None, then the priority for the client making the request is changed. A Match error is generated if client-resource is not None and does not name an existing resource in the server. For any two priority values, A and B, A is higher priority if and only if A is greater than B.
	The priority of a client is set to 0 when the initial client con- nection is made.
	The effect of different client priorities depends on the par- ticular implementation of the extension, and in some cases it may have no effect at all. However, the intention is that

higher priority clients will have their requests executed before those of lower priority clients.

For most animation applications, it is desirable that animation clients be given priority over nonrealtime clients. This improves the smoothness of the animation on a loaded server. Because a server is free to implement very strict priorities, processing requests for the highest priority client to the exclusion of all others, it is important that a client that may potentially monopolize the whole server, such as an animation that produces continuous output as fast as it can with no rate control, is run at low rather than high priority.

GetPriority

client-resource: XID
=>
priority: INT32
Errors: Match

This request returns the scheduling priority of the client that created client-resource. If client-resource is None, then the priority for the client making the request is returned. A Match error is generated if client-resource is not None and does not name an existing resource in the server.

CreateFence

drawable: DRAWABLE id: FENCE initially-triggered: BOOL Errors: IDChoice,Alloc

This request creates a fence on the screen associated with drawable and assigns the specified id to it. The fence is in the triggered state iff initially-triggered is TRUE. There are no clients waiting on the fence.

TriggerFence

fence: FENCE Errors: Fence

This request puts the given fence in the triggered state after all rendering from previous requests that affects resources owned by the fence's screen has completed. This includes requests from other clients if those requests have been dispatched. This request has no visible effects if the fence was already in the triggered state. A Fence error is generated if fence does not name a valid fence.

Note that the given fence's state is not necessarily directly modified by this request. The state change need only be queued to occur after the required rendering has completed. Clients should take care to not assume the fence will be in the triggered state in subsequent requests, such as those that operate on the given fence immediately. AwaitFence should first be issued if subsequent requests require the fence to be in the triggered state.

ResetFence fence: FENCE Errors: Fence.Match

> This request immediately puts the given fence in the not triggered state. A Match error is generated if the fence is not in the triggered state. A Fence error is generated if fence does not name a valid fence.

> See the warnings above regarding TriggerFence's delayed effect. In particular, a TriggerFence request immediately followed by a ResetFence request is likely to result in a Match error. An AwaitFence request should be issued between the two.

DestroyFence fence: FENCE Errors: Fence

> This request destroys the given fence. All clients waiting on this fence are released. A fence is destroyed automatically when the connection to the client that created the fence is closed if the close-down mode is DestroyAll. A Fence error is generated if fence does not name a valid fence.

QueryFence

fence: FENCE
=>
triggered: BOOL
Errors: Fence

This request returns TRUE if the given fence is triggered, or FALSE if it is not triggered. A Fence error is generated if fence does not name a valid fence.

AwaitFence

fence-list: LISTofFENCE
Errors: Fence,Alloc

When this request is executed, the processing of further requests for the client is blocked until one or more of the fences in fence-list reaches the triggered state. If any of the fences are already in the triggered state, request processing resumes immediately. A Fence error is generated if any member of fence-list does not name a valid fence.

Events

CounterNotify

counter: COUNTER wait-value: INT64 counter-value: INT64 time: TIME count: CARD16 destroyed: BOOL

CounterNotify events may be generated when a client becomes unblocked after an Await request has been processed. The waitvalue is the value being waited for, and counter-value is the actual value of the counter at the time the event was generated. The destroyed flag is TRUE if this request was generated as the result of the destruction of the counter and FALSE otherwise. The time is the server time at which the event was generated.

When a client is unblocked, all the CounterNotify events for the Await request are generated contiguously. If count is 0, there are no more events to follow for this request. If count is n, there are at least n more events to follow.

AlarmNotify

alarm: ALARM counter-value: INT64 alarm-value: INT64 state: ALARMSTATE time: TIME

An AlarmNotify event is generated when an alarm is triggered. alarm-value is the test value of the trigger in the alarm when it was triggered, counter-value is the value of the counter that triggered the alarm, and time is the server time at which the event was generated. The state is the new state of the alarm. If state is Inactive, no more events will be generated by this alarm until a ChangeAlarm request is executed, the alarm is destroyed, or the counter for the alarm is destroyed.

Chapter 2. Encoding

Please refer to the X11 Protocol Encoding document as this section uses syntactic conventions established there and references types defined there.

The name of this extension is "SYNC".

Encoding New Types

The following new types are used by the extension.

ALARM: CARD32		
ALARMSTATE:		
0	Active	
1	Inactive	
2	Destroyed	
COUNTER: CARD32		
INT64: 64-bit s	igned integer	
SYSTEMCOUNTER:		
4	COUNTER	counter
8	INT64	resolution
2	n	length of name in bytes
n	STRING8	name
р		pad,p=pad(n+2)
TESTTYPE:		
0	PositiveTransition	
1	NegativeTransition	
2	PositiveComparison	
3	NegativeComparison	
TRIGGER:		
4	COUNTER	counter
4	VALUETYPE	wait-type
8	INT64	wait-value
4	TESTTYPE	test-type VALUETYPE:
0	Absolute	
1	Relative	
WAITCONDITION:		
20	TRIGGER	trigger
8	INT64	event threshold
FENCE: CARD32		

An INT64 is encoded in 8 bytes with the most significant 4 bytes first followed by the least significant 4 bytes. Within these 4-byte groups, the byte ordering determined during connection setup is used.

Encoding Errors

Counter

1	0	Error
1	Base + 0	code
2	CARD16	sequence number

	4 2 1 21	CARD32 CARD16 CARD8	bad counter minor opcode major opcode unused
Alarm			
	1	0	Error
	1	Base + 1	code
	2	CARD16	sequence number
	4	CARD32	bad alarm
	2	CARD16	minor opcode
	1	CARD8	major opcode
	21		unused
Fence			
	1	0	Error
	1	Base + 2	code
	2	CARD16	sequence number
	4	CARD32	bad fence
	2	CARD16	minor opcode
	1	CARD8	major opcode
	21		unused

Encoding Requests

Initialize				
	1	CARD8	major opo	code
	1	0	minor opo	code
	2	2	request]	ength
	1	CARD8	major ver	rsion
	1	CARD8	minor ver	rsion
	2		unused	
=>				
	1	1	Reply	
	1		unused	
	2	CARD16	sequence	number
	4	0	reply ler	-
	1	CARD8	major ver	
	1	CARD8	minor ver	rsion
	2		unused	
	20		unused	
.				
ListSy		ounters		
	1	CARD8		major opcode
	1	1		minor opcode
	2	1		request length
=>	1	1		D]
	1	1		Reply
	1			unused
	2 4	CARD16 0		sequence number
	4 4	U INT32		reply length
	4 20	TNT 27		list length unused
	20 4n	ligt of ave	STEMCOUNTER	
	411	TISC OF SIS	DI EMCOUNTER	system counters

Create	Counte	er	
	1	CARD8	major opcode
	1	2	minor opcode
	2	4	request length
		COUNTER	id
	8	INT64	initial value
Destro	yCount	er	
	1	CARD8	major opcode
	1	6	minor opcode ¹
	2	2	request length
	4	_ COUNTER	counter
=>	Т	COONTER	counter
-/	1	1	Davida.
	1	1	Reply
	1		unused
	2	CARD16	sequence number
	4	0	reply length
	8	INT64	counter value
	16		unused
Await	1		
	1	CARD8	major opcode
	1	7	minor opcode ²
	2	1 + 7*n	request length
	28n	LISTOFWAITCONDITION	wait conditions
Change	aounte	r	
change	1		major opcode
	1	4	minor opcode ³
		4	request length
		COUNTER	counter
	8	INT64	amount
SetCou	nter		
	1	CARD8	major opcode
	1	3	minor opcode ⁴
	2	4	
	_	-	request length
	4	COUNTER	counter
	8	INT64	value
Create	Alarm		
	1	CARD8	major opcode
	1	8	minor opcode
	2	3+n	request length
	4	ALARM	id
	4	BITMASK	values mask
		#x0000001	counter

 $^{{}^{1}}A$ previous version of this document gave an incorrect minor opcode ${}^{2}A$ previous version of this document gave an incorrect minor opcode. ${}^{3}A$ previous version of this document gave an incorrect minor opcode. ${}^{4}A$ previous version of this document gave an incorrect minor opcode.

		#x00000002 #x00000004 #x00000008 #x00000010		value-type value test-type delta
		#x00000010 #x00000020		events
	4n	LISTOFVALUE		values
VALUES				
112020	4	COUNTER		counter
	4	VALUETYPE		value-type
	8	INT64		value
	4	TESTTYPE		test-type
	8	INT64		delta
	4	BOOL		events
ChangeAl	arm			
Changen	1	CARD8		major opcode
	1	9		minor opcode
	2	3+n		request length
	4	ALARM		id
	4	BITMASK		values mask
		encodings as	for Create	
	4n	LISTOFVALUE		values
		encodings as	for Create	Alarm
	7			
DestroyA				- d -
	1 1	CARD8	major opco minor opco	
	1 2	11 2		
	2 4	ALARM	request le alarm	
	-		ararm	
QueryAla	arm			
	1	CARD8	major opco	
	1	10	minor opco	ode ⁶
	2	2	request le	ength
	4	ALARM	alarm	
=>				
	1	1	Reply	
	1		unused	_
	2	CARD16	sequence r	
	4	2	reply leng	gth
	20	TRIGGER	trigger	
	8	INT64	delta	
	1	BOOL	events	
	1	ALARMSTATE	state	
	2		unused	
SetPrior	rity			
	1	CARD8	major opco	ode
	1	12	minor opco	

 $^{^{5}}$ A previous version of this document gave an incorrect minor opcode. 6 A previous version of this document gave an incorrect minor opcode.

	2 4 4	3 CARD32 INT32	request length id priority
GetPrio	nrity 1 1 2 4	CARD8 13 1 CARD32	major opcode minor opcode request length id
	1 1 2 4 4 20	1 CARD16 0 INT32	Reply unused sequence number reply length priority unused
CreateF	ence 1 2 4 4 1 3	CARD8 14 4 DRAWABLE FENCE BOOL	major opcode minor opcode request length drawable id initially triggered unused
Trigger	Fence 1 1 2 4	CARD8 15 2 FENCE	major opcode minor opcode request length id
ResetFe	nce 1 1 2 4	CARD8 16 2 FENCE	major opcode minor opcode request length id
Destroy	Fence 1 1 2 4	CARD8 17 2 FENCE	major opcode minor opcode request length id
QueryFe =>	nce 1 2 4	CARD8 18 2 FENCE 1	major opcode minor opcode request length id Reply
	1 2 4	CARD16 0	unused sequence number reply length

1 23	BOOL	triggered unused
AwaitFence		
1	CARD8	major opcode
1	19	minor opcode
2	1 + n	request length
4*n	LISTOFFENCE	wait conditions

Encoding Events

CounterNotify

1	Base + 0	code
1	0	kind
2	CARD16	sequence number
4	COUNTER	counter
8	INT64	wait value
8	INT64	counter value
4	TIME	timestamp
2	CARD16	count
1	BOOL	destroyed
1		unused

AlarmNotify

1	Base + 1	code
1	1	kind
2	CARD16	sequence number
4	ALARM	alarm
8	INT64	counter value
8	INT64	alarm value
4	TIME	timestamp
1	ALARMSTATE	state
3		unused