



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:03 PM UTC

PDB ID : 9HUT / pdb_00009hut
Title : Trypanosoma brucei PTR1 (TbPTR1) in complex with inhibitor F222
Authors : Landi, G.; Pozzi, C.; Mangani, S.
Deposited on : 2024-12-23
Resolution : 1.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1296 (1.84-1.84)
Clashscore	190562	1329 (1.84-1.84)
Ramachandran outliers	187476	1318 (1.84-1.84)
Sidechain outliers	187428	1318 (1.84-1.84)
RSRZ outliers	180081	1296 (1.84-1.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	289	<div> <div>0%</div> <div> <div></div> <div>77%</div> <div>10%</div> <div>13%</div> </div> </div>
1	B	289	<div> <div>4%</div> <div> <div></div> <div>80%</div> <div>7%</div> <div>13%</div> </div> </div>
1	C	289	<div> <div>22%</div> <div> <div></div> <div>65%</div> <div>20%</div> <div>13%</div> </div> </div>
1	D	289	<div> <div>2%</div> <div> <div></div> <div>73%</div> <div>13%</div> <div>13%</div> </div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8175 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	251	Total	C	N	O	S	0	1	0
			1860	1167	329	353	11			
1	B	250	Total	C	N	O	S	0	3	0
			1854	1167	322	354	11			
1	C	250	Total	C	N	O	S	0	2	0
			1825	1150	322	343	10			
1	D	250	Total	C	N	O	S	0	4	0
			1863	1172	326	354	11			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	initiating methionine	UNP O76290
A	-19	GLY	-	expression tag	UNP O76290
A	-18	SER	-	expression tag	UNP O76290
A	-17	SER	-	expression tag	UNP O76290
A	-16	HIS	-	expression tag	UNP O76290
A	-15	HIS	-	expression tag	UNP O76290
A	-14	HIS	-	expression tag	UNP O76290
A	-13	HIS	-	expression tag	UNP O76290
A	-12	HIS	-	expression tag	UNP O76290
A	-11	HIS	-	expression tag	UNP O76290
A	-10	SER	-	expression tag	UNP O76290
A	-9	SER	-	expression tag	UNP O76290
A	-8	GLY	-	expression tag	UNP O76290
A	-7	LEU	-	expression tag	UNP O76290
A	-6	VAL	-	expression tag	UNP O76290
A	-5	PRO	-	expression tag	UNP O76290
A	-4	ARG	-	expression tag	UNP O76290
A	-3	GLY	-	expression tag	UNP O76290
A	-2	SER	-	expression tag	UNP O76290
A	-1	HIS	-	expression tag	UNP O76290
A	0	MET	-	expression tag	UNP O76290

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-20	MET	-	initiating methionine	UNP O76290
B	-19	GLY	-	expression tag	UNP O76290
B	-18	SER	-	expression tag	UNP O76290
B	-17	SER	-	expression tag	UNP O76290
B	-16	HIS	-	expression tag	UNP O76290
B	-15	HIS	-	expression tag	UNP O76290
B	-14	HIS	-	expression tag	UNP O76290
B	-13	HIS	-	expression tag	UNP O76290
B	-12	HIS	-	expression tag	UNP O76290
B	-11	HIS	-	expression tag	UNP O76290
B	-10	SER	-	expression tag	UNP O76290
B	-9	SER	-	expression tag	UNP O76290
B	-8	GLY	-	expression tag	UNP O76290
B	-7	LEU	-	expression tag	UNP O76290
B	-6	VAL	-	expression tag	UNP O76290
B	-5	PRO	-	expression tag	UNP O76290
B	-4	ARG	-	expression tag	UNP O76290
B	-3	GLY	-	expression tag	UNP O76290
B	-2	SER	-	expression tag	UNP O76290
B	-1	HIS	-	expression tag	UNP O76290
B	0	MET	-	expression tag	UNP O76290
C	-20	MET	-	initiating methionine	UNP O76290
C	-19	GLY	-	expression tag	UNP O76290
C	-18	SER	-	expression tag	UNP O76290
C	-17	SER	-	expression tag	UNP O76290
C	-16	HIS	-	expression tag	UNP O76290
C	-15	HIS	-	expression tag	UNP O76290
C	-14	HIS	-	expression tag	UNP O76290
C	-13	HIS	-	expression tag	UNP O76290
C	-12	HIS	-	expression tag	UNP O76290
C	-11	HIS	-	expression tag	UNP O76290
C	-10	SER	-	expression tag	UNP O76290
C	-9	SER	-	expression tag	UNP O76290
C	-8	GLY	-	expression tag	UNP O76290
C	-7	LEU	-	expression tag	UNP O76290
C	-6	VAL	-	expression tag	UNP O76290
C	-5	PRO	-	expression tag	UNP O76290
C	-4	ARG	-	expression tag	UNP O76290
C	-3	GLY	-	expression tag	UNP O76290
C	-2	SER	-	expression tag	UNP O76290
C	-1	HIS	-	expression tag	UNP O76290
C	0	MET	-	expression tag	UNP O76290

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	-20	MET	-	initiating methionine	UNP O76290
D	-19	GLY	-	expression tag	UNP O76290
D	-18	SER	-	expression tag	UNP O76290
D	-17	SER	-	expression tag	UNP O76290
D	-16	HIS	-	expression tag	UNP O76290
D	-15	HIS	-	expression tag	UNP O76290
D	-14	HIS	-	expression tag	UNP O76290
D	-13	HIS	-	expression tag	UNP O76290
D	-12	HIS	-	expression tag	UNP O76290
D	-11	HIS	-	expression tag	UNP O76290
D	-10	SER	-	expression tag	UNP O76290
D	-9	SER	-	expression tag	UNP O76290
D	-8	GLY	-	expression tag	UNP O76290
D	-7	LEU	-	expression tag	UNP O76290
D	-6	VAL	-	expression tag	UNP O76290
D	-5	PRO	-	expression tag	UNP O76290
D	-4	ARG	-	expression tag	UNP O76290
D	-3	GLY	-	expression tag	UNP O76290
D	-2	SER	-	expression tag	UNP O76290
D	-1	HIS	-	expression tag	UNP O76290
D	0	MET	-	expression tag	UNP O76290

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: $\text{C}_{21}\text{H}_{30}\text{N}_7\text{O}_{17}\text{P}_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is 2-azanyl- {N}-[2-(3-chlorophenyl)ethyl]-1,3-benzothiazole-6-carboxamide (CCD ID: A1IXP) (formula: C₁₆H₁₄ClN₃OS) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total 22	C 16	Cl 1	N 3	O 1	S 1	0	1
3	B	1	Total 22	C 16	Cl 1	N 3	O 1	S 1	0	0
3	C	1	Total 22	C 16	Cl 1	N 3	O 1	S 1	0	0
3	D	1	Total 22	C 16	Cl 1	N 3	O 1	S 1	0	0

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	131	Total	O	0	2
			131	131		
5	B	143	Total	O	0	0
			143	143		
5	C	99	Total	O	0	1
			99	99		
5	D	112	Total	O	0	1
			112	112		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pteridine reductase




- Molecule 1: Pteridine reductase



- Molecule 1: Pteridine reductase



● Molecule 1: Pteridine reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.34Å 90.78Å 83.21Å 90.00° 115.47° 90.00°	Depositor
Resolution (Å)	75.12 – 1.84 75.12 – 1.84	Depositor EDS
% Data completeness (in resolution range)	98.2 (75.12-1.84) 98.2 (75.12-1.84)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 1.84Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.198 , 0.253 0.199 , 0.253	Depositor DCC
R_{free} test set	4218 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	30.3	Xtriage
Anisotropy	0.023	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.013 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8175	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 36.81 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.7229e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CSX, EDO, NDP, A1IXP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.59	0/1882	1.06	1/2553 (0.0%)
1	B	0.63	0/1879	1.09	0/2551
1	C	0.61	0/1850	1.18	3/2518 (0.1%)
1	D	0.56	0/1891	1.07	1/2567 (0.0%)
All	All	0.60	0/7502	1.10	5/10189 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	65	ASN	CA-CB-CG	6.79	119.39	112.60
1	D	75	GLU	CB-CG-CD	5.92	122.67	112.60
1	C	75	GLU	CB-CG-CD	5.20	121.43	112.60
1	A	229	ARG	CB-CA-C	-5.04	104.74	111.89
1	C	260	ASP	CA-CB-CG	5.02	117.62	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1860	0	1862	18	0
1	B	1854	0	1849	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1825	0	1795	46	0
1	D	1863	0	1867	24	0
2	A	48	0	26	1	0
2	B	48	0	26	2	0
2	C	48	0	26	2	0
2	D	48	0	26	1	0
3	A	22	0	0	0	0
3	B	22	0	0	2	0
3	C	22	0	0	2	0
3	D	22	0	0	2	0
4	A	8	0	12	3	0
5	A	131	0	0	0	0
5	B	143	0	0	1	0
5	C	99	0	0	8	0
5	D	112	0	0	0	0
All	All	8175	0	7489	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14:ARG:H	4:A:303:EDO:H21	1.37	0.88
1:A:22:LYS:HG2	1:A:242:ILE:HG13	1.68	0.76
1:A:265:LEU:HD23	4:A:304:EDO:H12	1.69	0.75
1:C:57:VAL:HB	5:C:415:HOH:O	1.89	0.72
1:C:232:ALA:HB2	1:D:251:TYR:CE2	2.25	0.72
1:C:164:VAL:HG22	1:C:179:HIS:CD2	2.24	0.71
1:C:123:LEU:O	1:C:127:ASN:HB2	1.93	0.68
1:C:82:ARG:HB3	5:C:421:HOH:O	1.94	0.67
1:C:121:ALA:O	1:C:125:GLY:HA3	1.94	0.66
1:C:95:SER:HB3	2:C:301:NDP:H3D	1.78	0.66
1:A:251:TYR:CE2	1:B:232:ALA:HB2	2.32	0.65
1:B:221:TRP:HB3	3:B:302:A1IXP:CLAU	2.34	0.64
1:C:3:ALA:O	1:C:29:ARG:NH1	2.30	0.64
1:C:138:PHE:O	1:C:142:GLN:HG2	1.99	0.63
1:B:141:ARG:HH11	1:B:141:ARG:HB3	1.65	0.61
1:C:208:LEU:HD11	1:C:234:ALA:HB2	1.81	0.60
1:C:221:TRP:HB3	3:C:302:A1IXP:CLAU	2.39	0.60
1:C:39:GLU:HB2	5:C:430:HOH:O	2.01	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:ASN:HA	1:A:69:LEU:HD22	1.87	0.57
1:C:65:ASN:HB3	1:C:121:ALA:HA	1.86	0.56
1:D:164:VAL:HG22	1:D:179:HIS:CD2	2.40	0.56
1:A:2:GLU:HG2	1:A:86:ARG:HH11	1.70	0.56
1:C:79:SER:HB3	5:C:441:HOH:O	2.06	0.55
1:A:265:LEU:HD23	4:A:304:EDO:C1	2.36	0.55
1:D:78:ASN:OD1	1:D:141:ARG:NH1	2.40	0.53
1:B:141:ARG:HB3	1:B:141:ARG:NH1	2.23	0.53
1:C:164:VAL:HG12	5:C:477:HOH:O	2.08	0.53
1:C:223:ARG:O	1:C:229:ARG:NH1	2.39	0.52
1:C:64:THR:O	1:C:69:LEU:HG	2.11	0.51
1:A:128:ALA:C	1:A:131:PRO:HD2	2.35	0.51
1:A:251:TYR:CD2	1:B:232:ALA:HB2	2.46	0.51
1:C:22:LYS:HG2	1:C:242:ILE:HG13	1.93	0.50
1:C:75:GLU:O	1:C:78:ASN:HB2	2.12	0.50
1:A:161:ASP:HB3	1:A:164:VAL:HG13	1.95	0.49
1:D:224:LYS:HD2	3:D:302:A1IXP:CLAU	2.49	0.49
1:D:3:ALA:HB1	1:D:27:GLY:O	2.12	0.49
1:A:232:ALA:HB2	1:B:251:TYR:CE2	2.48	0.49
1:C:17:ARG:O	1:C:21:VAL:HG23	2.13	0.48
1:C:54:ASN:HA	5:C:473:HOH:O	2.13	0.48
1:C:156:ILE:HD12	1:C:199:VAL:HG22	1.95	0.48
1:D:29:ARG:HD2	1:D:84:PHE:CD1	2.49	0.48
1:C:232:ALA:HB2	1:D:251:TYR:CD2	2.49	0.48
1:C:221:TRP:HE3	3:C:302:A1IXP:CAQ	2.27	0.48
1:D:9:THR:HA	1:D:33:HIS:HB3	1.95	0.48
1:A:9:THR:HA	1:A:33:HIS:HB3	1.95	0.48
1:C:207:SER:O	1:C:208:LEU:C	2.57	0.48
1:B:69:LEU:HB3	1:B:70:PRO:HD3	1.97	0.47
1:D:65:ASN:HA	1:D:69:LEU:HD22	1.96	0.47
1:C:119:GLN:O	1:C:123:LEU:HB2	2.15	0.47
1:C:3:ALA:H	1:C:29:ARG:NH1	2.12	0.46
1:D:218:LYS:O	1:D:222:ARG:HG3	2.15	0.46
2:B:301:NDP:H41N	3:B:302:A1IXP:CAH	2.45	0.46
1:D:6:ALA:HB2	1:D:89:VAL:HB	1.98	0.46
1:A:15:ILE:HB	2:A:301:NDP:H51N	1.98	0.46
1:D:11:ALA:HB3	1:D:32:ILE:HG23	1.97	0.46
1:C:69:LEU:N	1:C:70:PRO:CD	2.78	0.46
1:D:138:PHE:O	1:D:142:GLN:HG2	2.16	0.46
1:C:21:VAL:O	1:C:25:GLN:HG3	2.16	0.45
1:C:116:VAL:O	1:C:119:GLN:HB2	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:3:ALA:H	1:C:29:ARG:HH11	1.63	0.45
1:C:128:ALA:C	1:C:131:PRO:HD2	2.41	0.45
1:D:26:THR:O	1:D:26:THR:HG22	2.16	0.45
1:B:161:ASP:HB3	1:B:164:VAL:HG13	1.98	0.45
1:D:52:ARG:HE	1:D:55:THR:HG21	1.82	0.45
1:B:247:GLY:HA2	1:B:250:GLN:HG3	2.00	0.44
1:D:193:ALA:HB3	1:D:194:PRO:HD3	2.00	0.44
1:C:126:THR:HG21	2:C:301:NDP:N6A	2.33	0.44
1:D:29:ARG:HG2	1:D:55:THR:HA	2.00	0.44
1:C:12:ALA:HB1	1:C:37:SER:CB	2.48	0.44
1:C:49:ASN:HB3	5:C:409:HOH:O	2.17	0.44
1:C:12:ALA:HB2	5:C:445:HOH:O	2.17	0.44
1:D:221:TRP:HB3	3:D:302:A1IXP:CLAU	2.55	0.43
1:A:22:LYS:CG	1:A:242:ILE:HG13	2.42	0.43
1:D:207:SER:O	1:D:208:LEU:C	2.61	0.43
1:A:5:ALA:HA	1:A:29:ARG:O	2.17	0.43
1:C:222:ARG:NE	1:C:231:GLU:OE2	2.48	0.43
1:C:251:TYR:CE2	1:D:232:ALA:HB2	2.53	0.43
1:B:123:LEU:O	1:B:127:ASN:HB2	2.19	0.42
1:C:136:MET:O	1:C:140:GLN:HB2	2.19	0.42
1:C:153:ASN:OD1	1:C:153:ASN:C	2.62	0.42
1:B:15:ILE:HB	2:B:301:NDP:H51N	2.02	0.42
5:B:440:HOH:O	1:D:169:MET:HE1	2.18	0.42
1:A:100:THR:HG21	1:A:173:LEU:HD12	2.02	0.42
1:C:73:CYS:SG	1:C:134:LEU:HG	2.60	0.42
1:B:136:MET:HB3	1:B:136:MET:HE2	1.75	0.41
1:C:164:VAL:HG22	1:C:179:HIS:NE2	2.35	0.41
1:C:193:ALA:N	1:C:194:PRO:CD	2.83	0.41
1:A:172:SER:O	1:A:176:MET:HG3	2.21	0.41
1:B:69:LEU:N	1:B:70:PRO:CD	2.83	0.41
1:C:257:ILE:HG12	1:D:257:ILE:HG12	2.02	0.41
1:D:128:ALA:C	1:D:131:PRO:HD2	2.46	0.41
1:A:44:LEU:O	1:A:48:LEU:HG	2.21	0.40
1:C:81:PHE:O	1:C:85:GLY:N	2.52	0.40
1:C:219:ASP:HA	1:C:222:ARG:HD2	2.03	0.40
1:B:9:THR:HA	1:B:33:HIS:HB3	2.03	0.40
1:D:204:PRO:HG2	2:D:301:NDP:C6N	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	245/289 (85%)	235 (96%)	10 (4%)	0	100	100
1	B	245/289 (85%)	235 (96%)	10 (4%)	0	100	100
1	C	245/289 (85%)	231 (94%)	14 (6%)	0	100	100
1	D	246/289 (85%)	231 (94%)	15 (6%)	0	100	100
All	All	981/1156 (85%)	932 (95%)	49 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	193/231 (84%)	190 (98%)	3 (2%)	55	39
1	B	192/231 (83%)	188 (98%)	4 (2%)	47	30
1	C	182/231 (79%)	177 (97%)	5 (3%)	39	22
1	D	194/231 (84%)	192 (99%)	2 (1%)	68	58
All	All	761/924 (82%)	747 (98%)	14 (2%)	50	35

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	140	GLN
1	A	209	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	217	GLU
1	B	68	VAL
1	B	75	GLU
1	B	136	MET
1	B	166	GLN
1	C	69	LEU
1	C	72	SER
1	C	103	VAL
1	C	140	GLN
1	C	224	LYS
1	D	117	GLU
1	D	140	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	GLN
1	A	65	ASN
1	A	92	ASN
1	A	127	ASN
1	A	140	GLN
1	B	67	ASN
1	B	92	ASN
1	C	92	ASN
1	C	179	HIS
1	C	186	GLN
1	D	65	ASN
1	D	92	ASN
1	D	127	ASN
1	D	166	GLN
1	D	186	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CSX	D	168	1	3,6,7	0.65	0	1,6,8	0.09	0
1	CSX	B	168	1	3,6,7	0.62	0	1,6,8	1.03	0
1	CSX	A	168	1	3,6,7	0.69	0	1,6,8	0.86	0
1	CSX	C	168	1	3,6,7	0.75	0	1,6,8	0.83	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSX	D	168	1	-	0/2/5/7	-
1	CSX	B	168	1	-	0/2/5/7	-
1	CSX	A	168	1	-	0/2/5/7	-
1	CSX	C	168	1	-	0/2/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	A1IXP	A	302[A]	-	24,24,24	2.08	8 (33%)	33,33,33	3.59	9 (27%)
2	NDP	C	301	-	51,52,52	0.61	1 (1%)	71,80,80	0.77	1 (1%)
3	A1IXP	C	302	-	24,24,24	2.33	9 (37%)	33,33,33	2.96	4 (12%)
2	NDP	A	301	-	51,52,52	0.74	3 (5%)	71,80,80	0.85	2 (2%)
2	NDP	B	301	-	51,52,52	0.91	3 (5%)	71,80,80	0.83	1 (1%)
3	A1IXP	D	302	-	24,24,24	2.31	8 (33%)	33,33,33	3.11	6 (18%)
4	EDO	A	303	-	3,3,3	0.35	0	2,2,2	0.12	0
3	A1IXP	B	302	-	24,24,24	2.01	6 (25%)	33,33,33	2.82	5 (15%)
2	NDP	D	301	-	51,52,52	0.73	1 (1%)	71,80,80	0.88	3 (4%)
4	EDO	A	304	-	3,3,3	0.14	0	2,2,2	0.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1IXP	A	302[A]	-	-	2/10/10/10	0/3/3/3
2	NDP	C	301	-	-	2/34/77/77	0/5/5/5
3	A1IXP	C	302	-	-	2/10/10/10	0/3/3/3
2	NDP	A	301	-	-	2/34/77/77	0/5/5/5
2	NDP	B	301	-	-	2/34/77/77	0/5/5/5
3	A1IXP	D	302	-	-	2/10/10/10	0/3/3/3
4	EDO	A	303	-	-	1/1/1/1	-
3	A1IXP	B	302	-	-	2/10/10/10	0/3/3/3
2	NDP	D	301	-	-	2/34/77/77	0/5/5/5
4	EDO	A	304	-	-	1/1/1/1	-

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	302	A1IXP	CAB-SAV	-7.14	1.68	1.76
3	D	302	A1IXP	CAB-SAV	-6.65	1.68	1.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	302[A]	A1IXP	CAG-CAJ	-5.01	1.39	1.50
3	B	302	A1IXP	CAN-CAO	-4.44	1.39	1.51
3	A	302[A]	A1IXP	CAQ-CLAU	4.26	1.84	1.74
3	B	302	A1IXP	CAG-CAJ	-3.98	1.41	1.50
3	A	302[A]	A1IXP	CAN-CAO	-3.92	1.40	1.51
3	C	302	A1IXP	CAG-CAJ	-3.85	1.41	1.50
3	B	302	A1IXP	CAI-CAD	-3.82	1.34	1.40
3	C	302	A1IXP	CAI-CAD	-3.65	1.34	1.40
3	D	302	A1IXP	CAN-CAO	-3.65	1.41	1.51
3	B	302	A1IXP	CAQ-CLAU	3.62	1.82	1.74
3	D	302	A1IXP	CAC-SAV	3.61	1.81	1.74
3	C	302	A1IXP	CAN-CAO	-3.59	1.41	1.51
3	D	302	A1IXP	CAG-CAJ	-3.51	1.42	1.50
2	D	301	NDP	P2B-O2B	3.38	1.65	1.59
2	B	301	NDP	P2B-O2B	3.37	1.65	1.59
3	B	302	A1IXP	CAB-SAV	-3.30	1.72	1.76
2	B	301	NDP	PA-O3	3.24	1.63	1.59
3	D	302	A1IXP	CAB-NAE	3.15	1.35	1.31
3	D	302	A1IXP	CAI-CAD	-3.13	1.35	1.40
3	C	302	A1IXP	CAF-CAC	-3.03	1.34	1.39
3	A	302[A]	A1IXP	CAI-CAD	-2.85	1.35	1.40
3	A	302[A]	A1IXP	CAF-CAC	-2.81	1.34	1.39
3	A	302[A]	A1IXP	CAB-SAV	-2.58	1.73	1.76
3	B	302	A1IXP	CAF-CAC	-2.53	1.35	1.39
3	A	302[A]	A1IXP	CAC-SAV	2.46	1.79	1.74
3	C	302	A1IXP	CAC-SAV	-2.46	1.69	1.74
2	B	301	NDP	PN-O3	2.42	1.62	1.59
2	A	301	NDP	PA-O3	2.37	1.62	1.59
2	A	301	NDP	P2B-O2B	2.35	1.63	1.59
3	D	302	A1IXP	CAF-CAC	-2.34	1.35	1.39
3	C	302	A1IXP	CAD-CAC	-2.34	1.36	1.40
2	A	301	NDP	PN-O3	2.31	1.62	1.59
3	A	302[A]	A1IXP	CAD-CAC	-2.26	1.36	1.40
3	C	302	A1IXP	CAD-NAE	-2.20	1.35	1.39
3	C	302	A1IXP	CAB-NAE	2.10	1.33	1.31
2	C	301	NDP	P2B-O2B	2.08	1.63	1.59
3	D	302	A1IXP	CAQ-CLAU	-2.06	1.69	1.74

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302[A]	A1IXP	CAD-NAE-CAB	11.99	117.68	110.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302[A]	A1IXP	SAV-CAB-NAE	-10.67	109.10	115.72
3	C	302	A1IXP	CAC-SAV-CAB	10.21	93.72	88.89
3	D	302	A1IXP	CAD-NAE-CAB	10.16	116.60	110.57
3	C	302	A1IXP	SAV-CAB-NAE	-9.74	109.68	115.72
3	D	302	A1IXP	SAV-CAB-NAE	-9.27	109.97	115.72
3	B	302	A1IXP	SAV-CAB-NAE	-9.16	110.04	115.72
3	D	302	A1IXP	CAC-SAV-CAB	8.90	93.09	88.89
3	B	302	A1IXP	CAC-SAV-CAB	8.71	93.01	88.89
3	A	302[A]	A1IXP	SAV-CAB-NAA	7.87	128.68	120.13
3	B	302	A1IXP	CAD-NAE-CAB	6.39	114.36	110.57
3	C	302	A1IXP	CAD-NAE-CAB	6.25	114.28	110.57
3	A	302[A]	A1IXP	CAC-SAV-CAB	6.09	91.77	88.89
3	B	302	A1IXP	SAV-CAB-NAA	5.66	126.28	120.13
3	C	302	A1IXP	SAV-CAB-NAA	5.62	126.23	120.13
3	D	302	A1IXP	SAV-CAB-NAA	4.79	125.34	120.13
3	A	302[A]	A1IXP	CAI-CAH-CAG	-4.09	116.43	120.80
2	D	301	NDP	O4B-C1B-N9A	2.95	113.76	108.09
3	A	302[A]	A1IXP	CAF-CAC-CAD	-2.91	119.83	121.99
3	A	302[A]	A1IXP	CAF-CAC-SAV	2.71	132.83	126.07
3	A	302[A]	A1IXP	CAR-CAQ-CAP	-2.70	118.00	121.53
3	D	302	A1IXP	CAD-CAC-SAV	-2.45	106.12	109.75
3	A	302[A]	A1IXP	NAA-CAB-NAE	-2.44	122.20	124.13
2	B	301	NDP	O4B-C1B-N9A	2.38	112.66	108.09
3	B	302	A1IXP	CAR-CAQ-CAP	-2.21	118.64	121.53
2	C	301	NDP	P2B-O2B-C2B	-2.19	117.59	123.43
2	A	301	NDP	C4B-O4B-C1B	-2.16	104.71	109.47
2	D	301	NDP	O2N-PN-O1N	2.14	122.40	112.44
3	D	302	A1IXP	CAF-CAC-SAV	2.11	131.34	126.07
2	D	301	NDP	O3D-C3D-C4D	2.08	117.06	111.08
2	A	301	NDP	O4B-C1B-N9A	2.05	112.02	108.09

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	301	NDP	O4D-C1D-N1N-C6N
2	B	301	NDP	O4D-C1D-N1N-C6N
4	A	304	EDO	O1-C1-C2-O2
3	B	302	A1IXP	CAM-CAN-CAO-CAP
3	C	302	A1IXP	CAM-CAN-CAO-CAP
3	C	302	A1IXP	CAM-CAN-CAO-CAT
3	B	302	A1IXP	CAM-CAN-CAO-CAT

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	301	NDP	O4D-C1D-N1N-C6N
3	A	302[A]	A1IXP	CAM-CAN-CAO-CAP
3	D	302	A1IXP	CAM-CAN-CAO-CAP
3	D	302	A1IXP	CAM-CAN-CAO-CAT
3	A	302[A]	A1IXP	CAM-CAN-CAO-CAT
2	D	301	NDP	O4D-C1D-N1N-C6N
2	C	301	NDP	C5B-O5B-PA-O1A
2	D	301	NDP	C5B-O5B-PA-O1A
2	A	301	NDP	C2N-C3N-C7N-N7N
2	B	301	NDP	C2N-C3N-C7N-N7N
4	A	303	EDO	O1-C1-C2-O2


There are no ring outliers.

9 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	301	NDP	2	0
3	C	302	A1IXP	2	0
2	A	301	NDP	1	0
2	B	301	NDP	2	0
3	D	302	A1IXP	2	0
4	A	303	EDO	1	0
3	B	302	A1IXP	2	0
2	D	301	NDP	1	0
4	A	304	EDO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand A1IXP A 302 (A)




Ligand NDP C 301






Ligand A1IXP C 302



Ligand NDP A 301







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/289 (86%)	0.03	2 (0%) 82 88	15, 31, 54, 81	1 (0%)
1	B	249/289 (86%)	0.26	11 (4%) 39 42	13, 31, 48, 71	3 (1%)
1	C	249/289 (86%)	1.15	65 (26%) 1 1	14, 40, 75, 98	2 (0%)
1	D	249/289 (86%)	0.23	5 (2%) 65 72	14, 34, 58, 86	6 (2%)
All	All	997/1156 (86%)	0.42	83 (8%) 17 18	13, 34, 60, 98	12 (1%)

All (83) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	37	SER	4.9
1	C	210	PRO	4.6
1	C	221	TRP	4.5
1	C	84	PHE	4.0
1	C	59	CYS	3.9
1	C	26	THR	3.8
1	C	57	VAL	3.8
1	C	80	CYS	3.7
1	C	67	ASN	3.7
1	C	116	VAL	3.6
1	C	66	SER	3.6
1	C	40	ALA	3.5
1	B	2[A]	GLU	3.5
1	A	221	TRP	3.4
1	B	55	THR	3.3
1	C	44	LEU	3.2
1	C	48	LEU	3.2
1	C	68	VAL	3.2
1	C	41	ALA	3.1
1	B	45	ALA	3.1
1	C	73	CYS	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	209	LEU	3.0
1	D	221	TRP	3.0
1	C	20	ALA	2.9
1	C	28	TYR	2.9
1	B	79	SER	2.9
1	C	77	ILE	2.9
1	C	79	SER	2.8
1	C	195	TYR	2.8
1	C	38	ALA	2.8
1	C	64	THR	2.8
1	C	6	ALA	2.7
1	C	211	VAL	2.7
1	C	34	TYR	2.7
1	C	71	ALA	2.7
1	C	27	GLY	2.7
1	C	214	GLY	2.6
1	C	151	SER	2.6
1	D	210	PRO	2.6
1	D	211	VAL	2.6
1	C	45	ALA	2.6
1	D	212	ALA	2.6
1	C	208	LEU	2.6
1	C	76	ILE	2.6
1	A	211	VAL	2.5
1	C	56	ALA	2.5
1	C	69	LEU	2.4
1	C	217	GLU	2.4
1	C	42	VAL	2.4
1	C	83	ALA	2.3
1	B	42	VAL	2.3
1	C	54	ASN	2.3
1	C	5	ALA	2.3
1	C	65	ASN	2.3
1	C	82	ARG	2.3
1	B	211	VAL	2.3
1	B	54	ASN	2.3
1	C	206	VAL	2.2
1	C	87	CYS	2.2
1	B	41	ALA	2.2
1	C	212	ALA	2.2
1	C	30	VAL	2.2
1	C	23	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	232	ALA	2.2
1	B	57	VAL	2.1
1	C	63	LEU	2.1
1	C	2	GLU	2.1
1	C	213	MET	2.1
1	C	216	GLU	2.1
1	B	38	ALA	2.1
1	C	81	PHE	2.1
1	C	118	THR	2.1
1	C	46	ASP	2.1
1	C	75	GLU	2.1
1	C	35	HIS	2.1
1	C	120	VAL	2.1
1	B	48	LEU	2.1
1	C	72	SER	2.0
1	D	195	TYR	2.0
1	C	78	ASN	2.0
1	C	134	LEU	2.0
1	C	62	ASP	2.0
1	C	115	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CSX	A	168	7/8	0.94	0.08	26,31,47,49	0
1	CSX	C	168	7/8	0.94	0.08	30,31,51,52	0
1	CSX	B	168	7/8	0.97	0.05	27,29,39,46	0
1	CSX	D	168	7/8	0.98	0.05	28,29,43,46	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	A1IXP	C	302	22/22	0.84	0.18	42,51,54,58	22
2	NDP	C	301	48/48	0.85	0.15	35,44,56,58	48
4	EDO	A	303	4/4	0.87	0.12	34,36,43,47	0
3	A1IXP	D	302	22/22	0.89	0.12	38,45,52,60	8
3	A1IXP	B	302	22/22	0.89	0.14	36,48,58,59	9
3	A1IXP	A	302[A]	22/22	0.91	0.14	32,44,52,54	8
2	NDP	B	301	48/48	0.92	0.09	27,37,45,47	0
2	NDP	D	301	48/48	0.93	0.09	30,36,44,52	0
4	EDO	A	304	4/4	0.93	0.12	28,38,39,42	0
2	NDP	A	301	48/48	0.95	0.08	27,32,38,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





Electron density around NDP C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1IXP D 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1IXP B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1IXP A 302 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NDP B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NDP D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.