Full wwPDB EM Validation Report (i)

Nov 6, 2022 – 10:22 PM EST

PDB ID	:	6NT3
EMDB ID	:	EMD-0500
Title	:	Cryo-EM structure of a human-cockroach hybrid Nav channel.
Authors	:	Clairfeuille, T.; Rohou, A.; Payandeh, J.
Deposited on	:	2019-01-28
Resolution	:	3.40 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev43
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1559	10% 60% 21% • 18%
2	B	5	40% 60%
3	C	2	50% 100%
3	D	2	50% 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	Y01	A	1614	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	AJP	A	1620	X	-	-	-

2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 10934 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sodium channel protein type 9 subunit alpha, Sodium channel protein PaFPC1, chimeric construct.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1278	10440	6940	1671	1761	68	1	0

There are 62 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-53	TRP	-	expression tag	UNP D0E0C2
A	-52	SER	-	expression tag	UNP D0E0C2
A	-51	HIS	-	expression tag	UNP D0E0C2
A	-50	PRO	-	expression tag	UNP D0E0C2
A	-49	GLN	-	expression tag	UNP D0E0C2
A	-48	PHE	-	expression tag	UNP D0E0C2
A	-47	GLU	-	expression tag	UNP D0E0C2
A	-46	LYS	-	expression tag	UNP D0E0C2
A	-45	GLY	-	expression tag	UNP D0E0C2
A	-44	GLY	-	expression tag	UNP D0E0C2
A	-43	GLY	-	expression tag	UNP D0E0C2
A	-42	SER	-	expression tag	UNP D0E0C2
A	-41	GLY	-	expression tag	UNP D0E0C2
A	-40	GLY	-	expression tag	UNP D0E0C2
A	-39	GLY	-	expression tag	UNP D0E0C2
A	-38	SER	-	expression tag	UNP D0E0C2
A	-37	GLY	-	expression tag	UNP D0E0C2
A	-36	GLY	-	expression tag	UNP D0E0C2
A	-35	SER	-	expression tag	UNP D0E0C2
A	-34	ALA	-	expression tag	UNP D0E0C2
A	-33	TRP	-	expression tag	UNP D0E0C2
A	-32	SER	-	expression tag	UNP D0E0C2
A	-31	HIS	-	expression tag	UNP D0E0C2
A	-30	PRO	-	expression tag	UNP D0E0C2
A	-29	GLN	-	expression tag	UNP D0E0C2
A	-28	PHE	-	expression tag	UNP D0E0C2
A	-27	GLU	-	expression tag	UNP D0E0C2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-26	LYS	-	expression tag	UNP D0E0C2
A	-25	GLY	-	expression tag	UNP D0E0C2
A	-24	GLY	-	expression tag	UNP D0E0C2
A	-23	SER	-	expression tag	UNP D0E0C2
A	-22	GLY	-	expression tag	UNP D0E0C2
A	-21	GLY	-	expression tag	UNP D0E0C2
A	-20	ASP	-	expression tag	UNP D0E0C2
A	-19	TYR	-	expression tag	UNP D0E0C2
A	-18	LYS	-	expression tag	UNP D0E0C2
A	-17	ASP	-	expression tag	UNP D0E0C2
A	-16	ASP	-	expression tag	UNP D0E0C2
A	-15	ASP	-	expression tag	UNP D0E0C2
A	-14	ASP	-	expression tag	UNP D0E0C2
A	-13	LYS	-	expression tag	UNP D0E0C2
A	-12	GLY	-	expression tag	UNP D0E0C2
A	-11	GLY	-	expression tag	UNP D0E0C2
A	-10	SER	-	expression tag	UNP D0E0C2
A	-9	GLY	-	expression tag	UNP D0E0C2
A	-8	GLY	-	expression tag	UNP D0E0C2
A	-7	ASP	-	expression tag	UNP D0E0C2
A	-6	TYR	-	expression tag	UNP D0E0C2
A	-5	LYS	-	expression tag	UNP D0E0C2
A	-4	ASP	-	expression tag	UNP D0E0C2
A	-3	ASP	-	expression tag	UNP D0E0C2
A	-2	ASP	-	expression tag	UNP D0E0C2
A	-1	ASP	-	expression tag	UNP D0E0C2
A	0	LYS	-	expression tag	UNP D0E0C2
A	270	SER	PHE	conflict	UNP D0E0C2
A	274	LEU	VAL	conflict	UNP D0E0C2
A	275	ILE	LEU	conflict	UNP D0E0C2
A	279	LEU	ILE	conflict	UNP D0E0C2
A	280	PHE	TYR	conflict	UNP D0E0C2
A	283	ASN	VAL	conflict	UNP D0E0C2
A	285	LYS	THR	conflict	UNP D0E0C2
A	286	HIS	GLN	conflict	UNP D0E0C2

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	B	5	61	34	2	25	0	0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	C	2	28	16	2	10	0	0
3	D	2	28	16	2	10	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
4	A	1	56	32	4	20	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
4	A	1	56	32	4	20	0
4	A	1	56	32	4	20	0
4	A	1	56	32	4	20	0

- Molecule 5 is CHOLESTEROL HEMISUCCINATE (three-letter code: Y01) (formula: $C_{31}H_{50}O_4$).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
5	A	1	35	31	4	0

- Molecule 6 is (7E,21R,24S)-27-amino-24-hydroxy-18,24-dioxo-19,23,25-trioxa-24lambda 5 -phosphaheptacos-7-en-21-yl (9Z,12E)-octadeca-9,12-dienoate (three-letter code: 76F) (formula: $C_{41}H_{76}NO_8P$).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
6	A	1	160	120	4	32	4	0
			Total	C	N	O	P	
6	A	1	160	120	4	32	4	0
			Total	C	N	O	P	
6	A	1	160	120	4	32	4	0
			Total	C	N	O	P	
6	A	1	160	120	4	32	4	0

- Molecule 7 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (three-letter code: LHG) (formula: $C_{38}H_{75}O_{10}P$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	P	
7	A	1	41	30	10	1	0

- Molecule 8 is Digitonin (three-letter code: AJP) (formula: $C_{56}H_{92}O_{29}$).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
8	A	1	85	56	29	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sodium channel protein type 9 subunit alpha, Sodium channel protein PaFPC1, chimeric construct

Chain A: 10% 60% 21% 18%





• Molecule 2: beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B:

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:



NAG1
NAG2

4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	150583	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	40	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	23.609	Depositor
Minimum map value	-15.942	Depositor
Average map value	0.048	Depositor
Map value standard deviation	1.104	Depositor
Recommended contour level	3.8	Depositor
Map size (Å)	250.0, 250.0, 250.0	wwPDB
Map dimensions	250, 250, 250	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0, 1.0, 1.0	Depositor

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: AJP, 76F, LHG, Y01, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| >5$	RMSZ	$\#\|Z\| >5$
1	A	0.40	0/10723	0.53	0/14564

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	10440	0	10560	235	0
2	B	61	0	52	0	0
3	C	28	0	25	0	0
3	D	28	0	25	0	0
4	A	56	0	52	1	0
5	A	35	0	49	2	0
6	A	160	0	0	2	0
7	A	41	0	55	0	0
8	A	85	0	0	1	0
All	All	10934	0	10818	237	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (237) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1254:ILE:O	1:A:1255:GLU:HG2	1.66	0.95
1:A:512:ILE:HA	1:A:515:VAL:HG12	1.57	0.84
1:A:122:MET:SD	1:A:189:PHE:N	2.60	0.74
1:A:574:SER:HB3	1:A:577:PHE:HB2	1.69	0.73
1:A:1437:TRP:H	1:A:1440:PHE:HB3	1.55	0.71
1:A:1321:PHE:HB3	1:A:1324:ILE:HD11	1.73	0.71
1:A:603:VAL:HG12	1:A:604:GLN:H	1.56	0.69
1:A:1483:LYS:HG3	1:A:1486:HIS:HB2	1.75	0.68
1:A:1448:ILE:HG13	1:A:1487:ILE:HB	1.75	0.67
1:A:1060:PHE:CE1	1:A:1096:ILE:HD11	2.30	0.67
1:A:1207:VAL:HA	1:A:1210:ILE:HG22	1.76	0.67
1:A:64:GLN:O	1:A:75:ARG:N	2.28	0.67
1:A:104:VAL:O	1:A:108:ALA:N	2.27	0.66
1:A:157:MET:CE	1:A:231:VAL:HG23	2.26	0.66
1:A:1291:ALA:HB2	1:A:1417:VAL:HG11	1.76	0.66
1:A:205:ASP:OD1	1:A:205:ASP:O	2.14	0.65
1:A:303:ASP:O	1:A:306:TRP:N	2.22	0.65
1:A:1453:LEU:O	1:A:1456:LEU:HB3	1.95	0.65
1:A:1245:ILE:O	1:A:1249:PHE:CD2	2.50	0.64
1:A:243:GLY:O	1:A:643:ASN:ND2	2.29	0.64
1:A:350:ASN:HB2	1:A:354:GLY:HA2	1.79	0.63
1:A:1384:ARG:NH1	6:A:1617:76F:O2P	2.31	0.63
1:A:1150:LYS:N	1:A:1443:GLU:OE1	2.25	0.63
1:A:234:SER:O	1:A:237:THR:HG22	1.98	0.62
1:A:331:SER:OG	1:A:332:SER:N	2.31	0.62
1:A:1011:CYS:N	1:A:1079:GLN:OE1	2.33	0.61
1:A:730:LEU:O	1:A:734:ASN:ND2	2.32	0.61
1:A:1071:ILE:HD11	1:A:1089:TYR:CZ	2.36	0.61
1:A:632:SER:HA	1:A:635:THR:HG22	1.82	0.60
1:A:918:PHE:O	1:A:924:TRP:NE1	2.33	0.60
1:A:1471:LYS:HA	1:A:1474:ILE:HD12	1.82	0.60
1:A:1245:ILE:O	1:A:1249:PHE:HD2	1.83	0.60
1:A:1435:GLU:O	1:A:1438:GLN:HB3	2.01	0.60
1:A:277:LEU:HD23	1:A:278:GLN:HE21	1.66	0.60
1:A:1434:PHE:O	1:A:1438:GLN:HB2	2.03	0.59
1:A:967:GLY:O	1:A:1301:ASN:ND2	2.36	0.59
1:A:1428:ASP:OD2	1:A:1432:MET:HE2	2.03	0.59
1:A:1060:PHE:HE1	1:A:1096:ILE:HD11	1.67	0.59
1:A:290:LYS:HG2	1:A:341:TYR:CE1	2.38	0.58
1:A:640:ALA:HB1	1:A:739:LEU:HD11	1.84	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:374:LEU:HD22	1:A:404:THR:HG21	1.85	0.58
1:A:178:ILE:HA	1:A:181:VAL:HG12	1.85	0.58
1:A:192:HIS:HB3	1:A:196:TYR:HD2	1.68	0.58
1:A:686:ASP:OD1	1:A:687:PHE:N	2.35	0.58
1:A:1039:ASN:OD1	1:A:1040:SER:N	2.37	0.58
1:A:118:LYS:HZ1	1:A:134:ILE:HD12	1.68	0.57
1:A:674:PHE:HB3	1:A:675:PRO:HD2	1.87	0.57
1:A:568:LEU:HA	1:A:571:ILE:HG12	1.87	0.57
1:A:1493:LEU:O	1:A:1497:VAL:HG23	2.04	0.57
1:A:54:LYS:HA	1:A:57:ASP:HB2	1.87	0.56
1:A:118:LYS:NZ	1:A:134:ILE:HD12	2.21	0.56
1:A:1225:ARG:HG3	1:A:1226:HIS:H	1.70	0.56
5:A:1614:Y01:HAO2	5:A:1614:Y01:HAE2	1.86	0.56
1:A:179:GLU:HG3	1:A:180:VAL:N	2.20	0.56
1:A:393:ILE:HD11	5:A:1614:Y01:HAQ2	1.88	0.56
1:A:532:ASN:HD21	1:A:616:ARG:NH1	2.03	0.56
1:A:1449:ARG:HB2	1:A:1485:ASP:HB3	1.87	0.56
1:A:62:PRO:HD2	1:A:121:TRP:CE3	2.41	0.56
8:A:1620:AJP:O77	8:A:1620:AJP:O25	2.24	0.55
1:A:1181:CYS:O	1:A:1185:VAL:HG23	2.07	0.55
1:A:583:TRP:HE1	1:A:622:LYS:HD2	1.71	0.55
1:A:1483:LYS:O	1:A:1485:ASP:N	2.39	0.55
1:A:552:ARG:NH2	1:A:556:TYR:OH	2.40	0.55
1:A:146:ILE:O	1:A:149:THR:HG22	2.07	0.54
1:A:102:PHE:O	1:A:106:THR:N	2.30	0.54
1:A:128:PRO:HG2	1:A:130:ARG:HD3	1.90	0.54
1:A:679:LEU:HD23	1:A:683:ASN:HD22	1.71	0.54
1:A:1235:ILE:O	1:A:1239:VAL:HG23	2.07	0.53
1:A:318:ILE:HD11	1:A:325:TYR:CZ	2.44	0.53
1:A:134:ILE:HD13	1:A:186:ALA:HB1	1.89	0.53
1:A:258:LEU:HD23	1:A:262:VAL:HG23	1.90	0.53
1:A:1061:LYS:HE2	1:A:1353:ALA:HA	1.91	0.52
1:A:841:MET:HA	1:A:844:ASN:HB2	1.91	0.52
1:A:1484:ASP:OD1	1:A:1485:ASP:N	2.43	0.52
1:A:877:ASP:N	1:A:877:ASP:OD1	2.37	0.52
1:A:157:MET:HE1	1:A:231:VAL:HG23	1.91	0.52
1:A:393:ILE:HG21	1:A:1344:ILE:HD12	1.90	0.52
1:A:152:ILE:HA	1:A:155:ILE:HG22	1.91	0.52
1:A:1173:ASP:N	1:A:1173:ASP:OD1	2.41	0.52
1:A:506:GLN:HA	1:A:509:GLN:HB2	1.92	0.51
1:A:590:ILE:HD11	1:A:616:ARG:HG3	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:130:ARG:O	1:A:134:ILE:HG12	2.11	0.51
1:A:301:PHE:CE1	1:A:303:ASP:HB3	2.45	0.51
1:A:303:ASP:O	1:A:305:ARG:N	2.43	0.51
1:A:126:PHE:H	1:A:128:PRO:HD3	1.76	0.51
1:A:513:GLY:HA2	1:A:516:VAL:HG12	1.91	0.51
1:A:1262:THR:OG1	6:A:1615:76F:O2P	2.29	0.51
1:A:1149:VAL:HG13	1:A:1438:GLN:HE22	1.76	0.51
1:A:71:ARG:HE	1:A:99:LYS:HB2	1.76	0.50
1:A:127:THR:HA	1:A:131:ARG:HG2	1.94	0.50
1:A:227:ARG:O	1:A:227:ARG:HG2	2.11	0.50
1:A:1007:LYS:O	1:A:1008:PHE:HB2	2.10	0.50
1:A:1253:LEU:HD21	1:A:1263:LEU:HD23	1.92	0.50
1:A:845:ILE:HA	1:A:848:VAL:HG12	1.93	0.50
1:A:1071:ILE:HD11	1:A:1089:TYR:CE1	2.46	0.50
1:A:516:VAL:HG21	1:A:569:LYS:HG3	1.93	0.50
1:A:167:ILE:HA	1:A:170:LEU:HD12	1.94	0.50
1:A:426:ALA:O	1:A:430:LYS:HG3	2.12	0.49
1:A:516:VAL:HG13	1:A:517:LEU:HD12	1.93	0.49
1:A:1140:VAL:O	1:A:1143:THR:OG1	2.29	0.49
1:A:1163:ILE:HD11	1:A:1223:SER:HA	1.93	0.49
1:A:153:HIS:HD2	1:A:172:PHE:CD2	2.30	0.49
1:A:865:VAL:O	1:A:869:THR:HG22	2.12	0.49
1:A:301:PHE:CD1	1:A:303:ASP:HB3	2.47	0.49
1:A:565:GLU:HA	1:A:568:LEU:HG	1.94	0.49
1:A:1349:LEU:HD11	1:A:1358:VAL:HG21	1.94	0.49
1:A:1295:ALA:HB2	1:A:1413:TYR:CG	2.48	0.49
1:A:167:ILE:HG13	1:A:170:LEU:HD12	1.95	0.49
1:A:982:ILE:HD13	1:A:1110:ILE:HD11	1.94	0.49
1:A:122:MET:O	1:A:123:LEU:HD22	2.13	0.48
1:A:317:TYR:HB2	1:A:341:TYR:HE2	1.78	0.48
1:A:1254:ILE:O	1:A:1255:GLU:CG	2.50	0.48
1:A:582:SER:O	1:A:582:SER:OG	2.32	0.48
1:A:56:ARG:NH1	1:A:119:SER:HB3	2.28	0.48
1:A:1254:ILE:HA	1:A:1259:VAL:HG12	1.96	0.48
1:A:1295:ALA:HB2	1:A:1413:TYR:CD2	2.49	0.48
1:A:692:MET:HG3	1:A:1089:TYR:CD2	2.49	0.47
1:A:1150:LYS:HB3	1:A:1443:GLU:HB2	1.96	0.47
1:A:1402:VAL:O	1:A:1405:MET:N	2.47	0.47
1:A:504:PRO:HA	1:A:507:LYS:HB3	1.95	0.47
1:A:617:VAL:HG11	1:A:995:VAL:HG22	1.96	0.47
1:A:56:ARG:NH1	1:A:117:GLU:O	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:555:ASN:OD1	1:A:613:ARG:NH2	2.47	0.47
1:A:718:ILE:HB	1:A:719:PRO:HD3	1.96	0.47
1:A:282:GLY:HA3	1:A:1192:GLU:OE1	2.15	0.47
1:A:561:ILE:HA	1:A:564:VAL:HG12	1.97	0.47
1:A:299:GLY:HA3	1:A:305:ARG:NH2	2.29	0.47
1:A:317:TYR:HB2	1:A:341:TYR:CE2	2.49	0.47
1:A:624:TRP:HE3	1:A:627:LEU:HB2	1.79	0.47
1:A:932:ALA:HB1	1:A:950:LEU:HD22	1.95	0.47
1:A:100:LYS:HA	1:A:103:VAL:HG23	1.97	0.47
1:A:131:ARG:HD2	1:A:131:ARG:HA	1.69	0.47
1:A:1212:LEU:HD23	1:A:1212:LEU:HA	1.80	0.47
1:A:359:ASP:OD1	1:A:359:ASP:N	2.48	0.47
1:A:405:PHE:HB3	1:A:1406:TYR:CD2	2.50	0.47
1:A:1254:ILE:C	1:A:1255:GLU:HG2	2.34	0.47
1:A:525:ILE:HA	1:A:528:ILE:HG22	1.96	0.46
1:A:130:ARG:HH12	1:A:189:PHE:HE1	1.63	0.46
1:A:285:LYS:O	1:A:287:LYS:HG2	2.16	0.46
1:A:880:LEU:HB3	1:A:881:PRO:HD3	1.98	0.46
1:A:1448:ILE:O	1:A:1487:ILE:N	2.49	0.46
1:A:603:VAL:HG12	1:A:604:GLN:N	2.27	0.46
1:A:873:LEU:HD21	1:A:952:LEU:HD23	1.97	0.46
1:A:122:MET:HE2	1:A:123:LEU:H	1.81	0.46
1:A:894:ASP:OD1	1:A:895:TYR:N	2.50	0.45
1:A:1145:SER:O	1:A:1145:SER:OG	2.28	0.45
1:A:1150:LYS:HD2	1:A:1442:PRO:HA	1.97	0.45
1:A:1440:PHE:HZ	1:A:1452:GLN:HB2	1.81	0.45
1:A:177:THR:HA	1:A:180:VAL:HG12	1.98	0.45
1:A:595:ILE:HD13	1:A:595:ILE:HA	1.83	0.45
1:A:934:LEU:HD23	1:A:934:LEU:HA	1.78	0.45
1:A:963:SER:O	1:A:963:SER:OG	2.31	0.45
1:A:403:GLY:O	1:A:407:PHE:HB3	2.17	0.45
1:A:300:ASN:OD1	1:A:300:ASN:N	2.50	0.45
1:A:1243:ILE:HG22	1:A:1270:ALA:HB1	1.97	0.45
1:A:1259:VAL:HG23	1:A:1259:VAL:O	2.17	0.45
1:A:191:LEU:HD12	1:A:192:HIS:N	2.32	0.45
1:A:502:CYS:SG	1:A:505:TRP:HB2	2.57	0.45
1:A:1176:ILE:HD11	1:A:1216:GLU:HG3	1.99	0.45
1:A:1331:ASP:O	1:A:1333:VAL:N	2.50	0.45
1:A:670:ASN:O	1:A:672:GLU:N	2.50	0.44
1:A:864:ALA:O	1:A:868:ILE:HG22	2.17	0.44
1:A:925:LEU:O	1:A:929:VAL:HG13	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:191:LEU:O	1:A:194:PHE:HB3	2.18	0.44
1:A:692:MET:HG3	1:A:1089:TYR:CE2	2.53	0.44
1:A:66:LEU:HD12	1:A:115:SER:HB3	1.98	0.44
1:A:122:MET:HG2	1:A:123:LEU:HD23	2.00	0.44
1:A:385:LEU:HD11	1:A:393:ILE:HG22	1.99	0.44
1:A:1112:ILE:HD13	1:A:1411:LEU:HD23	1.99	0.44
1:A:1028:ASN:HD22	4:A:1606:NAG:C7	2.31	0.44
1:A:587:ASP:OD2	1:A:619:ARG:NH2	2.51	0.44
1:A:679:LEU:HD23	1:A:683:ASN:ND2	2.32	0.43
1:A:925:LEU:HD23	1:A:925:LEU:HA	1.85	0.43
1:A:142:PHE:O	1:A:146:ILE:HG12	2.18	0.43
1:A:413:ALA:HA	1:A:1411:LEU:HD13	1.99	0.43
1:A:77:ARG:HA	1:A:121:TRP:CH2	2.53	0.43
1:A:1187:MET:HE1	1:A:1275:ILE:HG21	2.00	0.43
1:A:614:LEU:O	1:A:617:VAL:HG12	2.18	0.43
1:A:845:ILE:HG13	1:A:846:ARG:N	2.33	0.43
1:A:1154:LYS:HG2	1:A:1155:PRO:HD2	2.01	0.43
1:A:1497:VAL:O	1:A:1500:VAL:HG12	2.19	0.43
1:A:265:LEU:HB2	1:A:407:PHE:CZ	2.54	0.43
1:A:926:ASP:OD2	1:A:957:ARG:NH2	2.52	0.43
1:A:1012:VAL:HG13	1:A:1036:THR:HG23	2.00	0.43
1:A:390:PRO:O	1:A:393:ILE:HG23	2.19	0.43
1:A:1202:LEU:O	1:A:1205:ILE:HG22	2.18	0.43
1:A:122:MET:HE2	1:A:123:LEU:N	2.33	0.42
1:A:236:ARG:O	1:A:239:THR:HG22	2.19	0.42
1:A:521:PHE:O	1:A:525:ILE:HG13	2.18	0.42
1:A:1250:LEU:HD23	1:A:1250:LEU:HA	1.89	0.42
1:A:1338:THR:OG1	1:A:1339:PHE:N	2.53	0.42
1:A:64:GLN:HB3	1:A:118:LYS:CG	2.49	0.42
1:A:524:PHE:HE2	1:A:561:ILE:HD11	1.85	0.42
1:A:1331:ASP:O	1:A:1332:ASP:OD1	2.36	0.42
1:A:129:ILE:HD12	1:A:185:LEU:HD21	2.01	0.42
1:A:950:LEU:HA	1:A:950:LEU:HD23	1.83	0.42
1:A:960:ARG:HB3	1:A:961:PRO:HD3	2.01	0.42
1:A:199:ASP:N	1:A:199:ASP:OD1	2.48	0.42
1:A:533:ILE:HD11	1:A:617:VAL:HA	2.02	0.42
1:A:1268:ARG:O	1:A:1268:ARG:HG3	2.18	0.42
1:A:63:ASP:OD1	1:A:64:GLN:N	2.52	0.42
1:A:171:VAL:O	1:A:175:ILE:HG12	2.19	0.42
1:A:328:CYS:O	1:A:335:GLY:HA3	2.20	0.42
1:A:192:HIS:ND1	1:A:195:ALA:HB3	2.35	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1011:CYS:SG	1:A:1024:THR:HG21	2.59	0.42
1:A:208:VAL:HG11	1:A:233:ARG:HG3	2.01	0.42
1:A:192:HIS:C	1:A:194:PHE:H	2.22	0.42
1:A:1224:LEU:HD12	1:A:1224:LEU:O	2.20	0.42
1:A:65:ALA:C	1:A:66:LEU:HD22	2.40	0.41
1:A:192:HIS:C	1:A:194:PHE:N	2.73	0.41
1:A:1012:VAL:HG23	1:A:1017:THR:O	2.20	0.41
1:A:1356:ASP:OD1	1:A:1357:GLY:N	2.52	0.41
1:A:207:LEU:HD23	1:A:207:LEU:HA	1.95	0.41
1:A:133:ALA:HB1	1:A:186:ALA:HB2	2.03	0.41
1:A:506:GLN:O	1:A:509:GLN:HB2	2.21	0.41
1:A:1129:ASP:OD1	1:A:1133:GLN:NE2	2.54	0.41
1:A:1196:GLN:O	1:A:1199:THR:HG22	2.20	0.41
1:A:1479:ILE:HG13	1:A:1479:ILE:O	2.21	0.41
1:A:167:ILE:HA	1:A:170:LEU:CD1	2.50	0.41
1:A:1447:TYR:CZ	1:A:1488:PHE:HD1	2.39	0.41
1:A:1183:ASN:O	1:A:1186:THR:HG22	2.21	0.41
1:A:337:CYS:SG	1:A:338:PRO:HD3	2.61	0.41
1:A:933:TYR:HD1	1:A:933:TYR:HA	1.72	0.41
1:A:1013:ASP:HA	1:A:1035:TYR:HD1	1.85	0.41
1:A:1447:TYR:CD1	1:A:1486:HIS:HB3	2.56	0.41
1:A:512:ILE:HG13	1:A:572:ALA:HA	2.03	0.41
1:A:565:GLU:OE1	1:A:568:LEU:HD21	2.21	0.41
1:A:63:ASP:OD2	1:A:117:GLU:HA	2.22	0.40
1:A:513:GLY:O	1:A:516:VAL:HG12	2.20	0.40
1:A:147:MET:SD	1:A:240:ILE:HD12	2.61	0.40
1:A:878:ILE:HG22	1:A:879:TYR:CD2	2.56	0.40
1:A:67:GLU:HA	1:A:71:ARG:O	2.21	0.40
1:A:122:MET:HG2	1:A:123:LEU:CD2	2.52	0.40
1:A:1053:SER:OG	1:A:1066:ILE:HD13	2.21	0.40
1:A:1158:LYS:O	1:A:1162:CYS:N	2.54	0.40
1:A:1468:LYS:O	1:A:1470:ASN:N	2.55	0.40
1:A:1363:ALA:HA	1:A:1383:SER:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1269/1559 (81%)	1095 (86%)	168 (13%)	6 (0%)	29 61

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1484	ASP
1	A	1482	CYS
1	A	164	THR
1	A	1332	ASP
1	A	304	GLU
1	A	338	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	1137/1371 (83%)	1128 (99%)	9 (1%)	81 91

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	179	GLU
1	A	224	TYR
1	A	236	ARG
1	A	259	LYS
1	A	1217	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1268	ARG
1	A	1449	ARG
1	A	1468	LYS
1	A	1483	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	153	HIS
1	A	291	HIS
1	A	532	ASN
1	A	882	GLN
1	A	888	ASN
1	A	1133	GLN
1	A	1461	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

9 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	NAG	B	1	1,2	14,14,15	1.21	1 (7%)	17,19,21	0.82	0
2	NAG	B	2	2	14,14,15	0.31	0	17,19,21	0.56	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	BMA	B	3	2	11,11,12	0.98	0	15,15,17	1.54	4 (26%)
2	BMA	B	4	2	11,11,12	0.58	0	15,15,17	0.92	1 (6%)
2	BMA	B	5	2	11,11,12	0.60	0	15,15,17	0.88	0
3	NAG	C	1	1,3	14,14,15	0.20	0	17,19,21	0.57	0
3	NAG	C	2	3	14,14,15	0.38	0	17,19,21	0.43	0
3	NAG	D	1	1,3	14,14,15	0.24	0	17,19,21	0.44	0
3	NAG	D	2	3	14,14,15	0.30	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	B	2	2	-	2/6/23/26	0/1/1/1
2	BMA	B	3	2	-	2/2/19/22	0/1/1/1
2	BMA	B	4	2	-	2/2/19/22	0/1/1/1
2	BMA	B	5	2	-	1/2/19/22	0/1/1/1
3	NAG	C	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	2	3	-	2/6/23/26	0/1/1/1
3	NAG	D	1	1,3	-	3/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1	NAG	O5-C1	-4.02	1.37	1.43

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	B	3	BMA	C1-C2-C3	-3.29	105.62	109.67
2	B	3	BMA	O3-C3-C2	2.61	115.00	109.99
2	B	4	BMA	O2-C2-C3	-2.33	105.47	110.14
2	B	3	BMA	C3-C4-C5	-2.21	106.30	110.24
2	B	3	BMA	O2-C2-C3	-2.06	106.01	110.14

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	1	NAG	O5-C5-C6-O6
2	B	2	NAG	O5-C5-C6-O6
2	B	1	NAG	O5-C5-C6-O6
2	B	3	BMA	O5-C5-C6-O6
2	B	2	NAG	C4-C5-C6-O6
3	D	1	NAG	C4-C5-C6-O6
2	B	1	NAG	C4-C5-C6-O6
3	C	2	NAG	O5-C5-C6-O6
2	B	4	BMA	C4-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
2	B	5	BMA	O5-C5-C6-O6
3	C	2	NAG	C4-C5-C6-O6
2	B	3	BMA	C4-C5-C6-O6
2	B	4	BMA	O5-C5-C6-O6
3	D	1	NAG	C1-C2-N2-C7
3	D	2	NAG	C1-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

Oligosaccharide Chain B	
 Bond lengths	 Bond angles
 Torsions	 Rings

Oligosaccharide Chain C



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain D



5.6 Ligand geometry (i)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
6	76F	A	1618	-	45,45,50	1.29	6 (13%)	48,50,55	1.33	6 (12%)
8	AJP	A	1620	-	95,95,95	2.76	26 (27%)	143,149,149	2.59	37 (25%)
6	76F	A	1616	-	42,42,50	1.32	7 (16%)	44,47,55	1.28	4 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
7	LHG	A	1619	-	40,40,48	0.98	4 (10%)	43,46,54	1.06	2 (4%)
4	NAG	A	1613	1	14,14,15	0.42	0	17,19,21	0.53	0
4	NAG	A	1607	-	14,14,15	0.28	0	17,19,21	0.38	0
5	Y01	A	1614	-	38,38,38	1.74	10 (26%)	57,57,57	2.71	21 (36%)
6	76F	A	1615	-	30,30,50	1.10	4 (13%)	33,35,55	1.21	2 (6%)
4	NAG	A	1608	1	14,14,15	0.35	0	17,19,21	0.37	0
4	NAG	A	1606	1	14,14,15	0.20	0	17,19,21	0.35	0
6	76F	A	1617	-	39,39,50	1.28	6 (15%)	41,44,55	1.28	3 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	76F	A	1618	-	-	29/49/49/54	-
8	AJP	A	1620	-	19/19/38/38	11/28/220/220	0/11/11/11
6	76F	A	1616	-	-	28/46/46/54	-
7	LHG	A	1619	-	-	16/45/45/53	-
4	NAG	A	1613	1	-	4/6/23/26	0/1/1/1
4	NAG	A	1607	-	-	2/6/23/26	0/1/1/1
5	Y01	A	1614	-	1/1/12/13	12/19/77/77	0/4/4/4
6	76F	A	1615	-	-	17/34/34/54	-
4	NAG	A	1608	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1606	1	-	1/6/23/26	0/1/1/1
6	76F	A	1617	-	-	23/43/43/54	-

All (63) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	1620	AJP	C12-C07	-8.72	1.38	1.56
8	A	1620	AJP	C12-C11	8.70	1.73	1.56
8	A	1620	AJP	C11-C10	-8.46	1.36	1.53
8	A	1620	AJP	O09-C08	8.37	1.56	1.43
8	A	1620	AJP	C14-C15	8.31	1.67	1.53
8	A	1620	AJP	C07-C06	-7.08	1.31	1.54
8	A	1620	AJP	C05-C06	6.73	1.66	1.53
8	A	1620	AJP	C10-C08	5.84	1.66	1.52
5	A	1614	Y01	CAK-CBD	-5.31	1.44	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	1620	AJP	C16-C15	3.86	1.61	1.53
6	A	1616	76F	C41-C40	3.76	1.53	1.31
6	A	1617	76F	C22-C21	3.64	1.52	1.31
6	A	1618	76F	C19-C18	3.63	1.52	1.31
6	A	1617	76F	C19-C18	3.63	1.52	1.31
6	A	1616	76F	C19-C18	3.62	1.52	1.31
6	A	1618	76F	C41-C40	3.61	1.52	1.31
6	A	1618	76F	C22-C21	3.61	1.52	1.28
8	A	1620	AJP	C13-C14	3.42	1.60	1.53
8	A	1620	AJP	C18-C19	3.39	1.61	1.53
5	A	1614	Y01	CAV-CAZ	-3.23	1.44	1.51
8	A	1620	AJP	O09-C05	-3.22	1.35	1.42
8	A	1620	AJP	C07-C08	3.17	1.59	1.53
6	A	1616	76F	C21-C22	3.11	1.52	1.29
5	A	1614	Y01	CBH-CBF	-3.04	1.50	1.56
5	A	1614	Y01	CAL-CAX	2.99	1.57	1.50
8	A	1620	AJP	O84-C05	2.99	1.47	1.42
5	A	1614	Y01	CAK-CAI	-2.91	1.43	1.50
8	A	1620	AJP	O84-C85	2.87	1.47	1.43
5	A	1614	Y01	CAT-CAR	-2.72	1.47	1.53
8	A	1620	AJP	C04-C03	-2.70	1.47	1.53
7	A	1619	LHG	O7-C5	-2.67	1.39	1.46
8	A	1620	AJP	O60-C55	2.53	1.48	1.41
6	A	1617	76F	O2-C2	-2.53	1.40	1.46
8	A	1620	AJP	O70-C65	2.52	1.48	1.41
6	A	1618	76F	O2-C2	-2.51	1.40	1.46
8	A	1620	AJP	O31-C26	2.50	1.48	1.41
6	A	1615	76F	O2-C2	-2.48	1.40	1.46
6	A	1617	76F	O3-C30	2.46	1.40	1.33
8	A	1620	AJP	C48-C47	-2.44	1.48	1.52
8	A	1620	AJP	O50-C49	2.43	1.47	1.43
8	A	1620	AJP	O50-C45	2.42	1.46	1.41
6	A	1618	76F	O3-C30	2.42	1.40	1.33
5	A	1614	Y01	CAU-CBI	-2.41	1.49	1.54
6	A	1616	76F	O3-C3	-2.41	1.39	1.45
5	A	1614	Y01	CBI-CBG	-2.40	1.50	1.55
6	A	1616	76F	O2-C10	2.34	1.40	1.34
8	A	1620	AJP	O60-C59	2.29	1.49	1.44
7	A	1619	LHG	O8-C23	2.29	1.40	1.33
7	A	1619	LHG	O8-C6	-2.28	1.39	1.45
5	A	1614	Y01	OAW-CBC	-2.28	1.40	1.46
6	A	1615	76F	O3-C30	2.28	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1615	76F	O2-C10	2.25	1.40	1.34
6	A	1616	76F	O3-C30	2.22	1.39	1.33
6	A	1617	76F	O2-C10	2.20	1.40	1.34
6	A	1617	76F	O3-C3	-2.17	1.40	1.45
6	A	1615	76F	O3-C3	-2.16	1.40	1.45
6	A	1618	76F	O3-C3	-2.09	1.40	1.45
7	A	1619	LHG	O7-C7	2.09	1.40	1.34
8	A	1620	AJP	O44-C45	2.08	1.47	1.41
8	A	1620	AJP	C38-C39	2.06	1.57	1.53
6	A	1616	76F	O2-C2	-2.06	1.41	1.46
5	A	1614	Y01	CBI-CBE	2.06	1.58	1.55
8	A	1620	AJP	O54-C36	2.02	1.49	1.43

All (75) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
8	A	1620	AJP	O84-C05-O09	-16.08	64.97	109.78
8	A	1620	AJP	C04-C05-C06	14.45	145.42	115.69
5	A	1614	Y01	CAT-CBH-CBF	7.22	118.81	108.73
5	A	1614	Y01	CAD-CBH-CAZ	6.80	119.34	108.34
8	A	1620	AJP	O09-C08-C10	6.56	123.66	110.17
5	A	1614	Y01	CAE-CBI-CAU	-6.44	100.42	110.59
5	A	1614	Y01	CBH-CBF-CBD	5.96	121.68	112.73
5	A	1614	Y01	CAD-CBH-CBF	-5.80	104.76	111.68
8	A	1620	AJP	C14-C15-C20	-5.79	107.25	113.91
8	A	1620	AJP	C49-C48-C47	5.08	115.92	109.67
8	A	1620	AJP	C21-C20-C19	4.90	112.66	107.14
5	A	1614	Y01	CAO-CBB-CBE	4.67	119.94	110.28
8	A	1620	AJP	C15-C20-C19	4.62	115.07	108.58
6	A	1617	76F	O2-C10-C11	4.61	121.43	111.50
6	A	1618	76F	O2-C10-C11	4.53	121.26	111.50
5	A	1614	Y01	CBG-CBI-CBE	4.39	105.28	100.07
8	A	1620	AJP	C35-O34-C29	-4.00	108.06	117.96
7	A	1619	LHG	O7-C7-C8	3.98	120.07	111.50
8	A	1620	AJP	C05-C06-C07	-3.93	96.98	103.37
6	A	1615	76F	O2-C10-C11	3.90	119.91	111.50
5	A	1614	Y01	CAE-CBI-CBE	3.89	118.96	111.71
5	A	1614	Y01	OAW-CAY-CAM	3.83	119.75	111.50
8	A	1620	AJP	C83-C06-C05	-3.74	108.09	114.92
5	A	1614	Y01	CAQ-CBG-CBD	3.68	125.14	119.08
5	A	1614	Y01	CAT-CBH-CAZ	-3.57	102.21	108.75
6	A	1616	76F	O2-C10-C11	3.57	119.19	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
8	A	1620	AJP	C48-C47-C46	3.56	117.05	110.89
5	A	1614	Y01	OAW-CAY-OAG	-3.40	115.48	123.70
8	A	1620	AJP	C21-C20-C15	-3.38	105.03	110.08
5	A	1614	Y01	CAR-CAT-CBH	3.31	119.92	112.74
8	A	1620	AJP	C06-C07-C08	-3.28	98.37	104.34
8	A	1620	AJP	C26-O25-C23	-3.19	110.40	115.33
6	A	1615	76F	O3-C30-C31	3.18	121.89	111.91
8	A	1620	AJP	O84-C05-C06	-3.13	96.38	107.38
8	A	1620	AJP	O60-C59-C58	3.12	115.36	109.69
8	A	1620	AJP	C12-C07-C08	-3.08	101.55	104.88
8	A	1620	AJP	C55-O54-C36	-3.03	110.47	117.96
5	A	1614	Y01	CAK-CBD-CBG	2.91	115.12	110.91
8	A	1620	AJP	C65-C66-C67	2.90	116.04	110.00
8	A	1620	AJP	C80-C20-C15	-2.86	107.24	111.18
8	A	1620	AJP	C65-O64-C57	-2.84	110.94	117.96
6	A	1617	76F	O3-C30-C31	2.83	120.79	111.91
8	A	1620	AJP	O31-C30-C29	2.79	115.64	109.75
6	A	1618	76F	C20-C21-C22	-2.78	109.53	127.08
5	A	1614	Y01	CAP-CAQ-CBG	-2.77	99.64	105.13
8	A	1620	AJP	C18-C17-C16	2.71	116.61	112.14
5	A	1614	Y01	CAS-CBF-CBH	-2.70	109.53	113.08
8	A	1620	AJP	C17-C16-C15	2.69	113.83	110.49
6	A	1616	76F	O3-C30-C31	2.65	120.22	111.91
8	A	1620	AJP	C11-C12-C07	2.63	104.69	100.19
8	A	1620	AJP	O70-C65-C66	2.60	115.86	110.35
8	A	1620	AJP	C68-C67-C66	2.56	115.30	110.82
5	A	1614	Y01	CAV-CAZ-CBH	-2.52	113.07	116.42
8	A	1620	AJP	O40-C39-C38	2.47	114.17	109.69
7	A	1619	LHG	O8-C23-C24	2.43	119.53	111.91
6	A	1618	76F	O3-C30-C31	2.43	119.53	111.91
8	A	1620	AJP	C14-C13-C12	-2.37	108.72	112.78
5	A	1614	Y01	CBH-CAZ-CAI	-2.36	119.28	122.90
8	A	1620	AJP	C81-C12-C07	-2.34	105.94	111.63
5	A	1614	Y01	CAV-CAZ-CAI	2.33	123.97	120.61
8	A	1620	AJP	C37-C38-C39	2.31	114.58	109.66
5	A	1614	Y01	CBF-CBH-CAZ	-2.28	106.08	109.65
8	A	1620	AJP	C12-C07-C06	2.27	128.28	120.56
8	A	1620	AJP	C57-C58-C59	2.21	114.37	109.66
6	A	1617	76F	C17-C18-C19	-2.17	108.05	124.73
8	A	1620	AJP	C45-C46-C47	2.14	114.45	110.00
5	A	1614	Y01	CAP-CBE-CBB	2.13	115.44	112.15
6	A	1618	76F	C39-C40-C41	-2.10	108.64	124.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
6	A	1618	76F	C42-C41-C40	-2.06	108.92	124.73
6	A	1616	76F	C23-C22-C21	-2.05	109.44	126.37
8	A	1620	AJP	C17-C18-C19	2.02	115.91	111.84
6	A	1618	76F	C17-C18-C19	-2.02	109.25	124.73
8	A	1620	AJP	C28-C29-C30	2.01	115.54	110.93
8	A	1620	AJP	C14-C15-C16	2.01	114.64	111.75
6	A	1616	76F	C17-C18-C19	-2.00	109.36	124.73

All (20) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	A	1614	Y01	CBF
8	A	1620	AJP	C12
8	A	1620	AJP	C68
8	A	1620	AJP	C55
8	A	1620	AJP	C05
8	A	1620	AJP	C23
8	A	1620	AJP	C66
8	A	1620	AJP	C59
8	A	1620	AJP	C29
8	A	1620	AJP	C36
8	A	1620	AJP	C08
8	A	1620	AJP	C57
8	A	1620	AJP	C56
8	A	1620	AJP	C22
8	A	1620	AJP	C46
8	A	1620	AJP	C39
8	A	1620	AJP	C19
8	A	1620	AJP	C16
8	A	1620	AJP	C67
8	A	1620	AJP	C45

All (143) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1614	Y01	OAG-CAY-OAW-CBC
5	A	1614	Y01	CAM-CAY-OAW-CBC
6	A	1615	76F	C11-C10-O2-C2
6	A	1616	76F	O4P-C4-C5-N
6	A	1616	76F	C19-C20-C21-C22
6	A	1616	76F	C20-C21-C22-C23
6	A	1616	76F	C1-O3P-P-O1P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1617	76F	C11-C10-O2-C2
6	A	1617	76F	O4-C10-O2-C2
6	A	1617	76F	C31-C30-O3-C3
6	A	1617	76F	O5-C30-O3-C3
6	A	1617	76F	C1-O3P-P-O4P
6	A	1617	76F	C4-O4P-P-O1P
6	A	1618	76F	C1-O3P-P-O1P
6	A	1618	76F	C4-O4P-P-O1P
6	A	1618	76F	C4-O4P-P-O2P
8	A	1620	AJP	C46-C45-O44-C37
6	A	1615	76F	O4-C10-O2-C2
5	A	1614	Y01	CAX-CAL-CAM-CAY
6	A	1618	76F	C17-C18-C19-C20
7	A	1619	LHG	O2-C2-C3-O3
8	A	1620	AJP	O70-C69-C71-O72
4	A	1613	NAG	O5-C5-C6-O6
8	A	1620	AJP	O70-C65-O64-C57
6	A	1618	76F	C31-C30-O3-C3
7	A	1619	LHG	C24-C23-O8-C6
8	A	1620	AJP	C29-C30-C32-O33
6	A	1618	76F	O5-C30-O3-C3
7	A	1619	LHG	O10-C23-O8-C6
8	A	1620	AJP	C68-C69-C71-O72
8	A	1620	AJP	C28-C29-O34-C35
5	A	1614	Y01	CAO-CBB-CBE-CBI
8	A	1620	AJP	C30-C29-O34-C35
6	A	1616	76F	C31-C30-O3-C3
6	A	1617	76F	C10-C11-C12-C13
6	A	1618	76F	C10-C11-C12-C13
5	A	1614	Y01	CAC-CBB-CBE-CAP
5	A	1614	Y01	CAO-CBB-CBE-CAP
4	A	1607	NAG	C4-C5-C6-O6
6	A	1615	76F	C4-O4P-P-O3P
6	A	1616	76F	C1-O3P-P-O4P
6	A	1618	76F	C4-O4P-P-O3P
7	A	1619	LHG	C1-C2-C3-O3
6	A	1617	76F	C32-C33-C34-C35
6	A	1616	76F	O5-C30-O3-C3
6	A	1616	76F	C34-C35-C36-C37
7	A	1619	LHG	C26-C27-C28-C29
6	A	1618	76F	C30-C31-C32-C33
5	A	1614	Y01	CAJ-CAN-CBA-CAA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1617	76F	C12-C13-C14-C15
7	A	1619	LHG	C27-C28-C29-C30
6	A	1618	76F	C11-C12-C13-C14
5	A	1614	Y01	CAO-CAJ-CAN-CBA
6	A	1615	76F	C10-C11-C12-C13
6	A	1616	76F	C11-C12-C13-C14
6	A	1617	76F	C11-C12-C13-C14
6	A	1615	76F	O4P-C4-C5-N
6	A	1618	76F	O4P-C4-C5-N
6	A	1618	76F	C42-C43-C44-C45
6	A	1618	76F	C14-C15-C16-C17
7	A	1619	LHG	C4-C5-C6-O8
6	A	1617	76F	C30-C31-C32-C33
4	A	1613	NAG	C4-C5-C6-O6
6	A	1618	76F	C33-C34-C35-C36
7	A	1619	LHG	C7-C8-C9-C10
4	A	1606	NAG	O5-C5-C6-O6
6	A	1615	76F	C31-C30-O3-C3
6	A	1616	76F	C33-C34-C35-C36
6	A	1618	76F	C32-C33-C34-C35
4	A	1607	NAG	O5-C5-C6-O6
8	A	1620	AJP	O31-C26-O25-C23
6	A	1617	76F	C31-C32-C33-C34
5	A	1614	Y01	CAJ-CAN-CBA-CAB
7	A	1619	LHG	C10-C11-C12-C13
8	A	1620	AJP	O31-C30-C32-O33
6	A	1618	76F	C36-C37-C38-C39
6	A	1617	76F	C4-O4P-P-O3P
6	A	1616	76F	C36-C37-C38-C39
6	A	1615	76F	C11-C12-C13-C14
6	A	1615	76F	O5-C30-O3-C3
6	A	1615	76F	C30-C31-C32-C33
6	A	1617	76F	O2-C2-C3-O3
6	A	1616	76F	C32-C33-C34-C35
8	A	1620	AJP	C27-C26-O25-C23
6	A	1616	76F	O3-C30-C31-C32
6	A	1617	76F	O4P-C4-C5-N
6	A	1617	76F	C18-C19-C20-C21
6	A	1617	76F	C19-C20-C21-C22
6	A	1615	76F	C2-C1-O3P-P
7	A	1619	LHG	C2-C3-O3-P
6	A	1616	76F	C40-C41-C42-C43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1617	76F	C21-C22-C23-C24
6	A	1616	76F	C30-C31-C32-C33
6	A	1618	76F	O3P-C1-C2-O2
6	A	1618	76F	O2-C2-C3-O3
6	A	1617	76F	C34-C35-C36-C37
6	A	1618	76F	C34-C35-C36-C37
6	A	1618	76F	C1-O3P-P-O4P
6	A	1616	76F	C12-C13-C14-C15
6	A	1615	76F	C4-O4P-P-O1P
6	A	1616	76F	C1-O3P-P-O2P
6	A	1616	76F	C4-O4P-P-O1P
6	A	1616	76F	C39-C40-C41-C42
4	A	1613	NAG	C1-C2-N2-C7
7	A	1619	LHG	O6-C4-C5-O7
6	A	1615	76F	C31-C32-C33-C34
7	A	1619	LHG	O7-C5-C6-O8
5	A	1614	Y01	CAC-CBB-CBE-CBI
7	A	1619	LHG	C28-C29-C30-C31
6	A	1616	76F	C1-C2-O2-C10
6	A	1617	76F	O3P-C1-C2-C3
6	A	1618	76F	O3P-C1-C2-C3
6	A	1615	76F	O3-C30-C31-C32
6	A	1617	76F	O3P-C1-C2-O2
7	A	1619	LHG	C3-O3-P-O6
6	A	1617	76F	C1-C2-C3-O3
6	A	1616	76F	C38-C39-C40-C41
6	A	1617	76F	C20-C21-C22-C23
6	A	1616	76F	C18-C19-C20-C21
8	A	1620	AJP	C38-C39-C41-O42
6	A	1618	76F	C37-C38-C39-C40
7	A	1619	LHG	O6-C4-C5-C6
6	A	1618	76F	O3-C30-C31-C32
6	A	1616	76F	C13-C14-C15-C16
6	A	1616	76F	C16-C17-C18-C19
6	A	1616	76F	O5-C30-C31-C32
6	A	1618	76F	C31-C32-C33-C34
6	A	1618	76F	C38-C39-C40-C41
6	A	1615	76F	O2-C10-C11-C12
6	A	1618	76F	C1-C2-C3-O3
6	A	1618	76F	C39-C40-C41-C42
5	A	1614	Y01	CAM-CAL-CAX-OAH
6	A	1618	76F	C16-C17-C18-C19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1616	76F	C31-C32-C33-C34
6	A	1615	76F	O2-C2-C3-O3
4	A	1613	NAG	C3-C2-N2-C7
6	A	1615	76F	O4-C10-C11-C12
6	A	1615	76F	C34-C35-C36-C37
7	A	1619	LHG	C11-C12-C13-C14
5	A	1614	Y01	CAM-CAL-CAX-OAF
6	A	1616	76F	O2-C10-C11-C12
6	A	1618	76F	O4-C10-O2-C2
6	A	1616	76F	C2-C1-O3P-P

There are no ring outliers.

5 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	1620	AJP	1	0
5	A	1614	Y01	2	0
6	A	1615	76F	1	0
4	A	1606	NAG	1	0
6	A	1617	76F	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 76F A 1618



Ligand AJP A 1620



Ligand 76F A 1616



Ligand LHG A 1619



Bond lengths



Bond angles



Torsions



Rings

Ligand Y01 A 1614



Bond lengths



Bond angles



Torsions



Rings

Ligand 76F A 1615	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand 76F A 1617	
 Bond lengths	 Bond angles
 Torsions	 Rings

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-0500. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



X



Y



Z

6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map


X Index: 125


Y Index: 125


Z Index: 125

6.2.2 Raw map


X Index: 125


Y Index: 125


Z Index: 125

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map


X Index: 117


Y Index: 127


Z Index: 134

6.3.2 Raw map


X Index: 121


Y Index: 128


Z Index: 135

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views (i)

6.4.1 Primary map



X Y Z

The images above show the 3D surface view of the map at the recommended contour level 3.8. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



X Y Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.5 Mask visualisation (i)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency

A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure

6.5.1 emd_0500_msk_1.map (i)



X



Y



Z

7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate (i)



The volume at the recommended contour level is 71 nm^3; this corresponds to an approximate mass of 64 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.294 Å^{-1}

8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.294 Å^{-1}

8.2 Resolution estimates (i)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.40	-	-
Author-provided FSC curve	3.38	3.82	3.43
Unmasked-calculated*	4.00	4.73	4.07

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.00 differs from the reported value 3.4 by more than 10 %

9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-0500 and PDB model 6NT3. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay (i)



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 3.8 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (3.8).

9.4 Atom inclusion (i)



At the recommended contour level, 79% of all backbone atoms, 71% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (3.8) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7105	0.4680
A	0.7120	0.4680
B	0.8197	0.4680
C	0.3214	0.3790
D	0.3214	0.3340